



Output Nr. 1: BCRABL [prct]  
Observation vs. Population and Individual Predictions

Linear Axes




Output Nr. 1: BCRABL [prct]  
Observation vs. Population and Individual Predictions  
Log Axes (zero values plotted on axis)




# Output Nr. 1: BCRABL [prct]

## Weighted Individual and Population Residuals and NPDE vs. Time


pwRes



indWRes\_mode




NPDE




Output Nr. 1: BCRABL [prct]  
Weighted Individual and Population Residuals and NPDE vs. Time  
Log TIME axis (values for time = 0 plotted on axis)


pwRes



indWRes\_mode



NPDE



1e-02

1e+00


1e+02

Time [ MONTHS ]


# Output Nr. 1: BCRABL [prct]

## Weighted Individual and Population Residuals and NPDE vs. TAD


pwRes



indWRes\_mode




NPDE




# Output Nr. 1: BCRABL [prct]

## Weighted Individual and Population Residuals and NPDE vs. Population Prediction


pwRes



indWRes\_mode



NPDE




# Output Nr. 1: BCRABL [prct]


## Weighted Individual and Population Residuals and NPDE vs. Population Prediction

Log Prediction axis (values for prediction = 0 plotted on axis)


pwRes



indWRes\_mode




NPDE




Output Nr. 1: BCRABL [prct]  
Histograms of Residuals compared to Standard Normal


pwRes



indWRes\_mode




NPDE






Output Nr. 1: BCRABL [prct]  
QQ-Plots of Residuals

pwRes



indWRes\_mode



NPDE

