

STMI \LaTeX

Overview and Installation Guide

Copyright © 2019 DLR FA STM
v20191210

Thankfully inspired by the RM- \LaTeX package guide.

Martin Rädcl

December 10, 2019

STMI \LaTeX is a template collection for \LaTeX documents. All features and templates are created due to personal interest and are subject to change. All packages are tested using MiKTeX 2.9. However, they are considered as “as-is” and without any warranty. For questions, suggestion and feedback, please contact the author of the particular package.

STMI \LaTeX requires an up to date \LaTeX installation.

Contents

1	An Overview	1
2	Installation	3
2.1	Windows: MiKTeX	3
2.2	Linux: TeXLive	3
2.2.1	Installation by an User	3
2.2.2	Installation for all Users	3
3	Getting started	3

1 An Overview

The following templates and tools are available in STMI \LaTeX . Further information on each package can be found in the package documentation.

stmcolors

Color definitions.

stmconditionalox

Conditional lists of float environments.

stmdate

Date definitions.

stm glossaries

Acronyms and symbol definitions.

stmhyperref

Definitions for hypertext.

stmindex

Index definitions.

stm language

Language definitions.

stm listings

Listings definitions.

stm math

Math definitions.

stm plots

Plot definitions.

stm text

Documentclass for structural mechanics document preparation.

stmtikz

Drawing definitions.

stmunits

Units definitions.

2 Installation

The STML^AT_EX package can be downloaded or cloned from <https://github.com/raedma/stmlatex>. The installation procedure for the STML^AT_EX package on different operating systems is explained in the following.

2.1 Windows: MiKTeX

In order to correctly install STML^AT_EX on a Windows system with MiKTeX the following steps have to be performed.

1. Copy STML^AT_EX to any desired path, e. g. to `D:\My-LaTeX-Templates\STMLaTeX\`. It is important that you do not change the directory structure inside the package.
2. Open the MiKTeX Console GUI and add the STML^AT_EX package root path to the MiKTeX root directory list. Currently, **Settings** → **Directories** → **Add** (Plus symbol). Click OK.

2.2 Linux: TeXLive

For an installation with TeXLive a user specific installation and an installation for all users is possible. Both possibilities are explained in the following subsections.

2.2.1 Installation by an User

1. Unpack the files into the user's `texmf/` directory. It is important that you do not change the directory structure.
2. Update the filename database by executing `mktextlsr`.
3. If you use Debian, you have to update the config files by running `update-updmap`.
4. Final you have to update the font maps. This is be done by calling `updmap`.

2.2.2 Installation for all Users

Please note: if you want to install the STML^AT_EX package for all users, administrator rights are necessary.

1. Unpack the files to `/usr/local/share/texmf/`.
2. Update the filename database by executing `sudo mktexlsr`.
3. If you use Debian, you have to update the config files by `sudo update-updmap`.
4. Finally you have to update the font maps by executing `sudo updmap-sys`.

3 Getting started

All files below `doc/` are self-running examples.