

Peer-to-Peer Optimal Solar Energy Trading using Proof-of-Authority Blockchain

Mohammad Rafaquat Alam, Teoh Jing Yang

Abstract—With Malaysia’s growing populations and improved lifestyles, the demand for energy would only increase posing new challenges and problems to the energy sector. This project proposes a peer-to-peer web-based solar energy trading platform that utilizes Blockchain technology. The aim of this project is to optimize energy usage by homes, such that those that require higher amounts, can trade energy instead of paying higher energy bills whilst also providing a second income stream but through production of renewable energy. The back end of the platform is built using the Golang, while the Angular framework is used for the front end. Energy forecasting and double auction mechanism is used for optimal energy allocation and they are written in Python. Moreover, the platform uses the MongoDB NoSQL cloud database to securely and reliably store its data.

Index Terms—Solar Energy, Energy Forecasting, Double Auction, Blockchain, Frontend and Backend.

I. INTRODUCTION

AS more people get access to electricity with more appliances and electrical devices in households, it is only fair that the energy consumption for the average person throughout history has been increasing steadily [1], [2]. Grids in Malaysia are supplied by Tenaga Nasional Berhad, TNB with energy through main transmission lines that go from the generators all the way to distribution lines which then forward energy to end users such as industrial, commercial, or residential users. It is in no doubt that as this demand and consumption for energy keeps increasing, at one point these transmission lines would have to be upgraded[3]. This would take a huge amount of time, resources and money, and if nothing is done the transmission lines will be extremely congested which is already starting to happen now during peak hours.

Another downfall of the energy sector according to consumers would be houses with solar panels, do not utilize the generated surplus energy to its full potential. They do not benefit in any way from the surplus energy they generated as all of it is dissipated to the grid for free [4]. This reduces overall morale for the general public as there is no incentive from the extra energy they produce thus demotivating them to use any kind of renewable energy generation in their house.

One way to combat the aforementioned problems is to implement a P2P Energy trading Blockchain platform that guarantees all trading parties some reward by trading the renewable energy they produced. The P2P platform will allow prosumers to trade surplus energy they generated for sale on the market, while consumers would then be able to buy it without needing to get electricity from the mains and as a result the overall demand and stress on the transmission lines would reduce [4][5]. Consequently, infrastructure upgrade

costs and resources can be invested in other projects as this upgrade will not be as necessary as before. Furthermore, an incentive is created for residential people to own solar panels so they can start selling on the P2P platform, thus increasing the number of people who are using renewable sources of energy leading to a cleaner and greener environment.

In this project we provide a Proof-Of-Authority Distributed Ledger web based trading platform which uses Machine Learning to predict prosumer energy consumed and/or produced and then use that prediction to calculate the Optimal Energy that can be allocated to the buyer from each prosumer.

II. METHODS

A. Energy Forecasting




Fig:1 Prosumer specific energy consumption forecast vs time



Fig:2 Prosumer specific energy production forecast vs time

1) *Why Energy Forecasting:* For our implemented web application, we are assuming that the solar energy a prosumer generates is stored in a battery and the energy balance is stored in a smart metre in their homes. Using this stream of data from the smart metre, we forecast the amount of energy consumed as well as produced for a given day. By predicting the energy consumption, we can limit the prosumer to a max energy value that they can make an order for. This ensures, that no prosumer orders extremely large energy amount that even the grid cannot produce. By predicting the energy production, we can limit the prosumer to a max energy value that they can use to make a bid on an energy request. This ensures, that no prosumer makes a bid that exceeds the max predicted amount they can produce.

2) *How Energy Forecasting is done:* The energy forecasting uses Triple Exponential Smoothing[4] with Additive Trend and Seasonality and relying on the latest two data points for seasonal period[5]. The training also includes Trend Damping to prevent the rise of unrealistic trends and thereby account for Seasonal Irregularity[5]. Once training is done using all

the data points upto a certain time of the day a forecast is generated for the next 30 minutes from that point in time. This is the maximum energy forecast depending on what feature the prosumer is making use of. If the prosumer wants to make an order, they are shown their forecast graph for energy consumption. If the prosumer wants to make a bid on an energy request, they are shown their forecast graph for energy production.

B. Optimal Energy Allocation

1) *Social Welfare Maximisation, SWM*: The SWM problem is the objective function that hopes to fulfill the energy request of prosumers by maximising the energy provided by the bidders by considering the cost to generate the energy for each bidder. The amount of energy that would satisfy a prosumer based on their smart metre data and energy consumption forecast is defined by the satisfaction function in [1] as:

$$U_i(E_i^n) = w_i [\ln(n \sum_{j=1}^J (e_{ij}^n - e_i^{n,min}) + 1)] \quad (1)$$

where E^n is the energy receivable for prosumer that would satisfy them, w_i is the charging willingness, J is the total number of bids on the request, e_{ij}^n is the energy the prosumer can receive from the bidder as per their consumption forecast,

The above equation makes sure that the prosumer(buyer) has enough energy even if their whole demand is not satisfied as per their consumption forecast. Next we need to consider the cost the bidding prosumer has to incur when they trade the energy they produced as per the forecast. The cost function is given in [6] as :

$$L_i(S_j^n) = c_1 \sum_{i=1}^I (s_j^n)^2 + c_2 \sum_{i=1}^I (s_{ji}^n) \quad (2)$$

where S^n is the energy that bidder can provide, I is the request made by the prosumer, c_1 and c_2 are cost factors for the bidder, s_j^n is the energy the bidder can produce as per their forecast, s_{ji}^n is the energy the bidder wants to trade from the total produced

Now that we know how much energy would satisfy the prosumer as shown in Eq.(1) and the cost the bidder has to bear to trade energy as in Eq.(2), we can determine the objective function for SWM as:

$$SWM : \max_{E^n, S^n} \sum_{i=1}^I U_i(E_i^n) - \sum_{j=1}^J L_j(S_j^n) \quad (3)$$

$$\text{Subject to : } e_i^{n,min} \leq \sum_{j=1}^J e_{ij}^n \leq e_i^{n,max}, \forall i \in E,$$

$$\sum_{i=1}^I s_{ji}^n \leq S_j^{n,max} \forall j \in Z,$$

$$\rho s_{ji}^n = e_{ij}^n, \forall i \in E, \forall j \in Z,$$

$$e_{ij}^n \geq 0, \forall i \in E, \forall j \in Z. \quad (4)$$

2) *Optimal Allocation Problem, OAP*: The OAP, ensures that there is no one prosumer who can out bid everyone else, meaning all bidders are guaranteed to receive some compensation as long as bidders bid on the request. Moreover TNB, as the main electricity providers in Malaysia, are also guaranteed to receive a reward since the system is designed to use their grid lines to distribute the energy. The OAP is adapted to serve prosumer-to-prosumer energy allocation from one that uses Electric Vehicles and Service Providers[6]. It is defined as :

$$OAP : \max_{E^n, S^n} \sum_{i=1}^I \sum_{j=1}^J [b_{ij}^n \ln e_{ij}^n - p_{ji}^n s_{ji}^n] \quad (5)$$

where b_{ij}^n is the price the bidder wants from the prosumer, p_{ji}^n is the price the prosumer is willing to pay to bidder,

Both 'OAP' and 'SWP' have same subject to constraints as described in Eq. (4). So, here we carry out constraint relaxation through Lagrangian method[6] to find the local maximum[10]. So, energy receivable by a buyer and energy tradable by a bidder, after applying Lagrangian method is:

$$e_{ij}^n = \frac{b_{ij}^n [(n \sum_{j=1}^J e_{ij}^n - e_i^{n,min}) + 1]}{nw_i} \quad (6)$$

where n is the battery charging efficiency, w_i is the charging willingness, $e_i^{n,min}$ is the minimum energy the buyer needs, and:

$$s_{ji}^n = 2c_1 s_{ji}^n + c_2 \quad (7)$$

where, c_1 and c_2 are cost factors for the bidder,

3) Double Auction Mechanism:




Fig:3 Flowchart for double auction with demand and supply response

The Double Auction Mechanism, DAM solves the OAP via Lagrange method. The web app runs the DAM every 30 minutes where it takes all closed requests, loops through them, applying Eq.(6). and Eq.(7). for each bid for the current request in the loop. The Langrange scales down the bid energy amount by 10 to 15% on average to prevent one bidder to always dominate. This also reduces the amount payable by prosumer to each bidder. The prosumer still pays the full price of the energy demand they made. So, once all the bidders are considered, the system checks whether the total energy demand made by the prosumer in the request is satisfied or not. If demand is satisfied, the remaining fiat amount that is not received by any bidder is transferred to TNB. If demand is not satisfied the surplus energy is taken from TNB. The

rate of energy is capped at RM 0.20 per kWh $\pm 20\%$ for all bidders as well as TNB. So, all bidders and TNB receive fiat and buyer only pays for the amount of energy they need which is always fulfilled.

C. Blockchain

1) *Roles in the Blockchain:* As shown in Fig.4, the blockchain uses a Proof of Authority(PoA) consensus mechanism where only validators are given the authority to mine new blocks and add new ones to the blockchain. We also have a new kind of users called clerks who are there for validator accountability checks. This is to ensure that validators do not conspire to work against public interest.

- *Validator:* A validator is one who has been granted the right to verify transactions, mine new blocks, add and discard blocks. Since we are using a Proof of Authority consensus mechanism, the validators undergo a rigorous registration process where they need to reveal their identities. Their reputation is at stake which means if they go against the interest of the normal nodes on the chain, then their status as validators will be revoked and made known to the greater community.
- *Clerk:* Clerks provide an additional layer of integrity check on the blockchain to ensure that validators do not conspire against the community. After the addition of every new block, they receive an updated local copy of the blockchain and user accounts. They will use their local copies to check whether the nonce of the last block from the central blockchain provides the same hash when they use it on the transactions in their local blockchain copy. If the match does not happen for more than 50% of the clerks, then an integrity check is triggered. Unlike validators, any normal node can be made a clerk and they do not need to be rigorously identified.

2) *Blockchain pipeline:*

- *Transaction Verification and Signing:* After the double auction is run every 30 minutes, the new pool of transactions are broadcasted over the network to all the validators. The validator who receives the transaction pool first, will verify each transaction where they check whether the buyer has sufficient balance or not. If so, then that transaction is marked as verified and made part of a temporary block. If a buyer does not have the required balance then the transaction is marked invalid. Once all the transactions have been checked, and added to the temporary block, it is then broadcasted to all the remaining validators. These validators use their local copy of user accounts to verify each transaction in the temporary block. They then use the nonce of the temporary block to hash the transactions from the latest block in their local blockchain. If this hash matches with that of the temporary block for all validators then the temporary one is made permanent and added to the central blockchain.
- *Discarding Blocks:* If there is a validator who does not find a match for the hash, then their local copies of user accounts and blockchain is updated. Then the check is done again. If the hash fails to match a second time,

then that block is discarded. The non-match signifies that a transaction was manipulated in the central blockchain and so the block discarding is justified.

- *Integrity Check:* After the formation of 5 new blocks, an accountability check is triggered where the clerks verify each transaction in the latest permanent block in the central blockchain. They use their local copy of user accounts to verify each transaction in the latest block, then use the nonce of the latest block to hash the transactions from the latest block in their local blockchain. If the hash matches that in the central blockchain for more than 50 percent of the clerks, then there is no issue but if the match is less than 50 percent, then an integrity check is issued. This goes through the local blockchain copy of each validator and compares the hash of the latest block. The validator(s) whose hash has a mismatch is then flagged. In this case the validator access may be revoked. This guarantees that validators do not work against public interest.

III. RESULTS

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

IV. DISCUSSION

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae




Fig. 1. Proof of Authority Blockchain with accountability check via clerks

ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

A. To discuss the current issues with the system

V. SYSTEM IMPLEMENTATION

A. Source Code

The web application over a period of 6 months from December 2021 to May 2022. The code is made available at: https://gitlab.com/mohammad_rafquat_alam/imdc_p2p_energy_trading If there are issues in accessing the repository please kindly email: md.rafquat_alam98@gmail.com

VI. CONCLUSION

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

VII. ACKNOWLEDGEMENT

REFERENCES

- [1] G. "U.S. energy facts explained - consumption and production - U.S. Energy Information Administration (EIA)", Eia.gov, 2021.
- [2] H. Ritchie and M. Roser, "Energy", Our World in Data, 2021.
- [3] "Outline of Malaysia's electricity system - Power Engineering International", Power Engineering International, 2021.

- [4] J. Yang, A. Paudel, H. B. Gooi, and H. D. Nguyen, "A proof-of-stake public blockchain based pricing scheme for peer-to-peer energy trading," *Applied Energy*, vol. 298, p. 117154, 2021.
- [5] S. Aggarwal and N. Kumar, "A consortium blockchain-based energy trading for demand response management in vehicle-to-grid," *IEEE Transactions on Vehicular Technology*, vol. 70, no. 9, pp. 9480–9494, 2021.
- [6] The consortium paper
- [7] The demand and supply one by Dr. Tan
- [8] Proof of Authority
- [9] Time-series Forecasting - Complete Tutorial 1
- [10] Time-series Forecasting - Complete Tutorial2
- [11] A Gentle Introduction to Exponential Smoothing for Time Series Forecasting in Python
- [12] A Gentle Introduction To Method Of Lagrange Multipliers