

M05/4/CHEMI/SP3/ENG/TZ0/XX



CHEMISTRY STANDARD LEVEL PAPER 3

TC1 1	_		2005	
Lhursday	`	May	2005	(morning)
Thursday	\mathcal{L}	IVIU	2005	(11101111115)

1 hour

Candidate session number								
0	0							

INSTRUCTIONS TO CANDIDATES

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- Answer all of the questions from two of the Options in the spaces provided. You may continue your answers on answer sheets. Write your session number on each answer sheet, and attach them to this examination paper using the tag provided.
- At the end of the examination, indicate the letters of the Options answered in the candidate box on your cover sheet and indicate the number of answer sheets used in the appropriate box on your cover sheet.

2205-6106 19 pages

Option A – Higher physical organic chemistry

A1.	(a)	The reaction of warm aqueous KOH with 1-bromobutane occurs by an $S_{\rm N}2$ mechanism. Draw the mechanism for this reaction, including the structural formulas of 1-bromobutane, the transition state and the organic product.	[4]
	(b)	State and explain how the rate of the above reaction is affected when the concentration of the KOH is doubled.	[2]
A2.		and explain how the rate of reaction of 1-chlorobutane in the above $S_{\rm N}2$ reaction compares that of 1-bromobutane.	[2]

A3. Propan-1-ol has the following structural formula.

(a)	Use Table 18 in the <i>Data Booklet</i> to identify two characteristic infrared absorption ranges for propan-1-ol and state the bonds responsible.	[2]
(b)	Deduce the number of peaks and the ratio of the areas of the peaks in the ¹ H NMR spectrum of propan-1-ol.	[2]
(c)	Propan-2-ol is an isomer of propan-1-ol. Draw the structure of propan-2-ol and explain why ¹ H NMR spectroscopy would be more useful than infrared spectroscopy in distinguishing between the two isomers. Explain your answer with reference to both techniques.	[4]

A4.	the following steps in the reaction mechanism for the decomposition of nitryl chloride, to nitrogen dioxide, NO ₂ and chlorine, Cl ₂ .			
	1:	NO	$_{2}Cl \rightarrow NO_{2} + Cl$	
	2:	Cl+	$NO_2Cl \rightarrow NO_2 + Cl_2$	
	(a)	Wri	te the equation for the overall reaction.	[1
	(b)	Defi	ne the term activated complex.	[1
	(c)	(i)	Step 1 is the rate determining step in the above reaction mechanism. State what is meant by the term <i>rate-determining step</i> .	[1
				Δ.
		(ii)	Deduce the molecularity of the rate-determining step	Γ1

Option B – Medicines and drugs

B1.	(a)	State the purpose of using an antacid.	[1]
	(b)	State and explain which would be more effective as an antacid, 1.0 mol of magnesium hydroxide or 1.0 mol of aluminium hydroxide. Support your answer with balanced equations.	[3]

B2.	Ana	lgesics can be classified as mild or strong.						
	(a)	State and explain how each type of analgesic prevents pain.						
		mild analgesic						
			1 .					
		stron	ng analgesic					
	(b)	Aspirin is a common mild analgesic.						
		(i)	Outline one advantage and one disadvantage of using aspirin.	[2]				
			advantage					
			disadvantage					
		(ii)	State one synergistic effect of using aspirin and ethanol together.	[1]				
		····						
		(iii)	Acetaminophen (paracetamol) is often used as a substitute for aspirin. State one disadvantage of using acetaminophen.	[1]				

B3.	(a)	Con	npare broad-spectrum and narrow-spectrum antibiotics.	[1]
	(b)		e how penicillins prevent the growth of bacteria and explain why scientists continue to elop new penicillins.	[2]
	(c)	Exp	lain the specific effects of modifying the side chain in penicillin.	[1]
	(d)	(i)	Discuss the possible effects of over prescribing penicillin to humans.	[3]
		(ii)	Suggest another practice that may lead to these results.	[1]

Option C – Human biochemistry

	A brand of vegetable fat consists of 88 % unsaturated fats and 12 % saturated fats. State the major structural difference between unsaturated and saturated fats.				
(b)	Linoleic acid, $CH_3(CH_2)_4CH$ = $CHCH_2CH$ = $CH(CH_2)_7COOH$, and palmitic acid,				
	CH ₃ (CH ₂) ₁₄ COOH, are components of vegetable fat. Explain why palmitic acid has the higher melting point.				
	temperature of 18.0 °C. On complete combustion of the oil, the temperature of the water rose to 65.3 °C.				
	Calculate the calorific value of the oil in kJ g ⁻¹ .				
	Calculate the calorific value of the oil in $kJ\ g^{-1}$.				
	Calculate the calorific value of the oil in kJ g ⁻¹ .				
	Calculate the calorific value of the oil in kJ g ⁻¹ .				
	Calculate the calorific value of the oil in kJ g ⁻¹ .				
	Calculate the calorific value of the oil in kJ g ⁻¹ .				
	Calculate the calorific value of the oil in kJ g ⁻¹ .				
	Calculate the calorific value of the oil in kJ g ⁻¹ .				
(d)					

C2.	(a)	By referring to Table 22 of the <i>Data Booklet</i> , identify one vitamin that is water soluble and one vitamin that is fat soluble. Explain the differences in solubility in terms of their structures and intermolecular forces.	[4]
	(b)	Vitamins C and D are vital in a balanced diet. State one major function of each of these vitamins and state a disease that results from the deficiency of each one.	[4]
		vitamin C	
		function	
		disease	
		vitamin D	
		function	
		disease	

C3.	Discuss two benefits of using genetically modified foods.										

$Option\ D-Environmental\ chemistry$

D 1.	(a)	List two gases which contribute to the greenhouse effect.	[1]
	(b)	Explain how greenhouse gases cause global warming.	[3]
	(c)	State one man-made source of particulates and outline the effect of particulates on the Earth's surface temperature.	[2]

D2 .	(a)	Use equations to show how ozone undergoes natural depletion in the atmosphere.	[2]
	(b)	Identify one pollutant that contributes to the lowering of the ozone concentration in the upper atmosphere. State a source of the pollutant identified.	[2]
	(c)	Fluorocarbons and hydrofluorocarbons are now considered as alternatives to some ozone-depleting pollutants. Outline one advantage and one disadvantage of the use of these alternatives.	[2]
		advantage	
		disadvantage	

D3.	(a)	The initial stages of waste water treatment are known as primary and secondary stages. For each stage, outline the nature of the treatment and the substance removed.	[4]
		primary stage	
		substance removed	
		secondary stage	
		substance removed	
	(b)	State two types of substances removed during the tertiary treatment of waste water and explain how they are removed during this stage.	[4]

Option E – Chemical industries

E1.	(a)	Describe the structural difference between isotactic and atactic polypropene. You may use a diagram to show the difference.	[2]
	(b)	List two properties of isotactic polypropene and outline how its structure leads to these properties.	[2]

E2.	(a)	The properties of polyvinyl chloride, PVC, may be modified to suit a particular use. State the main method of modifying PVC and the effect this has on its properties	[2]
	(b)	Outline two disadvantages of using polymers such as polypropene and PVC, and give one disadvantage that is specific to PVC.	[3]
E3.	(a)	State the essential chemical process in the extraction of iron and aluminium.	[1]
	(b)	Using iron and aluminium as examples, discuss the major factor that determines the ease of extraction of metals.	[2]

Turn over 2205-6106

E4.	(a)	Iron	is produced in a blast furnace.	
		(i)	State the name and formula of the main impurity in iron ore.	[1]
		(ii)	Name the raw material used to remove the impurity. Show with equations how the	
			impurity is removed.	[2]
	(b)		e the process used to extract aluminium on an industrial scale and write equations for reactions involved.	[3]
	(c)	Exp	lain the use of cryolite in the production of aluminium, other than cost.	[2]

Option F – Fuels and energy

F1.	Stat	e two desirable characteristics of energy sources other than the fact that they release energy.	[2]
F2.	A so	ource of energy that shows great promise is solar energy.	
	(a)	One method of capturing solar energy is through its conversion to biomass. State what is meant by the term <i>biomass</i> . Write an equation to show how glucose is produced with the aid of solar energy.	[3]
		(This question continues on the following p	page)

The energy stored in biomass can be released in several ways. Two of these are direct

(Question F2 continued)

		bustion and conversion to ethanol. For each of these two methods, give one advantage one disadvantage.	
	(i)	direct combustion	[2
		advantage	
		<i>1.</i> 1 .	
		disadvantage	
	(ii)	conversion to ethanol	[2
	(11)	advantage	L=
		disadvantage	
(c)		ar energy can be converted to electricity by means of photovoltaic cells. Give one antage and one disadvantage of using photovoltaic cells.	[2
	adv	antage	
	disa	dvantage	

(a)	trical (i)	 Explain the workings of the lead-acid storage battery. Your answer should include the materials used for each electrode the identity of the electrolyte 	
		 the half-equation for the reaction that occurs at each electrode. 	[5] in [2] [1]
	(ii)	Identify the type of reaction that occurs at the negative electrode (anode) and explain your answer.	[2]
(b)	With	n reference to a lead-acid storage battery, identify the factors that affect the	
	(i)	voltage produced.	[1]
	(ii)	power obtained.	[1]