

Analysis Report

This report is structured as follows.

Contents

Sample Characterization	2
Construction of scales	2
Normality.....	3
Two-way ANOVA	3
The effect of Photo Type and Appearance Comparison on Body Satisfaction Change	4
The effect of Photo Type and Thin-Ideal Idealization on Body Satisfaction Change.....	6
The effect of photo exposure on levels of body satisfaction	7
References.....	8

SAMPLE REPORT - Rafael Data Analysis Portfolio

Sample Characterization

This section presents descriptive statistics of the variables of interest. The table below shows the frequencies and percentages of social media use, per social media type.

Frequency Statistics

Social Media	Frequency Statistics													
	Never		Less than 10 minutes per day		10630 minutes per day		31660 minutes per day		162 hours per day		263 hours per day		More than 3 hours per day	
	N	%	N	%	N	%	N	%	N	%	N	%	N	%
Facebook	60	50.0%	41	34.2%	9	7.5%	5	4.2%	1	0.8%	3	2.5%	1	0.8%
WhatsApp	3	2.5%	6	5.0%	17	14.2%	23	19.2%	31	25.8%	21	17.5%	19	15.8%
Instagram	5	4.2%	5	4.2%	6	5.0%	23	19.2%	38	31.7%	27	22.5%	16	13.3%
Youtube	10	8.3%	24	20.0%	36	30.0%	15	12.5%	19	15.8%	8	6.7%	8	6.7%
Snapchat	52	43.3%	12	10.0%	19	15.8%	10	8.3%	13	10.8%	7	5.8%	7	5.8%
Twitter	66	55.0%	15	12.5%	18	15.0%	8	6.7%	5	4.2%	7	5.8%	1	0.8%
LinkedIn	47	39.2%	36	30.0%	23	19.2%	8	6.7%	5	4.2%	0	0.0%	1	0.8%
Twitch	113	94.2%	2	1.7%	5	4.2%	0	0.0%	0	0.0%	0	0.0%	0	0.0%
Tik Tok	74	61.7%	11	9.2%	2	1.7%	9	7.5%	11	9.2%	7	5.8%	6	5.0%

The mean age of participants is 25.71 ($M = 25.71$, $SD = 9.05$). The majority of the sample is White (83.5%) and from Turkey (58.9%). From the original 212 participants, 163 were kept after applying the inclusion criteria.

Construction of scales

[illegible]

The table below shows the descriptive statistics for all scores.

Descriptive Statistics

	N	Minimum	Maximum	Mean	Std. Deviation
Thin-ideal Internalisation	112	1.00	4.80	2.980	0.927
Physical Appearance Comparison	113	0.00	4.00	1.502	0.962
Level of Attractiveness	112	1.50	6.50	3.910	0.981
Body Satisfaction (Pre)	112	27.00	300.00	192.607	69.110
Body Satisfaction (Post)	108	20.00	300.00	199.833	66.507
Body Satisfaction (Change)	108	-57.00	126.00	7.185	27.501
Valid N (listwise)	108				

Normality

Qpg"qh"j g"cuuwo r vqpu"j cv"o k zgf "CP QXC"o qf gnu"j cxg"ku"j cv"xctkcdrguøueqtgu"hmjy "c"pqto cn" distribution. One of the methods to examine normality is to look at values of skewness and kurtosis. Both values should remain between -1 and 1 to indicate normality (Pallant, 2010). The values of were outside this range for change on body satisfaction, particularly kurtosis (table below). This, however, does not impede the analysis to take place, since ANOVA models are known to be quite robust against non-normality (Hair et al., 2014).

Descriptive Statistics

	N	Skewness		Kurtosis	
	Statistic	Statistic	Std. Error	Statistic	Std. Error
Thin-ideal Internalisation	112	-0.215	0.228	-0.676	0.453
Physical Appearance Comparison	113	0.469	0.227	-0.509	0.451
Level of Attractiveness	112	-0.302	0.228	-0.019	0.453
Body Satisfaction (Pre)	112	-0.514	0.228	-0.745	0.453
Body Satisfaction (Post)	108	-0.466	0.233	-0.490	0.461
Body Satisfaction (Change)	108	-1.174	0.233	3.792	0.461
Valid N (listwise)	108				

Two-way ANOVA

Analysis of variance is so called because it compares the variance (variability in scores) between the different groups (believed to be due to the independent variable) with the variability within each of the groups (believed to be due to chance). An F ratio is calculated, which represents the variance between the groups divided by the variance within the groups. A large F ratio indicates that there is more variability between the groups (caused by the independent variable) than there is within each group (referred to as the error term). A significant F test indicates that we can reject the null hypothesis, which states that the population means are equal. It does not, however, tell us which of the groups differ. Post-hoc tests are conducted for this (Pallant, 2010).

Two-way means that there are two independent variables, and between-groups indicates that different people are in each of the groups. This technique allows us to look at the individual and joint effect of

two independent variables on one dependent variable. This test was used here to examine the effect of levels of appearance comparison or thin-ideal idealization on body satisfaction change, as well as the effect of different body conditions on this change. Since there are three levels of body conditions and two levels of appearance comparison or thin-ideal idealization, the test is called 3x2 ANOVA.

Participants (N = 108) were categorized as Low (n = 30) and High (n = 78) levels of thin-ideal internalization and 92 of participants (85.2%) were categorized as High levels of appearance comparison. The remaining 16 participants (14.8%) were categorized as Low levels of appearance comparison.

Participants were then assigned to one of two photo types (Average or Overweight) and one of two body conditions (Thin or Overweight). A 2x2x2 factorial ANOVA was conducted to examine the effect of one independent variable on the dependent variable depends on the level of a second independent variable (moderation) (Pallant, 2010).

The effect of Photo Type and Appearance Comparison on Body Satisfaction Change

Levene's test indicated that variances are equal among groups ($p > .01$), thus the assumption of homogeneity of variances was not violated. The table below shows the mean values of body satisfaction change for each category under study.

<i>Descriptive Statistics</i>				
Appearance Comparison	Photo Type	Mean	Std. Deviation	N
Low	Average	-2.821	21.489	28
	Overweight	11.400	20.053	30
	Thin	10.633	28.427	30
	Total	6.614	24.266	88
High	Average	8.833	33.879	6
	Overweight	26.429	50.099	7
	Thin	-6.286	28.837	7
	Total	9.700	39.430	20
Total	Average	-0.765	23.918	34
	Overweight	14.243	27.890	37
	Thin	7.432	28.891	37
	Total	7.185	27.501	108

If a 90% confidence level is considered ($p = .01$), there was a significant main effect of Photo Condition on Body Satisfaction Change, $F(2, 108) = 2.756$, $p = .068$, $\eta^2_p = .051$. A post-hoc test indicated that there was a significant difference between Average and Overweight conditions ($p = .053$). There was a significant interaction effect, $F(2, 108) = 2.394$, $p = .096$, $\eta^2_p = .045$, meaning that

the effect of photo type on body satisfaction change is not constant across different levels of appearance comparison (table below).

Tests of Between-Subjects Effects

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	7572.046 ^a	5	1514.409	2.106	0.071	0.094
Intercept	4185.746	1	4185.746	5.820	0.018	0.054
Appearance_Comparison	171.860	1	171.860	0.239	0.626	0.002
Condition	3963.622	2	1981.811	2.756	0.068	0.051
Appearance_Comparison * Condition	3442.991	2	1721.496	2.394	0.096	0.045
Error	73352.250	102	719.140			
Total	86500.000	108				
Corrected Total	80924.296	107				

a. R Squared = .094

The following figure was generated to visualize where the significant differences reside. The grand mean was also plotted, along with 95% mean confidence intervals.



The graph shows that body satisfaction actually decreased. This pattern is quite different for the other photo types. The

graph also shows that the increase on body satisfaction is quite more substantial among the people

The effect of Photo Type and Thin-Ideal Idealization on Body Satisfaction Change

There was no significant main effect of Photo Condition on Body Satisfaction change when Thin-ideal internalization is also present in the model, $F(2, 108) = 1.572$, $p = .213$, $\eta^2 = .030$. Similarly, no significant interaction effect is present, $F(2, 108) = .925$, $p = .400$, $\eta^2 = .018$ (table below).

Tests of Between-Subjects Effects

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	5365.006 ^a	5	1073.001	1.448	0.213	0.066
Intercept	4003.667	1	4003.667	5.405	0.022	0.050
Condition	2329.590	2	1164.795	1.572	0.213	0.030
ThinIdeal_Internalization	2.577	1	2.577	0.003	0.953	0.000
Condition * ThinIdeal_Internalization	1370.266	2	685.133	0.925	0.400	0.018
Error	75559.290	102	740.777			
Total	86500.000	108				
Corrected Total	80924.296	107				

a. R Squared = .066

Even though results were not significant, the plot of mean scores of body satisfaction was generated (figure below).



Vj g"i tcr j "uj qy u"vj cv"Dqf { "Ucukhcevkp"kpctgcugu"qp"vj g"qxygty gki j vø'cpf "vj g"vj kpo'i tqwr u0'Vj g" qxygtci gø'i tqwr "uj qy u"pq"uuducpvkcn' ej cpi g" hqt" dqy " j ki j ø' cpf " qy ø' i tqwr u" qh" vj kpo-ideal internalization. On the overweight group, people with high internalization show a stronger increase eqo r ctgf "vq"mgy "kpvgtprk cvkqp0' Vj g"vj kpo'i tqwr "uj qy u"vj g"qr r qukg"r cwgtp."vj qug"y kj "mgy " kpvgtprk cvkqp"uj qy "c'o qtg"uuducpvkcn'kpctgcug'kp'ucukhcevkp"vj cp"vj g"j ki j ø'i tqwr 0

The effect of photo exposure on levels of body satisfaction

A paired-samples t-test is appropriate for this section, as two sets of observations coming from the same entities are compared (Pallant, 2010). The mean scores of body satisfaction were compared separately for the three groups (Thin, Average and Overweight).

The results of the T-tests showed a significant increase on body satisfaction levels for the Overweight group, $t(37) = -3.106$, $p = .004$, $D = .511$. Vj g"ghgevu'uk g"ceeqtf kpi "vq"Eqj gpøu"F "ku'rcti g"(Cohen, 1960)0'Vj g"f khtgpegu'y gtg"pqv'uki pkkcpv'hqt"vj g"Vj kpo $t(37) = -1.565$, $p = .126$, $D = .257$, and -Cxgtci gø'i tqwr u. $t(34) = .186$, $p = .853$, $D = .032$ (table below).

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean	t	p	Cohen's D
Thin	Body Satisfaction (Pre)	184.649	37	73.908	12.150	-1.565	0.126	0.257
	Body Satisfaction (Post)	192.081	37	73.225	12.038			
Average	Body Satisfaction (Pre)	187.706	34	64.533	11.067	0.186	0.853	0.032
	Body Satisfaction (Post)	186.941	34	59.212	10.155			
Overweight	Body Satisfaction (Pre)	205.189	37	68.187	11.210	-3.106	0.004	0.511
	Body Satisfaction (Post)	219.432	37	62.905	10.342			

References

- Cohen, J., 1960. A coefficient of agreement for nominal scales. *Educ. Psychol. Meas.* 20, 37-46 ST-A coefficient of agreement for nominal.
- Hair, J.F., Black, W., Babin, B., Anderson, R., 2014. *Multivariate data analysis*, Seventh. ed. Pearson Education, Inc., Edinburgh.
- Pallant, J., 2010. *SPSS Survival Manual*, 4th ed. McGraw-Hill, Berkshire, England.