

Cp cn{ uk' T gr qt v

This report is structured as follows.

Contents

Cross-Tabulations	2
One-way ANOVA	4
References	6

SAMPLE REPORT - Rafael Data Analysis Portfolio

Cross-Tabulations

The relationships between brand preference and the categorical variables of the dataset were tested using chi-square tests. This test is used when one wishes to explore the relationship between two categorical variables. Each of these variables can have two or more categories. This test compares the observed frequencies or proportions of cases that occur in each of the categories, with the values that would be expected if there was no association between the two variables being measured. It is based on a cross-tabulation table, with cases classified according to the categories in each variable (e.g. male/female; smoker/non-smoker) (Pallant, 2010).

In cross-tabulated data, each cell contains the values for a specific row/column combination (e.g., gender distribution across different preferences of brand). Thus, the chi-square value is a measure of association between the row and column categories. Higher levels of association, just like higher levels of similarity, should be represented as closer together in the perceptual map than those with lower levels of association (Hair et al., 2014).

The table below displays the results of the cross-tabulations. In the table, "j g"÷ øeqnw p" represents the percentage of respondents of the specific group (e.g. those who prefer Nike) that answered a specific category (e.g. being a female). The chi-square test evaluates if the differences in these proportions of responses are significantly different for each group. If the "j g"÷ øeqnw p" -value (column p) is less than 0.05, this means that the corresponding question under analysis is significantly related to pertaining to different age groups. Thus, the differences on the proportions for each age group are statistically significant.

Vj g" f hgtgpvr tqr qt qpuy gtg"cnq"eqo r ctgf "wukpi "URUu\ -test, which evaluates each answer category separately, while the Chi-Square only evaluates the distribution of answers across all categories of a single question. The result of the Z-test is shown as a subscript letter next to each count column. If the letters diverge within a unique line, that means that the corresponding categories of that particular question present significantly different proportions. For example, f hgtgpvr tqr qt qpuy qh"j cv'r ct lewrt"cpuy gt "gkj gt "j g"÷ guø"qt"÷ P qø"cpuy gt u."hqt" example). Each section below shows the results for a given category.

		What is your favorite athletic apparel brand?							
		Lululemon		Nike		Other			
		N	%	N	%	N	%		
Where do you generally purchase your clothing?	Local Thrifts or Second Hand Stores	4 _a	14.81%	6 _a	12.24%	3 _a	30.00%	4.051	0.399
	Online	14 _a	51.85%	22 _a	44.90%	2 _a	20.00%		
	Retail Stores	9 _a	33.33%	21 _a	42.86%	5 _a	50.00%		
If I found the same style product at a store that was more affordable, but a generic brand, I would purchase the cheaper alternative.	False	3 _a	11.54%	3 _a	6.12%	1 _a	10.00%	0.000	0.841
	It Depends/Maybe	14 _a	53.85%	25 _a	51.02%	4 _a	40.00%		
	True	9 _a	34.62%	21 _a	42.86%	5 _a	50.00%		
Would you intentionally purchase ethical clothing if it was widely available and easily accessible?	No or Unsure	5 _a	18.52%	12 _a	24.49%	1 _a	10.00%	0.000	0.551
	Yes	22 _a	81.48%	37 _a	75.51%	9 _a	90.00%		
Do you consider yourself an ethical shopper?	No	6 _a	22.22%	16 _a	32.65%	2 _a	20.00%	2.310	0.679
	Sometimes	12 _a	44.44%	22 _a	44.90%	4 _a	40.00%		
	Yes	9 _a	33.33%	11 _a	22.45%	4 _a	40.00%		
If the former CEO of a company you support made racist remarks in public interviews, as well as offensive comments about women, would you still support this company	No	19 _a	70.37%	35 _a	71.43%	8 _a	80.00%	0.361	0.835
	Yes or Maybe	8 _a	29.63%	14 _a	28.57%	2 _a	20.00%		
Do the beliefs and values of a CEO affect your outlook and loyalty to a brand?	Maybe	7 _a	25.93%	10 _a	20.41%	2 _a	20.00%	1.167	0.884
	No	3 _a	11.11%	9 _a	18.37%	1 _a	10.00%		
	Yes	17 _a	62.96%	30 _a	61.22%	7 _a	70.00%		
Gender	Female	17 _a	62.96%	17 _b	34.69%	5 _{a,b}	50.00%	5.712	0.058
	Male	10 _a	37.04%	32 _b	65.31%	5 _{a,b}	50.00%		
Age Range	18-24	7 _a	25.93%	12 _a	25.00%	0 ¹	0.00%	3.271	0.195
	25+	20 _a	74.07%	36 _a	75.00%	10 ¹	100.00%		
What is your household income?	\$50,000-\$74,000	6 _a	22.22%	14 _a	28.57%	2 _a	20.00%	4.711	0.318
	\$75,000+	17 _a	62.96%	20 _a	40.82%	4 _a	40.00%		
	Under \$49,000	4 _a	14.81%	15 _a	30.61%	4 _a	40.00%		

Note: Values in the same row and subtable not sharing the same subscript are significantly different at $p < 0.10$ in the two-sided test of equality for column proportions. Cells with no subscript are not included in the test. Tests assume equal variances.²

1. This category is not used in comparisons because its column proportion is equal to zero or one.

2. Tests are adjusted for all pairwise comparisons within a row of each innermost subtable using the Bonferroni correction.

In the case that a particular level of a category had 5 responses or less, it was merged with the next level. For example, the category 'Would you intentionally purchase ethical clothing if it was widely available and easily accessible?' had 7 response levels. The first two levels, 'No' and 'Probably not', were merged into a single category 'No/Probably not'. Similarly, the last two levels, 'Yes' and 'Probably yes', were merged into a single category 'Yes/Probably yes'.

The only significant test considering a 10% significance level ($p < .10$) was observed in gender. The proportion of male who prefer Nike (65.31%) is significantly higher than women (59.26%) $\chi^2(1) = 3.5, p = .06$.

One-way ANOVA

One-way ANOVAs are appropriate tests when scores are compared among between-subjects factors with three or more levels (e.g. three or more groups).

Analysis of variance is so called because it compares the variance (variability in scores) between the different groups (believed to be due to the independent variable) with the variability within each of the groups (believed to be due to chance). An F ratio is calculated, which represents the variance between the groups divided by the variance within the groups. A large F ratio indicates that there is more variability between the groups (caused by the independent variable) than there is within each group (referred to as the error term). A significant F test indicates that we can reject the null hypothesis, which states that the population means are equal. It does not, however, tell us which of the groups differ. For this we need to conduct post-hoc tests (Pallant, 2010).

Q-Q plots of the residuals were examined to check for normality. The residuals appeared to follow a normal distribution. It should be noted, however, that ANOVA has been shown to be quite robust for when the assumption of normality is violated (Hair et al., 2014). Nevertheless, significant departures from normality should be taken with care. One of the methods to examine normality is to look at values of skewness and kurtosis. Both values should remain between -1 and 1 to indicate normality. As can be seen in the table below, no values surpass this threshold, which indicates no substantial departures from normality.

Descriptive Statistics

	N	Mean	Std. Deviation	Skewness	Kurtosis
	Statistic	Statistic	Statistic	Statistic	Statistic
I'm willing to purchase an item of clothing I like, regardless of the price.	87	3.138	1.069	-0.223	-0.425
When shopping for clothes, I look for quality before looking at the price.	87	3.391	1.135	-0.090	-0.928
I prefer affordability over quality.	87	2.609	1.049	0.353	-0.387
I care to know who makes my clothes and where it comes from.	87	2.816	1.234	0.094	-0.991
Valid N (listwise)	87				

The table below shows the results of the ANOVA test comparing Nike, Lululemon and

Qv j gt "dtcpf u0Vwng{ au'r quv-j qe'vuv'y cu'wugf 'y j gp'xctkpegu'y gtg'gs wcn'cpf "Vco j cpgau' vuv'y cu'wugf 'hqt'wpgs wcn'xctkpegu0Gs wcn'v' qh'xctkpegu'y cu'vuv'f "wukpi "Ngxgpgau'vuv r tktq"v"j g"cpn{ uku0'Xctkpegu'y gtg'wpgs wcn'co qpi "i tqw u'hqt"-Kr tghgt "chhgtf cdkk{ " qxgt's wcn'v' a'H? '70667.'r '? 0280Vj wu."Vco j cpgau'vuv'y cu'wugf "qp"j ku'ecug0Vj g'eqf kpi " uej go g"qh'cm'xctkcdngu'y gtg'kpxgtvgf "f q"j gp"j g"xcnwg"qh"7"tgr tgugpvu"-autqpi n' "ci tggø y j kg"3'tgr tgugpvu"-autqpi n' "f kuci tggø

	What is your favorite athletic apparel brand?				F	p
	Lululemon	Nike	Other	Total		
	Mean	Mean	Mean	Mean		
I'm willing to purchase an item of clothing I like, regardless of the price.	3.444 _a	2.959 _a	3.300 _a	3.151	1.948	0.149
When shopping for clothes, I look for quality before looking at the price.	3.852 _a	3.082 _b	3.700 _{a,b}	3.395	4.761	0.011
I prefer affordability over quality.	2.111 _a	2.816 _b	2.900 _{a,b}	2.605	4.714	0.012
I care to know who makes my clothes and where it comes from.	3.074 _a	2.571 _a	3.300 _a	2.814	2.368	0.100

Note: Values in the same row and subtable not sharing the same subscript are significantly different at $p < 0.05$ in the two-sided test of equality for column means. Cells with no subscript are not included in the test. Tests assume equal variances.¹

1. Tests are adjusted for all pairwise comparisons within a row of each innermost subtable using the Bonferroni correction.

Vj gtg"y cu" c" uki pkkcpv" ko r cev" qh" dtcpf " r tghgtgpeg" qp" j g" ci tggø gpv"y kj " -Y j gp" uj qr r kpi "hqt'emqj gu."Kmqn{hqt's wcn'v' "dghgtg"mqn{kpi "cv'j g'r tlegø F(2, 87) = 4.761, $p = .011$. Post-hoc tests indicate that the difference lies between those who prefer Nike, who have a lower agreement with this statement ($M = 3.082$), compared to those who prefer Lululemon ($M = 3.852$) ($p < .05$).

Vj gtg"y cu" c" uki pkkcpv" ko r cev" qh" dtcpf " r tghgtgpeg" qp" j g" ci tggø gpv"y kj " -I prefer chhgtf cdkk{ "qxgt's wcn'v' a'F(2, 87) = 4.714, $p = .012$. Again, the significant difference is

between Lululemon ($M = 2.111$) and Nike ($M = 2.816$). There are no significant differences for the agreement with the other two statements.

References

Hair, J. F., Black, W., Babin, B., & Anderson, R. (2014). *Multivariate data analysis* (Seventh). Pearson Education, Inc.

Pallant, J. (2010). *SPSS Survival Manual* (4th ed.). McGraw-Hill.

SAMPLE REPORT - Rafael Data Analysis Portfolio