

# Prediction of RNA and DNA binding sites: weekly report

Pandu Raharja <sup>1,2</sup>    Julian Schmidt <sup>1,2</sup>

<sup>1</sup>Technische Universität München

<sup>2</sup>Ludwig-Maximilians-Universität München

December 8, 2016

# Outline

- ▶ What we did:
  - ▶ Julian: xRNA binding prediction
  - ▶ Pandu: xRNA binding site prediction
- ▶ Problems.

As always:

- ▶ Scripts and results could be found in:  
<https://github.com/raharjaliu/BIFers>

## Part I: xRNA binding prediction

## Part II: xRNA binding site prediction

# Project Specification

- ▶ Java is for enterprise solution.
- ▶ Development in Python → jupyter, scipy, scikit-learn, (Theano, TensorFlow, CNTK et al. if ever needed)

# Dataset

- ▶ We're a bit late into the game due to conference and illness.
- ▶ Extracted features could be found in  
`/mnt/project/pp2_1516/xrna_raharjaschmidt/  
machine_learning/{dna_big.arff,rna_big.arff}`

# Extraction of Features on ppDNA2

- ▶ query.disis not found.
- ▶ Q84ZU4: no significant pfam hit, using default values...
- ▶ P03206: no significant pfam hit, using default values...



# Extraction of Features on ppRNA2

- ▶ Processing P17574... `ParseError: "It seems that we have a situation now. The expected amount of columns is 22, found: %s!" % len(tokens)`
- ▶ P24264 (**idem**)
- ▶ P67876: no significant pfam hit, using default values...
- ▶ P0C206: no significant pfam hit, using default values...
- ▶ P0C8P8: no significant pfam hit, using default values...
- ▶ P07243: no significant pfam hit, using default values...
- ▶ Q57817: no significant pfam hit, using default values...
- ▶ P04891: no significant pfam hit, using default values...
- ▶ P18683: no significant pfam hit, using default values...

# References

- ▶ Feigelman, J. (2016). "Stochastic and deterministic methods for the analysis of Nanog dynamics in mouse embryonic stem cells." PhD Thesis, Technische Universität München, Munich, Germany.
- ▶ Hoppe, P.S., Schwarzfischer, M., Loeffler, D., Kokkaliaris, K.D., Hilsenbeck, O., Mortz, N., ... & Etzrodt, M. (2016). Early myeloid lineage choice is not initiated by random PU.1 to GATA1 protein ratios. *Nature*, **535(7611)**, 299-302.
- ▶ Graf, T., & Enver, T. (2009). Forcing cells to change lineages. *Nature*, **462(7273)**, 587-594.