

TABLE 3. FY 2006 REPORTED LAND ACQUISITION EXPENDITURES FOR ENDANGERED AND THREATENED SPECIES

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
<b>Mammals</b>							
66	Bat, Hawaiian hoary ( <i>Lasiurus cinereus semotus</i> )	E	\$128,178	\$0	\$128,178	\$0	\$128,178
46	Bat, Indiana ( <i>Myotis sodalis</i> )	E	\$554,150	\$0	\$554,150	\$0	\$554,150
88	Bat, Ozark big-eared ( <i>Corynorhinus</i> (=Plecotus) <i>townsendii ingens</i> )	E	\$0	\$0	\$0	\$12,000	\$12,000
6	Bear, grizzly ( <i>Ursus arctos horribilis</i> ) lower 48 States, except where listed as an experimental population or delisted	T	\$1,944,174	\$2,011,000	\$3,955,174	\$0	\$3,955,174
16	Bear, Louisiana black ( <i>Ursus americanus luteolus</i> )	T	\$2,697,400	\$0	\$2,697,400	\$0	\$2,697,400
41	Kangaroo rat, Fresno ( <i>Dipodomys nitratoides exilis</i> )	E	\$0	\$437,500	\$437,500	\$0	\$437,500
56	Kangaroo rat, Tipton ( <i>Dipodomys nitratoides nitratoides</i> )	E	\$0	\$189,500	\$189,500	\$0	\$189,500
9	Lynx, Canada ( <i>Lynx canadensis</i> ) lower 48 States DPS	T	\$970,053	\$1,808,000	\$2,778,053	\$0	\$2,778,053
50	Mouse, Preble's meadow jumping ( <i>Zapus hudsonius preblei</i> ) Colorado	T	\$0	\$0	\$0	\$250,661	\$250,661
87	Rabbit, pygmy ( <i>Brachylagus idahoensis</i> ) Columbia Basin DPS	E	\$0	\$20,000	\$20,000	\$0	\$20,000
12	Rabbit, riparian brush ( <i>Sylvilagus bachmani riparius</i> )	E	\$2,190,000	\$59,500	\$2,249,500	\$0	\$2,249,500
65	Seal, Hawaiian monk ( <i>Monachus schauinslandi</i> )	E	\$128,179	\$0	\$128,179	\$0	\$128,179
8	Wolf, gray ( <i>Canis lupus</i> ) Lower 48 States, except where delisted and where EXPN. Mexico.	E	\$1,944,174	\$1,800,000	\$3,744,174	\$0	\$3,744,174
76	Woodrat, riparian (=San Joaquin Valley) ( <i>Neotoma fuscipes riparia</i> )	E	\$0	\$59,500	\$59,500	\$0	\$59,500
<b>Mammals Subtotal</b>							
			\$10,556,308	\$6,385,000	\$16,941,308	\$262,661	\$17,203,969
<b>Birds</b>							
10	Caracara, Audubon's crested ( <i>Polyborus plancus audubonii</i> ) FL pop.	T	\$0	\$2,503,747	\$2,503,747	\$0	\$2,503,747
65	Coot, Hawaiian ( <i>Fulica americana alai</i> )	E	\$128,179	\$0	\$128,179	\$0	\$128,179
75	Crane, whooping ( <i>Grus americana</i> ) except where EXPN	E	\$0	\$10,500	\$10,500	\$50,000	\$60,500
65	Duck, Hawaiian (=koloa) ( <i>Anas wyvilliana</i> )	E	\$128,179	\$0	\$128,179	\$0	\$128,179
65	Duck, Laysan ( <i>Anas laysanensis</i> )	E	\$128,179	\$0	\$128,179	\$0	\$128,179
1	Eagle, bald ( <i>Haliaeetus leucocephalus</i> ) lower 48 States	T	\$15,316,257	\$4,517,620	\$19,833,877	\$0	\$19,833,877
34	Flycatcher, southwestern willow ( <i>Empidonax traillii extimus</i> )	E	\$26,000	\$346,200	\$372,200	\$335,619	\$707,819
84	Gnatcatcher, coastal California ( <i>Poliophtila californica californica</i> )	T	\$26,000	\$0	\$26,000	\$0	\$26,000
66	Goose, Hawaiian ( <i>Branta</i> (=Nesochen)	E	\$128,178	\$0	\$128,178	\$0	\$128,178

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<i>sandvicensis</i> )						
97	Jay, Florida scrub ( <i>Aphelocoma coerulescens</i> )	T	\$2,033	\$0	\$2,033	\$0	\$2,033
65	Moorhen, Hawaiian common ( <i>Gallinula chloropus sandvicensis</i> )	E	\$128,179	\$0	\$128,179	\$0	\$128,179
15	Murrelet, marbled ( <i>Brachyramphus marmoratus</i> ) CA, OR, WA	T	\$1,944,174	\$0	\$1,944,174	\$0	\$1,944,174
15	Owl, northern spotted ( <i>Strix occidentalis caurina</i> )	T	\$1,944,174	\$0	\$1,944,174	\$0	\$1,944,174
61	Plover, piping ( <i>Charadrius melodus</i> ) except Great Lakes watershed	T	\$0	\$10,000	\$10,000	\$150,000	\$160,000
66	Stilt, Hawaiian ( <i>Himantopus mexicanus knudseni</i> )	E	\$128,178	\$0	\$128,178	\$0	\$128,178
7	Stork, wood ( <i>Mycteria americana</i> ) AL, FL, GA, SC	E	\$2,554,548	\$2,803,747	\$5,358,295	\$0	\$5,358,295
40	Tern, least ( <i>Sterna antillarum</i> ) interior pop.	E	\$777,884	\$10,000	\$787,884	\$50,000	\$837,884
71	Vireo, black-capped ( <i>Vireo atricapilla</i> )	E	\$0	\$85,000	\$85,000	\$0	\$85,000
70	Vireo, least Bell's ( <i>Vireo bellii pusillus</i> )	E	\$26,000	\$59,500	\$85,500	\$0	\$85,500
55	Warbler (=wood), golden-cheeked ( <i>Dendroica chrysoparia</i> )	E	\$0	\$195,000	\$195,000	\$0	\$195,000
5	Woodpecker, ivory-billed ( <i>Campephilus principalis</i> )	E	\$1,494,500	\$3,150,000	\$4,644,500	\$180,500	\$4,825,000
20	Woodpecker, red-cockaded ( <i>Picoides borealis</i> )	E	\$64,168	\$920,000	\$984,168	\$567,817	\$1,551,985
	Birds Subtotal		\$24,944,810	\$14,611,314	\$39,556,124	\$1,333,936	\$40,890,060
	Reptiles						
10	Alligator, American ( <i>Alligator mississippiensis</i> )	SAT	\$0	\$2,503,747	\$2,503,747	\$0	\$2,503,747
64	Lizard, blunt-nosed leopard ( <i>Gambelia silus</i> )	E	\$0	\$142,000	\$142,000	\$0	\$142,000
28	Plymouth Red-Bellied Turtle ( <i>Pseudemys rubriventris bangs</i> )	E	\$1,073,800	\$0	\$1,073,800	\$0	\$1,073,800
59	Sea turtle, green ( <i>Chelonia mydas</i> ) FL, Mexico nesting pops.	E	\$349,601	\$0	\$349,601	\$0	\$349,601
59	Sea turtle, hawksbill ( <i>Eretmochelys imbricata</i> )	E	\$349,601	\$0	\$349,601	\$0	\$349,601
60	Sea turtle, leatherback ( <i>Dermochelys coriacea</i> )	E	\$349,600	\$0	\$349,600	\$0	\$349,600
60	Sea turtle, loggerhead ( <i>Caretta caretta</i> )	T	\$349,600	\$0	\$349,600	\$0	\$349,600
97	Skink, sand ( <i>Neoseps reynoldsi</i> )	T	\$2,033	\$0	\$2,033	\$0	\$2,033
36	Snake, eastern indigo ( <i>Drymarchon corais couperi</i> )	T	\$2,033	\$17,000	\$19,033	\$590,000	\$609,033
11	Tortoise, desert ( <i>Gopherus agassizii</i> ) U.S.A., except in Sonoran Desert	T	\$0	\$2,428,000	\$2,428,000	\$0	\$2,428,000
51	Whipsnake (=striped racer), Alameda ( <i>Masticophis lateralis euryxanthus</i> )	T	\$0	\$248,000	\$248,000	\$0	\$248,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Reptiles Subtotal		\$2,476,268	\$5,338,747	\$7,815,015	\$590,000	\$8,405,015
	Amphibians						
47	Frog, California red-legged ( <i>Rana aurora draytonii</i> ) subspecies range clarified	T	\$26,000	\$248,000	\$274,000	\$0	\$274,000
51	Salamander, California tiger ( <i>Ambystoma californiense</i> ) U.S.A. (Central CA DPS)	T	\$0	\$248,000	\$248,000	\$0	\$248,000
21	Salamander, Santa Cruz long-toed ( <i>Ambystoma macrodactylum croceum</i> )	E	\$0	\$0	\$0	\$1,500,000	\$1,500,000
84	Toad, arroyo (=arroyo southwestern) ( <i>Bufo californicus</i> (=microscaphus))	E	\$26,000	\$0	\$26,000	\$0	\$26,000
	Amphibians Subtotal		\$52,000	\$496,000	\$548,000	\$1,500,000	\$2,048,000
	Fishes						
27	Chub, bonytail ( <i>Gila elegans</i> ) entire	E	\$0	\$1,249,000	\$1,249,000	\$0	\$1,249,000
93	Chub, spotfin ( <i>Erimonax monachus</i> ) entire	T	\$0	\$4,000	\$4,000	\$0	\$4,000
90	Dace, Ash Meadows speckled ( <i>Rhinichthys osculus nevadensis</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
23	Dace, Moapa ( <i>Moapa coriacea</i> )	E	\$1,465,000	\$0	\$1,465,000	\$0	\$1,465,000
93	Darter, amber ( <i>Percina antesella</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, Cherokee ( <i>Etheostoma scotti</i> )	T	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, Etowah ( <i>Etheostoma etowahae</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, fountain ( <i>Etheostoma fonticola</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, goldline ( <i>Percina aurolineata</i> )	T	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Darter, snail ( <i>Percina tanasi</i> )	T	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Logperch, Conasauga ( <i>Percina jenkinsi</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
95	Minnow, Rio Grande silvery ( <i>Hybognathus amarus</i> )	E	\$0	\$2,100	\$2,100	\$0	\$2,100
44	Pikeminnow (=squawfish), Colorado ( <i>Ptychocheilus lucius</i> ) except Salt and Verde R. drainages, AZ	E	\$0	\$367,500	\$367,500	\$0	\$367,500
90	Pupfish, Ash Meadows Amargosa ( <i>Cyprinodon nevadensis mionectes</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
90	Pupfish, Devils Hole ( <i>Cyprinodon diabolis</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
90	Pupfish, Warm Springs ( <i>Cyprinodon nevadensis pectoralis</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
43	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) upper Willamette R.	T	\$0	\$368,326	\$368,326	\$0	\$368,326
30	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) fall Snake R.	T	\$0	\$1,022,965	\$1,022,965	\$0	\$1,022,965
13	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) <i>tshawytscha</i> ) spring upper Columbia R.	E	\$970,054	\$1,142,725	\$2,112,779	\$0	\$2,112,779
54	Salmon, chinook ( <i>Oncorhynchus</i>	T	\$0	\$210,500	\$210,500	\$0	\$210,500

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	(=Salmo) tshawytscha CA Central Valley spring-run						
24	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) spring/summer Snake R.	T	\$0	\$1,344,812	\$1,344,812	\$0	\$1,344,812
80	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) lower Columbia R.	T	\$0	\$45,515	\$45,515	\$0	\$45,515
54	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) winter Sacramento R.	E	\$0	\$210,500	\$210,500	\$0	\$210,500
79	Salmon, chinook ( <i>Oncorhynchus</i> (=Salmo) tshawytscha) Puget Sound	T	\$0	\$46,800	\$46,800	\$0	\$46,800
89	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) keta) summer-run Hood Canal	T	\$0	\$7,020	\$7,020	\$0	\$7,020
92	Salmon, chum ( <i>Oncorhynchus</i> (=Salmo) keta) Columbia R.	T	\$0	\$5,680	\$5,680	\$0	\$5,680
98	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) Lower Columbia River	T	\$0	\$1,000	\$1,000	\$0	\$1,000
17	Salmon, coho ( <i>Oncorhynchus</i> (=Salmo) kisutch) OR, CA pop.	T	\$0	\$1,736,500	\$1,736,500	\$0	\$1,736,500
31	Salmon, sockeye ( <i>Oncorhynchus</i> (=Salmo) nerka) U.S.A. (Snake River, ID stock wherever found.)	E	\$0	\$1,007,700	\$1,007,700	\$0	\$1,007,700
67	Smelt, delta ( <i>Hypomesus transpacificus</i> )	T	\$0	\$116,500	\$116,500	\$0	\$116,500
22	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) Snake R. Basin	T	\$176,750	\$1,311,791	\$1,488,541	\$0	\$1,488,541
91	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) lower Columbia R.	T	\$0	\$6,850	\$6,850	\$0	\$6,850
54	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) Central Valley CA	T	\$0	\$210,500	\$210,500	\$0	\$210,500
52	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) upper Willamette R.	T	\$0	\$245,002	\$245,002	\$0	\$245,002
14	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) middle Columbia R.	T	\$970,053	\$1,016,475	\$1,986,528	\$0	\$1,986,528
26	Steelhead ( <i>Oncorhynchus</i> (=Salmo) mykiss) upper Columbia R. Basin	T	\$0	\$1,286,610	\$1,286,610	\$0	\$1,286,610
4	Sturgeon, pallid ( <i>Scaphirhynchus albus</i> )	E	\$0	\$7,418,057	\$7,418,057	\$0	\$7,418,057
19	Sucker, razorback ( <i>Xyrauchen texanus</i> ) entire	E	\$0	\$1,616,500	\$1,616,500	\$0	\$1,616,500
45	Topminnow, Gila (incl. Yaqui) ( <i>Poeciliopsis occidentalis</i> ) U.S.A. only	E	\$0	\$0	\$0	\$300,000	\$300,000
3	Trout, bull ( <i>Salvelinus confluentus</i> ) U.S.A., conterminous, lower 48 states	T	\$1,944,174	\$6,430,973	\$8,375,147	\$0	\$8,375,147
42	Trout, Lahontan cutthroat ( <i>Oncorhynchus clarki henshawi</i> )	T	\$0	\$400,000	\$400,000	\$0	\$400,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	<b>Fishes Subtotal</b>		<b>\$5,554,031</b>	<b>\$28,859,901</b>	<b>\$34,413,932</b>	<b>\$300,000</b>	<b>\$34,713,932</b>
	<b>Clams</b>						
93	Acornshell, southern ( <i>Epioblasma othcaloogensis</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
62	Bankclimber, purple (mussel) ( <i>Elliptioideus sloatianus</i> )	T	\$0	\$159,000	\$159,000	\$0	\$159,000
93	Clubshell, ovate ( <i>Pleurobema perovatum</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Combshell, southern ( <i>Epioblasma penita</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Combshell, upland ( <i>Epioblasma metastrata</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Kidneyshell, triangular ( <i>Ptychobranhus greenii</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
33	Mapleleaf, winged ( <i>Quadrula fragosa</i> ) entire; except where listed as experimental populations	E	\$0	\$920,000	\$920,000	\$0	\$920,000
88	Moccasinshell, Alabama ( <i>Medionidus acutissimus</i> )	T	\$0	\$4,000	\$4,000	\$8,000	\$12,000
88	Moccasinshell, Coosa ( <i>Medionidus parvulus</i> )	E	\$0	\$4,000	\$4,000	\$8,000	\$12,000
62	Moccasinshell, Gulf ( <i>Medionidus penicillatus</i> )	E	\$0	\$159,000	\$159,000	\$0	\$159,000
62	Moccasinshell, Ochlockonee ( <i>Medionidus simpsonianus</i> )	E	\$0	\$159,000	\$159,000	\$0	\$159,000
33	Mucket, pink (pearlymussel) ( <i>Lampsilis abrupta</i> )	E	\$0	\$920,000	\$920,000	\$0	\$920,000
93	Pigtoe, southern ( <i>Pleurobema georgianum</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
93	Pocketbook, finelined ( <i>Lampsilis altilis</i> )	T	\$0	\$4,000	\$4,000	\$0	\$4,000
33	Pocketbook, Ouachita rock ( <i>Arkansia wheeleri</i> )	E	\$0	\$920,000	\$920,000	\$0	\$920,000
62	Pocketbook, shinyrayed ( <i>Lampsilis subangulata</i> )	E	\$0	\$159,000	\$159,000	\$0	\$159,000
62	Three-ridge, fat (mussel) ( <i>Amblema neislerii</i> )	E	\$0	\$159,000	\$159,000	\$0	\$159,000
38	Wedgemussel, dwarf ( <i>Alasmodonta heterodon</i> )	E	\$520,000	\$0	\$520,000	\$0	\$520,000
	<b>Clams Subtotal</b>		<b>\$520,000</b>	<b>\$3,591,000</b>	<b>\$4,111,000</b>	<b>\$16,000</b>	<b>\$4,127,000</b>
	<b>Snails</b>						
93	Lioplax, cylindrical (snail) ( <i>Lioplax cyclostomaformis</i> )	E	\$0	\$4,000	\$4,000	\$0	\$4,000
82	Snail, Iowa Pleistocene ( <i>Discus macclintocki</i> )	E	\$21,252	\$0	\$21,252	\$16,500	\$37,752
94	Snail, Utah valvata ( <i>Valvata utahensis</i> )	E	\$0	\$3,000	\$3,000	\$0	\$3,000
	<b>Snails Subtotal</b>		<b>\$21,252</b>	<b>\$7,000</b>	<b>\$28,252</b>	<b>\$16,500</b>	<b>\$44,752</b>

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	Insects						
76	Beetle, valley elderberry longhorn ( <i>Desmocerus californicus dimorphus</i> )	T	\$0	\$59,500	\$59,500	\$0	\$59,500
74	Butterfly, Fender's blue ( <i>Icaricia icarioides fenderi</i> )	E	\$68,666	\$0	\$68,666	\$0	\$68,666
84	Butterfly, Quino checkerspot ( <i>Euphydryas editha quino</i> (=E. e. <i>wrighti</i> ))	E	\$26,000	\$0	\$26,000	\$0	\$26,000
37	Dragonfly, Hine's emerald ( <i>Somatochlora hineana</i> )	E	\$0	\$0	\$0	\$547,000	\$547,000
90	Naucorid, Ash Meadows ( <i>Ambrysus amargosus</i> )	T	\$7,000	\$0	\$7,000	\$0	\$7,000
63	Tiger beetle, northeastern beach ( <i>Cicindela dorsalis dorsalis</i> )	T	\$150,000	\$0	\$150,000	\$0	\$150,000
53	Tiger beetle, Puritan ( <i>Cicindela puritana</i> )	T	\$240,000	\$0	\$240,000	\$0	\$240,000
81	Tiger beetle, Salt Creek ( <i>Cicindela nevadica lincolni</i> )	E	\$0	\$42,000	\$42,000	\$0	\$42,000
	Insects Subtotal		\$491,666	\$101,500	\$593,166	\$547,000	\$1,140,166
	Crustaceans						
85	Crayfish, cave ( <i>Cambarus aculabrum</i> )	E	\$0	\$25,000	\$25,000	\$0	\$25,000
85	Crayfish, cave ( <i>Cambarus zophonastes</i> )	E	\$0	\$25,000	\$25,000	\$0	\$25,000
81	Fairy shrimp, Conservancy ( <i>Branchinecta conservatio</i> )	E	\$0	\$42,000	\$42,000	\$0	\$42,000
84	Fairy shrimp, Riverside ( <i>Streptocephalus woottoni</i> )	E	\$26,000	\$0	\$26,000	\$0	\$26,000
84	Fairy shrimp, San Diego ( <i>Branchinecta sandiegonensis</i> )	E	\$26,000	\$0	\$26,000	\$0	\$26,000
81	Fairy shrimp, vernal pool ( <i>Branchinecta lynchi</i> )	T	\$0	\$42,000	\$42,000	\$0	\$42,000
81	Tadpole shrimp, vernal pool ( <i>Lepidurus packardii</i> )	E	\$0	\$42,000	\$42,000	\$0	\$42,000
	Crustaceans Subtotal		\$52,000	\$176,000	\$228,000	\$0	\$228,000
	Flowering Plants						
69	Bird's beak, palmate-bracted ( <i>Cordylanthus palmatus</i> )	E	\$0	\$111,000	\$111,000	\$0	\$111,000
90	Blazingstar, Ash Meadows ( <i>Mentzelia leucophylla</i> )	T	\$7,000	\$0	\$7,000	\$0	\$7,000
97	Blazingstar, scrub ( <i>Liatris ohlingerae</i> )	E	\$2,033	\$0	\$2,033	\$0	\$2,033
97	Bonamia, Florida ( <i>Bonamia grandiflora</i> )	T	\$2,033	\$0	\$2,033	\$0	\$2,033
97	Buckwheat, scrub ( <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i> )	T	\$2,033	\$0	\$2,033	\$0	\$2,033
85	Bush-clover, prairie ( <i>Lespedeza leptostachya</i> )	T	\$0	\$0	\$0	\$25,000	\$25,000
84	Button-celery, San Diego ( <i>Eryngium aristulatum</i> var. <i>parishii</i> )	E	\$26,000	\$0	\$26,000	\$0	\$26,000
96	Cactus, Uinta Basin hookless	T	\$0	\$2,000	\$2,000	\$0	\$2,000

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
	( <i>Sclerocactus glaucus</i> )						
58	Catchfly, Spalding's ( <i>Silene spaldingii</i> )	T	\$176,750	\$0	\$176,750	\$0	\$176,750
90	Centauray, spring-loving ( <i>Centaurium namophilum</i> )	T	\$7,000	\$0	\$7,000	\$0	\$7,000
48	Checker-mallow, Nelson's ( <i>Sidalcea nelsoniana</i> )	T	\$85,386	\$168,985	\$254,371	\$0	\$254,371
18	Coneflower, smooth ( <i>Echinacea laevigata</i> )	E	\$0	\$0	\$0	\$1,686,100	\$1,686,100
73	Daisy, Willamette ( <i>Erigeron decumbens</i> var. <i>decumbens</i> )	E	\$68,667	\$0	\$68,667	\$0	\$68,667
97	Fringe-tree, pygmy ( <i>Chionanthus pygmaeus</i> )	E	\$2,033	\$0	\$2,033	\$0	\$2,033
72	Grass, Colusa ( <i>Neostapfia colusana</i> )	T	\$0	\$70,000	\$70,000	\$0	\$70,000
68	Grass, Solano ( <i>Tuctoria mucronata</i> )	E	\$0	\$112,000	\$112,000	\$0	\$112,000
90	Gumplant, Ash Meadows ( <i>Grindelia fraxino-pratensis</i> )	T	\$7,000	\$0	\$7,000	\$0	\$7,000
39	Iris, dwarf lake ( <i>Iris lacustris</i> )	T	\$0	\$0	\$0	\$474,000	\$474,000
25	Irisette, white ( <i>Sisyrinchium dichotomum</i> )	E	\$0	\$0	\$0	\$1,325,000	\$1,325,000
90	Ivesia, Ash Meadows ( <i>Ivesia kingii</i> var. <i>eremica</i> )	T	\$7,000	\$0	\$7,000	\$0	\$7,000
65	Kamanomano ( <i>Cenchrus agrimonioides</i> )	E	\$128,179	\$0	\$128,179	\$0	\$128,179
77	Leather flower, Alabama ( <i>Clematis socialis</i> )	E	\$0	\$0	\$0	\$50,000	\$50,000
49	Lupine, Kincaid's ( <i>Lupinus sulphureus</i> (=oreganus) ssp. <i>kincaidii</i> (=var. <i>kincaidii</i> ))	T	\$85,385	\$168,985	\$254,370	\$0	\$254,370
84	Mesa-mint, Otay ( <i>Pogogyne nudiuscula</i> )	E	\$26,000	\$0	\$26,000	\$0	\$26,000
84	Mesa-mint, San Diego ( <i>Pogogyne abramsii</i> )	E	\$26,000	\$0	\$26,000	\$0	\$26,000
90	Milk-vetch, Ash meadows ( <i>Astragalus phoenix</i> )	T	\$7,000	\$0	\$7,000	\$0	\$7,000
97	Mint, Garrett's ( <i>Dicerandra christmanii</i> )	E	\$2,033	\$0	\$2,033	\$0	\$2,033
83	Monkshood, northern wild ( <i>Aconitum noveboracense</i> )	T	\$21,252	\$0	\$21,252	\$16,100	\$37,352
90	Niterwort, Amargosa ( <i>Nitrophila mohavensis</i> )	E	\$7,000	\$0	\$7,000	\$0	\$7,000
65	Bonamia menziesii (=Sci name)	E	\$128,179	\$0	\$128,179	\$0	\$128,179
66	Mariscus pennatifolius (=Sci name)	E	\$128,178	\$0	\$128,178	\$0	\$128,178
66	Vigna o-wahuensis (=Sci name)	E	\$128,178	\$0	\$128,178	\$0	\$128,178
66	Ohai ( <i>Sesbania tomentosa</i> )	E	\$128,178	\$0	\$128,178	\$0	\$128,178
57	Orchid, western prairie fringed ( <i>Platanthera praeclara</i> )	T	\$179,450	\$0	\$179,450	\$0	\$179,450
81	Orcutt grass, hairy ( <i>Orcuttia pilosa</i> )	E	\$0	\$42,000	\$42,000	\$0	\$42,000
97	Pigeon wings ( <i>Clitoria fragrans</i> )	T	\$2,033	\$0	\$2,033	\$0	\$2,033
35	Pink, swamp ( <i>Helonias bullata</i> )	T	\$0	\$0	\$0	\$650,000	\$650,000
97	Plum, scrub ( <i>Prunus geniculata</i> )	E	\$2,033	\$0	\$2,033	\$0	\$2,033
29	Pondberry ( <i>Lindera melissifolia</i> )	E	\$0	\$920,000	\$920,000	\$128,650	\$1,048,650
86	Roseroot, Leedy's ( <i>Sedum integrifolium</i> ssp. <i>leedyi</i> )	T	\$21,252	\$0	\$21,252	\$0	\$21,252

Rank	Species (50 CFR Part 17)	Status	FWS Total	Other Fed	Fed Total	States Total	Species Total
81	Spurge, Hoover's ( <i>Chamaesyce hooveri</i> )	T	\$0	\$42,000	\$42,000	\$0	\$42,000
32	Sunburst, Hartweg's golden ( <i>Pseudobahia bahiifolia</i> )	E	\$0	\$1,007,500	\$1,007,500	\$0	\$1,007,500
90	Sunray, Ash Meadows ( <i>Enceliopsis nudicaulis</i> var. <i>corrugata</i> )	T	\$7,000	\$0	\$7,000	\$0	\$7,000
78	Water-umbel, Huachuca ( <i>Lilaeopsis schaffneriana</i> var. <i>recurva</i> )	E	\$0	\$48,000	\$48,000	\$0	\$48,000
97	Whitlow-wort, papery ( <i>Paronychia chartacea</i> )	T	\$2,033	\$0	\$2,033	\$0	\$2,033
97	Wireweed ( <i>Polygonella basiramia</i> )	E	\$2,033	\$0	\$2,033	\$0	\$2,033
	Flowering Plants Subtotal		\$1,424,331	\$2,692,470	\$4,116,801	\$4,354,850	\$8,471,651
	Total Land Expenditures for FY2006		\$46,092,666	\$62,258,932	\$108,351,598	\$8,920,947	\$117,272,545
	Other ESA Expenses		\$40,000	\$3,992,500	\$4,032,500	\$4,977,796	\$9,010,296
	Total Land/Other ESA Land Expenditures for FY2006		\$46,132,666	\$66,251,432	\$112,384,098	\$13,898,743	\$126,282,841