| | EXPENDITURES (\$000) | | | | |
|-----------|---|----------------|-----------------------------|--------------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 1 | Salmon, chinook, Snake R. spring/summer run | T | \$28.545.27 | \$28,545.27 | 10.73% |
| 2 | Salmon, chinook, Snake R. fall run | Ť | \$25,655.96 | | |
| 3 | Salmon, sockeye (=red, =blueback), Snake R. | Ē | \$18,051.44 | | |
| 4 | Owl, northern spotted | T | \$13,467.43 | | |
| 5 | Woodpecker, red-cockaded | Ē | \$12,055.91 | | |
| 6 | Salmon, coho, OR and CA ESU | <u> </u> | | \$109,642.19 | |
| 7 | Murrelet, marbled | Ť | | \$118.537.31 | |
| 8 | Sucker, razorback | Ė | | \$124,319.60 | |
| 9 | Tortoise, desert | _ - | | \$130,032.48 | |
| 10 | Eagle, bald | Ť | | \$135,270.44 | |
| 11 | Gnatcatcher, coastal California | Ť | | \$140,092.14 | |
| 12 | Squawfish, Colorado | E | | \$144,511.91 | |
| 13 | Flycatcher, southwestern willow | E | | \$148,600.67 | |
| 14 | Bear, grizzly | T | | .\$152,685.61 | |
| 15 | Wolf, gray | E, T | | \$156,285.46 | |
| 16 | Salmon, chinook, Sacramento R. winter run | T | \$3,279.39 | \$159,564.85 | 60.01% |
| 17 | Sturgeon, white (Kootenai River pop.) | E | | \$162,753.22 | |
| 18 | Salmon, coho, CA ESU | T | \$2,922.88 | \$165,676.10 | |
| 19 | Crane, whooping | E | \$2,809.65 | \$168,485.74 | 63.36% |
| 20 | Falcon, American peregrine | E | \$2,600.79 | \$171,086.53 | 64.34% |
| 21 | Whale, right | E | \$2,403.25 | \$173,489.78 | 65.24% |
| 22 | Turtle, green séa | E, T | \$2,293.84 | \$175,783.62 | 66.11% |
| 23 | Plover, piping | E, T | \$2,265.29 | \$178,048.91 | 66.96% |
| 24 | Sea-lion, Steller | E, T | \$2,206.58 | \$180,255.49 | 67.79% |
| 25 | Trout, Umpqua River cutthroat | E | \$2,146.50 | \$182,401.99 | 68.59% |
| 26 | Panther, Florida | E | \$2,145.55 | \$184,547.55 | 69.40% |
| 27 | Turtle, loggerhead sea | T | \$2,118.48 | \$186,666.03 | 70.20% |
| 28 | Ferret, black-footed | E | \$2,033.16 | \$188,699.19 | 70.96% |
| 29 | Manatee, West Indian (=Florida) | E | \$1,945.70 | \$190,644.89 | 71.69% |
| 30 | Chub, bonytail | E | \$1,597.26 | \$192,242.15 | 72.30% |
| 31 | Owl, Mexican spotted | T | | \$193,608.94 | |
| 32 | Chub, humpback | E | | \$194,953.20 | |
| 33 | Sturgeon, pallid | E | | \$196,288.40 | |
| 34 | Turtle, Kemp's ridley sea | E | | \$197,582.08 | |
| 35 | Trout, Lahontan cutthroat | Т | | \$198,842.48 | |
| 36 | Sucker, Lost River | E | | \$200,034.95 | . |
| 37 | Sucker, shortnose | E | | \$201,174.35 | |
| 38 | Tern, California least | _ E | \$1,133.98 | \$202,308.32 | 76.08% |
| 39 | Palila (honeycreeper) | <u>E</u> | | \$203,409.82 | |
| 40 | Condor, California | E | | \$204,499.62 | |
| 41 | Parrot, Puerto Rican | E | | \$205,574.52 | |
| 42 | Wolf, red | _ <u>E</u> | | \$206,635.22 | |
| 43 | Sturgeon, shortnose | _ <u>E</u> | | \$207,678.08 | |
| 44 | Sucker, June | _ <u>E</u> | | \$208,718.55 | |
| 45 | Turtle, leatherback sea | _ <u>E</u> | | \$209,739.48 | |
| 46 | Shrike, San Clemente loggerhead | _ <u>E</u> | | ! \$210,739.98 | |
| 47 | Vireo, least Bell's | E | | \$211,715.87 | |
| 48 | Warbier, golden-cheeked | E | | \$212,670.77 | |
| 49 | Vireo, black-capped | E | | \$ \\$213,607.10 | |
| 50 | Crane, Mississippi sandhill | <u>E</u> | | \$214,497.60 | |
| 51 | Plover, western snowy | _ <u>T</u> | | 1\$215,381.01 | |
| 52 | Tortoise, gopher | Ţ | | \$216,259.01 | |
| 53 | Bat, Indiana | E | | \$217,134.75 | |
| 54 | Snake, giant garter | <u>T</u> | | 1\$218,010.34 | |
| 55 | Jay, Florida scrub | | | * \$218,867.31 | |
| <u>56</u> | Butterfly, Karner blue | E | | \$219,723.52 \$230,614,67 | |
| 57 | Tern, least (interior) | _ <u>E</u> | | \$220,514.57 \$221,251,84 | |
| 58 | Frog, California red-legged | <u> </u> | \$737.26 | 5:\$221,251.84 | 83.21% |

| | EXPENDITURES (\$000) | | | | |
|------|--------------------------------------|-------------|-----------------------------|---------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 59 | Mouse, Alabama beach | E | | \$221,954.57 | |
| 60 | Pronghorn, Sonoran | Ē | | \$222,606.67 | |
| 61 | Bat, gray | E | | \$223,225.29 | |
| 62 | Whale, sperm | E | \$615.95 | \$223.841.24 | 84.18% |
| 63 | Seal, Hawaiian monk | E | \$612.00 | \$224,453.24 | 84.41% |
| 64 | Turtle, hawksbill sea (=carey) | E | \$590.27 | \$225,043.51 | 84.63% |
| 65 | Warbier, Kirtland's | E_ | | \$225,621.21 | |
| 66 | Wild-rice, Texas | E | \$564.30 | \$226,185.51 | |
| 67 | Deer, key | E | | \$226,744.01 | |
| 68 | Whale, humpback | E | | \$227,287.53 | |
| 69 | Shiner, Pecos bluntnose | T | | \$227,828.43 | |
| 70 | Toad, Arroyo southwestern | E | | \$228,363.63 | |
| 71 | Darter, Okaloosa | E | | \$228,886.63 | |
| 72 | Fox, San Joaquin kit | E | | \$229,399.28 | |
| 73 | Darter, fountain | E | | \$229,891.78 | |
| 74 | Woundfin | ·E | | \$230,373.43 | |
| 75 | Chub, Virgin River | E | | \$230,840.68 | |
| 76 | Otter, southern sea | Т | | \$231,288.28 | |
| 77 | Pygmy-owl, cactus ferruginous | E | | \$231,717.18 | |
| 78 | Fairy shrimp, vernal pool | T | | \$232,144.68 | |
| 79 | Rail, California clapper | E | | \$232,530.54 | |
| 80 | Smelt, delta | T | | \$232,914.68 | |
| 81 | Caribou, woodland | Ε | | \$233,289.78 | |
| 82 | Fairy shrimp, San Diego | E | | \$233,642.18 | |
| 83 | Crow, Mariana | E | | \$233,988.48 | |
| 84 | Minnow, Rio Grande silvery | E | | \$234,330.28 | |
| 85 | Bear, Louisiana black | Т | | \$234,665.29 | |
| 86 | Stork, wood | <u> </u> | | \$234,997.78 | |
| 87 | Mouse, Pacific pocket | E | | \$235,327.68 | |
| 88 | Pearlymussel, orange-foot pimpleback | Е | | \$235,655.24 | |
| 89 | Kangaroo rat, Stephens' | E | | \$235,980.14 | |
| 90 | Ladies'-tresses, Ute | T | | \$236,304.85 | |
| 91 | Falcon, northern aplomado | E | | \$236,627.15 | |
| 92 | Tadpole shrimp, vernal pool | <u>E</u> | | \$236,930.15 | |
| 93 | Crow, Hawaiian (=`alala) | <u>E</u> | | \$237,221.45 | |
| 94 | Trout, Apache (=Arizona) | Ţ | | \$237,502.48 | |
| 95 | Darter, Etowah | E | | \$237,780.48 | |
| 96 | Fairy shrimp, riverside | E | \$276.30 | \$238,056.78 | 89.52% |
| 97 | Cui-ui | <u>E</u> | | \$238,331.78 | |
| 98 | Eider, spectacled | Ţ | | \$238,605.87 | |
| 99 | Prairie-chicken, Attwater's greater | E | | \$238,870.47 | |
| 100 | Turtle, olive ridley sea | <u>E, T</u> | | \$239,134.97 | |
| 101 | Sturgeon, Gulf | <u>T</u> | | \$239,388.74 | |
| 102 | Prairie dog, Utah | Т | | \$239,628.23 | |
| 103 | Whale, finback | E | | \$239,865.98 | |
| 104 | Pearlymussel, little-wing | E | | \$240,101.97 | |
| 105 | Whale, Sei | E | ···· | \$240,334.72 | |
| 106 | Whale, blue | Ε | | :\$240,565.97 | |
| 106 | Whale, bowhead | E | | :\$240,797.22 | |
| 108 | Pelican, brown | E | | \$241,027.49 | |
| 109 | Rail, Guam | E | | \$241,242.99 | |
| 110 | Goose, Hawaiian (=nene) | E | | \$241,450.13 | |
| 111 | Kangaroo rat, giant | E | | \$241,656.99 | |
| 112 | Eider, Steller's | T | | \$241,860.40 | |
| 113 | Butterfly, Quino checkerspot | E | \$203.00 | \$242,063.40 | |
| 114 | Beetle, valley elderberry longhorn | T | | \$242,263.13 | |
| 115 | Mouse, salt marsh harvest | E | \$195.12 | \$242,458.25 | |
| 116 | Sucker, Warner | 7 | \$102.20 | \$242,650.45 | 91.25% |

| TABLE 2. | SPECIES RANKED IN DESCENDING ORDER OF TOTAL ITY 1997 REPORTED |
|----------|---|
| | EVNEMBITI IDEC (6000) |

| | EXPENDITURES (\$000) | | | | |
|------------|---|----------------|--|------------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL | ATIVE PERCENT |
| 117 | Snail, Utah valvata | E | | \$242,841.91 | |
| 118 | Howellia, water | T | \$187.10 | \$243,029.01 | 91.39% |
| 119 | Rail, Yuma clapper | E | \$185.19 | \$243,214.20 | 91.46% |
| 120 | Button-celery, San Diego | E | \$183.70 | \$243,397.90 | 91.53% |
| 121 | Sparrow, Cape Sable seaside | E | \$180.00 | \$243,577.90 | 91.60% |
| 122 | Stilt, Hawaiian (=ae`o) | E | \$177.65 | \$243,755.55 | 91.67% |
| 123 | Topminnow, Gila (incl. Yaqui) | E | \$175.35 | \$243,930.91 | 91.73% |
| 124 | Kangaroo rat, Tipton | E | \$169.67 | \$244,100.58 | 91.80% |
| 125 | Deer, Columbian white-tailed | E | \$169.38 | \$244,269.96 | 91.86% |
| 126 | Lizard, blunt-nosed leopard | E | \$169.17 | \$244,439.14 | 91.92% |
| 127 | Minnow, loach | T | \$168.32 | \$244,607.46 | 91.99% |
| 128 | Sparrow, Florida grasshopper | E | | \$244,775.08 | |
| 129 | Jewelflower, California | E | | \$244,938.58 | |
| 130 | Orchid, western prairie fringed | T | | \$245,101.39 | - - |
| 131 | Mesa-mint, San Diego | E | | \$245,263.39 | |
| 132 | Spinedace, Little Colorado | T | | \$245,411.81 | |
| 133 | Blackbird, yellow-shouldered | Ē | | \$245,556.87 | |
| 134 | Chaffseed, American | E | | \$245,701.10 | |
| 135 | Chub, Oregon | E | | \$245,844.77 | |
| 136 | Dragonfly, Hine's (=Ohio) emerald | E | | \$245,987.18 | |
| 137 | Crayfish, Shasta (=placid) | E | | \$246,129.32 | |
| 138 | Butterfly, Paios Verdes blue | E | | \$246,270.82 | |
| 139 | Goose, Aleutian Canada | <u> </u> | | \$246,411.76 | |
| 140 | Salamander, Barton Springs | E | | \$246,552.26 | |
| 141 | Spineflower, slender-horned | E | | \$246,691.86 | |
| 142 | Kangaroo rat, Fresno | E | | \$246,831.03 | |
| 143 | Pearlymussel, Higgins' eye | E | | \$246,970.04 | |
| 144 | Fiddleneck, Large-flowered | E | | \$247,108.04 | |
| 145 | Ocelot | Ē | | .\$247,244.82 | |
| 146 | Lessingia, San Francisco | Ē | | \$247,381.22 | |
| 147 | Trout, Gila | E | | \$247,517.42 | |
| 148 | Amaranth, seabeach | T | | \$247,652.56 | |
| 149 | Mussel, dwarf wedge | E | | \$247,785.31 | |
| 150 | Bat, Ozark big-eared | E | | \$247,915.33 | |
| 151 | Bird's beak, palmate-bracted | E | | \$248,044.07 | |
| 152 | Pupfish, desert | E | | \$248,172.24 | |
| 153 | Bat, lesser long-nosed | E | | \$248,299.24 | |
| 154 | Salamander, San Marcos | T | | \$248,425.94 | |
| 155 | Coot, Hawaiian (='alae-ke'oke'o) | E | | \$248,550.96 | |
| 156 | Butterfly, Mitchell's satyr | Ē | | \$248,675.96 | |
| 157 | Tern, roseate | E, T | | \$248,799.04 | |
| 158 | Woolly-star, Santa Ana River | E | | \$248,921.04 | |
| 159 | Duck, Hawaiian (=koloa) | Ē | | \$249,041.97 | |
| 160 | Snake, eastern indigo | Ť | | \$249,160.52 | |
| 161 | Clarkia, Presidio | Ē | | \$249,278.42 | |
| 162 | Loosestrife, rough-leaved | E | | \$249,394.92 | |
| 163 | Dace, desert | | | \$249,511.02 | |
| 164 | Mallow, Kern | E | | \$249,626.79 | |
| 165 | Rail, light-footed clapper | Ē | | \$249,741.20 | |
| 166 | Springfish, Railroad Valley | _ _ | | \$249,853.20 | |
| 167 | Squirrel, Delmarva Peninsula fox | E | | \$249,961.80 | |
| 168 | Parrotbill, Maui (honeycreeper) | <u>E</u> | | | |
| 169 | Kangaroo rat, Morro Bay | <u> </u> | | \$250,069.22 \$250,176,63 | |
| | | | | \$250,176.62 | |
| 170 | Rock-cress, McDonald's | E | | \$250,283.82 \$350,200,83 | |
| 171 | Megapode, Micronesian (=La Perouse's) | E | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | \$250,390.82 | |
| 171 | Spineflower, Orcutt's | <u>E</u> | | \$250,497.82 | |
| | | - | עיית דות ביי | JEC CILA D7 | CLA 72.40 |
| 171 174 | Butterfly, Schaus swallowtail Salamander, Texas blind | Ē | | \$250,604.82 \$250,711.02 | |

| · | EXPENDITURES (\$000) | | | | |
|-------------------|---|-----------------|-----------------------------|------------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 175 | Beetle, American burying (=giant carrion) | E | \$105.15 | \$250,816.17 | 94.32% |
| 176 | Bird's-beak, salt marsh | E | \$104.50 | \$250,920.67 | 94.36% |
| 177 | Fly, Delhi Sands flower-loving | E | | \$251,024.17 | |
| 178 | Snake, San Francisco garter | E | | \$251,127.07 | |
| 179 | Logperch, Roanoke | E | | \$251,229.27 | |
| 180 | Shrimp, California freshwater | E | | \$251,330.96 | |
| 181 | Squirrel, Mount Graham red | <u>E</u> | | \$251,431.96 | |
| 182 | Moorhen, Hawaiian common | <u>E</u> | | \$251,532.09 | |
| 183 | Woolly-star, Hoover's | T | | \$251,630.87 | |
| 184 | Madtom, Neosho | <u>T</u> | | \$251,729.52 | |
| 185 | Bat, Virginia big-eared | <u>E</u> | | \$251,827.51 | |
| 186 | Toad, Wyoming | E | | \$251,923.86 | |
| 187 | Ambersnail, Kanab | <u>E</u> T | | \$252,019.16 \$252,113.16 | |
| 188 | Manzanita, Morro Sunflower, Eggert's | <u>'</u> | | \$252,113.16 \$252,207.16 | |
| 188 190 | Po`ouli (honeycreeper) | Ē | | \$252,300.66 | |
| 191 | Clubshell | _ <u>=</u> E | | \$252,392.68 | |
| 192 | Wooly-threads, San Joaquin | Ē | | \$252,484.46 | |
| 193 | Spikedace | - | | \$252,574.85 | |
| 194 | Riffleshell, northern | E | | \$252,664.66 | |
| 195 | Goby, tidewater | Ē | | \$252,754.16 | |
| 196 | Pocketbook, fat | E | | \$252,842.52 | |
| 197 | Bobwhite, masked (quail) | E | \$87.47 | \$252,929.99 | 95.12% |
| 198 | Skipper, Laguna Mountains | E | \$84.00 | \$253,013.99 | 95.15% |
| 198 | Dace, independence Valley speckled | E | \$84.00 | \$253,097.99 | 95.18% |
| 200 | Dace, Clover Valley speckled | E | \$83.00 | \$253,180.99 | |
| 201 | Darter, Niangua | T | | \$253,263.95 | |
| 202 | Butterfly, Uncompangre fritillary | E | | _\$253,346.35 | |
| 203 | Bat, Mariana fruit | E | | \$253,427.35 | |
| 204 | Stickleback, unarmored threespine | <u>E</u> | ······ | \$253,507.75 | |
| 205 | Ladies'-tresses, Navasota | E | | \$253,586.25 | |
| 206 | Cactus, Bakersfield | E | | \$253,664.67 | |
| 207 207 | Pigeon, Puerto Rican plain Butterfly, mission blue | E | | \$253,742.17 \$253,819.67 | |
| 209 | Chub, Sonora | - | | \$253,819.00 \$253,894.00 | |
| 210 | Squirrel, Virginia northern flying | E | | \$253,967.17 | |
| 211 | Nukupu`u (honeycreeper) | Ē | | \$254,040.17 | |
| 212 | Snail. Iowa Pleistocene | E | | \$254,112.94 | |
| 213 | Rock-pocketbook, Ouachita (=Wheeler's pearly | E | | \$254,185.34 | |
| 214 | Sumac, Michaux's | Ē | | \$254,257.34 | |
| 215 | Turtle, Alabama redbelly (=red-bellied) | E | | \$254,327.64 | |
| 216 | Quillwort, Louisiana | E | | \$254,397.39 | |
| 217 | Kite, Everglade snail | E | | \$254,467.08 | |
| 218 | Darter, leopard | T | | \$254,536.68 | |
| 219 | Butterfly, Oregon silverspot | T | \$69.58 | \$254,606.25 | 95.75% |
| 220 | Mesa-mint, Otay | E | \$68.00 | \$254,674.25 | 95.77% |
| 221 | Jaguarundi (TX) | E | \$66.78 | \$254,741.03 | 95.80% |
| 222 | Thrush, small Kauai (=puaiohi) | _E | | \$254,807.03 | |
| 223 | Chub, Owens tui | <u>E</u> | | \$254,872.83 | |
| 224 | Pogonia, small whorled | <u>T</u> | | \$254,938.36 | |
| 225 | Honeycreeper, crested (= akohekohe) | _ <u>E</u> | | \$255,002.78 | |
| 226 | Mouse, Perdido Key beach | <u>_</u> | | \$255,067.15 | |
| 227 | Rattlesnake, New Mexican ridge-nosed | _ <u>T</u> | | \$255,131.41 | |
| 228 | Pupfish, Owens | E | | \$255,194.61 | |
| 229 | Shiner, blue | Ţ | | \$255,257.16 | |
| 230 | Mouse, Choctawahatchee beach Mountain beaver, Point Arena | E | | \$255,319.66 | |
| <u>231</u> 232 | Mussel, winged mapleleaf | <u>E</u> E | | \$255,381.16 \$255,441.02 | |
| | mussel, willyeu mapieledi | <u> </u> | 00.60 | φ ∠ 00,44 1.U2 | 96.06% |

| RANK | | | SPECIES | - | |
|------------|---|--------------|------------------|------------------------------|------------------|
| | SPECIES (50 CFR Part 17) | STATUS | TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 233 | Catfish, Yaqui | T | \$59.10 | \$255,500.12 | 96.08% |
| 234 | Baccharis, Encinitis | T | \$59.00 | \$255,559.12 | 96.11% |
| 235 | Crocodile, American | E | \$58.96 | \$255,618.08 | 96.13% |
| 236 | Trillium, relict | E | | \$255,676.61 | |
| 237 | Gilia, Monterey | E | \$58.00 | \$255,734.61 | 96.17% |
| 238 | 'Akepa, Maui (honeycreeper) | E | \$57.50 | \$255,792.11 | 96.19% |
| 239 | Lily, Western | E | \$57.00 | \$255,849.11 | 96.22% |
| 239 | Manzanita, Del Mar (=Costa Baja, =Eastwood's) | E | \$57.00 | \$255.906.11 | 96.24% |
| 241 | Trout, greenback cutthroat | T | | \$255,961.81 | |
| 242 | Goldfields, Burke's | E | \$55.50 | \$256,017.31 | 96.28% |
| 243 | Fairy shrimp, longhorn | E | | \$256,072.31 | |
| 244 | Darter, goldline | T | | \$256,126.66 | |
| 245 | Chub, Mohave tui | E | | \$256,180.66 | |
| 245 | Butterfly, El Segundo blue | E | | \$256,234.66 | |
| 247 | Pupfish, Ash Meadows Amargosa | E | | \$256,288.26 | |
| 248 | Gerardia, sandplain | E | | \$256,341.72 | |
| 249 | Cactus, Pima pineapple | E | | \$256,394.82 | |
| 250 | Lizard, Coachella Valley fringe-toed | <u>T</u> | | \$256,447.32 | |
| 251 | Pearlymussel, pink mucket | E | | \$256,499.38 | |
| 252 | Lizard, Island night | T | | \$256,551.43 | |
| 253 | Pitcher-plant, green | E | | \$256,603.24 | |
| 254 | Sunshine, Sonoma (=Stickyseed, Baker's) | E | | \$256,654.74 | |
| 255 | Chub, Yaqui | E | | \$256,704.89 | |
| 256 | Creeper, Hawaii | E | | \$256,754.39 | |
| 257 | Coneflower, smooth | E | | \$256,803.69 | |
| 258 | Turtle, ringed map (=sawback) | <u> </u> | | \$256,852.89 | |
| 259 | Milk-vetch, Applegate's | <u>E</u> | | \$256,901.89 | |
| 260 | Meadowfoam, Sebastopol | E | | \$256,950.39 | |
| 260 | Salamander, Santa Cruz long-toed | E | | \$256,998.89 | |
| 262 263 | Sandwort, Marsh Cactus, Mesa Verde | E T | | \$257,046.89 \$257,094.02 | |
| 264 | Jaguar | E | | \$257,094.02 | |
| 265 | Turtle, yellow-blotched map (=sawback) | - | | \$257,140.95 | |
| 266 | Kingfisher, Guam Micronesian | E | | \$257,230.16 | |
| 266 | Milkweed, Welsh's | Ť | | \$257,274.66 | |
| 266 | Toad, Puerto Rican crested | | | \$257,319.16 | |
| 269 | Bladderpod, white | Ē | | \$257,363.16 | |
| 270 | Checker-mallow, Nelson's | - | | \$257,407.03 | |
| 271 | Moorhen, Mariana common | Ē | | \$257,450.03 | |
| 272 | Snails, Oahu tree | E | | \$257,492.20 | |
| 273 | Watercress, Gambel's | E | | \$257,534.20 | |
| 274 | Orchid, eastern prairie fringed | Ť | | \$257,576.18 | |
| 275 | Milkweed, Mead's | T | | \$257,617.66 | |
| 276 | Dace, blackside | T | | \$257,659.06 | |
| 277 | Sunflower, Schweinitz's | E | \$41.00 | \$257,700.06 | 96.91% |
| 277 | Rush-pea, slender | E | | \$257,741.06 | |
| 277 | Grass, California Orcutt | E | | \$257,782.06 | |
| 280 | Pondberry | E | \$40.90 | \$257,822.96 | |
| 281 | Trout, Little Kern golden | T | | \$257,863.56 | |
| 282 | Mustard, siender-petaled | E | | :\$257,903.96 | |
| 283 | Checker-mallow, pedate | E | \$39.40 | \$257,943.36 | 97.00% |
| 284 | Water-umbel, Huachuca | E | \$38.60 | \$257,981.96 | |
| 285 | Butterfly, bay checkerspot | T | \$38.50 | \$258,020.46 | 97.03% |
| 285 | Gambusia, San Marcos | E | | \$258,058.96 | |
| 285 | Petrel, Hawaiian dark-rumped | E | | \$258,097.46 | |
| 288 | Chub, Pahranagat roundtail (=bonytail) | E | | \$258,135.66 | |
| 289 | Daisy, Parish's | T | | \$258,173.66 | |
| 289 | Buckwheat, cushenbury | E | \$38.00 | \$258,211.66 | 97.10% |

| | EXPENDITURES (\$000) | | | | |
|------|---|-------------|-----------------------------|------------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 289 | Oxytheca, cushenbury | E | \$38.00 | \$258,249.66 | 97.12% |
| 289 | Milk-vetch, Cushenbury | Ē | | \$258,287.66 | |
| 289 | Bladderpod, San Bernardino Mountains | Ē | | \$258,325.66 | |
| 294 | Spineflower, Monterey | | | \$258,363.06 | |
| 294 | Spinedace, White River | Ē | \$37.40 | \$258,400.46 | 97.18% |
| 296 | Skullcap, large-flowered | Ē | \$37.17 | \$258,437.63 | 97.19% |
| 297 | Butterfly, Smith's blue | E | \$37.00 | \$258,474.63 | 97.20% |
| 298 | Milk-vetch, Mancos | Ē | | \$258,511.10 | |
| 299 | Heelsplitter, inflated | | | \$258,547.55 | |
| 300 | Towhee, Inyo California (=brown) | Ť | | \$258,583.45 | |
| 301 | Orcutt grass, slender | Ť | | \$258,619.07 | |
| 302 | Ground-plum, Guthrie's | E | | \$258,654.23 | |
| 303 | Gambusia, Pecos | E | | \$258,689.23 | |
| 303 | Darter, Cherokee | Ť | | \$258,724.23 | |
| 303 | Rabbit, Lower Keys | E | | \$258,759.23 | |
| 306 | Layia, beach | E | | \$258,793.78 | |
| 307 | Wallflower, Menzies' | E | \$34.00 | \$258,827.78 | 97.34% |
| 307 | Fairy shrimp, Conservancy | E | | \$258,861.78 | |
| 309 | Cactus, Kuenzler hedgehog | E | | \$258,895.28 | |
| 309 | Navarretia, many-flowered | E | | \$258,928.78 | |
| 309 | Mouse, southeastern beach | T | \$33.50 | \$258,962.28 | 97.39% |
| 312 | Shiner, beautiful | τ | | \$258,994.48 | |
| 313 | Warbler, nightingale reed | E | | \$259,026.48 | |
| 314 | Cactus, Sneed pincushion | E | | \$259,058.38 | |
| 314 | Vole, Amargosa | E | | \$259,090.28 | |
| 316 | Manzanita, Presido (=Raven's) | E | | \$259,122.08 | |
| 317 | Vole, Hualapai Mexican | E | | \$259,153.18 | |
| 318 | Toad, Houston | E | | \$259,183.98 | |
| 319 | Silversword, Ka`u | E | | \$259,214.48 | |
| 319 | Monarch, Tinian (old world flycatcher) | T | | \$259,244.98 | |
| 319 | Broadbill, Guam | E | \$30.50 | \$259,275.48 | |
| 319 | White-eye, bridled | E | \$30.50 | \$259,305.98 | 97.52% |
| 323 | Shiner, Palezone | E | | \$259,336.38 | |
| 324 | Avens, spreading | E | \$30.26 | \$259,366.64 | 97.54% |
| 325 | Beetle, northeastern beach tiger | T | \$30.10 | \$259,396.74 | 97.55% |
| 326 | Amphianthus, little | T | \$30.00 | \$259,426.74 | 97.56% |
| 326 | Spineflower, Ben Lomond | E | \$30.00 | \$259,456.74 | 97.57% |
| 326 | Spineflower, Robust (incl. Scotts Valley) | E | \$30.00 | \$259,486.74 | 97.58% |
| 329 | Cavefish, Ozark | T | \$29.83 | \$259,516.57 | 97.60% |
| 330 | Shrew, Dismal Swamp southeastern | T | \$29.50 | \$259,546.07 | 97.61% |
| 331 | Jaguarundi (AZ) | Ε | \$28.60 | \$259,574.67 | 97.62% |
| 332 | Salamander, Sonoran tiger | E | \$27.90 | \$259,602.57 | 97.63% |
| 333 | Pearlymussel, Cumberland monkeyface | E | \$27.50 | \$259,630.07 | 97.64% |
| 334 | Pigtoe, flat (=Marshall's mussel) | E | \$27.45 | \$259,657.52 | 97.65% |
| 335 | Loulu | E | \$27.40 | \$259,684.92 | 97.66% |
| 336 | Cactus, Knowlton | Ε | \$27.33 | \$259,712.26 | 97.67% |
| 337 | Dace, Foskett speckled | T | \$27.00 | \$259,739.26 | 97.68% |
| 337 | Butterfly, Myrtle's silverspot | E | \$27.00 | \$259,766.26 | 97.69% |
| 339 | Bear-poppy, dwarf | E | \$26.70 | :\$259,792.96 | 97.70% |
| 340 | Spineflower, Sonoma | E | | \$259,819.51 | 97.71% |
| 341 | Springfish, White River | E | \$26.50 | \$259,846.01 | 97.72% |
| 341 | Logperch, Conasauga | E | | \$259,872.51 | |
| 343 | Sucker, Modoc | E | \$26.37 | \$259,898.88 | |
| 344 | Dwarf-flax, Marin | Τ | \$26.16 | \$259,925.04 | |
| | Grasshopper, Zayante band-winged | E | \$26.00 | \$259,951.04 | 97.76% |
| 345 | | | | | |
| 345 | Beetle, Mount Hermon June | E | \$26.00 | \$259,977.04 | 97.77% |
| | | E . | | \$259,977.04 \$260,003.04 | |

| | EXPENDITURES (\$000) | | | | |
|------------|---|---------------|-----------------------------|------------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 345 | Waliflower, Ben Lomond | E | \$26.00 | \$260,055.04 | 97.80% |
| 345 | Haha | E | \$26.00 | \$260,081.04 | 97.81% |
| 345 | Cypress, Santa Cruz | E | | \$260,107.04 | 97.82% |
| 345 | Thistle, Chorro Creek | E | | \$260,133.04 | |
| 353 | Dawn-flower, Texas prairie | E | | \$260,158.64 | |
| 354 | Chub, Hutton tui | T | | \$260,184.14 | |
| 355 | Pupfish, Leon Springs | <u>E</u> | | \$260,209.54 | |
| 356 | Spineflower, Howell's | E | | \$260,234.54 | 97.87% |
| 356 | | E | | \$260,259.54 | |
| 356_ | Lupine, clover | <u> </u> | | \$260,284.54 | |
| 359 | | <u>E</u> | | \$260,309.39 | |
| 360 | | E | | \$260,333.94 | |
| 361 | | <u>E</u> | | \$260,357.44 | |
| 362 | | <u>E</u> | | \$260,380.74 | |
| 362 | | E | | \$260,404.04 | 97.93% |
| 364 | | E | | \$260,427.04 | |
| 365 | | <u>E</u> | | \$260,449.94 | |
| 366 | Cactus, Lee pincushion | <u>T</u> | | \$260,472.54 | |
| 367 | Grass, Tennessee yellow-eyed | E T | | \$260,495.07 | |
| 368 | Pocketbook, fine-lined | Ė | | \$260,517.57 | |
| 369 | Beargrass, Britton's | E | | \$260,539.97 \$260,562.33 | |
| 370 | Cactus, Brady pincushion | Ē | | \$260,584.63 | |
| 371 | Hala pepe | E | | \$260,606.85 | |
| 372 373 | Cactus, Arizona hedgehog | E | | \$260,628.95 | |
| | Remya, Maui Caracara, Audubon's crested | T | | \$260,651.01 | |
| 374 375 | Bat, Hawaiian hoary | <u>'</u> E | | \$260,673.01 | |
| 376 | Salamander, Cheat Mountain | <u>-</u> T | | \$260,694.89 | |
| 377 | Creeper, Oahu (=alauwahio) | Ē | | \$260,716.49 | |
| 378 | Dace, Moapa | E | | \$260,737.99 | |
| 379 | Hau kuahiwi, Hualalai | Ē | | \$260,759.29 | |
| 379 | Four-o'clock, MacFarlane's | Ē | | \$260,780.59 | |
| 381 | Moccasinshell, Coosa | E | | \$260,801.79 | |
| 381 | Cactus, Wright fishhook | Ē | | \$260,822.99 | |
| 383 | Chub, Chihuahua | Ť | | \$260,844.12 | |
| 384 | Koki'o, Kaua'i | E | | \$260,865.22 | |
| 384 | Gecko, Monito | E | | \$260,886.32 | |
| 386 | Salamander, Red Hills | Ť | | \$260,907.32 | |
| 386 | `Ohai | E | | \$260,928.32 | |
| 388 | Kokio, Cooke's | E | | \$260,949.12 | |
| 389 | `Akepa, Hawaii (honeycreeper) | E | \$20.50 | \$260,969.62 | |
| 389 | `Akiapola`au (honeycreeper) | E | \$20.50 | \$260,990.12 | 98.15% |
| 389 | Hawk, Hawaiian (≂io) | E | | \$261,010.62 | |
| 392 | Kidneyshell, triangular | E | | \$261,031.02 | |
| 393 | Shiner, Cape Fear | E | | \$261,051.16 | |
| 394 | Lomatium, Bradshaw's | E | | \$261,071.16 | |
| 394 | Nightjar, Puerto Rican | Ε | | \$261,091.16 | |
| 396 | Moccasinshell, Alabama | T | | \$261,110.96 | |
| 397 | Alani | E | | \$261,130.66 | |
| 398 | Pearlymussel, Cumberland bean | E | \$19.67 | \$261,150.33 | 98.21% |
| 399 | Geranium, Hawaiian red-flowered | E | | \$261,169.83 | |
| 400 | Phyllostegia knudsenii , (=Sci. name) | E | | \$261,189.23 | |
| 400 | Combshell, upland | E | \$19.40 | \$261,208.63 | |
| 402 | Shearwater, Newell's Townsend's (formerly Man | T | \$19.39 | \$261,228.02 | |
| 403 | Louiu | E | \$19.30 | \$261,247.32 | |
| 404 | Phyllostegia hirsuta (=Sci. name) | E | \$19.10 | \$261,266.42 | |
| 405 | Phlox, Texas trailing | E | | \$261,285.42 | |
| 406 | Mahoe | <u>E</u> | \$18.90 | :\$261,304.32 | 98.27% |
| | | | | | |

| | EXPENDITURES (\$000) | | | | |
|------|--|------------|-----------------------------|-------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 407 | Pink, swamp | T | \$18.81 | \$261.323.13 | 98.27% |
| 408 | `Oha | E | \$18.80 | \$261,341.93 | |
| 408 | Acornshell, southern | E | \$18.80 | \$261,360.73 | 98.29% |
| 408 | Kamakahala | E | - \$18.80 | \$261,379.53 | 98.30% |
| 411 | Darter, boulder (=Elk River) | E | | \$261,398.23 | |
| 412 | Haha | E | \$18.60 | \$261,416.83 | 98.31% |
| 413 | Aster, decurrent false | Ţ | \$18.52 | \$261,435.35 | 98.32% |
| 414 | `Anaunau | E | \$18.50 | \$261,453.85 | 98.32% |
| 414 | Kolea | E | \$18.50 | \$261,472.35 | 98.33% |
| 414 | Haha | E | \$18.50 | \$261,490.85 | 98.34% |
| 414 | Lobelia gaudichaudii ssp. koolauensis , (=Sci. | n E | \$18.50 | \$261,509.35 | 98.34% |
| 414 | Haha | E | \$18.50 | \$261,527.85 | 98.35% |
| 414 | `Akoko | E | \$18.50 | \$261,546.35 | 98.36% |
| 414 | Viola oahuensis (=Sci. Name) | E | \$18.50 | \$261,564.85 | 98.37% |
| 414 | Pteris lidgatei (=Sci name) | E | \$18.50 | \$261,583.35 | 98.37% |
| 414 | Nanu | E | \$18.50 | \$261,601.85 | 98.38% |
| 423 | Spinymussel, Tar River | E | | \$261,620.26 | |
| 424 | `Oha wai | E | | \$261,638.56 | |
| 424 | Hau kuahiwi | E | | \$261,656.86 | |
| 424 | Alsinodendron viscosum (=Sci. name) | E | | \$261,675.16 | |
| 424 | Bladderpod, kodachrome | E | | \$261,693.46 | |
| 424 | Ha iwale | E | | \$261,711.76 | |
| 429 | Hau kuahiwi | E | | \$261,730.01 | |
| 430 | Naupaka, dwarf | E | | \$261,748.21 | |
| 430 | Kio ele | E | | \$261,766.41 | |
| 430 | Kiponapona | E | | \$261,784.61 | |
| 430 | Lobelia monostachya (=Sci. name) | E | | \$261,802.81 | |
| 430 | Loulu | Ē | | \$261,821.01 | |
| 435 | Phyllostegia velutina (=Sci. name) | Ē | | \$261,839.16 | |
| 436 | Lysimachia maxima (=ternifolia) (=Sci. name) | Ē | | \$261,857.26 | |
| 436 | Kamakahala | Ē | | \$261,875.36 | |
| 436 | Liliwai | E | | \$261,893.46 | |
| 436 | `Oha | Ē | | \$261,911.56 | |
| 436 | Loulu | E | | \$261,929.66 | |
| 436 | Haha | | | \$261,947.76 | |
| 436 | Diplazium molokaiense (=Sci name) | E | | \$261,965.86 | |
| 436 | Haha | Ē | | \$261,983.96 | |
| 436 | Haha | E E | | \$262,002.06 | |
| 436 | Haha | Ē | | \$262,020.16 | |
| 436 | Ha`iwale | Ē | | \$262,038.26 | |
| 447 | Love grass, Fosberg's | Ē | | \$262,056.31 | |
| 448 | Schiedea haleakalensis (=Sci name) | Ē | | \$262,074.31 | |
| 448 | Schiedea sarmentosa (=Sci. name) | | | \$262,092.31 | |
| 448 | Alani | <u>_</u> | | \$262,110.31 | |
| 448 | Amaranthus brownii (=Sci. name) | <u>_</u> | | \$262,110.31 | |
| 448 | Nehe | <u>-</u> | | \$262,146.31 | |
| 448 | Phyllostegia kaalaensis (=Sci. name) | E E | | \$262,164.31 | |
| 448 | Schiedea membranacea , (=Sci. name) | <u>_</u> | | \$262,182.31 | |
| 448 | Schiedea helleri , (=Sci. name) | <u>_</u> | | ··· | |
| 448 | Nohoanu | _ <u>=</u> | | \$262,200.31 | |
| 448 | `Anunu | <u>E</u> | | \$262,218.31 | |
| 448 | | E | | \$262,236.31 | |
| | A`e Manala | | | 1\$262,254.31 | |
| 448 | Mapele Dodge and I | _ <u>E</u> | | \$262,272.31 | |
| 448 | Darter, snail | <u> </u> | | \$262,290.31 | |
| 448 | Ma`oli`oli | <u>E</u> | | \$262,308.31 | |
| 448 | Koʻokoʻolau | <u>E</u> | | \$262,326.31 | |
| 448 | Laulihilihi (=Ma`oli`oli) | <u> </u> | | \$262,344.31 | |
| 448 | Haha | E | \$18.00 |): \$2 62,362.31 | 98.67% |

| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL | CUMULA TOTAL F | TIVE PERCENT |
|------------|--|----------|------------------|--|-------------------------|
| | | | (\$000) | IOIAL F | PERCENT |
| 448 | Kuawawaenohu | E | | \$262,380.31 | 98.67% |
| 448 | Koki o ke oke o | E | | \$262,398.31 | 98.68% |
| 448 | Kolea | T | \$18.00 | \$262,416.31 | 98.69% |
| 448 | Haha | E | \$18.00 | \$262,434.31 | 98.69% |
| 448 | `Akoko | E | \$18.00 | \$262,452.31 | 98.70% |
| 448 | Haha | T | \$18.00 | \$262,470.31 | 98.719 |
| 448 | Trematolobelia singularis (=Sci. name) | E | | \$262.488.31 | 98.719 |
| 448 | Phyllostegia wawrana , (=Sci. name) | E | \$18.00 | \$262,506.31 | 98.729 |
| 448 | Silversword, Haleakala ('ahinahina) | E | \$18.00 | \$262,524.31 | 98,739 |
| 448 | Lysimachia lydgatei (=Sci name) | E | | \$262,542.31 | 98.739 |
| 448 | Asplenium fragile var. insulare (=Sci name) | E | | \$262,560.31 | 98.749 |
| 448 | Kauai hau kuahiwi | E | \$18.00 | \$262,578.31 | 98.759 |
| 448 | Pritchardia remota (=Sci name) | E | \$18.00 | \$262,596.31 | 98.759 |
| 448 | Pauoa | E | \$18.00 | \$262,614.31 | 98.769 |
| 448 | Ha`iwale | E | | \$262,632.31 | _ 98.779 |
| 448 | Alani | E | \$18.00 | \$262,650.31 | 98.779 |
| 448 | Ma`aloa, Big Island | E | | \$262,668.31 | 98.789 |
| 448 | Alani | E | \$18.00 | \$262,686.31 | 98.799 |
| 448 | 'Oha wai | E | | \$262,704.31 | 98.799 |
| 448 | Schiedea verticillata (=Sci name) | E | | \$262,722.31 | 98.80 |
| 448 | Nani wai`ale`ale | E | \$18.00 | \$262,740.31 | 98.819 |
| 448 | Alani · | E | | \$262,758.31 | 98.819 |
| 448 | Pamakani | E | \$18.00 | \$262,776.31 | 98.829 |
| 488 | Clover, running buffalo | E | \$17.98 | \$262,794.29 | 98.83 |
| 489 | Haha | E | \$17.80 | \$262,812.09 | 98.83 |
| 490 | Silene hawaiiensis (=Sci name) | T | \$17.70 | \$262,829.79 | 98.84 |
| 491 | Mallard, Mariana | E | \$17.50 | \$262,847.29 | 98.85 |
| 491 | Penstemon, blowout | E | \$17.50 | \$262,864.79 | 98.85 |
| 491 | Bat, little Mariana fruit | E | \$17.50 | \$262,882.29 | 98.86 |
| 491 | Ipomopsis, Holy Ghost | E | \$17.50 | \$262,899.79 | 98.87 |
| 495 | Ladies'-tresses, Canelo Hills (=Madrean) | E | \$17.40 | \$262,917.19 | 98.87 |
| 495 | Uhiuhi | E_ | \$17.40 | \$262,934.59 | 98.88 |
| 497 | Evening-primrose, San Benito | Т | \$17.00 | \$262,951.59 | 98.89 |
| 498 | Townsendia, Last Chance | T | \$16.90 | \$262,968.49 | 98.89 |
| 499 | Squirrel, Carolina northern flying | E | \$16.80 | \$262,985.29 | 98.90 |
| 500 | Ma'o hau hele (=biscus, native yellow) | E | \$16.70 | \$263,001.99 | 98.91 |
| 501 | Iguana, Mona ground | T | \$16.60 | \$263,018.59 | 98.91 |
| 502 | Thistle, Pitcher's | T | \$16.50 | \$263,035.09 | 98.92 |
| 503 | Riversnail, Anthony's | E | \$16.36 | \$263,051.45 | 98.92 |
| 504 | Springsnail, Bruneau Hot | E | \$16.00 | \$263,067.45 | 98.93 |
| 504 | Campion, fringed | E | \$16.00 | \$263,083.45 | 98.94 |
| 506 | Madtom, yellowfin | T | \$15.90 | \$263,099.35 | 98.94 |
| 507 | Darter, bayou | Т | \$15.53 | \$263,114.88 | 98.95 |
| 508 | Thrush, Molokai (=oloma`o) | Ε | \$15.50 | \$263,130.38 | 98.95 |
| 508 | Frankenia, Johnston's | Ε | \$15.50 | \$263,145.88 | 98.96 |
| 508 | Thrush, large Kauai | E | \$15.50 | \$263,161.38 | 98.97 |
| 508 | O`u (honeycreeper) | E | \$15.50 | \$263,176.88 | 98.97 |
| 508 | Bat, Mexican long-nosed | E | | \$263,192.38 | 98.98 |
| 508 | 'Akialoa, Kauai (honeycreeper) | E | | \$263,207.88 | 98.98 |
| 508 | Creeper, Molokai (=kakawahie) | E | | \$263,223.38 | 98.99 |
| 508 | 'O'o, Kauai (='o'o 'a'a) (honeyeater) | E | | \$263,238.88 | 98.99 |
| 516 | Harperella | E | ~ | \$263,254.29 | 99.00 |
| 517 | Koki'o (=hau-hele'ula or Hawaii tree cotton) | E | | \$263,269.59 | 99.01 |
| 317 | Thistle, Sacramento Mountains | Ť | | \$263,284.84 | 99.01 |
| 518 | rindio, dagramonto modificano | | | | |
| 518 | Potato-bean, Price's | T | \$15.03 | \$263.299.87 | 99.02 |
| 518 519 | Potato-bean, Price's | Ť | | \$263,299.87 \$263,314.87 | 99.02 |
| 518 | | | \$15.00 | \$263,299.87 \$263,314.87 \$263,329.87 | 99.02 99.02 99.03 |

| | EXPENDITURES (\$000) | | | | | |
|------------|--|--------------|-----------------------------|----------------|------------------|--|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT | |
| 500 | Elktoe, Appalachian | E | \$14.90 | \$263.359.77 | 99.04% | |
| 523 524 | Milk-vetch, Sentry | Ē | | \$263,374.57 | | |
| 525 | Pigtoe, shiny | Ē | | \$263.388.77 | | |
| 526 | Pigtoe, southern | Ē | | \$263,402.82 | | |
| 527 | Pupfish, Devils Hole | E | | \$263,416.82 | | |
| 528 | Springsnail, Idaho | Ē | \$13.88 | \$263.430.70 | 99.07% | |
| 529 | ·Kauila | <u>_</u> | \$13.80 | \$263,444.50 | 99.07% | |
| 529 | Delissea undulata (=Sci name) | Ē | | \$263,458.30 | | |
| 531 | Cavefish, Alabama | E E | | \$263,471.90 | | |
| 532 | Snail, Bliss Rapids | T | | \$263,485.27 | | |
| 532 | Snail, Snake River physa | E | | \$263,498.64 | | |
| 534 | Pearlymussel, purple cat's paw | Ē | | \$263,511.99 | | |
| 535 | Silversword, 'Ahinahina Mauna Kea | E | \$13.10 | \$263,525.09 | 99.10% | |
| 536 | Bush-clover, prairie | | \$13.04 | \$263,538.14 | 99.11% | |
| 537 | Delissea rhytidosperma (=Sci name) | E | \$13.00 | \$263,551.14 | 99.11% | |
| 537 | Goldenrod, Houghton's | Ť | | \$263,564.14 | | |
| 537 | Wire-lettuce, Malheur | E | | \$263,577.14 | | |
| 540 | Koʻoloa`ula | E | \$12.90 | \$263,590.04 | 99.13% | |
| 540 | Gambusia, Big Bend | E | | \$263,602.94 | | |
| 542 | Darter, duskytail | E | \$12.60 | \$263,615.54 | 99.14% | |
| 543 | Cliff-rose, Arizona | E | | \$263,628.11 | | |
| 544 | Swiftlet, Mariana gray (=vanikoro) | E | | \$263,640.61 | | |
| 545 | Cactus, Unita Basin hookless | Ť | | \$263,653.01 | | |
| 546 | Turtle, Plymouth redbelly (=red-bellied) | E | | \$263,665.41 | | |
| 547 | Kaulu | E | \$12.30 | \$263,677.71 | 99.16% | |
| 548 | Lobelia niihauensis (=Sci name) | E | \$12.20 | \$263,689.91 | 99.16% | |
| 549 | Prairie-clover, leafy | Ē | | \$263,702.10 | | |
| 550 | Bonamia menziesii (=Sci name) | Ē | | \$263,714.10 | | |
| 550 | Marstonia (snail), royal (=obese) | E | \$12.00 | \$263,726.10 | 99.18% | |
| 550 | Lousewort, Furbish | E | | \$263,738.10 | | |
| 553 | Aster, Ruth's golden | Ε | | \$263,750.03 | | |
| 554 | Butterfly, Saint Francis' satyr | E | | \$263,761.93 | | |
| 555 | Lichen, rock gnome | E | | \$263,773.73 | | |
| 556 | Chub, spotfin (=turquoise shiner) | т | | \$263,785.35 | | |
| 557 | `Aiakeakua, popolo | E | | \$263,796.95 | | |
| 557 | Xylosma crenatum (=Sci name) | ·E | | \$263,808.55 | 99.21% | |
| 557 | Beetle, Puritan tiger | T | | \$263,820.15 | | |
| 560 | Boa, Virgin Islands tree | E | \$11.50 | \$263,831.65 | 99.22% | |
| 561 | Sedge, Navajo | T | | \$263,842.97 | | |
| 562 | Monkshood, northern wild | T | | \$263,854.14 | | |
| 563 | Poppy, Sacramento prickly | E | | \$263,865.24 | | |
| 564 | Cactus, Siler pincushion | T | | \$263,876.14 | | |
| 565 | Hawk, Puerto Rican sharp-shinned | E | \$10.80 | \$263,886.94 | | |
| 566 | Milk-vetch, Jesup's | E | | \$263,897.67 | | |
| 567 | Riffleshell, tan | E | | \$263,908.37 | | |
| 567 | Springfish, Hiko White River | E | | \$263,919.07 | | |
| 567 | Hawk, Puerto Rican broad-winged | E | | \$263,929.77 | | |
| 567 | Cactus, Tobusch fishhook | E | | \$263,940.47 | | |
| 571 | Heelsplitter, Carolina | E | | 1\$263,951.13 | | |
| 572 | Grass, Eureka Dune | E | | \$263,961.63 | | |
| 573 | Goldenrod, Blue Ridge | T | | \$263,971.70 | | |
| 574 | Cactus, Cochise pincushion | Ť | | \$263,981.76 | | |
| 575 | Ayenia, Texas | E | | \$263,991.76 | | |
| 575 | Hypericum, highlands scrub | E | | \$264,001.76 | | |
| 575 | Heather, mountain golden | - | _+ | \$264,011.76 | | |
| 578 | Spiraea, Virginia | Ť | | \$264,021.75 | | |
| 579 | Bluet, Roan Mountain | Ē | | \$264,031.74 | | |
| 580 | Mucket, orange-nacre | T | | \$264,041.64 | | |

| | EXPENDITURES (\$000) | | | | |
|-------------------|---|--------------|-----------------------------|---------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| | 0 | т | 80.50 | \$264,051.14 | 99.30% |
| 581 | Sparrow, San Clemente sage | ' | | \$264,060.64 | 99.30% |
| 581 | Spinedace, Big Spring | E | | \$264,069.84 | 99.31% |
| 583 | Vetch, Hawaiian | E | | \$264,079.04 | |
| 583 | Manioc, Walker's | <u>-</u> E | | \$264,088.21 | 99.31% |
| 585 | Coneflower, Tennessee purple | E | | \$264,097.21 | 99.32% |
| <u>586</u> 586 | Pigtoe, dark Iris, dwarf lake | <u> </u> | | \$264,106.21 | 99.32% |
| 586 | Paintbrush, golden | i | | \$264,115.21 | |
| 586 | Monkey-flower, Michigan | Ē | | \$264,124.21 | |
| 590 | Rock-cress, shale barren | Ē | | \$264,133.10 | |
| 591 | Pearlshell, Louisiana | Ť | | \$264,141.97 | |
| 592 | Combshell, Cumberlandian | Ė | | \$264,150.67 | |
| 593 | Lipochaeta venosa (=Sci name) | Ē | | \$264,159.32 | 99.34% |
| 594 | Vigna o-wahuensis (=Sci name) | Ē | | \$264,167.92 | |
| 595 | Alani | E | | \$264,176.42 | |
| 595 | Spermolepis hawaiiensis (=Sci name) | E | | \$264,184.92 | - |
| 595 | Pearlymussel, birdwing | E | | \$264,193.42 | |
| 598 | Isopod, Socorro | Ē | | \$264,201.82 | |
| 599 | Mussel, oyster | E | | \$264,210.13 | |
| 600 | Finch, Laysan (honeycreeper) | E | | \$264,218.43 | |
| 600 | Alsinidendron trinerve (=Sci name) | E | | \$264,226.73 | |
| 600 | Beauty, Harper's | E | | \$264,235.03 | |
| 603 | Poppy-mallow, Texas | E | | \$264,243.23 | |
| 604 | Dropwort, Canby's | E | | \$264,251.41 | 99.38% |
| 605 | Cactus, Peebles Navajo | E | | \$264,259,47 | 99.38% |
| 606 | Birch, Virginia round-leaf | τ | | \$264,267.47 | |
| 606 | Skullcap, Florida | T | | \$264,275,47 | |
| 608 | Shrimp, Squirrel Chimney Cave (=Florida cave) | T | \$7.98 | \$264,283.45 | |
| 609 | Mouse, Anastasia Island beach | E | | \$264,291.25 | |
| 610 | Chub, Borax Lake | E | \$7.70 | \$264,298.95 | 99.39% |
| 610 | Haha | E | \$7.70 | \$264,306.65 | 99.40% |
| 612 | Chaff-flower, round-leaved | E | \$7.50 | \$264,314.15 | 99.40% |
| 612 | Spurge, telephus | T | | \$264,321.65 | |
| 612_ | Birds-in-a-nest, white | T | \$7.50 | \$264,329.15 | 99.40% |
| 615 | Spider, Tooth Cave | E | \$7.20 | \$264,336.35 | 99.41% |
| 615 | Harvestman, Bone Cave | E | \$7.20 | \$264,343.55 | |
| 615 | Beetle, Kretschmarr Cave mold | E | | \$264,350.75 | |
| 618 | Blue-star, Kearney's | <u>E</u> | \$7.20 | \$264,357.95 | 99.42% |
| 618 | Dogweed, ashy | _E | | \$264,365.15 | |
| 620 | Primrose, Maguire | <u> </u> | | \$264,372.33 | |
| 621 | Mitracarpus maxwelliae (=Sci name) | E | | \$264,379.33 | |
| 621 | Pearlymussel, cracking | _ <u>E</u> | | \$264,386.33 | |
| 621 | Boa, Mona | <u></u> | | \$264,393.33 | |
| 621 | Poolfish, Pahrump | E | | \$264,400.33 | |
| 621 | Eugenia woodburyana (=Sci name) | <u>E</u> | | :\$264,407.33 | |
| 621 | Guajon | <u>T</u> | | \$264,414.33 | |
| 621 | Mitracarpus polycladus (=Sci name) | E | | :\$264,421.33 | |
| 621 | Cladonia, Florida perforate | E | | \$264,428.33 | |
| 629 | Geocarpon minimum (=Sci name) | <u>T</u> | | \$264,435.28 | |
| 630 | Beetle, Coffin Cave mold | E | | \$264,442.08 | |
| 631 | Pitcher-plant, Alabama canebrake | E | | \$264,448.83 | |
| 632 | Springsnail, Socorro | E | | \$264,455.58 | |
| 632 | Springsnail, Alamosa | E | | .\$264,462.33 | |
| 634 | Fanshell | <u>E</u> | | \$264,469.05 | |
| 635 | Cactus, Nichol's Turk's head | E | | \$264,475.67 | |
| 636 | Niterwort, Amargosa | E | | \$264,482.27 | |
| 636 | Centaury, spring-loving | <u> </u> | | \$264,488.87 | |
| 638 | Kulu`i | Ε | \$6.59 | \$264,495.46 | 99.47% |

| TABLE 2. | SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1997 REPORTED |
|----------|--|
| | EYPENDITI (DES (\$000) |

| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
|------------|--|----------|-----------------------------|------------------------------|------------------|
| 639 | Lyonia truncata var. proctorii (=Sci name) | E | | \$264,502.01 | 99 47% |
| 640 | Butterfly, Lange's metalmark | <u> </u> | | \$264,508.51 | 99.47% |
| 640 | `Aiea | E | | \$264,515.01 | 99 47% |
| 640 | Pigtoe, Cumberland (=Cumberland pigtoe mu | | | \$264,521.5 <u>1</u> | |
| 640 | Wahane (=Hawane or loulu) | <u>E</u> | \$6.50 | \$264,528.01 | 99.48% |
| 640 | Wallflower, Contra Costa | <u> </u> | \$6.50 | \$264,534.51 | 99.48% |
| 645 | Cyanea superba (=Sci name) | E | | \$264,540.91 | |
| 646 | Spinymussel, James River (=Virginia) | E | | \$264,547.21 | |
| 646 | Madtom, Smoky | <u> </u> | | \$264.553.51 | |
| 648 | Ischaemum, Hilo | <u> </u> | | \$264,559.61 | |
| 648 | Hesperomannia arbuscula (=Sci name) | E | | \$264,565.71 | |
| 650 | Sanicula mariversa (=Sci name) | E | | \$264,571.81 | |
| 651 | Gesneria pauciflora (=Sci name) | <u>T</u> | \$6.00 | \$264,577.81 | 99.50% |
| 651 | Snail, Chittenango ovate amber | Ė | \$6.00 | \$264,583.81 \$264,589.81 | 99.50% 99.50% |
| 651 | Phacelia, North Park | E | | \$264,595.81 | |
| 651 | Pearlymussel, Appalachian monkeyface | <u>E</u> | | \$264,601.81 | |
| 651 651 | Wild-buckwheat, clay-loving Pawpaw, four-petal | Ē | \$6.00 | \$264,607.81 | 99.51% |
| 651 | Pigtoe, fine-rayed | E | | \$264,613.81 | |
| 651 | Goldenrod, Short's | Ē | | \$264,619.81 | |
| 651 | Auerodendron pauciflorum (=Sci name) | Ē | | \$264,625.81 | |
| 660 | Joint-vetch, sensitive | Ť | | \$264,631.77 | |
| 661 | Phacelia, clay | Ë | | \$264,637.67 | |
| 662 | Dace, Kendall Warm Springs | E | | \$264,643.53 | |
| 663 | Daisy, lakeside | Ť | | \$264,649.38 | 99 53% |
| 664 | Schiedea kaalae (=Sci name) | E | | \$264,655.18 | |
| 664 | Aristida chaseae (=Sci name) | Ē | | \$264,660.98 | |
| 664 | Alsinidendron obovatum (=Sci name) | E | | \$264,666.78 | |
| 667 | Daisy, Maguire | E | | \$264,672.48 | |
| 668 | Crayfish, cave [no common name] | E | | \$264,678.13 | |
| 669 | Milk-vetch, Ash meadows | T | | \$264,683.73 | |
| 669 | Ivesia, Ash Meadows | T | | \$264,689.33 | |
| 669 | Nioi | E | \$5.60 | \$264,694.93 | 99.54% |
| 669 | Pupfish, Warm Springs | E | \$5.60 | \$264,700.53 | 99.54% |
| 669 | Gumpiant, Ash Meadows | T | \$5.60 | \$264,706.13 | 99.55% |
| 669 | Gardenia, Hawaiian (na`u) | E : | \$5.60 | \$264,711.73 | 99.55% |
| 669 | Sunray, Ash Meadows | T | \$5.60 | \$264,717.33 | |
| 676 | Na`ena`e | E | \$5.59 | \$264,722.92 | 99.55% |
| 676 | Hedyotis parvula (=Sci name) | E | \$5.59 | \$264,728.51 | 99.56% |
| 678 | Trout, Paiute cutthroat | T | \$5.50 | \$264,734.01 | 99.56% |
| 678 | Goldfields, Contra Costa | E | | \$264,739.51 | |
| 678 | Gooseberry, Miccosukee (Florida) | Т | | \$264,745.01 | |
| 678 | Evening-primrose, Eureka Valley | E | | \$264,750.51 | |
| 678 | Darter, watercress | E | | \$264,756.01 | |
| 683 | Tetramolopium filiforme (=Sci name) | E | | _\$264,761.50 | |
| 683 | Neraudia angulata (=Sci name) | Ε | | \$264,766.99 | |
| 685 | Cycladenia, Jones | T | | \$264,772.39 | |
| 686 | Pearlymussel, dromedary | E | | \$264,777.69 | |
| 686 | Pearlymussel, green-blossom | E | | \$264,782.99 | |
| 688 | Elktoe, Cumberland | <u>E</u> | | \$264,788.24 | |
| 689 | Paintbrush, soft-leaved | <u>E</u> | | \$264,793.44 | |
| 690 | Mallow, Peter's Mountain | E | | \$264,798.61 | |
| 691 | Pitcher-plant, mountain sweet | <u> </u> | | \$264,803.71 | |
| 692 | Hesperomannia arborescens (=Sci name) | <u>E</u> | | \$264,808.81 | |
| 692 | Haha | <u>E</u> | | '\$264,813.91 | |
| 694 | Paintbrush, Tiburon | <u>E</u> | | '\$264,818.97 | |
| 695 | Chumbo, higo | <u>T</u> | | \$264,823.97 | |
| 695 | Mustard, Penland alpine fen | T | \$5.00 | \$264,828.97 | 99.59% |

| RANK | EXPENDITURES (\$000) SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL | CUMUL | ATIVE |
|------|--|----------|------------------|----------------------|-------------|
| | | - | (\$000) | TOTAL | PERCEN' |
| 695 | Vernonia proctorii (=Sci name) | E | | \$264,833.97 | |
| 695 | Calyptranthes thomasiana (=Sci name) | E | \$5.00 | \$264,838.97 | |
| 695 | Pentachaeta, Lyon's | E | \$5.00 | \$264,843.97 | |
| 695 | Makou | T | \$5.00 | \$264,848.97 | 99.60 |
| 695 | Pelos del diablo | E | \$5.00 | \$264,853.97 | 99.609 |
| 695 | Goldenrod, white-haired | T | \$5.00 | \$264,858.97 | 99.60 |
| 695 | Milk-vetch, Osterhout | E | | \$264,863.97 | |
| 695 | Butterfly, San Bruno elfin | E | \$5.00 | \$264,868.97 | |
| 695 | Mehamehame | E | | \$264,873.97 | |
| 695 | Rosa, palo de | E | | \$264,878.97 | |
| 695 | `Aiea | E | | \$264.883.97 | |
| 695 | Lupine, scrub | E | | \$264,888.97 | |
| 695 | Myrcia paganii (=Sci name) | E | | \$264,893.97 | |
| 710 | Nehe | E | | \$264,898.87 | |
| 711 | Fatmucket, Arkansas | T | | \$264,903.72 | |
| 712 | Mussel, ring pink (=golf stick pearly) | E | | \$264,908.48 | |
| 713 | Loulu | E | | \$264,913.23 | |
| 714 | Snake, Atlantic salt marsh | T | | \$264,917.96 | |
| 715 | Harvestman, Bee Creek Cave | E | | \$264,922.66 | |
| 715 | Pseudoscorpion, Tooth Cave | E | | \$264,927.36 | |
| 715 | Milk-vetch, heliotrope | T | | <u>\$264,932.06</u> | |
| 718 | Bonamia, Florida | T | | \$264,936.76 | |
| 719 | Pennyroyal, Todsen's | E | | \$264,941.36 | |
| 720 | Pearlymussel, turgid-blossom | E | | \$264,945.91 | |
| 721 | Beetle, delta green ground | T | | \$264,95 0.41 | |
| 721 | Fern, American hart's-tongue | Τ | | \$264,954.91 | 99.64 |
| 721 | Butterweed, Layne's | T | | \$264,959.41 | |
| 721 | Reed-mustard, Barneby | E | | \$264,963.91 | |
| 721 | Po`e | E | | \$264,968.41 | |
| 721 | Kuahiwi, laukahi | E | | \$264,972.91 | |
| 721 | Evening-primrose, Antioch Dunes | E | | \$264,977.41 | |
| 728 | Duck, Laysan | E | | \$264,981.81 | |
| 728 | Uvillo | E | | \$264,986.21 | |
| 728 | Ambrosia, south Texas | E | | \$264,990.61 | |
| 728 | Warea, wide-leaf | <u>E</u> | | \$264,995.01 | |
| 732 | Pigtoe, rough | E | | \$264,999.37 | |
| 733 | Diellia pallida (=laciniata) (=Sci name) | E | | \$265,003.67 | |
| 733 | `Akoko | E | | \$265,007.97 | |
| 733 | Lobelia oahuensis (=Sci name) | <u>E</u> | | \$265,012.27 | |
| 733 | Milk-vetch, Braunton's | E | | \$265,016.57 | |
| 733 | Darter, slackwater | <u> </u> | | \$265,020.87 | |
| 738 | Rock-cress | E | | \$265,025.07 | |
| 739 | Gouania vitifolia (=Sci name) | E | | \$265,029.27 | |
| 739 | Skink, sand | <u>T</u> | | \$265,033.47 | |
| 739 | Pearlymussel, yellow-blossom | E | | \$265,037.67 | |
| 742 | Loulu | E | | .\$265,041.77 | |
| 742 | "Ohe ohe | E | | :\$265,045.87 | |
| 742 | Pearlymussel, tubercled-blossom | E | | \$265,049.97 | |
| 742 | Pearlymussel, white wartyback | E | | \$265,054.07 | |
| 742 | Phyllostegia parviflora (=Sci. name) | E | | \$265,058.17 | |
| 742 | Alani | E | | \$265,062.27 | |
| 748 | Bulrush, Northeastern (=barbed bristle) | E | \$4.09 | \$265,066.36 | 99.68 |
| 749 | Blazingstar, Ash Meadows | T | \$4.00 | \$265,070.36 | |
| 749 | Bladderpod, Dudley Bluffs | T | \$4.00 | \$265,074.36 | 99.69 |
| 749 | Lizard, St. Croix ground | E | \$4.00 | \$265,078.36 | 99.69 |
| 749 | Meadowrue, Cooley's | E | \$4.00 | \$265,082.36 | 99.69 |
| 749 | Pearlymussel, pale lilliput | E | \$4.00 | \$265,086.36 | |
| 749 | Tetramolopium lepidotum ssp. lepidotum (=Sc | i E | | \$265,090.36 | |

| | EXPENDITURES (\$000) | | | | |
|------------|---|------------|-----------------------------|------------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL | ATIVE PERCENT |
| 749 | Naucorid, Ash Meadows | T | \$4.00 | \$265,094.36 | 99.69% |
| 749 | Twinpod, Dudley Bluffs | T | | \$265,098.36 | |
| 749 | Nehe | E | \$4.00 | \$265,102.36 | 99.70% |
| 749 | Chamaecrista glandulosa var. mirabilis (=Sci | E | \$4.00 | \$265,106.36 | 99.70% |
| 749 | Cordia bellonis | E | \$4.00 | \$265,110.36 | 99.70% |
| 749 | Torreya, Florida | E | | \$265,114.36 | |
| 749 | Sanicula purpurea (=Sci. name) | E | | \$265,118.36 | |
| 749 | `Akoko | E | | \$265,122.36 | |
| 749 | Negra, cobana | <u> </u> | | \$265,126.36 | |
| 749 | Dudleyea, Santa Monica Mountains | <u> </u> | | \$265,130.36 | |
| 749 | Schiedea hookeri (=Sci. name) | E | | \$265,134.36 | |
| 749 | Erubia | <u>E</u> | | \$265,138.36 | |
| 749 | Poa siphonoglossa (=Sci name) | E E | | \$265,142.36 | - |
| 749 | Haha Haha | E | | \$265,146.36 \$265,150.36 | |
| 749 749 | Leptocereus grantianus (=Sci name) | E | | \$265,154.36 | |
| 749 | Higuero de Sierra | Ē | | \$265,158.36 | |
| 749 | Goetzea, beautiful (matabuey) | Ē | | \$265,162.36 | |
| 749 | Daphnopsis hellerana (=Sci name) | Ē | | \$265,166.36 | |
| 774 | Pigtoe, heavy (=Judge Tait's mussel) | E | | \$265,170.26 | |
| 774 | `Oha wai | E | | \$265,174.16 | |
| 776 | Shagreen, Magazine Mountain | Т | | \$265,178.01 | |
| 777 | Pilo | E | \$3.80 | \$265,181.81 | 99.73% |
| 777 | Ha`iwale | E | \$3.80 | \$265,185.61 | 99.73% |
| 777 | Stenogyne bifida (=Sci name) | E | | \$265,189.41 | |
| 777 | Haha | E | | \$265,193.21 | |
| 777 | Cyanea macrostegia ssp. gibsonii (=Sci name) | E | | \$265,197.01 | |
| 777 | Rollandia crispa (=Sci name) | E | | \$265,200.81 | |
| 783 | `Oha wai | E | | \$265,204.56 | |
| 783 | Silene lanceolata (=Sci name) | E | | \$265,208.31 | |
| 785 | Silene perlmanii (=Sci name) | E | | \$265,212.01 | |
| 785 785 | Kuahiwi, laukahi Mariscus pennatiformis (=Sci name) | _ <u>_</u> | | \$265,215.71 \$265,219.41 | |
| 785 | Aupaka | E | | \$265,219.41 \$265,223.11 | |
| 785 | 'Oha wai | | | \$265,226.81 | |
| 785 | Platanthera holochila (=Sci. name) | _ <u>=</u> | | \$265,230.51 | |
| 791 | Buckwheat, scrub | | | \$265,234.20 | |
| 792 | Haha | E | | \$265,237.85 | |
| 792 | Hedyotis degeneri (=Sci name) | E | | \$265,241.50 | |
| 792 | Ha'iwale | E | \$3.65 | \$265,245.15 | |
| 792 | Achyranthes mutica (=Sci. name) | E | \$3.65 | \$265,248.80 | |
| 792 | Tetramolopium arenarium (=Sci name) | E | \$3.65 | \$265,252.45 | 99.75% |
| 792 | Phyllostegia warshaueri (=Sci. name) | E | \$3.65 | \$265,256.10 | 99.75% |
| 792 | Stenogyne angustifolia (=Sci name) | E | \$3.65 | \$265,259.75 | 99.75% |
| 792 | Haplostachys haplostachya (=Sci name) | E | \$3.65 | \$265,263.40 | 99.76% |
| 800 | Whale, gray | E | | \$265,267.04 | |
| 801 | Popolo, ku mai (=Popolo, thorny) | E | | \$265,270.64 | |
| 801 | Opuhe | E | | \$265,274.24 | |
| 801 | Silene alexandri (=Sci name) | <u>E</u> | | \$265,277.84 | |
| 801 | Indian paintbrush, San Clemente Island | _ <u>E</u> | | \$265,281.44 | |
| 801 | Bush-mallow, San Clemente Island | _ <u>E</u> | | \$265,285.04 | |
| 801 801 | Schiedea nuttallii (=Sci. name) 'Olulu | E | | \$265,288.64 | |
| 801 | Woodland-star, San Clemente Island | <u> </u> | | \$265,292.24 | |
| 801 | Larkspur, San Clemente Island | E | | \$265,295.84 \$265,299.44 | |
| 801 | Rockcress, Santa Cruz Island | E | | \$265,303.04 | |
| 801 | Broom, San Clemente Island | <u> </u> | | \$265,303.04 | |
| 801 | 'Awiwi | <u></u> | | \$265,300.04 | |
| | | | Ψ0.00 | JEGG, 0 10.24 | 55.11/6 |

| | EXPENDITURES (\$000) | | · · · · · · · · · · · · · · · · · · · | | |
|------|---|--------------|---------------------------------------|------------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 801 | Viola helenae (=Sci name) | E | \$3.60 | \$265,313.84 | 99.78% |
| 801 | Kamakahala | E | \$3.60 | \$265,317.44 | 99.78% |
| 801 | 'Akoko, Ewa Plains | E | \$3.60 | \$265,321.04 | 99.78% |
| 801 | Heau | E | | \$265,324.64 | |
| 801 | Viola lanaiensis (=Sci name) | E | | \$265.328.24 | |
| 801 | Pu'uka'a | E | | \$265,331.84 | |
| 801 | Pamakani | E | | \$265,335,44 | - |
| 801 | Gahnia lanaiensis (=Sci name) | Ē | | \$265,339.04 | |
| 821 | Haha | Ē | | \$265,342.59 | |
| 821 | Stenogyne kanehoana (=Sci name) | Ē | | \$265,346.14 | |
| 821 | Ha`iwale | Ē | | \$265,349.69 | |
| 824 | Tetramolopium remyi (=Sci name) | Ē | | \$265,353.19 | |
| 824 | Rosemary, Apalachicola | Ē | | \$265,356.69 | |
| 824 | Phyllostegia mollis (=Sci name) | E | | \$265,360.19 | |
| 824 | `Akoko | Ē | | \$265,363.69 | |
| 824 | Remya kauaiensis (=Sci name) | Ē | | \$265,367.19 | |
| 824 | Phyllostegia waimeae (=Sci name) | Ē | | \$265,370.69 | |
| 824 | Remya montgomeryi (=Sci name) | Ē | | \$265,374.19 | |
| 824 | Phyllostegia mannii (=Sci name) | E | | \$265,377.69 | |
| 824 | `Akoko | E | | \$265,381.19 | |
| 824 | Sandalwood, Lanai or `iliahi | Ē | | \$265,384.69 | |
| 824 | Schiedea kaudiensis (=Sci. name) | Ē | | \$265.388.19 | |
| 824 | Sandbur, agrimony or Kamanomano | E | | \$265,391.69 | |
| 824 | `Awikiwiki | E | | \$265,395.19 | |
| 824 | Stenogyne campanulata (=Sci name) | Ē | | \$265,398.69 | |
| 824 | Panicgrass, Carter's | Ē | | \$265,402.19 | |
| 824 | Pau'ala | E | | \$265,405.69 | |
| 824 | Schiedea, Diamond Head | Ē | | \$265,409.19 | |
| 824 | Tetramolopium rockii (=Sci name) | - | | \$265,412.69 | |
| 824 | Schiedea spergulina var. leiopoda (=Sci name) | Ė | | \$265,416.19 | |
| 824 | Phyllostegia glabra var. lanaiensis (=Sci nam | Ē | | \$265,419.69 | |
| 824 | Schiedea lydgatei (=Sci name) | Ē | | \$265,423.19 | |
| 824 | Schiedea spergulina var. spergulina (=Sci name) | | | \$265,426.69 | |
| 824 | Morning-glory, Stebbins' | Ė | | \$265,430.19 | |
| 824 | Neraudia sericea (=Sci name) | Ē | | \$265,433.69 | |
| 824 | Nehe | Ē | | \$265,437.19 | |
| 824 | Ha`iwale | E | | \$265,440.69 | |
| 824 | Gouania meyenii (=Sci name) | E | | \$265,444.19 | |
| 824 | Diellia unisora (=Sci name) | Ē | | \$265,447.69 | |
| 824 | Abutilon sandwicense (=Sci name) | Ē | | \$265,451.19 | |
| 824 | Abutilon eremitopetalum (=Sci name) | E | | \$265,454.69 | |
| 824 | Haha | Ē | | \$265,458.19 | |
| 824 | Haha | Ē | | \$265,461.69 | |
| 824 | Haha | Ē | | \$265,465.19 | |
| 824 | Ha'iwale | | | \$265,468.69 | |
| 824 | Alani | E | | \$265,472.19 | |
| 824 | Diellia falcata (=Sci name) | Ē | | \$265,475.69 | |
| 824 | Hedyotis, Na Pali beach | Ē | | \$265,479.19 | |
| 824 | Hesperomannia lydgatei (=Sci name) | Ē | | | |
| 824 | Hibiscus, Clay's | Ē | | \$265,482.69 | |
| 824 | Holei | E | | *\$265,486.19 | |
| 824 | Iliau, dwarf | | | :\$265,489.69 | |
| 824 | Diellia , asplenium-leaved | E | | \$265,493.19 \$265,496.60 | |
| | | | | \$265,496.69 | |
| 824 | Gouania hillebrandii (=Sci name) | E | | \$265,500.19 | |
| 824 | Alani | <u>E</u> | | \$265,503.69 | |
| 824 | Alani Karakaralan | <u>E</u> | | \$265,507.19 | |
| 824 | Koʻokoʻolau Rodatrovy El Danda | E | | \$265,510.69 | |
| 824 | Bedstraw, El Dorado | <u>E</u> | \$3.50 | \$265,514.19 | 99.85% |

| | EXPENDITURES (\$000) | | | | |
|-------------------|--|----------|-----------------------------|-------------------------------|------------------|
| RANK | | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 824 | Bluegrass, Mann's | E | \$3.50 | \$265,517.69 | 99.85% |
| 824 | | E | | \$265,521.19 | |
| 824 | | E | \$3.50 | \$265,524.69 | 99.85% |
| 824 | Ceanothus, Pine Hill | E | \$3.50 | \$265,528.19 | 99.86% |
| 824 | | E | \$3.50 | \$265,531.69 | 99.86% |
| 824 | | E | | \$265,535.19 | |
| 824 | | E | | \$265,538.69 | |
| 824 | | E | | \$265,542.19 | |
| 824 | | <u>E</u> | | \$265,545.69 | |
| 824 | | E | | \$265,549.19 | |
| 824 | | E | | \$265,552.69 | |
| 824 | | E | · | \$265,556.19 | |
| 824 | | E T | | \$265,559.69 | |
| 824 | | E | | _\$265,563.19 \$265,566.69 | |
| <u>824</u> 824 | | E | | \$265,570.19 | |
| 824 | Koki'o ke'oke'o | Ē | | \$265,573.69 | |
| 824 | | Ē | | \$265,577.19 | |
| 824 | Kula, wahine noho | Ē | | \$265,580.69 | |
| 824 | Lagu, Hyan | E | | \$265,584.19 | |
| 824 | `Awiwi | E | | \$265,587.69 | |
| 824 | Mariscus fauriei (=Sci name) | E | | \$265,591.19 | |
| 824 | Lau `ehu | Ε | | \$265,594.69 | |
| 824 | `Oha wai | E | \$3.50 | \$265,598.19 | 99.88% |
| 824 | Wawa`iole | E | | \$265,601.69 | |
| 824 | Lysimachia filifolia (=Sci name) | E | | \$265,605.19 | |
| 824 | Munroidendron racemosum (=Sci name) | E | | _\$265,6 <u>0</u> 8.69 | |
| 824 | Ma`oli`ofi | E | | _\$265,612.19 | |
| 824 | Nehe | E | | \$265,615.69 | |
| 900 | Stirrupshell | E | \$3.45 | \$265,619.14 | 99.89% |
| 900 | Clubshell, black (=Curtus' mussel) | <u>E</u> | \$3.45 | \$265,622.59 | 99.89% |
| 900 | Combshell, southern (=penitent mussel) | E | | \$265,626.04 | |
| 903 904 | Beaked-rush, Knieskern's Chupacallos (=Chupagallo) | E | | \$265,629.46 \$265,632.86 | |
| 904 | Capa rosa | Ē | | \$265,636.26 | |
| 904 | Ilex sintenisii (=Sci name) | E | | \$265,639.66 | |
| 904 | Palo de jazmin | Ē | | \$265,643.06 | |
| 904 | Ternstroemia subsessilis (=Sci name) | Ē | | \$265,646.46 | |
| 904 | Lepanthes eltoroensis (=Sci name) | E | | \$265,649.86 | |
| 904 | Palo colorado | E | | \$265,653.26 | |
| 911 | Pocketbook, speckled | E | | \$265,656.61 | |
| 911 | Lampmussel, Alabama (=Pearly mussel, Alabam | | | \$265,659.96 | |
| 913 | Button, Mohr's Barbara | Ť | | \$265,663.21 | |
| 914 | Vole, Florida salt marsh | E | | \$265,666.32 | |
| 915 | Rabbitsfoot, rough | E | \$3.10 | \$265,669.42 | |
| 916 | Schoepfia arenaria (=Sci name) | T | \$3.00 | \$265,672.42 | 99.91% |
| 916 | Cranichis ricartii (=Sci name) | E | \$3.00 | \$265,675.42 | 99.91% |
| 916 | Elaphoglossum serpens (=Sci name) | E | \$3.00 | \$265,678.42 | 99.91% |
| 916 | Bean, purple (=Fine-rayed purple pearly mussel) | | \$3.00 | \$265,681.42 | 99.91% |
| 916 | Polystichum calderonense (=Sci name) | E | | \$265,684.42 | |
| 916 | Fern, Elfin tree | <u>E</u> | | \$265,687.42 | |
| 916 | Quillwort, black spored | E | | \$265,690.42 | |
| 916 | Bariaco | E | | \$265,693.42 | |
| 916 | Cactus, star | <u>E</u> | | \$265,696.42 | |
| 916 | Boxwood, Vahi's | <u>E</u> | | \$265,699.42 | |
| 916 | Palo de Nigua | Ē | | .\$265,702.42 | |
| 916 | Palo de Ramon | <u>E</u> | | \$265,705.42 | |
| 916 | Polygala, Lewton's | Ε | \$3.00 | \$265,708.42 | 99.92% |

| | EXPENDITURES (\$000) | | | | |
|------|---------------------------------------|--------------|---------------------------------------|------------------------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 916 | Locoweed, Fassett's | T | \$3.00 | \$265,711.42 | 99.92% |
| 916 | Crayfish, Nashville | E | \$3.00 | \$265,714.42 | 99.93% |
| 916 | Spider, spruce-fir moss | E | \$3.00 | \$265,717.42 | 99.93% |
| 916 | Holly, Cook's | E | \$3.00 | \$265,720.42 | 99.93% |
| 916 | Tectaria estremerana (=Sci name) | E | | \$265,723.42 | |
| 916 | Manaca, palma de | T | | \$265,726.42 | |
| 916 | Skipper, Pawnee montane | | | \$265,729.42 | |
| 916 | Peperomia, Wheeler's | E | | \$265,732.42 | |
| 916 | Adiantum vivesii (=Sci name) | E | | \$265,735.42 | |
| 916 | Thelypteris yaucoensis (=Sci name) | E | \$3.00 | \$265,738.42 | 99.93% |
| 916 | Thelypteris verecunda (=Sci name) | E | \$3.00 | \$265,741.42 | 99.94% |
| 916 | Thelypteris inabonensis (=Sci name) | E | | \$265,744.42 | |
| 916 | Prickly-ash, St. Thomas | E | | \$265,747.42 | |
| 942 | Fern, Alabama streak-sorus | T | | \$265,750.32 | |
| 942 | Cactus, Lloyd's Mariposa | T | | \$265,753.22 | |
| 944 | Limpet, Banbury Springs | E | | \$265,756.10 | |
| 945 | Bladderpod, Missouri | E | | \$265,758.81 | |
| 946 | Snake, Concho water | | | \$265,761.41 | |
| 947 | Millerbird, Nihoa (old world warbler) | E | | \$265,763.91 | |
| 947 | Snowbells, Texas | E | | \$265,766.41 | |
| 947 | Water-plantain, Kral's | - | | \$265,768.91 | |
| 947 | Finch, Nihoa (honeycreeper) | E | | \$265,771.41 | |
| 947 | Salamander, Shenandoah | Ē | | \$265,773.91 | |
| 947 | Snail, Stock Island tree | | | \$265,776.41 | |
| 947 | Buckwheat, steamboat | E | | \$265,778.91 | |
| 947 | Pupfish, Comanche Springs | <u></u> | | \$265,781.41 | |
| 955 | Agave, Arizona | E | | \$265,783.87 | |
| 956 | Chub, slender | <u> </u> | | \$265,786.27 | |
| 957 | Salamander, desert slender | Ē | | \$265,788.46 | |
| 958 | Trillium, persistent | Ē | | \$265,790.60 | |
| 959 | Wild-buckwheat, gypsum | | | \$265,792.70 | |
| 959 | Snail, flat-spired three-toothed | Ť | | \$265,794.80 | |
| 961 | Leather flower, Alabama | Ē | | \$265,796.88 | |
| 962 | Rosemary, Cumberland | Ť | | \$265,798.91 | |
| 963 | Mountain-mahogany, Catalina Island | Ē | | \$265,800.91 | |
| 963 | Quillwort, mat-forming | Ē | | \$265,802.91 | |
| 963 | Anole, Culebra Island giant | Ē | | \$265,804.91 | |
| 963 | Cactus, black lace | E | | \$265,806.91 | |
| 963 | Crownbeard, big-leaved | | | \$265,808.91 | |
| 963 | Groundsel, San Francisco Peaks | | | \$265,810.91 | |
| 963 | Cactus, Chisos Mtn. hedgehog | Ť | | \$265,812.91 | |
| 963 | Snail, Virginia fringed mountain | Ē | | \$265,814.91 | |
| 963 | Rattleweed, hairy | E | | \$265,816.91 | |
| 972 | Orcutt grass, Greene's | <u>-</u> | | \$265,818.83 | |
| 973 | Stonecrop, Lake County | E | | \$265,820.68 | |
| 974 | Sand-verbena, large-fruited | Ē | | \$265,822.48 | |
| 974 | Leather flower, Morefield's | Ē | · · · · · · · · · · · · · · · · · · · | \$265,824.28 | |
| 976 | Sunburst, San Joaquin adobe | <u></u> | | \$265,825.96 | |
| 977 | Dudleya, Santa Clara Valley | | | | |
| 977 | Grass, Colusa | E T | | \$265,827.46 | |
| 977 | Barberry, Truckee | E | | \$265,828.96 | |
| | | | | \$265,830.46 | |
| 977 | Pentachaeta, white-rayed | <u> </u> | | \$265,831.96 | |
| 977 | Thistle, fountain | E | | \$265,833.46 \$265,834.06 | |
| 977 | Thornmint, San Mateo | <u>E</u> | | \$265,834.96 | |
| 977 | Spurge, Hoover's | <u>T</u> | | \$265,836.46 | |
| 977 | Sunburst, Hartweg's golden | E | | \$265,837.96 | |
| 977 | Sunflower, San Mateo woolly | E | | \$265,839.46 | |
| 977 | Jewelflower, Tiburon | E | \$1.50 | \$265,840.96 | 99.97% |

| | EXPENDITURES (\$000) | | | | |
|--------------|--|-----------------|-----------------------------|----------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | SPECIES TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 977 | Grass, Solano | E | | \$265,842.46 | |
| 977 | Jewelflower, Metcalf Canyon | E | | \$265,843.96 | |
| 977 | Meadowfoam, Butte County | E | \$1.50 | \$265,845.46 | 99.98% |
| 977 | Silverside, Waccamaw | T | \$1.50 | \$265,846.96 | 99.98% |
| 977 | Orcutt grass, hairy (=pilose) | E | \$1.50 | \$265,848.46 | 99.98% |
| 977 | Orcutt grass, San Joaquin | T | \$1.50 | \$265,849.96 | 99.98% |
| 977 | Owl's-clover, fleshy | Т | \$1.50 | \$265,851,46 | 99.98% |
| 977 | Moth, Kern primrose sphinx | T | \$1.50 | \$265,852.96 | 99.98% |
| 977 | Ceanothus, coyote (=California-lilac, Coyote | E | | \$265,854.46 | |
| 977 | Navarretia, few-flowered | E | \$1.50 | \$265,855.96 | 99.98% |
| 977 | Bird's-beak, Pennell's | E | \$1.50 | \$265,857.46 | 99.98% |
| 977 | Mariposa lily, Tiburon | T | | \$265,858.96 | |
| 977 | Thistle, Loch Lomond coyote | E | \$1.50 | \$265,860.46 | 99.98% |
| 977 | Butterfly, lotis blue | E | \$1,50 | \$265,861.96 | 99.98% |
| 1001 | Curlew, Eskimo | E | \$1.45 | \$265,863.41 | 99.98% |
| 1002 | Rock-cress, Hoffmann's | E | \$1.40 | \$265,864.81 | 99.98% |
| 1002 | Malocothrix, Santa Cruz Island | E | | \$265,866.21 | |
| 1004 | Crayfish, cave [no common name] | E | | \$265,867.56 | |
| 1005 | Darter, bluemask (=jewel) | E | \$1,30 | \$265,868.86 | 99.98% |
| 1005 | Fleabane, Rhizome | T | \$1,30 | \$265,870.16 | 99.98% |
| 1005 | Butterwort, Godfrey's | T | | \$265,871.46 | |
| 1008 | Phacelia, island | E | | \$265,872.66 | |
| 1008 | Malacothrix, island | E | | \$265,873.86 | |
| 1008 | Manzanita, Santa Rosa Island | E | | \$265,875.06 | |
| 1008 | Bush-mallow, Santa Cruz Island | E | | \$265,876.26 | |
| 1008 | Gilia, Hoffmann's slender-flowered | E | | \$265,877.46 | |
| 1008 | Cress, toad-flax | E | | \$265,878.66 | |
| 1008 | Bedstraw, island | <u> </u> | | \$265,879.86 | |
| 1008 | Rush-rose, island | Ť | | \$265,881.06 | |
| 1008 | Dudleya, Santa Cruz Island | T | | \$265,882.26 | |
| 1008 | Fringepod (=lacepod), Santa Cruz Island | E | | \$265,883.46 | |
| 1018 | Madtom, pygmy | E | | \$265,884.56 | |
| 1019 | Fern, Aleutian shield | E | | \$265,885.62 | |
| 1020 | Snail, tulotoma (=Alabama live-bearing) | E | | \$265,886.62 | |
| 1020 | Seablite, California | E | \$1.00 | \$265,887.62 | 99.99% |
| 1020 | Snake, copperbelly water (northern pop.) | T | | \$265,888.62 | |
| 1020 | Cactus, Lloyd's hedgehog | E | | \$265,889.62 | |
| 1020 | Snail, painted snake coiled forest | _ | | \$265,890.62 | |
| 1020 | Cat's-eye, Terlingua Creek | Ē | | \$265,891.62 | |
| 1020 | Snakeroot | <u>=</u> | | \$265,892.62 | |
| 1020 | Cinquefoil, Robbins' | | | \$265,893.62 | |
| 1020 | Gourd, Okeechobee | E E | | \$265,894.62 | |
| 1020 | Dudleya, Verity's | | | \$265,895.62 | |
| 1020 | Dudleya, Marcescent | Ť | | \$265,896.62 | |
| 1020 | Pinkroot, gentian | E | | \$265,897.62 | |
| 1020 | Rhododendron, Chapman | E | | \$265,898.62 | |
| 1020 | Whitlow-wort, papery | - | | \$265,899.62 | |
| 1020 | Dudleya, Conejo | | | \$265,900.62 | |
| 1035 | Buttercup, autumn | E | | \$265,901.52 | |
| 1036 | Pawpaw, Rugel's | <u>_</u> | | \$265,902.42 | |
| 1037 | Roseroot, Leedy's | _ | | \$265,903.25 | |
| 1037 | Ridge-cress (=pepper-cress), Barneby | <u>'</u> | ~ | \$265,903.25 | |
| 1038 | Reed-mustard, clay | — - | | | |
| 1038 | Pearlymussel, Curtis' | _ <u></u> | | \$265,904.65 | |
| 1040 | Water-willow, Cooley's | | | \$265,905.35 | |
| | Warbler, Bachman's | E | | \$265,905.95 | |
| 1042 1043 | Beetle, Hungerford's crawling water | <u> </u> | | \$265,906.50 | |
| | | <u> </u> | | \$265,907.00 | |
| 1043 | Pondweed, Little Aguja Creek | E | \$0.50 | \$265,907.50 | 100.00% |

| | EXPENDITURES (\$000) | | SPECIES | | |
|------|--|--------------|------------------|------------------------------|--------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 1043 | Cactus, bunched cory | Т | \$0.50 | \$265,908.00 | |
| 1043 | Shiner, Cahaba | E | | \$265,908.50 | |
| 1047 | Darter, relict | E | | \$265,908.90 | |
| 1047 | Heartleaf, dwarf-flowered | Т | \$0.40 | \$265,909.30 | 100.00% |
| 1047 | Beetle, Tooth Cave ground | E | \$0.40 | \$265,909.70 | 100.00% |
| 1050 | Sandwort, Cumberland | E | | \$265,910.09 | |
| 1051 | Bladderpod, Spring Creek | E | | \$265,910.39 | |
| 1051 | Liveforever, Santa Barbara Island | E | \$0.30 | \$265,910.69 | 100.00% |
| 1053 | Lily, Minnesota trout | E | | \$265,910.95 | |
| 1054 | Barberry, island | E | | \$265,911.15 | |
| 1055 | Irisette, white | E | | \$265,911.25 | |
| 1055 | Arrowhead, bunched | E | \$0.10 | \$265,911.35 | 100.00% |
| 1055 | Mint, longspurred | Ε | \$0.10 | \$265.911.45 | 100.00% |
| 1055 | Pawpaw, beautiful | E | | \$265,911.55 | |
| 1055 | Cougar, eastern | E | | \$265,911.65 | |
| 1060 | Snail, noonday | <u>T</u> | \$0.04 | \$265,911.70 | _ 100.00% |
| 1061 | Cactus, Key tree | <u>E</u> | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Harebells, Avon Park | <u>E</u> | | \$265,911.70 | |
| 1061 | Sculpin, pygmy | <u>T</u> | | \$265,911.70 | |
| 1061 | Wawae`iole | <u>E</u> | | \$265,911.70 | |
| 1061 | Cactus, Nellie cory | E | | \$265,911.70 | |
| 1061 | Seal, Caribbean monk | E | | \$265,911,70 | - |
| 1061 | Isopod, Lee County cave | E | | \$265,911.70 | |
| 1061 | Amphipod, Hay's Spring | <u>_</u> | \$0.00 | \$265,911.70 \$265,911.70 | 100.00% 100.00% |
| 1061 | Blazingstar, scrub | <u>=</u> | | \$265,911.70 | |
| 1061 | Pearlymussel, white cat's paw | <u>_</u> | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Shrimp, Alabama cave Shrimp, Kentucky cave | E | 90.00 | \$265,911.70 | 100.00% |
| 1061 | Aster, Florida golden | E | | \$265,911.70 | |
| 1061 | Beardtongue, Penland | E | | \$265,911.70 | |
| 1061 | Beliflower, Brooksville | - | | \$265,911.70 | |
| 1061 | Isopod, Madison Cave | ET | | \$265,911.70 | |
| 1061 | Bidens, cuneate | E E | | \$265,911.70 | |
| 1061 | Madtom, Scioto | E | | \$265,911.70 | |
| 1061 | Bittercress, small-anthered | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Bladderpod, lyrate | T | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Jacquemontia, beach | E | | \$265,911.70 | |
| 1061 | Seal, guadalupe fur | T | \$0.00 | \$265,911.70 | |
| 1061 | Gambusia, Clear Creek | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Tree, pygmy fringe | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Sandlace | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Spurge, deltoid | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Ziziphus, florida | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Spurge, Garber's | T | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Rice rat (=silver rice rat) | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Mouse, Key Largo cotton | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Rosemary, short-leaved | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Woodrat, Key Largo | E | | \$265,911.70 | |
| 1061 | Wireweed | E | | \$265,911.70 | |
| 1061 | Walnut, West Indian or nogal | E | | \$265,911.70 | |
| 1061 | Lead-plant, Crenulate | <u>E</u> | | \$265,911.70 | |
| 1061 | Woodpecker, ivory-billed | E | | \$265,911.70 | |
| 1061 | Wings, Pigeon | T | | \$265,911.70 | |
| 1061 | Rosemary, Etonia | E | | \$265,911.70 | |
| 1061 | Prickly-apple, fragrant | E | | \$265,911.70 | |
| 1061 | Mint, Garrett's (=scrub, in part) | E | | \$265,911.70 | |
| 1061 | Polygala, tiny | E | | \$265,911.70 | |
| 1061 | Darter, Maryland | E | \$0.00 | \$265,911.70 | 100.00% |

TABLE 2. SPECIES RANKED IN DESCENDING ORDER OF TOTAL FY 1997 REPORTED EXPENDITURES (\$000)

| | 272010007 | | SPECIES | | |
|------|--------------------------|--------|------------------|----------------|------------------|
| RANK | SPECIES (50 CFR Part 17) | STATUS | TOTAL (\$000) | CUMUL TOTAL | ATIVE PERCENT |
| 1061 | Milkpea, Small's | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Turtle, flattened musk | T | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Mint, Lakela's | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Mint, scrub | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Plum, scrub | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Oak, Hinckley | T | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Skink, bluetail mole | T | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Mustard, Carter's | E | \$0.00 | \$265,911.70 | 100.00% |
| 1061 | Pitaya, Davis' green | E | \$0.00 | \$265.911.70 | 100.00% |