

```

import java.util.*;
class ThreeGen<T, V,W> {
    T ob1;
    V ob2;
    W ob3;
    ThreeGen(T o1, V o2,W o3) {
        ob1 = o1;
        ob2 = o2;
        ob3=o3;
    }
    void showTypes() {
        System.out.println("Type of T is " +
        ob1.getClass().getName());
        System.out.println("Type of V is " +
        ob2.getClass().getName());
        System.out.println("Type of W is " +
        ob3.getClass().getName());
    }
    T getob1() {
        return ob1;
    }
    V getob2() {
        return ob2;
    }
    W getob3()
    {
        return ob3;
    }
}
class SimpleGen {
    public static void main(String args[]) {
        Scanner sc=new Scanner(System.in);
        int a;
        String b;
        float c,c1;
        char a1;
        double d1;
        System.out.println("enter a integer,string,float");
        a=sc.nextInt();
        b=sc.next();
        c=sc.nextFloat();
        ThreeGen<Integer, String,Float> tgObj =
        new ThreeGen<Integer, String,Float>(a, b,c);
        tgObj.showTypes();
        int v = tgObj.getob1();
        System.out.println("value1: " + v);
        String str = tgObj.getob2();
    }
}

```

```

class SimpleGen {
    public static void main(String args[]) {
        Scanner sc=new Scanner(System.in);
        int a;
        String b;
        float c,c1;
        char a1;
        double d1;
        System.out.println("enter a integer,string,float");
        a=sc.nextInt();
        b=sc.next();
        c=sc.nextFloat();
        ThreeGen<Integer, String,Float> tgObj =
        new ThreeGen<Integer, String,Float>(a, b,c);
        tgObj.showTypes();
        int v = tgObj.getob1();
        System.out.println("value1: " + v);
        String str = tgObj.getob2();
        System.out.println("value2: " + str);
        float x=tgObj.getob3();
        System.out.println("value3: " + x);
        System.out.println("enter a Character,Double,float");
        a1=sc.next().charAt(0);
        d1=sc.nextDouble();
        c1=sc.nextFloat();
        ThreeGen<Character, Double,Float> tgObj1 =
        new ThreeGen<Character, Double,Float>(a1, d1,c1);
        tgObj1.showTypes();
        char v1 = tgObj1.getob1();
        System.out.println("value1: " + v1);
        double str1 = tgObj1.getob2();
        System.out.println("value2: " + str1);
        float x1=tgObj1.getob3();
        System.out.println("value3: " + x1);
    }
}

```

Microsoft Windows [Version 10.0.18363.1256]
(c) 2019 Microsoft Corporation. All rights reserved.

C:\Users\rahul>cd C:\workspace

C:\workspace>javac ThreeGen.java

C:\workspace>java SimpleGen
enter a integer,string,float

3

rahul

3.2

Type of T is java.lang.Integer

Type of V is java.lang.String

Type of W is java.lang.Float

value1: 3

value2: rahul

value3: 3.2

enter a Character,Double,float

raul

4.5

3.1

Type of T is java.lang.Character

Type of V is java.lang.Double

Type of W is java.lang.Float

value1: r

value2: 4.5

value3: 3.1

C:\workspace>_