```
from google.colab import files
uploaded = files.upload()
      Choose Files astute-chart...05d75.json
     • astute-charter-213919-5ec1a3605d75.json(application/json) - 2391 bytes, last modified: 3/25/2025 - 100% done
     Saving astute-charter-213919-5ec1a3605d75.json to astute-charter-213919-5ec1a3605d75.json
import os
os.environ["GOOGLE_APPLICATION_CREDENTIALS"] = "astute-charter-213919-5ec1a3605d75.json"
from google.cloud import bigquery
client = bigquery.Client()
query = """ SELECT receipt_contract_address, COUNT(*) AS contract_deployments
FROM bigquery-public-data.crypto_ethereum.transactions
WHERE receipt_contract_address IS NOT NULL
GROUP BY receipt_contract_address
ORDER BY contract deployments DESC LIMIT 10 """
df = client.query(query).to_dataframe()
df.head()
→
                          receipt_contract_address contract_deployments
      0 0x824f9851585a0a44646ede85a8421f64c8185a49
         0xd7a7776add9f09eb2ceaa99f3b3e97f423c19c91
           0xf7cb463f71e76f31568b3ff90b2d9b047fb05398
         0xa758fac9993f0e226ee0e2a1b374fd1d912cb44a
          0xad327b1a67fa4ffa6b06f7a1204d7c01f233ae4e
from google.cloud import bigquery
client = bigquery.Client()
query = """ SELECT AVG(confirmation_time_sec) AS avg_block_confirmation_time_sec
FROM (
  SELECT number, timestamp, LAG(timestamp) OVER (ORDER BY number) AS prev timestamp,
  TIMESTAMP_DIFF(timestamp, LAG(timestamp) OVER (ORDER BY number), SECOND) AS confirmation_time_sec
   FROM bigguery-public-data.crypto ethereum.blocks )
   WHERE confirmation time sec IS NOT NULL """
df = client.query(query).to dataframe()
df.head()
₹
         avg_block_confirmation_time_sec
      0
                                78.777093
```

```
from google.cloud import bigquery
client = bigquery.Client()

query = """ SELECT *
FROM bigquery-public-data.crypto_ethereum.transactions
LIMIT 10 """

df = client.query(query).to_dataframe()
df.head()
```

₹

→		hash	nonce	transaction_index	from_address	to_address	
	0	0x561ea0de300af7700ff4b013ddefb4310fdc666d8d09	544	105	0xb981290d9d804075986482f0302c03a3cd2aff32	0x0000000000c2d145a2526bd8c716263bfebe1a72	
	1	0x71af03fea0537d46ac6c6dacf91001c1c13d2ecb76f7	29	32	0x2d3608218deec0802ced63806702e413cf81eeff	0xa9ac43f5b5e38155a288d1a01d2cbc4478e14573	2773171727540000000
	2	0x98b68854766094142d1030066aeebcb24bd3969bf508	4146947	324	0x974caa59e49682cda0ad2bbe82983419a2ecc400	0xdac17f958d2ee523a2206206994597c13d831ec7	
	3	0x2f28eb57ddfc969e7c0dc8960d5a8b40b6c04a019bba	11084704	27	0xdfd5293d8e347dfe59e90efd55b2956a1343963d	0x3073f7aaa4db83f95e9fff17424f71d4751a3073	
	4	0xb2863baacae1bc1b97c4cf833da5c1d5e7c5fb44446d	37017	74	0x147ac0b39675769e55a0f0e7fdd3641b47963661	0xdac17f958d2ee523a2206206994597c13d831ec7	

5 rows × 25 columns

```
from google.cloud import bigquery
client = bigquery.Client()

query = """ SELECT
    DATE(block_timestamp) AS transaction_date,
    AVG(gas_price) / 1e9 AS avg_gas_price_gwei
FROM `bigquery-public-data.crypto_ethereum.transactions`
GROUP BY transaction_date
ORDER BY transaction_date DESC
LIMIT 3 """

df = client.query(query).to_dataframe()
df.head()
```

→		transaction_date	avg_gas_price_gwei
	0	2025-03-25	1.839871
	1	2025-03-24	2.091352
	2	2025-03-23	1.641668

```
from google.cloud import bigquery
client = bigquery.Client()

query = """ SELECT
from_address,
```

to_address, value / 1e18 AS eth_value, block_number

```
FROM bigquery-public-data.crypto_ethereum.transactions
WHERE LOWER(to_address) IN (
  '0x2c4bd064b998838076fa341a83d007fc2fa50957',
  '0x5d22045daceab03b158031ecb7d9d06fad24609b'
)
ORDER BY block_number DESC
LIMIT 100 """

df = client.query(query).to_dataframe()
df.head()
```

•		
-	→	$\overline{}$
	Ť	_
-		_

	from_address	to_address	eth_value	block_number
0	0x5acaf86db8c7e24da9ef91a73707dfe5f076091a	0x5d22045daceab03b158031ecb7d9d06fad24609b	0E-9	22016001
1	0xc451b0191351ce308fdfd779d73814c910fc5ecb	0x5d22045daceab03b158031ecb7d9d06fad24609b	0E-9	22015956
2	0x5acaf86db8c7e24da9ef91a73707dfe5f076091a	0x5d22045daceab03b158031ecb7d9d06fad24609b	0E-9	21981539
3	0x8a6c80aab6497e2db35817817b593b79d78f6ae5	0x5d22045daceab03b158031ecb7d9d06fad24609b	0E-9	21977563
4	0x8a6c80aab6497e2db35817817b593b79d78f6ae5	0x5d22045daceab03b158031ecb7d9d06fad24609b	0E-9	21967625

```
from google.cloud import bigquery
client = bigquery.Client()
```

query = """ SELECT number, timestamp FROM bigquery-public-data.crypto_ethereum.blocks ORDER BY number DESC LIMIT 5 """

df = client.query(query).to_dataframe()
df.head()

$\overline{\Rightarrow}$

	number	timestamp			
0	22124561	2025-03-25 14:37:47+00:00			
1	22124560	2025-03-25 14:37:35+00:00			
2	22124559	2025-03-25 14:37:23+00:00			
3	22124558	2025-03-25 14:37:11+00:00			
4	22124557	2025-03-25 14:36:59+00:00			

from google.cloud import bigquery
import pandas as pd

client = bigquery.Client()

query = """

FROM `bigquery-public-data.crypto_ethereum.transactions`

GROUP BY transaction_date

ORDER BY transaction_date DESC

LIMIT 300;

```
df = client.query(query).to_dataframe()
print(df.head())
```


→		transaction_date	avg_gas_price_gwei
	0	2025-03-25	1.839731
	1	2025-03-24	2.091352
	2	2025-03-23	1.641668
	3	2025-03-22	2.044824
	4	2025-03-21	1.882264

import matplotlib.pyplot as plt

```
plt.figure(figsize=(12,6))
plt.plot(df['transaction_date'], df['avg_gas_price_gwei'], marker='o', linestyle='-')
plt.xlabel('Date')
plt.ylabel('Avg Gas Price (Gwei)')
plt.title('Ethereum Gas Price Trends Over Time')
plt.xticks(rotation=45)
plt.show()
```







```
from google.cloud import bigquery client = bigquery.client()

query = """ SELECT DATE(block_timestamp) AS tx_date, COUNT(*) AS bridge_tx_count FROM bigquery-public-data.crypto_ethereum.transactions WHERE to_address IN ( '0xA0c68C638235ee32657e8f720a23ceC

"""

df = client.query(query).to_dataframe()
df.head()

tx_date bridge_tx_count

0 2024-01-02 1

1 2024-01-04 1

2 2024-01-21 1
```

3 2024-01-23


4 2024-01-24

```
plt.figure(figsize=(10, 5))
plt.plot(df['tx_date'], df['bridge_tx_count'], marker='o')
plt.title('Cross-Chain Identity Transactions (Limited Growth)')
plt.xlabel('Date')
plt.ylabel('No. of Identity Transactions')
plt.grid(True)
interop_path = "/mnt/data/interop_challenges.png"
plt.tight_layout()
plt.xticks(rotation=45)
plt.show()
```

1

1





t_status = 1 AND DATE(block_timestamp) BETWEEN '2024-01-01' AND '2024-12-31' GROUP BY DATE(block_timestamp) ORDER BY DATE(block_timestamp) ASC LIMIT 50;


→ *		dated	avg_gas_price_gwei	
	0	2024-01-01	14.909836	th
	1	2024-01-02	22.300259	
	2	2024-01-03	39.936536	
	3	2024-01-04	26.128107	
	4	2024-01-05	22.825259	

Next steps: Generate code with df View recommended plots New interactive sheet

```
plt.figure(figsize=(10, 5))
plt.plot(df['dated'], df['avg_gas_price_gwei'], marker='o')
plt.title('SSI Smart Contract Gas Costs (in Gwei)')
plt.xlabel('Date')
plt.ylabel('Average Gas Price (Gwei)') # Correct label
plt.grid(True)
plt.tight_layout()
plt.xticks(rotation=45)
plt.show()
```

₹

SSI Smart Contract Gas Costs (in Gwei)



```
from google.cloud import bigquery
client = bigquery.Client()
query = """ SELECT number, timestamp, LAG(timestamp) OVER (ORDER BY number) AS prev_timestamp, TIMESTAMP_DIFF(timestamp, LAG(timestamp) OVER (ORDER BY number)
df = client.query(query).to_dataframe()
df.head()
```



→		number		timestamp	prev_timestamp	confirmation_delay		
	0	18908895	2024-01-01	00:00:11+00:00	NaT	<na></na>		
	1	18908896	2024-01-01	00:00:23+00:00	2024-01-01 00:00:11+00:00	12		
	2	18908897	2024-01-01	00:00:35+00:00	2024-01-01 00:00:23+00:00	12		
plt.f	igu	re(figsize	e=(10, 5))					
plt.p	lot	(df['numbe	er'], df['co	nfirmation_de	lay'], marker='x', linest	tyle='')		
plt.t	itl	e('Ethereu	ım Block Con	firmation Tim	es (in seconds)')			
plt.x	plt.xlabel('Block Height')							
plt.y	<pre>plt.ylabel('Confirmation Time')</pre>							
plt.g	plt.grid(True)							
plt.t	plt.tight_layout()							
plt.x	tic	ks(rotatio	n=45)					
plt.s	olt.show()							



Ethereum Block Confirmation Times (in seconds)

