



ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

Angular Testing

7 - E2E Advanced

Mocking Requests

```
cy.intercept('GET', '/holidays.json', {  
  body: {  
    holidays: [  
      {  
        title: 'Cambodia',  
        teaser: 'Discover old temples and learn about the great Khmer Empire',  
        imageUrl: 'https://eternal-app.s3.eu-central-1.amazonaws.com/assets/AngkorWatSmall.jpg',  
        description:  
          'Travel to Siem Reap in Cambodia and visit the...'  
      }  
    ]  
  }  
});
```




3 Level Architecture

Tests



Page Object Models



Utility Functions



Page Object Model

```
class Sidemenu {  
  click(name: "Customers" | "Holidays"): Chainable {  
    return cy.get("mat-drawer a").contains(name).click();  
  }  
}  
  
export const sidemenu = new Sidemenu();
```



Reusing Harnesses




cy.task


- Run commands in Node.js
- Far more possibilities:
 - Writing to the filesystem (logging)
 - Connecting to a database
 - Combine Cypress with other E2E Tools




The Elephants in the Room

Backend & Database






Indirect "Transitive" Coupling



Copy Strategy from non-E2E???



Database in E2E Tests



Database in Non-E2E Tests

Test Seeded Database & done???



ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

Issues with Test Seed


- "One size fits all" approach
- Tight Coupling → Not scalable
- Fast Reseeding not always possible
- Multiple Databases
- Data from External Systems → no Seeding possible



Individual Scope - Best Case Scenario

- Data is referenced to a particular entity
 - User
 - Product
 - ...
- Multi-Tenant Systems
- Customer-Centric Systems
 - Insurances
 - Banks





Test 1

"Add Diary"

Table "Users"

| ID | Name | ... |
|----|--------|-----|
| 1 | Eva | ... |
| 2 | Martin | ... |
| 3 | Max | ... |
| .. | | ... |

Table
"Diary"

Table
"Booking"



ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

Test 1

it('should add a
new diary', ...);

Table "Users"

| ID | Name | ... |
|----|--------|-----|
| 1 | Eva | ... |
| 2 | Martin | ... |
| 3 | Max | ... |
| 4 | Lucy | ... |
| .. | | ... |

Table
"Diary"

Table
"Booking"

Test 2

it('should start
the tutorial on
empty diaries',
...)



ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

Test Setup !== Test



ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

API Arrange Possibilities: Normal Requests

- Default Case
- Call same endpoints as the Frontend
- Don't use the frontend directly!
- `cy.task()` as alternative



API Arrange Possibilities: Dedicated Test API

- Backend provides special API for test mode
- Shortcuts possible, e.g.
 - merge chain of requests into one
 - Overcome Security Issues
- Best Option



Testing Scopes

- Individual Scope
 - All data depends on a certain ID
 - e.g. Personalised Data
 - Best Option in Combination with Test API (Sign Up & In)
- Global Scope
 - Tests Affect each other
 - Challenging Parallel Runs
 - Not so easy to solve...



Global Pattern I: Independent Tests

- Read-Only Character
- No Arranging required
- Rely on Test Seed
- Smoke Tests
- Tests for Static Elements



Global Pattern II: Intelligent Tests

- "I'll create and find it"
- Flexible
- Requires more code



ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

Global Pattern III: Dependent Test Group

- Default Group
- Logical Group of Unit Tests
- Internal knowledge about other tests
- Order is important
- Database Reset after each Group Run



Global Scope IV: Simulated Individual Context

- Mock all APIs
- Transforms a global into an individual context



Global Scope V: Integration Tests

- Don't test it all and rely on integration tests



ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

Arrange

Act & Assert



Test API

Application API

Test Seeded
DB



Individual Scope

Global Scope



Independent



Intelligent



Dependent
Test Groups



Simulated
Local Context



ANGULAR
ARCHITECTS
INSIDE KNOWLEDGE

Summary

- You will not have completely isolated tests
- Try to minimize loose coupling
- Always prefer Backend API over Test Seed
- Look out for opportunities with individual scope



Lab Time

