

Rajalakshmi Engineering College

Name: Rajeshwar s
Email: 240701413@rajalakshmi.edu.in
Roll no: 2116240701413
Phone: 9003785151
Branch: REC
Department: I CSE FD
Batch: 2028
Degree: B.E - CSE

Scan to verify results



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 2_COD_Question 4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

Input Format

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5

10 20 30 40 50

Output: 10 20 30 40 50

Answer

```
#include<stdio.h>
#include<stdlib.h>
struct node{
    int id;
    struct node*prev=NULL;
    struct node*next=NULL;
};
void insertatend(struct node**head,int data){
    struct node*nnode=(struct node*)malloc(sizeof(struct node));
    nnode->id=data;
    nnode->next=NULL;
    if(*head==NULL){
        nnode->prev=NULL;
        *head=nnode;
    }
    else{
        struct node*temp=*head;
        while(temp->next!=NULL){
            temp=temp->next;
        }
        temp->next=nnode;
        nnode->prev=temp;
    }
}
```

```
void display(struct node**head){
    struct node*temp=*head;
    while(temp!=NULL){
        printf("%d ",temp->id);
        temp=temp->next;
    }
}

int main(){
    int n,x;
    struct node*head=NULL;
    scanf("%d",&n);
    for(int i=0;i<n;i++){
        scanf("%d",&x);
        insertatend(&head,x);
    }
    display(&head);
}
```

Status : Correct

Marks : 10/10