

| Savitribai Phule Pune University Second Year of Artificial Intelligence and Data Science (2020 Course) 217522: Data Structures Laboratory | | |
|--|-----------------------------------|---|
| Teaching Scheme Practical: 04 Hours/Week | Credit Scheme 02 | Examination Scheme and Marks Term Work: 25 Marks Practical: 50 Marks |
| Companion Course: 210242: Fundamental of Data Structures | | |
| Course Objectives: To understand basic techniques and strategies of algorithm analysis, the memory requirement for various data structures like array, linked list, stack, queue etc using concepts of python and C++ programming language. | | |
| Course Outcomes: On completion of the course, learner will be able to– CO1: Use algorithms on various linear data structure using sequential organization to solve real life problems. CO2: Analyze problems to apply suitable searching and sorting algorithm to various applications. CO3: Analyze problems to use variants of linked list and solve various real life problems. CO4: Designing and implement data structures and algorithms for solving different kinds of problems. | | |
| Guidelines for Instructor's Manual The instructor's manual is to be developed as a hands-on resource and reference. The instructor's manual need to include prologue (about University/program/ institute/ department/foreword/ preface), curriculum of course, conduction and Assessment guidelines, topics under consideration-concept, objectives, outcomes, set of typical applications/assignments/ guidelines, and references. | | |
| Guidelines for Student's Laboratory Journal The laboratory assignments are to be submitted by student in the form of journal. Journal consists of prologue, Certificate, table of contents, and handwritten write-up of each assignment (Title, Objectives, Problem Statement, Outcomes, software and Hardware requirements, Date of Completion, Assessment grade/marks and assessor's sign, <u>Theory- Concept in brief, algorithm, flowchart, test cases, Test Data Set(if applicable), mathematical model (if applicable), conclusion/analysis.</u> Program codes with sample output of all performed assignments are to be submitted as softcopy. As a conscious effort and little contribution towards Green IT and environment awareness, attaching printed papers as part of write-ups and program listing to journal may be avoided. Use of DVD containing students programs maintained by Laboratory In-charge is highly encouraged. For reference one or two journals may be maintained with program prints at Laboratory. | | |
| Guidelines for Laboratory / Term Work Assessment Continuous assessment of laboratory work should be done based on overall performance and Laboratory assignments performance of student. Each Laboratory assignment assessment should be assigned grade/marks based on parameters with appropriate weightage. Suggested parameters for overall assessment as well as each Laboratory assignment assessment include- timely completion, performance, innovation, efficient codes, punctuality and neatness. | | |
| Guidelines for Laboratory Conduction The instructor is expected to frame the assignments by understanding the prerequisites, technological aspects, utility and recent trends related to the topic. The assignment framing policy need to address the average students and inclusive of an element to attract and promote the intelligent students. The instructor may set multiple sets of assignments and distribute among batches of students. It is appreciated if the assignments are based on real world problems/applications. Encourage students for appropriate use of Hungarian notation, proper indentation and comments. Use of open source software is to be encouraged. In addition to these, instructor may assign one real life application in the form of a mini-project based on the concepts learned. Instructor may also set one assignment or mini-project that is suitable to respective branch <u>beyond the scope of syllabus.</u> Set of suggested assignment list is provided in groups- A, B, C, D, and E. Each student must perform at least 13 assignments (at least 3 from group A, 3 from group B, 2 from group C, 2 from group D and 3 from group E.) | | |

Group A and B assignments should be implemented in Python without using built-in methods for major functionality of assignment. Use List data structure of Python as array. Group C, D and E assignments should be implemented in C++ language.

Operating System recommended:- 64-bit Open source Linux or its derivative

Programming tools recommended:- Open Source Python, Programming tool like Jupyter Notebook, Pycharm, Spyder, G++/GCC.

Guidelines for Practical Examination


Both internal and external examiners should jointly set problem statements. During practical assessment, the expert evaluator should give the maximum weightage to the satisfactory implementation of the problem statement. The supplementary and relevant questions may be asked at the time of evaluation to test the student's for advanced learning, understanding of the fundamentals, effective and efficient implementation. So encouraging efforts, transparent evaluation and fair approach of the evaluator will not create any uncertainty or doubt in the minds of the students. So adhering to these principles will consummate our team efforts to the promising start of the student's academics.

Virtual Laboratory:

- <http://cse01-iiith.vlabs.ac.in/Courses%20Aligned.html?domain=Computer%20Science>

Suggested List of Laboratory Experiments/Assignments

| Sr. No | Group A |
|--------|---|
| 1 | In second year computer engineering class, group A student's play cricket, group B students play badminton and group C students play football. Write a Python program using functions to compute following: - a) List of students who play both cricket and badminton b) List of students who play either cricket or badminton but not both c) Number of students who play neither cricket nor badminton d) Number of students who play cricket and football but not badminton. (Note- While realizing the group, duplicate entries should be avoided, Do not use SET built-in functions) |
| 2 | Write a Python program to store marks scored in subject "Fundamental of Data Structure" by N students in the class. Write functions to compute following: a) The average score of class b) Highest score and lowest score of class c) Count of students who were absent for the test d) Display mark with highest frequency |
| 3 | Write a Python program for department library which has N books, write functions for following: a) Delete the duplicate entries b) Display books in ascending order based on cost of books c) Count number of books with cost more than 500. d) Copy books in a new list which has cost less than 500. |
| 4 | Write a Python program that computes the net amount of a bank account based a transaction log from console input. The transaction log format is shown as following: D 100 W 200 (Withdrawal is not allowed if balance is going negative. Write functions for withdraw and deposit) D means deposit while W means withdrawal. Suppose the following input is supplied to the program: D 300, D 300 , W 200, D 100 Then, the output should be: 500 |
| 5 | Write a Python program to compute following operations on String: a) To display word with the longest length b) To determines the frequency of occurrence of particular character in the string c) To check whether given string is palindrome or not d) To display index of first appearance of the substring e) To count the occurrences of each word in a given string |



| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|----|----|----|----|----|----|----|---|---|----|----|----|----|---|---|---|----|----|----|----|---|---|----|----|----|
| 6 | It is decided that weekly greetings are to be furnished to wish the students having their birthdays in that week. The consolidated sorted list with desired categorical information is to be provided to the authority. Write a Python program to store students PRNs with date and month of birth. Let List_A and List_B be the two list for two SE Computer divisions. Lists are sorted on date and month. Merge these two lists into third list “List_SE_Comp_DOB” resulting in sorted information about Date of Birth of SE Computer students | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | Write a Python Program for magic square. A magic square is an n * n matrix of the integers 1 to n2 such that the sum of each row, column, and diagonal is the same. The figure given below is an example of magic square for case n=5. In this example, the common sum is 65. <div><table><tr><td>15</td><td>8</td><td>1</td><td>24</td><td>17</td></tr><tr><td>16</td><td>14</td><td>7</td><td>5</td><td>23</td></tr><tr><td>22</td><td>20</td><td>13</td><td>6</td><td>4</td></tr><tr><td>3</td><td>21</td><td>19</td><td>12</td><td>10</td></tr><tr><td>9</td><td>2</td><td>25</td><td>18</td><td>11</td></tr></table></div> | 15 | 8 | 1 | 24 | 17 | 16 | 14 | 7 | 5 | 23 | 22 | 20 | 13 | 6 | 4 | 3 | 21 | 19 | 12 | 10 | 9 | 2 | 25 | 18 | 11 |
| 15 | 8 | 1 | 24 | 17 | | | | | | | | | | | | | | | | | | | | | | |
| 16 | 14 | 7 | 5 | 23 | | | | | | | | | | | | | | | | | | | | | | |
| 22 | 20 | 13 | 6 | 4 | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 21 | 19 | 12 | 10 | | | | | | | | | | | | | | | | | | | | | | |
| 9 | 2 | 25 | 18 | 11 | | | | | | | | | | | | | | | | | | | | | | |
| 8 | Write a Python program that determines the location of a saddle point of matrix if one exists. An m x n matrix is said to have a saddle point if some entry a[i][j] is the smallest value in row i and the largest value in j. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | Write a Python program to compute following computation on matrix: a) Addition of two matrices B) Subtraction of two matrices c) Multiplication of two matrices d) Transpose of a matrix | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | Write a Python program for sparse matrix realization and operations on it- Transpose, Fast Transpose and addition of two matrices | | | | | | | | | | | | | | | | | | | | | | | | | |
| Group B | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 11 | a) Write a Python program to store roll numbers of student in array who attended training program in random order. Write function for searching whether particular student attended training program or not, using Linear search and Sentinel search. b) Write a Python program to store roll numbers of student array who attended training program in sorted order. Write function for searching whether particular student attended training program or not, using Binary search and Fibonacci search | | | | | | | | | | | | | | | | | | | | | | | | | |
| 12 | a) Write a Python program to store names and mobile numbers of your friends in sorted order on names. Search your friend from list using binary search (recursive and non-recursive). Insert friend if not present in phonebook b) Write a Python program to store names and mobile numbers of your friends in sorted order on names. Search your friend from list using Fibonacci search. Insert friend if not present in phonebook. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 13 | Write a Python program to maintain club members, sort on roll numbers in ascending order. Write function “Ternary_Search” to search whether particular student is member of club or not. Ternary search is modified binary search that divides array into 3 halves instead of two. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 14 | Write a Python program to store first year percentage of students in array. Write function for sorting array of floating point numbers in ascending order using a) Selection Sort b) Bubble sort and display top five scores. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 15 | Write a Python program to store second year percentage of students in array. Write function for sorting array of floating point numbers in ascending order using a) Insertion sort b) Shell Sort and display top five scores | | | | | | | | | | | | | | | | | | | | | | | | | |
| 16 | Write a Python program to store first year percentage of students in array. Write function for sorting array of floating point numbers in ascending order using quick sort and display top five scores. | | | | | | | | | | | | | | | | | | | | | | | | | |
| 17 | Write a Python program to store 12 th class percentage of students in array. Write function for sorting array of floating point numbers in ascending order using bucket sort and display top five scores. | | | | | | | | | | | | | | | | | | | | | | | | | |



| | |
|----------------|---|
| 18 | Write Python program to store 10 th class percentage of students in array. Write function for sorting array of floating point numbers in ascending order using radix sort and display top five scores |
| Group C | |
| 19 | Department of Computer Engineering has student's club named 'Pinnacle Club'. Students of second, third and final year of department can be granted membership on request. Similarly one may cancel the membership of club. First node is reserved for president of club and last node is reserved for secretary of club. Write C++ program to maintain club member's information using singly linked list. Store student PRN and Name. Write functions to: a) Add and delete the members as well as president or even secretary. b) Compute total number of members of club c) Display members d) Two linked lists exists for two divisions. Concatenate two lists. |
| 20 | The ticket booking system of Cinemax theater has to be implemented using C++ program. There are 10 rows and 7 seats in each row. Doubly circular linked list has to be maintained to keep track of free seats at rows. Assume some random booking to start with. Use array to store pointers (Head pointer) to each row. On demand a) The list of available seats is to be displayed b) The seats are to be booked c) The booking can be cancelled. |
| 21 | Write C++ program for storing appointment schedule for day. Appointments are booked randomly using linked list. Set start and end time and min and max duration for visit slot. Write functions for- A) Display free slots B) Book appointment C) Sort list based on time D) Cancel appointment (check validity, time bounds, availability) E) Sort list based on time using pointer manipulation |
| 22 | Second year Computer Engineering class, set A of students like Vanilla Ice-cream and set B of students like butterscotch ice-cream. Write C++ program to store two sets using linked list. compute and display- a) Set of students who like both vanilla and butterscotch b) Set of students who like either vanilla or butterscotch or not both c) Number of students who like neither vanilla nor butterscotch |
| 23 | Write C++ program for storing binary number using doubly linked lists. Write functions- a) To compute 1's and 2's complement b) Add two binary numbers |
| 24 | Write C++ program to realize Set using Generalized Liked List (GLL) e.g. A = { a, b, {c, d,e, {}}, {f,g}, h, I, {j,k}, l, m}. Store and print as set notation. |
| Group D | |
| 25 | A palindrome is a string of character that's the same forward and backward. Typically, punctuation, capitalization, and spaces are ignored. For example, "Poor Dan is in a droop" is a palindrome, as can be seen by examining the characters "poor danisina droop" and observing that they are the same forward and backward. One way to check for a palindrome is to reverse the characters in the string and then compare with them the original-in a palindrome, the sequence will be identical. Write C++ program with functions- a) To print original string followed by reversed string using stack b) To check whether given string is palindrome or not |
| 26 | In any language program mostly syntax error occurs due to unbalancing delimiter such as (), {}, []. Write C++ program using stack to check whether given expression is well parenthesized or not. |

| | |
|----------------|--|
| 27 | Implement C++ program for expression conversion as infix to postfix and its evaluation using stack based on given conditions: 1. Operands and operator, both must be single character. 2. Input Postfix expression must be in a desired format. 3. Only '+', '-', '*' and '/' operators are expected. |
| 28 | A classic problem that can be solved by backtracking is called the Eight Queens problem, which comes from the game of chess. The chess board consists of 64 square arranged in an 8 by 8 grid. The board normally alternates between black and white square, but this is not relevant for the present problem. The queen can move as far as she wants in any direction, as long as she follows a straight line, Vertically, horizontally, or diagonally. Write C++ program with recursive function for generating all possible configurations for 4-queen's problem. |
| Group E | |
| 29 | Queues are frequently used in computer programming, and a typical example is the creation of a job queue by an operating system. If the operating system does not use priorities, then the jobs are processed in the order they enter the system. Write C++ program for simulating job queue. Write functions to add job and delete job from queue. |
| 30 | Write program to implement a priority queue in C++ using an inorder list to store the items in the queue. Create a class that includes the data items (which should be template) and the priority (which should be int). The inorder list should contain these objects, with operator <= overloaded so that the items with highest priority appear at the start of the list (which will make it relatively easy to retrieve the highest item.) |
| 31 | A double-ended queue (deque) is a linear list in which additions and deletions may be made at either end. Obtain a data representation mapping a deque into a one-dimensional array. Write C++ program to simulate deque with functions to add and delete elements from either end of the deque. |
| 32 | Pizza parlor accepting maximum M orders. Orders are served in first come first served basis. Order once placed cannot be cancelled. Write C++ program to simulate the system using circular queue using array. |

@The CO-PO Mapping Matrix

| PO | PO1 | PO2 | PO3 | PO4 | PO5 | PO6 | PO7 | PO8 | PO9 | PO10 | PO11 | PO12 |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|------|
| CO1 | 1 | 1 | 2 | 1 | - | - | - | - | - | - | - | - |
| CO2 | 2 | 2 | 2 | 1 | - | - | - | - | - | - | - | - |
| CO3 | - | 2 | 1 | 1 | - | - | - | - | - | - | - | - |
| CO4 | 1 | 2 | 2 | 1 | - | - | - | - | - | - | - | - |