



1. Create a repository with name "Cognizance" on GitHub using Git Bash.

Create a new repository A repository contains all project files, including the revision history. Already have a project repository elsewhere? Import a repository. Owner * Repository name * rajashekar361 • Cognizance Great repository names are short and memorable. Need inspiration? How about stunning-octo-couscous? Description (optional) hello everyone Anyone on the internet can see this repository. You choose who can commit. You choose who can see and commit to this repository. Initialize this repository with: Skip this step if you're importing an existing repository. Add a README file This is where you can write a long description for your project. Learn more. Add .gitignore Choose which files not to track from a list of templates. Learn more. .gitignore template: None • Choose a license A license tells others what they can and can't do with your code. Learn more License: None ▼ (1) You are creating a public repository in your personal account. Create repository



```
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (master)
$ git init
Reinitialized existing Git repository in C:/Users/rajashekarreddy/Cognizance/.gi
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (master)
$ git add *
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (master)
$ git commit -m "first"
[master (root-commit) Oa1440e] first
 1 file changed, 0 insertions(+), 0 deletions(-) create mode 100644 New Microsoft Word Document.docx
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (master)
$ git status
On branch master
nothing to commit, working tree clean
 rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (master)
$ git branch -M main
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git remote add origin https://github.com/rajashekar361/Cognizance.git
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 237 bytes | 237.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/rajashekar361/Cognizance.git
 * [new branch]
                        main -> main
branch 'main' set up to track 'origin/main'.
```



2. Create a folder with name "Task-1" in the repository and perform the Git operations using Git Bash.

rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main) \$ mkdir task1

```
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Untracked files:
  (use "git add <file>..." to include in what will be committed)
         task1/
nothing added to commit but untracked files present (use "git add" to track)
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git init
Reinitialized existing Git repository in C:/Users/rajashekarreddy/Cognizance/.gi
 rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git add *
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file: task1/New Microsoft Word Document.docx
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git commit -m "first"
[main 6b149f1] first
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 task1/New Microsoft Word Document.docx
 rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git branch -M main
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 289 bytes | 289.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/rajashekar361/Cognizance.git
   Oa1440e..6b149f1 main -> main
branch 'main' set up to track 'origin/main'.
```

3. Upload the screenshot of the git bash using This command in your computer.

```
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)

file:c:/Program Files/Git/etc/gitconfig diff.astextplain.textconv=astextplain
file:c:/Program Files/Git/etc/gitconfig filter.lfs.clean=git-lfs clean -- %f
file:c:/Program Files/Git/etc/gitconfig filter.lfs.smudge=git-lfs smudge -- %f
file:c:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:c:/Program Files/Git/etc/gitconfig filter.lfs.process=git-lfs filter-process
file:c:/Program Files/Git/etc/gitconfig filter.lfs.required=true
file:c:/Program Files/Git/etc/gitconfig http.sslbackend=openssl
file:c:/Program Files/Git/etc/gitconfig tore.autoorlf=true
file:c:/Program Files/Git/etc/gitconfig core.symlinks=false
file:c:/Program Files/Git/etc/gitconfig core.symlinks=false
file:c:/Program Files/Git/etc/gitconfig core.symlinks=false
file:c:/Program Files/Git/etc/gitconfig core.autoorlf=true
file:c:/Program Files/Git/etc/gitconfig coredential.htlps://dev.azure.com.usehttppath=true
file:c:/Users/rajashekarreddy/.gitconfig user.name=rajashekar361

file:c:/Users/rajashekarreddy/.gitconfig user.name=rajashekar361

file:.git/config core.apositoryformatversion=0

core.filemode=false
core.bare=false

core.bare=false

core.symlinks=false

file:.git/config core.symlinks=false

core.ore.jnorease=true

remote.origin.url=https://github.com/rajashekar361/Cognizance.git

remote.origin.retch=+refs/heads/*:refs/remotes/origin/*

branch.main.remote=origin

branch.main.merge=refs/heads/main
```

Take a screenshot of all the Git operations you performed and compile it in a single PDF and upload it in "Task-1" folder this PDF Should Also Contain the screenshot of the command mentioned in point 3.

```
ajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
Changes not staged for commit:
   (use "git add/rm <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
deleted: task1/New Microsoft Word Document.docx
Untracked files:
   (use "git add <file>..." to include in what will be committed)
            task1/task 1.pd
no changes added to commit (use "git add" and/or "git commit -a")
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
Reinitialized existing Git repository in C:/Users/rajashekarreddy/Cognizance/.git/
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git add *
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git commit -m "second"
[main bfe43a7] second
 2 files changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 task1/New Microsoft Word Document.docx
 create mode 100644 task1/task 1.pdf
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git push -u origin main
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 545.06 KiB | 20.96 MiB/s, done.
Total 4 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/rajashekar361/Cognizance.git
    6b149f1..bfe43a7 main -> main
branch 'main' set up to track 'origin/main'.
 rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean
```

git checkout

Replaces the current working files with files from a branch.

git checkout -b

Creates a new local branch from the current branch's tip.

```
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)

$ git checkout -b hello


Switched to a new branch 'hello'

rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (hello)

$ git checkout main

Switched to branch 'main'

Your branch is up to date with 'origin/main'.
```



git push

```
rajashekarreddy@DESKTOP-NSQHSAU MINGW64 ~/Cognizance (main)

$ git push origin hello
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'hello' on GitHub by visiting:
remote: https://github.com/rajashekar361/Cognizance/pull/new/hello
remote:
To https://github.com/rajashekar361/Cognizance.git
* [new branch] hello -> hello
```

git pull

git commit