# C++ Programming Division and Modulus Homework

Mostafa S. Ibrahim
Teaching, Training and Coaching since more than a decade!

Artificial Intelligence & Computer Vision Researcher PhD from Simon Fraser University - Canada Bachelor / Msc from Cairo University - Egypt Ex-(Software Engineer / ICPC World Finalist)



- Given a number. Using only %2 how to know if the number is even or odd?
- Given a number. Using only %10 how to know if the number is even or odd?
- Given a number. Using only /2 how to know if the number is even or odd?

- Write a program that reads 5 numbers and print the following:
  - A) Their average
  - o B) The sum of the first 3 numbers divided by the sum of the last 2 numbers
  - o C) The average of the first 3 numbers divided by the average of the last 2 numbers.
  - O What is the math relation between B and C?
  - Any relation between A and C?
- Input 1 2 3 4 5
  - 0 3
  - 0.666666667
  - 0.44444444

- Write a program that reads an integer and print the sum of its last 3 digits.
- Inputs
  - 0 15 => 6
  - 0 125 => 8
  - o 1000 => 0
  - o 1001 => 1
  - o 1234 => 9
  - o 99999 => 27

- Write a program that reads an integer and print the 4th from the right side. If no such digit, print 0
- Inputs
  - o 15 => 0
  - o 125 => 0
  - o 1000 => 1
  - o 5001 => 5
  - o 1234 => 1
  - 0 654321 => 4
  - o 99999 => 9

- Write a program that reads 2 numbers a, b and divide them (a/b), but prints only the fraction part
- E.g. for inputs 201 and 25, print 0.04
  - Notice: 201 / 25 = 8.04
  - We only want the fraction part: 0.04

- We know N % M computes the remainder of division
- Write a program that reads 2 integers and print such reminder without using the modulus operator %
- E.g. for inputs 27 and  $12 \Rightarrow$  output 3
  - Remember in math: 27 % 12 = 3

- Write a program that reads an integer and print 100 if number is even or 7 if number is odd
  - E.g. for input  $8 \Rightarrow 100$
  - E.g. for input  $133 \Rightarrow 7$

- Assume a year has 12 months, but each month is 30 days
  - That is a year has 12 \* 30= 360 days
- Read an integer: whole number of days of someone age. Print 3 numbers
  - Total years total months days
- Inputs ⇒ Outputs

0	360	1 0 0	each 360 days a year
0	30	0 1 0	each 30 days a month
0	10	0 0 10	just days infant!
0	391	1 1 1	391 = 360 + 30 + 1 = 1 year, 1 month, 1 day
0	61	0 2 1	61 = 2*30 + 1
0	200	0 6 20	200 = 30*6 + 20
0	1000	2 9 10	1000 = 2*360 + 9*30 + 10
0	5000	13 10 20	

"Acquire knowledge and impart it to the people."

"Seek knowledge from the Cradle to the Grave."