
Problem Statement: Z-Function

```
def calculate_z_function(s):
  n = len(s)
  z = [0] * n
  left = right = 0
  for i in range(1, n):
    if i <= right:
       k = i - left
      if z[k] < right - i + 1:
         z[i] = z[k]
       else:
         left = i
         while right < n and s[right] == s[right - left]:
           right += 1
         z[i] = right - left
         right -= 1
     else:
       left = right = i
       while right < n and s[right] == s[right - left]:
         right += 1
       z[i] = right - left
       right -= 1
```

```
string = "abacabadabacaba"
z_values = calculate_z_function(string)
print(z_values)
```



Problem Statement: KMP algo/LPS(pi) array

```
def compute_lps(pattern):
  length = len(pattern)
  lps = [0] * length
  j = 0

for i in range(1, length):
  while j > 0 and pattern[i] != pattern[j]:
     j = lps[j-1]


  if pattern[i] == pattern[j]:
     j += 1
     lps[i] = j
```

```
return lps
def kmp_search(text, pattern):
  n = len(text)
  m = len(pattern)
  lps = compute_lps(pattern)
  i = j = 0
  indices = []
  while i < n:
    if pattern[j] == text[i]:
      i += 1
      j += 1
      if j == m:
         indices.append(i - j)
        j = lps[j-1]
    else:
      if j != 0:
        j = lps[j-1]
      else:
        i += 1
  return indices
text = "ABABDABACDABABCABAB"
pattern = "ABABCABAB"
```

lps_array = compute_lps(pattern)

print("LPS Array:", lps_array)

```
matches = kmp_search(text, pattern)
if matches:
    print("Pattern found at indices:", matches)
else:
    print("Pattern not found in the text.")
```




Problem Statement: Minimum Characters required to make a String Palindromic

```
def min_chars_to_palindrome(string):
    if string == string[::-1]:
        return 0

    n = len(string)
    for i in range(n, 0, -1):
        if string[:i] == string[i - 1::-1]:
        return n - i
        return n - 1

input_string = "ab"

min_chars = min_chars_to_palindrome(input_string)
print("Minimum characters required:", min_chars)
```



Problem Statement: Check for Anagrams


```
def are_anagrams(str1, str2):
    str1 = str1.lower().replace(" ", "")
    str2 = str2.lower().replace(" ", "")

if len(str1) != len(str2):
    return False

char_count1 = {}
    char_count2 = {}

for char in str1:
    char_count1[char] = char_count1.get(char, 0) + 1
```


```
for char in str2:
    char_count2[char] = char_count2.get(char, 0) + 1
  if char_count1 == char_count2:
    return True
  else:
    return False
string1 = "listen"
string2 = "silent"
if are_anagrams(string1, string2):
  print("The strings are anagrams.")
else:
  print("The strings are not anagrams.")
 Learn Programming
                          are_anagrams(string1, string2):
   Programming
                           print("The strings are anagrams.")
    Questions
```



```
Problem Statement: Compare version numbers
def compare_versions(version1, version2):
  v1 = version1.split('.')
  v2 = version2.split('.')
  for i in range(max(len(v1), len(v2))):
    num1 = int(v1[i]) if i < len(v1) else 0
    num2 = int(v2[i]) if i < len(v2) else 0
    if num1 < num2:
      return -1
    elif num1 > num2:
      return 1
  return 0
version1 = "1.2.3"
version2 = "1.2.4"
result = compare_versions(version1, version2)
if result < 0:
  print(f"{version1} is older than {version2}")
elif result > 0:
  print(f"{version1} is newer than {version2}")
```

else:

print(f"{version1} and {version2} are the same version")



```
Problem Statement : Count and say
  def countAndSay(n):
  if n == 1:
    return "1"

prev_seq = countAndSay(n - 1)

count = 1

result = ""

for i in range(len(prev_seq)):
  if i + 1 < len(prev_seq) and prev_seq[i] == prev_seq[i + 1]:
    count += 1
  else:
    result += str(count) + prev_seq[i]</pre>
```

```
count = 1
```

return result

```
num = 5
print("Input:", num)
print("Output:", countAndSay(num))
```

