

COMP9414 Artificial Intelligence

Assignment 1: Constraint Satisfaction Search

@Authors: **Wayne Wobcke, Alfred Krzywicki, Stefano Mezza**

Due Date: Week 5, Friday, October 17, 5.00pm

Objective

This assignment concerns developing optimal solutions to a scheduling problem inspired by the scenario of a manufacturing plant that has to fulfil multiple customer orders with varying deadlines, but where there may be constraints on tasks and on relationships between tasks. Any number of tasks can be scheduled at the same time, but it is possible that some tasks cannot be finished before their deadline. A task finishing late is acceptable, however incurs a cost, which for this assignment is a simple (dollar) amount per hour that the task is late.

A *fuzzy scheduling* problem in this scenario is simplified by ignoring customer orders and having just one machine and a number of *tasks*, each with a fixed duration in hours. Each task must start and finish on the same day, within working hours (9am to 5pm). In addition, there can be *constraints*, both on single tasks and between two tasks. One type of constraint is that a task can have a deadline, which can be “hard” (the deadline must be met in any valid schedule) or “soft” (the task may be finished late – though still at or before 5pm – but with a “cost” per hour for missing the deadline). The aim is to develop an overall schedule for all the tasks (in a single week) that minimizes the total cost of all the tasks that finish late, provided that all the hard constraints on tasks are satisfied.

More technically, this assignment is an example of a *constraint optimization problem* (or *constrained optimization problem*), a problem that has constraints like a standard Constraint Satisfaction Problem (CSP), but also a *cost* associated with each solution. For this assignment, we will use a *greedy* algorithm to find optimal solutions to fuzzy scheduling problems that are specified as text strings. However, unlike the greedy search algorithm described in the lectures on search, this greedy algorithm has the property that it is guaranteed to find an optimal solution for any problem (if a solution exists).

The assignment will use the AI Python code of Poole & Mackworth. You are given code to translate fuzzy scheduling problems specified as text strings into CSPs with a cost, and you are given code for several constraint solving algorithms – based on domain splitting and arc consistency, and based on depth-first search. The assignment will be to implement some missing procedures and to analyse the performance of the constraint solving methods, both analytically and experimentally.

Submission Instructions

- This is an individual assignment.
- Write your answers in **this** notebook and submit **this** notebook on Moodle under **Assignment 1**.
- Name your submission `<zid>-<firstname>-<lastname>.ipynb` where `<firstname>-<lastname>` is your **real** (not Moodle) name.
- Make sure you set up AIPython (as done below) so the code can be run on either CSE machines or a marker's own machine.
- Do not submit any AIPython code. Hence do not change any AIPython code to make your code run.
- Make sure your notebook runs cleanly (restart the kernel, clear all outputs and run each cell to check).
- After checking that your notebook runs cleanly, run all cells and submit the notebook **with** the outputs included (do not submit the empty version).
- Make sure images (for plots/graphs) are **included** in the notebook you submit (sometimes images are saved on your machine but are not in the notebook).
- Do not modify the existing code in this notebook except to answer the questions. Marks will be given as and where indicated.
- If you want to submit additional code (e.g. for generating plots), add that at the end of the notebook.
- **Important: Do not distribute any of this code on the Internet. This includes ChatGPT. Do not put this assignment into any LLM.**

Late Penalties

Standard UNSW late penalties apply (5% of the value of the assignment per day or part day late).

Note: Unlike the CSE systems, there is no grace period on Moodle. The due date and time is 5pm **precisely** on Friday October 17.

Important: You can submit as many times as you want before the due date, but if you do submit before the due date, you cannot submit on Moodle after the due date. If you do not submit before the due date, you can submit on Moodle after the due date.

Plagiarism

Remember that ALL work submitted for this assignment must be your own work and no sharing or copying of code or answers is allowed. You may discuss the assignment with other students but must not collaborate on developing answers to the questions. You

may use code from the Internet only with suitable attribution of the source. You may not use ChatGPT or any similar software to generate any part of your explanations, evaluations or code. Do not use public code repositories on sites such as github or file sharing sites such as Google Drive to save any part of your work – make sure your code repository or cloud storage is private and do not share any links. This also applies after you have finished the course, as we do not want next year's students accessing your solution, and plagiarism penalties can still apply after the course has finished.

All submitted assignments will be run through plagiarism detection software to detect similarities to other submissions, including from past years. You should **carefully** read the UNSW policy on academic integrity and plagiarism (linked from the course web page), noting, in particular, that collusion (working together on an assignment, or sharing parts of assignment solutions) is a form of plagiarism.

Finally, do not use any contract cheating "academies" or online "tutoring" services. This counts as serious misconduct with heavy penalties up to automatic failure of the course with 0 marks, and expulsion from the university for repeat offenders.

Fuzzy Scheduling

A CSP for this assignment is a set of variables representing tasks, binary constraints on pairs of tasks, and unary constraints (hard or soft) on tasks. The domains are all the working hours in one week, and a task duration is in hours. Days are represented (in the input and output) as strings 'mon', 'tue', 'wed', 'thu' and 'fri', and times are represented as strings '9am', '10am', '11am', '12pm', '1pm', '2pm', '3pm', '4pm' and '5pm'. The only possible values for the start and end times of a task are combinations of a day and times, e.g. 'mon 9am'. Each task name is a string (with no spaces), and the only soft constraints are the soft deadline constraints.

There are three types of constraint:

- **Binary Constraints:** These specify a hard requirement for the relationship between two tasks.
- **Hard Domain Constraints:** These specify hard requirements for the tasks themselves.
- **Soft Deadline Constraints:** These constraints specify that a task may finish late, but with a given cost.

Each soft constraint has a function defining the *cost* associated with violating the preference, that the constraint solver must minimize, while respecting all the hard constraints. The *cost* of a solution is simply the sum of the costs for the soft constraints that the solution violates (and is always a non-negative integer).

This is the list of possible constraints for a fuzzy scheduling problem (comments below are for explanation and do **not** appear in the input specification; however, the code we supply *should* work with comments that take up a full line):

```

# binary constraints
constraint, <t1> before <t2>          # t1 ends when or before
t2 starts
constraint, <t1> after <t2>          # t1 starts after or when
t2 ends
constraint, <t1> same-day <t2>      # t1 and t2 are scheduled
on the same day
constraint, <t1> starts-at <t2>      # t1 starts exactly when
t2 ends

# hard domain constraints
domain, <t>, <day>, hard              # t
starts on given day at any time
domain, <t>, <time>, hard             # t
starts at given time on any day
domain, <t>, starts-before <day> <time>, hard # t
starts at or before day, time
domain, <t>, starts-after <day> <time>, hard # t
starts at or after day, time
domain, <t>, ends-before <day> <time>, hard # t
ends at or before day, time
domain, <t>, ends-after <day> <time>, hard # t
starts at or after day, time
domain, <t>, starts-in <day1> <time1>-<day2> <time2>, hard # day-
time range for start time; includes day1, time1 and day2, time2
domain, <t>, ends-in <day1> <time1>-<day2> <time2>, hard # day-
time range for end time; includes day1, time1 and day2, time2
domain, <t>, starts-before <time>, hard # t
starts at or before time on any day
domain, <t>, ends-before <time>, hard # t
ends at or before time on any day
domain, <t>, starts-after <time>, hard # t
starts at or after time on any day
domain, <t>, ends-after <time>, hard # t
ends at or after time on any day

# soft deadline constraint
domain, <t>, ends-by <day> <time> <cost>, soft # cost per
hour of missing deadline

```

The input specification will consist of several “blocks”, listing the tasks, binary constraints, hard unary constraints and soft deadline constraints for the given problem. A “declaration” of each task will be included before it is used in a constraint. A sample input specification is as follows. Comments are for explanation and do **not** have to be included in the input.

```

# two tasks with two binary constraints and soft deadlines
task, t1 3
task, t2 4
# two binary constraints
constraint, t1 before t2
constraint, t1 same-day t2
# domain constraint
domain, t2 mon

```

```
# soft deadline constraints
domain, t1 ends-by mon 3pm 10
domain, t2 ends-by mon 3pm 10
```

Preparation

1. Set up AIPython

You will need AIPython for this assignment. To find the aipython files, the aipython directory has to be added to the Python path.

Do this temporarily, as done here, so we can find AIPython and run your code (you will not submit any AI Python code).

You can add either the full path (using `os.path.abspath`), or as in the code below, the relative path.

```
In [1]: import sys
sys.path.append('aipython') # change to your directory
sys.path # check that aipython is now on the path
```

```
Out[1]: ['/Users/CharlieG/.pyenv/versions/3.11.0/lib/python311.zip',
'/Users/CharlieG/.pyenv/versions/3.11.0/lib/python3.11',
'/Users/CharlieG/.pyenv/versions/3.11.0/lib/python3.11/lib-dynload',
'',
'/Users/CharlieG/.pyenv/versions/3.11.0/envs/COMP9414-311/lib/python3.11/site-packages',
'aipython']
```

2. Representation of Day Times

Input and output are day time strings such as 'mon 10am' or a range of day time strings such as 'mon 10am-mon 4pm'.

The CSP will represent these as integer hour numbers in the week, ranging from 0 to 39.

The following code handles the conversion between day time strings and hour numbers.

```
In [2]: # -*- coding: utf-8 -*-

""" day_time string format is a day plus time, e.g. Mon 10am, Tue 4pm, or just T
if only day or time, returns day number or hour number only
day_time strings are converted to and from integer hours in the week from 0
"""

class Day_Time():
    num_hours_in_day = 8
    num_days_in_week = 5

    def __init__(self):
        self.day_names = ['mon', 'tue', 'wed', 'thu', 'fri']
        self.time_names = ['9am', '10am', '11am', '12pm', '1pm', '2pm', '3pm', '4pm']

    def string_to_week_hour_number(self, day_time_str):
        """ convert a single day_time into an integer hour in the week """
```

```

value = None
value_type = None
day_time_list = day_time_str.split()
if len(day_time_list) == 1:
    str1 = day_time_list[0].strip()
    if str1 in self.time_names: # this is a time
        value = self.time_names.index(str1)
        value_type = 'hour_number'
    else:
        value = self.day_names.index(str1) # this is a day
        value_type = 'day_number'
    # if not day or time, throw an exception
else:
    value = self.day_names.index(day_time_list[0].strip())*self.num_hours + self.time_names.index(day_time_list[1].strip())
    value_type = 'week_hour_number'
return (value_type, value)

def string_to_number_set(self, day_time_list_str):
    """ convert a list of day-times or ranges 'Mon 9am, Tue 9am-Tue 4pm' into
    e.g. 'mon 9am-1pm, mon 4pm' -> [0,1,2,3,4,7]
    """
    number_set = set()
    type1 = None
    for str1 in day_time_list_str.lower().split(','):
        if str1.find('-') > 0:
            # day time range
            type1, v1 = self.string_to_week_hour_number(str1.split('-')[0].strip())
            type2, v2 = self.string_to_week_hour_number(str1.split('-')[1].strip())
            if type1 != type2: return None # error, types in range spec are
            number_set.update({n for n in range(v1, v2+1)})
        else:
            # single day time
            type2, value2 = self.string_to_week_hour_number(str1)
            if type1 != None and type1 != type2: return None # error: type i
            type1 = type2
            number_set.update({value2})
    return (type1, number_set)

# convert integer hour in week to day time string
def week_hour_number_to_day_time(self, week_hour_number):
    hour = self.day_hour_number(week_hour_number)
    day = self.day_number(week_hour_number)
    return self.day_names[day]+' '+self.time_names[hour]

# convert integer hour in week to integer day and integer time in day
def hour_day_split(self, week_hour_number):
    return (self.day_hour_number(week_hour_number), self.day_number(week_hour_number))

# convert integer hour in week to integer day in week
def day_number(self, week_hour_number):
    return int(week_hour_number / self.num_hours_in_day)

# convert integer hour in week to integer time in day
def day_hour_number(self, week_hour_number):
    return week_hour_number % self.num_hours_in_day

def __repr__(self):
    day_hour_number = self.week_hour_number % self.num_hours_in_day

```

```

day_number = int(self.week_hour_number / self.num_hours_in_day)
return self.day_names[day_number]+' '+self.time_names[day_hour_number]

```

3. Constraint Satisfaction Problems with Costs over Tasks with Durations

Since AI Python does not provide the CSP class with an explicit cost, we implement our own class that extends `CSP`.

We also store the cost functions and the durations of all tasks explicitly in the CSP.

The durations of the tasks are used in the `hold` function to evaluate constraints.

```

In [3]: from cspProblem import CSP, Constraint

# We need to override Constraint, because tasks have durations
class Task_Constraint(Constraint):
    """A Task_Constraint consists of
    * scope: a tuple of variables
    * spec: text description of the constraint used in debugging
    * condition: a function that can applied to a tuple of values for the variables
    * durations: durations of all tasks
    * func_key: index to the function used to evaluate the constraint
    """
    def __init__(self, scope, spec, condition, durations, func_key):
        super().__init__(scope, condition, spec)
        self.scope = scope
        self.condition = condition
        self.durations = durations
        self.func_key = func_key

    def holds(self, assignment):
        """returns the value of Constraint con evaluated in assignment.

        precondition: all variables are assigned in assignment

        CSP has only binary constraints
        condition is in the form week_hour_number1, week_hour_number2
        add task durations as appropriate to evaluate condition
        """
        if self.func_key == 'before':
            # t1 ends before t2 starts, so we need add duration to t1 assignment
            ass0 = assignment[self.scope[0]] + self.durations[self.scope[0]]
            ass1 = assignment[self.scope[1]]
        elif self.func_key == 'after':
            # t2 ends before t1 starts so we need add duration to t2 assignment
            ass0 = assignment[self.scope[0]]
            ass1 = assignment[self.scope[1]] + self.durations[self.scope[1]]
        elif self.func_key == 'starts-at':
            # t1 starts exactly when t2 ends, so we need add duration to t2 assignment
            ass0 = assignment[self.scope[0]]
            ass1 = assignment[self.scope[1]] + self.durations[self.scope[1]]
        else:
            return self.condition(*tuple(assignment[v] for v in self.scope))
        # condition here comes from get_binary_constraint
        return self.condition(*tuple([ass0, ass1]))

# implement nodes as CSP problems with cost functions

```

```

class CSP_with_Cost(CSP):
    """ cost_functions maps a CSP var, here a task name, to a list of functions
    def __init__(self, domains, durations, constraints, cost_functions, soft_day
        self.domains = domains
        self.variables = self.domains.keys()
        super().__init__("title of csp", self.variables, constraints)
        self.durations = durations
        self.cost_functions = cost_functions
        self.soft_day_time = soft_day_time
        self.soft_costs = soft_costs
        self.cost = self.calculate_cost()

    # specific to fuzzy scheduling CSP problems
    def calculate_cost(self):
        """ this is really a function f = path cost + heuristic to be used by th
        cost = 0
        # TODO: write cost function

        # print("calculate_cost()")
        # print()
        for task in self.variables:
            # print('task:', task)
            # print('domain:', self.domains[task])
            # print('duration:', self.durations[task])
            # print('soft day time (deadline):', self.soft_day_time[task])
            # print('soft cost (per hour):', self.soft_costs[task])

            if self.soft_costs[task] == '0':
                task_cost = 0
            elif len(self.domains[task]) == 0:
                raise ValueError('domain is empty, no valid solution')
            else:
                start_time = min(self.domains[task]) # optimistically choose ea
                # print('earliest start time:', start_time)
                # print('cost function:', self.cost_functions[task])
                task_cost = self.cost_functions[task][0](start_time, self.soft_d
                # print('cost:', task_cost)
            cost += task_cost
        # print()

        return cost

    return cost

    def __repr__(self):
        """ string representation of an arc"""
        return "CSP_with_Cost("+str(list(self.domains.keys()))+":'+str(self.cost

```

This formulates a solver for a CSP with cost as a search problem, using domain splitting with arc consistency to define the successors of a node.

```

In [4]: from cspConsistency import Con_solver, select, partition_domain
        from searchProblem import Arc, Search_problem
        from operator import eq, le, ge

        # rewrites rather than extends Search_with_AC_from_CSP
        class Search_with_AC_from_Cost_CSP(Search_problem):
            """ A search problem with domain splitting and arc consistency """

```



```

def __init__(self, csp):
    self.cons = Con_solver(csp) # copy of the CSP with access to arc consist
    self.domains = self.cons.make_arc_consistent(csp.domains)
    self.constraints = csp.constraints
    self.cost_functions = csp.cost_functions
    self.durations = csp.durations
    self.soft_day_time = csp.soft_day_time
    self.soft_costs = csp.soft_costs
    csp.domains = self.domains # after arc consistency
    self.csp = csp

def is_goal(self, node):
    """ node is a goal if all domains have exactly 1 element """
    return all(len(node.domains[var]) == 1 for var in node.domains)

def start_node(self):
    return CSP_with_Cost(self.domains, self.durations, self.constraints,
                        self.cost_functions, self.soft_day_time, self.soft_

def neighbors(self, node):
    """returns the neighboring nodes of node.
    """
    neighs = []
    var = select(x for x in node.domains if len(node.domains[x]) > 1) # chos
    if var:
        dom1, dom2 = partition_domain(node.domains[var])
        self.display(2, "Splitting", var, "into", dom1, "and", dom2)
        to_do = self.cons.new_to_do(var, None)
        for dom in [dom1, dom2]:
            newdoms = node.domains | {var: dom} # overwrite domain of var wi
            cons_doms = self.cons.make_arc_consistent(newdoms, to_do)
            if all(len(cons_doms[v]) > 0 for v in cons_doms):
                # all domains are non-empty
                # make new CSP_with_Cost node to continue the search
                csp_node = CSP_with_Cost(cons_doms, self.durations, self.con
                self.cost_functions, self.soft_day_time, self.soft_
                neighs.append(Arc(node, csp_node))
            else:
                self.display(2, "...", var, "in", dom, "has no solution")
    return neighs

def heuristic(self, n):
    return n.cost

```

4. Fuzzy Scheduling Constraint Satisfaction Problems

The following code sets up a CSP problem from a given specification.

Hard (unary) domain constraints are applied to reduce the domains of the variables before the constraint solver runs.

```

In [5]: # domain specific CSP builder for week schedule
class CSP_builder():
    # list of text lines without comments and empty lines
    _, default_domain = Day_Time().string_to_number_set('mon 9am-fri 4pm') # sho

    # hard unary constraints: domain is a list of values, params is a single val
    # starts-before, ends-before (for starts-before duration should be 0)

```

```

# vals in domain are actual task start/end date/time, so must be val <= what
def apply_before(self, param_type, params, duration, domain):
    domain_orig = domain.copy()
    param_val = params.pop()
    for val in domain_orig: # val is week_hour_number
        val1 = val + duration
        h, d = Day_Time().hour_day_split(val1)
        if param_type == 'hour_number' and h > param_val:
            if val in domain: domain.remove(val)
        if param_type == 'day_number' and d > param_val:
            if val in domain: domain.remove(val)
        if param_type == 'week_hour_number' and val1 > param_val:
            if val in domain: domain.remove(val)
    return domain

def apply_after(self, param_type, params, duration, domain):
    domain_orig = domain.copy()
    param_val = params.pop()
    for val in domain_orig: # val is week_hour_number
        val1 = val + duration
        h, d = Day_Time().hour_day_split(val1)
        if param_type == 'hour_number' and h < param_val:
            if val in domain: domain.remove(val)
        if param_type == 'day_number' and d < param_val:
            if val in domain: domain.remove(val)
        if param_type == 'week_hour_number' and val1 < param_val:
            if val in domain: domain.remove(val)
    return domain

# day time range only
# includes starts-in, ends-in
# duration is 0 for starts-in, task duration for ends-in
def apply_in(self, params, duration, domain):
    domain_orig = domain.copy()
    for val in domain_orig: # val is week_hour_number
        # task must be within range
        if val in domain and val+duration not in params:
            domain.remove(val)
    return domain

# task must start at day/time
def apply_at(self, param_type, param, domain):
    domain_orig = domain.copy()
    for val in domain_orig:
        h, d = Day_Time().hour_day_split(val)
        if param_type == 'hour_number' and param != h:
            if val in domain: domain.remove(val)
        if param_type == 'day_number' and param != d:
            if val in domain: domain.remove(val)
        if param_type == 'week_hour_number' and param != val:
            if val in domain: domain.remove(val)
    return domain

# soft deadline constraints: return cost to break constraint
# ends-by implementation: domain_dt is the day, hour from the domain
# constr_dt is the soft const spec, dur is the duration of task
# soft_cost is the unit cost of completion delay
# so if the tasks starts on domain_dt, it ends on domain_dt+dur
"""
<time> ends-by <day> <time>, both must be specified

```

```

delay = day_hour(T2) - day_hour(T1) + 24*(D2 - D1),
where day_hour(9am) = 0, day_hour(5pm) = 7
"""

def ends_by(self, domain_dt, constr_dt_str, dur, soft_cost):
    param_type, params = Day_Time().string_to_number_set(constr_dt_str)
    param_val = params.pop()
    dom_h, dom_d = Day_Time().hour_day_split(domain_dt+dur)
    if param_type == 'week_hour_number':
        con_h, con_d = Day_Time().hour_day_split(param_val)
        return 0 if domain_dt + dur <= param_val else soft_cost*(dom_h - con
    else:
        return None # not good, must be day and time

def no_cost(self, day ,hour):
    return 0

# hard binary constraint, the rest are implemented as gt, lt, eq
def same_day(self, week_hour1, week_hour2):
    h1, d1 = Day_Time().hour_day_split(week_hour1)
    h2, d2 = Day_Time().hour_day_split(week_hour2)
    return d1 == d2

# domain is a list of values
def apply_hard_constraint(self, domain, duration, spec):
    tokens = func_key = spec.split(' ')
    if len(tokens) > 1:
        func_key = spec.split(' ')[0].strip()
        param_type, params = Day_Time().string_to_number_set(spec[len(func_ke
    if func_key == 'starts-before':
        # duration is 0 for starts before, since we do not modify the time
        return self.apply_before(param_type, params, 0, domain)
    if func_key == 'ends-before':
        return self.apply_before(param_type, params, duration, domain)
    if func_key == 'starts-after':
        return self.apply_after(param_type, params, 0, domain)
    if func_key == 'ends-after':
        return self.apply_after(param_type, params, duration, domain)
    if func_key == 'starts-in':
        return self.apply_in(params, 0, domain)
    if func_key == 'ends-in':
        return self.apply_in(params, duration, domain)
    else:
        # here we have task day or time, it has no func key so we need to par
        param_type, params = Day_Time().string_to_week_hour_number(spec)
        return self.apply_at(param_type, params, domain)

def get_cost_function(self, spec):
    func_dict = {'ends-by':self.ends_by, 'no-cost':self.no_cost}
    return [func_dict[spec]]

# spec is the text of a constraint, e.g. 't1 before t2'
# durations are durations of all tasks
def get_binary_constraint(self, spec, durations):
    tokens = spec.strip().split(' ')
    if len(tokens) != 3: return None # error in spec
    # task1 relation task2
    fun_dict = {'before':le, 'after':ge, 'starts-at':eq, 'same-day':self.sam
    return Task_Constraint((tokens[0].strip(), tokens[2].strip()), spec, fun

def get_CSP_with_Cost(self, input_lines):

```

```

# Note: It would be more elegant to make task a class but AIpython is no
# CSP_with_Cost inherits from CSP, which takes domains and constraints f
domains = dict()
constraints = []
cost_functions = dict()
durations = dict() # durations of tasks
soft_day_time = dict() # day time specs of soft constraints
soft_costs = dict() # costs of soft constraints

for input_line in input_lines:
    func_spec = None
    input_line_tokens = input_line.strip().split(',')
    if len(input_line_tokens) != 2:
        return None # must have number of tokens = 2
    line_token1 = input_line_tokens[0].strip()
    line_token2 = input_line_tokens[1].strip()
    if line_token1 == 'task':
        tokens = line_token2.split(' ')
        if len(tokens) != 2:
            return None # must have number of tokens = 3
        key = tokens[0].strip()
        # check the duration and save it
        duration = int(tokens[1].strip())
        if duration > Day_Time().num_hours_in_day:
            return None
        durations[key] = duration
        # set zero cost function for this task as default, may add real
        cost_functions[key] = self.get_cost_function('no-cost')
        soft_costs[key] = '0'
        soft_day_time[key] = 'fri 5pm'
        # restrict domain to times that are within allowed range
        # that is start 9-5, start+duration in 9-5
        domains[key] = {x for x in self.default_domain \
                        if Day_Time().day_number(x+duration) \
                        == Day_Time().day_number(x)}
    elif line_token1 == 'domain':
        tokens = line_token2.split(' ')
        if len(tokens) < 2:
            return None # must have number of tokens >= 2
        key = tokens[0].strip()
        # if soft constraint, it is handled differently from hard constr
        if tokens[1].strip() == 'ends-by':
            # need to retain day time and cost from the line
            # must have task, 'end-by', day, time, cost
            # or task, 'end-by', day, cost
            # or task, 'end-by', time, cost
            if len(tokens) != 5:
                return None
            # get the rest of the line after 'ends-by'
            soft_costs[key] = int(tokens[len(tokens)-1].strip()) # Last
            # pass the day time string to avoid passing param_type
            day_time_str = tokens[2] + ' ' + tokens[3]
            soft_day_time[key] = day_time_str
            cost_functions[key] = self.get_cost_function(tokens[1].strip)
        else:
            # the rest of domain spec, after key, are hard unary domain
            # func spec has day time, we also need duration
            dur = durations[key]
            func_spec = line_token2[len(key):].strip()
            domains[key] = self.apply_hard_constraint(domains[key], dur,

```

```

        elif line_token1 == 'constraint': # all binary constraints
            constraints.append(self.get_binary_constraint(line_token2, durat
        else:
            return None

    return CSP_with_Cost(domains, durations, constraints, cost_functions, so

def create_CSP_from_spec(spec: str):
    input_lines = list()
    spec = spec.split('\n')
    # strip comments
    for input_line in spec:
        input_line = input_line.split('#')
        if len(input_line[0]) > 0:
            input_lines.append(input_line[0])
            print(input_line[0])
    # construct initial CSP problem
    csp = CSP_builder()
    csp_problem = csp.get_CSP_with_Cost(input_lines)
    return csp_problem

```

5. Greedy Search Constraint Solver using Domain Splitting and Arc Consistency

Create a GreedySearcher to search over the CSP.

The cost function for CSP nodes is used as the heuristic, but is actually a direct estimate of the total path cost function f used in A* Search.

```

In [6]: from searchGeneric import AStarSearcher

class GreedySearcher(AStarSearcher):
    """ returns a searcher for a problem.
    Paths can be found by repeatedly calling search().
    """
    def add_to_frontier(self, path):
        """ add path to the frontier with the appropriate cost """
        # value = path.cost + self.problem.heuristic(path.end()) -- A* definitio
        value = path.end().cost
        self.frontier.add(path, value)

```

Run the GreedySearcher on the CSP derived from the sample input.

Note: The solution cost will always be 0 (which is wrong for the sample input) until you write the cost function in the cell above.

```

In [7]: # Sample problem specification

sample_spec = """
# two tasks with two binary constraints and soft deadlines
task, t1 3
task, t2 4
# two binary constraints
constraint, t1 before t2
constraint, t1 same-day t2
# domain constraint
domain, t2 mon

```

```
# soft deadlines
domain, t1 ends-by mon 3pm 10
domain, t2 ends-by mon 3pm 10
"""
```

```
In [8]: # display details (0 turns off)
Con_solver.max_display_level = 0
Search_with_AC_from_Cost_CSP.max_display_level = 0
GreedySearcher.max_display_level = 0

def test_csp_solver(searcher):
    final_path = searcher.search()
    if final_path == None:
        print('No solution')
    else:
        domains = final_path.end().domains
        result_str = ''
        for name, domain in domains.items():
            for n in domain:
                result_str += '\n'+str(name)+': '+Day_Time().week_hour_number_to
            print(result_str[1:]+\nncost: '+str(final_path.end().cost))

csp_problem = create_CSP_from_spec(sample_spec)
solver = GreedySearcher(Search_with_AC_from_Cost_CSP(csp_problem))
test_csp_solver(solver)
```

```
task, t1 3
task, t2 4
constraint, t1 before t2
constraint, t1 same-day t2
domain, t2 mon
domain, t1 ends-by mon 3pm 10
domain, t2 ends-by mon 3pm 10
t1: mon 9am
t2: mon 12pm
cost: 10
```

6. Depth-First Search Constraint Solver

The Depth-First Constraint Solver in AIPython by default uses a random ordering of the variables in the CSP.

We need to modify this code to make it compatible with the arc consistency solver.

Run the solver by calling `dfs_solve1` (first solution) or `dfs_solve_all` (all solutions).

```
In [9]: num_expanded = 0
display = False

def dfs_solver(constraints, domains, context, var_order):
    """ generator for all solutions to csp
        context is an assignment of values to some of the variables
        var_order is a list of the variables in csp that are not in context
    """
    global num_expanded, display
    to_eval = {c for c in constraints if c.can_evaluate(context)}
    if all(c.holds(context) for c in to_eval):
        if var_order == []:
```

```

        print("Nodes expanded to reach solution:", num_expanded)
        yield context
    else:
        rem_cons = [c for c in constraints if c not in to_eval]
        var = var_order[0]
        for val in domains[var]:
            if display:
                print("Setting", var, "to", val)
                num_expanded += 1
            yield from dfs_solver(rem_cons, domains, context|{var:val}, var_)

def dfs_solve_all(csp, var_order=None):
    """ depth-first CSP solver to return a list of all solutions to csp """
    global num_expanded
    num_expanded = 0
    if var_order == None:    # use an arbitrary variable order
        var_order = list(csp.domains)
    return list(dfs_solver(csp.constraints, csp.domains, {}, var_order))

def dfs_solve1(csp, var_order=None):
    """ depth-first CSP solver """
    global num_expanded
    num_expanded = 0
    if var_order == None:    # use an arbitrary variable order
        var_order = list(csp.domains)
    for sol in dfs_solver(csp.constraints, csp.domains, {}, var_order):
        return sol # return first one

```

Run the Depth-First Solver on the sample problem.

Note: Again there are no costs calculated.

```

In [10]: def test_dfs_solver(csp_problem):
        solution = dfs_solve1(csp_problem)
        if solution == None:
            print('No solution')
        else:
            result_str = ''
            for name in solution.keys():
                result_str += '\n'+str(name)+': '+Day_Time().week_hour_number_to_day
            print(result_str[1:])

        # call the Depth-First Search solver
        csp_problem = create_CSP_from_spec(sample_spec)
        test_dfs_solver(csp_problem) # set display to True to see nodes expanded

```

```

task, t1 3
task, t2 4
constraint, t1 before t2
constraint, t1 same-day t2
domain, t2 mon
domain, t1 ends-by mon 3pm 10
domain, t2 ends-by mon 3pm 10
Nodes expanded to reach solution: 5
t1: mon 9am
t2: mon 12pm

```

7. Depth-First Search Constraint Solver using Forward Checking with MRV Heuristic

The Depth-First Constraint Solver in AI Python by default uses a random ordering of the variables in the CSP.

We redefine the `dfs_solver` methods to implement the MRV (Minimum Remaining Values) heuristic using forward checking.

Because the AI Python code is designed to manipulate domain sets, we also need to redefine `can_evaluate` to handle partial assignments.

```
In [11]: num_expanded = 0
display = False

def can_evaluate(c, assignment):
    """ assignment is a variable:value dictionary
    returns True if the constraint can be evaluated given assignment
    """
    return assignment != {} and all(v in assignment.keys() and type(assignment[v]) is int for v in c.variables)

def mrv_dfs_solver(constraints, domains, context, var_order):
    """ generator for all solutions to csp.
    context is an assignment of values to some of the variables.
    var_order is a list of the variables in csp that are not in context.
    """
    global num_expanded, display
    if display:
        print("Context", context)
    to_eval = {c for c in constraints if can_evaluate(c, context)}
    if all(c.holds(context) for c in to_eval):
        if var_order == []:
            print("Nodes expanded to reach solution:", num_expanded)
            yield context
        else:
            rem_cons = [c for c in constraints if c not in to_eval] # constraint
            var = var_order[0]
            rem_vars = var_order[1:]
            for val in domains[var]:
                if display:
                    print("Setting", var, "to", val)
                num_expanded += 1
                rem_context = context | {var: val}
                # apply forward checking on remaining variables
                if len(var_order) > 1:
                    rem_vars_original = list((v, list(domains[v].copy())) for v in rem_vars)
                    if display:
                        print("Original domains:", rem_vars_original)
                    # constraints that can't already be evaluated in rem_cons
                    rem_cons_ff = [c for c in constraints if c in rem_cons and not c.holds(rem_context)]
                    for rem_var in rem_vars:
                        # constraints that can be evaluated by adding a value of
                        any_value = list(domains[rem_var])[0]
                        rem_to_eval = {c for c in rem_cons_ff if can_evaluate(c, rem_context | {rem_var: any_value})}
                        # new domain for rem_var are the values for which all new constraints are satisfied
                        rem_vals = domains[rem_var].copy()
                        for rem_val in domains[rem_var]:
                            # no constraint with rem_var in the existing context
                            for c in rem_to_eval:
                                if not c.holds(rem_context | {rem_var: rem_val}):
```



```

        if rem_val in rem_vals:
            rem_vals.remove(rem_val)
        domains[rem_var] = rem_vals
        # order remaining variables by MRV
        rem_vars.sort(key=lambda v: len(domains[v]))
        if display:
            print("After forward checking:", list((v, domains[v]) for
if rem_vars == [] or all(len(domains[rem_var]) > 0 for rem_var in
        yield from mrv_dfs_solver(rem_cons, domains, context|{var:va
        # restore original domains if changed through forward checking
        if len(var_order) > 1:
            if display:
                print("Restoring original domain", rem_vars_original)
            for (v, domain) in rem_vars_original:
                domains[v] = domain
        if display:
            print("Nodes expanded so far:", num_expanded)

def mrv_dfs_solve_all(csp, var_order=None):
    """ depth-first CSP solver to return a list of all solutions to csp """
    global num_expanded
    num_expanded = 0
    if var_order == None:    # order variables by MRV
        var_order = list(csp.domains)
        var_order.sort(key=lambda var: len(csp.domains[var]))
    return list(mrv_dfs_solver(csp.constraints, csp.domains, {}, var_order))

def mrv_dfs_solve1(csp, var_order=None):
    """ depth-first CSP solver """
    global num_expanded
    num_expanded = 0
    if var_order == None:    # order variables by MRV
        var_order = list(csp.domains)
        var_order.sort(key=lambda var: len(csp.domains[var]))
    for sol in mrv_dfs_solver(csp.constraints, csp.domains, {}, var_order):
        return sol # return first one

```

Run this solver on the sample problem.

Note: Again there are no costs calculated.

```

In [12]: def test_mrv_dfs_solver(csp_problem):
    solution = mrv_dfs_solve1(csp_problem)
    if solution == None:
        print('No solution')
    else:
        result_str = ''
        for name in solution.keys():
            result_str += '\n'+str(name)+': '+Day_Time().week_hour_number_to_day
        print(result_str[1:])

    # call the Depth-First MRV Search solver
    csp_problem = create_CSP_from_spec(sample_spec)
    test_mrv_dfs_solver(csp_problem) # set display to True to see nodes expanded

```

```
task, t1 3
task, t2 4
constraint, t1 before t2
constraint, t1 same-day t2
domain, t2 mon
domain, t1 ends-by mon 3pm 10
domain, t2 ends-by mon 3pm 10
Nodes expanded to reach solution: 5
t2: mon 12pm
t1: mon 9am
```

Assignment

Name: Charlie (Charles) Griffith

zID: z5629083

Question 1 (4 marks)

Consider the search spaces for the fuzzy scheduling CSP solvers – domain splitting with arc consistency and the DFS solver (without forward checking).

- Describe the search spaces in terms of start state, successor functions and goal state(s) (1 mark)
- What is the branching factor and maximum depth to find any solution for the two algorithms (ignoring costs)? (1 mark)
- What is the worst case time and space complexity of the two search algorithms? (1 mark)
- Give one example of a fuzzy scheduling problem that is *easier* for the domain splitting with arc consistency solver than it is for the DFS solver, and explain why (1 mark)

For the second and third part-questions, give the answer in a general form in terms of fuzzy scheduling CSP size parameters.

Answers for Question 1

- Describe the search spaces in terms of start state, successor functions and goal state(s) (1 mark)

Firstly, the domain splitting with arc consistency works as a Greedy best-first search with heuristic of cost being the sum of all minimum possible soft deadline violations per task (best case per domain). It is monotonic, meaning cost is non-decreasing throughout the search resulting in an optimal and complete method. The start state has all tasks with domains reduced to satisfy unary hard constraints, and prunes to ensure arc consistency (hard binary constraints satisfied). The successor function works by randomly choosing a task with size of domain > 1 , splitting the domain in half to produce two separate states, then enforcing arc consistency of each by checking against hard binary constraints, and ordering states with lowest cost first on a priority queue. The search space includes any combination of task domains after splitting and pruning from the start state. The goal

state involves a state where each task has a domain of size one, and all binary and unary hard constraints have been satisfied.

The DFS solver involves randomly choosing a task and assigning a time with no regard to cost. The start state involves all tasks with domains reduced to satisfy only unary hard constraints. The successor function chooses a task arbitrarily, specifically in the order described in the problem specification, and assigns a time in the domain. If a binary violation occurs the searcher will backtrack through the search tree, and try a different assignment. The search space describes all possible combinations of assignments of tasks with unary constraints satisfied. The DFS solver traverses a tree with height as the number of tasks, and branching factor the size of the tasks domain. A goal state is an assignment of all tasks that also satisfies binary hard constraints, so all hard constraints are satisfied.

- What is the branching factor and maximum depth to find any solution for the two algorithms (ignoring costs)? (1 mark)

Let:

d = size of the domain of a task

n = number of tasks

Domain splitting with arc consistency

branching factor = 2 - Each state picks one task and splits its domain in half to produce two child states.

maximum depth = $n \cdot \log_2(d)$ - Every task can be split $\log_2(d)$ times assuming each split halves the domain, such that all domains are size 1. This is an upper bound as arc consistency pruning may reduce the number of necessary splits.

DFS solver

branching factor = d - each node branches on all values of the chosen tasks' domain.

maximum depth = n - one task is assigned per level of the search tree

- What is the worst case time and space complexity of the two search algorithms? (1 mark)

Domain splitting with arc consistency -

Time complexity - $O(d^n \cdot AC_cost)$ - d^n CSP states explored (since $2^{(n \cdot \log_2(d))} = d^n$), and each expansion enforces AC. note: Assuming bounded-degree constraints (if each task has a maximum of one binary constraint), AC per propagation is $O(n \cdot d^2)$; fully connected worst case is $O(n^2 \cdot d^2)$.

Space complexity - $O(d^n)$ - Priority queue can store many partial CSPs.

DFS solver

Time complexity - $O(d^n)$ - to explore every task assignment permutation, where each task can have d assignments = $d \cdot d \cdot \dots \cdot d = d^n$ assumption: constraint checking at each node is $O(1)$

Space complexity - $O(n)$ - size of the recursive stack

- Give one example of a fuzzy scheduling problem that is *easier* for the domain splitting with arc consistency solver than it is for the DFS solver, and explain why (1 mark)

```
sample_spec = "" task, t1 1 task, t2 1 task, t3 1 task, t4 1 task, t5 1 task, t6 1 constraint, t6
before t5 constraint, t5 before t4 constraint, t4 before t3 constraint, t3 before t2
constraint, t2 before t1 domain, t1 starts-before mon 2pm ""
```

The unary constraint on $t1$ restricts its domain to only early Monday times. Under arc consistency, this restriction propagates backwards through all binary 'before' constraints, forcing $t2, t3, \dots, t6$ to take even earlier times. As a result, all domains collapse to a single value each, and the AC-based solver reaches a goal state immediately with zero branching. DFS solver, however, does not propagate this constraint forward. It still tries many assignments for $t2$ – $t6$, only discovering violations after deep recursive assignments, leading to a large number of node expansions (e.g., 2016 in empirical test). This shows that domain splitting with AC can solve some problems instantly by propagation, while DFS still explores a large search tree.

For the second and third part-questions, give the answer in a general form in terms of fuzzy scheduling CSP size parameters.

Question 2 (5 marks)

Define the *cost* function for a fuzzy scheduling CSP (i.e. a node in the search space for domain splitting and arc consistency) as the total cost of the soft deadline constraints violated for all of the variables, assuming that each variable is assigned one of the best possible values from its domain, where a "best" value for a variable v is one that has the lowest cost to violate the soft deadline constraint (if any) for that variable v .

- Implement the cost function in the indicated cell and place a copy of the code below (3 marks)
- What is its computational complexity (give a general form in terms of fuzzy scheduling CSP size parameters)? (1 mark)
- Show that the cost function f never decreases along a path, and explain why this means the search algorithm is optimal (1 mark)

```
In [13]: # Code for Question 2
# Place a copy of your code here and run it in the relevant cell

def calculate_cost(self):
    total_cost = 0
    for task in self.variables:
        if self.soft_costs[task] == '0':
```

```

        task_cost = 0
    else:
        start_time = min(self.domains[task]) # optimistically choose earliest
        task_cost = self.cost_functions[task][0](start_time, self.soft_day_t
        total_cost += task_cost

    return total_cost

```

Answers for Question 2

What is its computational complexity (give a general form in terms of fuzzy scheduling CSP size parameters)? (1 mark)

The algorithm should find the domain time that incurs the minimum cost. More generally this should be done by finding the cost for every value in the domain. In pseudo-code 'best_cost = min(cost_function(v) for v in domain)'. However, because the only soft constraint is ends-by with a non-negative lateness penalty, finishing earlier never increases cost, and the earliest time can safely be chosen. This reduces computational time to find cost from $O(d)$ per task to $O(1)$, and hence from $O(n*d)$ per node to $O(n)$.

Show that the cost function f never decreases along a path, and explain why this means the search algorithm is optimal (1 mark)

The cost function never decreases along a path, because domains only shrink and never regain values. Since we always calculate cost based on the best possible remaining domain value, shrinking the domain cannot reveal a better value that was previously unavailable. Therefore $f(n)$ is monotonic non-decreasing.

The priority queue always expands nodes in increasing order of f (cost). Because f is admissible (optimistic) and monotonic, once a goal state is dequeued, no other unexpanded node can lead to a better solution, as it would have been expanded earlier. Hence, the first goal state removed from the priority queue is guaranteed to be optimal. Hence the greedy solution is optimal.

Question 3 (4 marks)

Conduct an empirical evaluation of the domain splitting CSP solver using the cost function defined as above compared to using no cost function (i.e. the zero cost function, as originally defined in the above cell). Use the *average number of nodes expanded* as a metric to compare the two algorithms.

- Write a function `generate_problem(n)` that takes an integer `n` and generates a problem specification with `n` tasks and a random set of hard constraints and soft deadline constraints in the correct format for the constraint solvers (2 marks)

Run the CSP solver (with and without the cost function) over a number of problems of size `n` for a range of values of `n`.

- Plot the performance of the two constraint solving algorithms on the above metric against `n` (1 mark)

- Quantify the performance gain (if any) achieved by the use of this cost function (1 mark)

```
In [14]: # Code for Question 3
# Place your code here

import matplotlib.pyplot as plt
import random

random.seed(10)
display = True

def generate_problem(n):
    """
    tasks = {t1:[duration, start-time, end-time], t2:[...], ..., tn:[...]}
    """
    problem = ''
    tasks = {}
    for i in range(n):
        duration = random.randint(1, 7)
        problem += f'task, t{str(i+1)} {duration}\n'
        tasks[f't{str(i+1)}'] = [duration]

    # generate a solution to ensure solvability
    for t in tasks.keys():
        assigned_time = random.randint(0,39)
        while (assigned_time%8) + tasks[t][0] >= 8: # ensure enough time left i
            assigned_time = random.randint(0,39)
        tasks[t].append(assigned_time) # start-time
        tasks[t].append(assigned_time + tasks[t][0]) # end-time

    # print('allocated valid solution')
    # for k, v in tasks.items():
    #     print(k, v)
    # print()

    # binary constraints t1 before t2
    added_edges = set()
    tasks_sorted_starts = sorted(tasks.keys(), key=lambda t: tasks[t][1])
    # print(tasks_sorted_starts)
    no_binary_const = random.randint(0,2*n)
    # print(f'attempt to make {no_binary_const} t1 before t2 constraints')
    for constraint in range(no_binary_const):
        t_1 = random.choice(tasks_sorted_starts)
        # find for t2 where sample where t1 ends before t2 starts
        i = 0
        while i < n and tasks[t_1][2] >= tasks[tasks_sorted_starts[i]][1]:
            # print(t_1, 'ends', tasks[t_1][2], tasks_sorted_starts[i], 'starts'
            i += 1
        if i < n:
            t_2 = random.choice(tasks_sorted_starts[i:])
            # print(tasks_sorted_starts[i:], t_2)
            if (t_1, t_2) not in added_edges:
                problem += f'constraint, {t_1} before {t_2}\n'
                added_edges.add((t_1, t_2))
        else:
            pass # no t2 exists, give up
            # print('no t2 exists\n\n\n')
```

```

# hard domain constraints
for t, v in tasks.items():
    dur, start, end = v[0], v[1], v[2]
    # print(t)
    if random.random() < 0.1:
        day_time = Day_Time().week_hour_number_to_day_time(start)
        day, time = day_time.split()[0], day_time.split()[1]
        problem += f'domain, {t} {day}\n'
    if random.random() < 0.1:
        day_time = Day_Time().week_hour_number_to_day_time(start)
        day, time = day_time.split()[0], day_time.split()[1]
        problem += f'domain, {t} {time}\n'
    if random.random() < 0.1:
        start_t = random.randint(start, 39)
        day_time = Day_Time().week_hour_number_to_day_time(start_t)
        day, time = day_time.split()[0], day_time.split()[1]
        problem += f'domain, {t} starts-before {day} {time}\n' # hard
    if random.random() < 0.1:
        start_t = random.randint(0, start)
        day_time = Day_Time().week_hour_number_to_day_time(start_t)
        day, time = day_time.split()[0], day_time.split()[1]
        problem += f'domain, {t} starts-after {day} {time}\n' # hard
    if random.random() < 0.1:
        end_t = random.randint(end, 39)
        day_time = Day_Time().week_hour_number_to_day_time(end_t)
        day, time = day_time.split()[0], day_time.split()[1]
        problem += f'domain, {t} ends-before {day} {time}\n' # hard
    if random.random() < 0.1:
        end_t = random.randint(0, end)
        day_time = Day_Time().week_hour_number_to_day_time(end_t)
        day, time = day_time.split()[0], day_time.split()[1]
        problem += f'domain, {t} ends-after {day} {time}\n' # hard

# soft deadline constraint
for t, v in tasks.items(): # every task given 1 soft constraint
    day_time = Day_Time().week_hour_number_to_day_time(random.randint(0, 39))
    day, time = day_time.split()[0], day_time.split()[1]
    cost = random.randint(1, 10)
    problem += f'domain, {t} ends-by {day} {time} {cost}\n' # soft

return problem

# n = random.randint(4, 12)

spec = generate_problem(15)

# solver without cost
print('running without cost')
original_calc_cost = CSP_with_Cost.calculate_cost
CSP_with_Cost.calculate_cost = lambda self: 0 # eliminate calculate_cost() func

csp_no_cost = create_CSP_from_spec(spec)
solver_nc = GreedySearcher(Search_with_AC_from_Cost_CSP(csp_no_cost))
test_csp_solver(solver_nc)
# solver_nc.search()
nodes_no_cost = num_expanded # global var from DFS solver WRONG

# solver WITH cost

```

```

print('running with cost')
CSP_with_Cost.calculate_cost = original_calc_cost # restore

csp_cost = create_CSP_from_spec(spec)
solver_c = GreedySearcher(Search_with_AC_from_Cost_CSP(csp_cost))
test_csp_solver(solver_c)
# solver_c.search()
nodes_with_cost = num_expanded # global var from DFS solver WRONG

#PLOTING
ns = [1,2,3,4,5,6,7,8,9,10,11,12,13,14,15]
no_cost = [4,8,10,13,15,22,22,18,25,24,25,27,45,38,39]
with_cost = [4,8,11,13,14,20,15,18,24,22,24,27,45,34,38]


plt.figure(figsize=(6,4))
plt.scatter(ns, no_cost, label="Without cost", marker="o")
plt.scatter(ns, with_cost, label="With cost", marker="x")
plt.xlabel("Problem size (n)")
plt.ylabel("Nodes expanded")
plt.title("Nodes expanded vs Problem size (Greedy AC-splitting CSP Solver)")
plt.legend()
plt.show()

```


running without cost
task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
task, t6 1
task, t7 2
task, t8 4
task, t9 7
task, t10 4
task, t11 7
task, t12 3
task, t13 6
task, t14 7
task, t15 2
constraint, t11 before t12
constraint, t12 before t2
constraint, t15 before t6
constraint, t9 before t8
constraint, t9 before t7
domain, t2 fri
domain, t2 starts-after mon 2pm
domain, t3 ends-before wed 9am
domain, t7 thu
domain, t10 ends-after tue 2pm
domain, t11 starts-after mon 2pm
domain, t11 ends-before wed 11am
domain, t14 starts-after mon 9am
domain, t1 ends-by wed 11am 2
domain, t2 ends-by mon 11am 10
domain, t3 ends-by fri 12pm 2
domain, t4 ends-by wed 11am 3
domain, t5 ends-by thu 3pm 3
domain, t6 ends-by wed 4pm 10
domain, t7 ends-by thu 10am 4
domain, t8 ends-by wed 3pm 3
domain, t9 ends-by mon 2pm 10
domain, t10 ends-by tue 1pm 7
domain, t11 ends-by tue 2pm 2
domain, t12 ends-by wed 12pm 8
domain, t13 ends-by fri 10am 7
domain, t14 ends-by thu 1pm 9
domain, t15 ends-by tue 2pm 5
t1: mon 9am
t2: fri 9am
t3: mon 9am
t4: mon 9am
t5: mon 9am
t6: mon 11am
t7: thu 9am
t8: fri 9am
t9: mon 9am
t10: tue 10am
t11: tue 9am
t12: wed 9am
t13: mon 9am
t14: mon 9am
t15: mon 9am
cost: 0

running with cost
task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
task, t6 1
task, t7 2
task, t8 4
task, t9 7
task, t10 4
task, t11 7
task, t12 3
task, t13 6
task, t14 7
task, t15 2
constraint, t11 before t12
constraint, t12 before t2
constraint, t15 before t6
constraint, t9 before t8
constraint, t9 before t7
domain, t2 fri
domain, t2 starts-after mon 2pm
domain, t3 ends-before wed 9am
domain, t7 thu
domain, t10 ends-after tue 2pm
domain, t11 starts-after mon 2pm
domain, t11 ends-before wed 11am
domain, t14 starts-after mon 9am
domain, t1 ends-by wed 11am 2
domain, t2 ends-by mon 11am 10
domain, t3 ends-by fri 12pm 2
domain, t4 ends-by wed 11am 3
domain, t5 ends-by thu 3pm 3
domain, t6 ends-by wed 4pm 10
domain, t7 ends-by thu 10am 4
domain, t8 ends-by wed 3pm 3
domain, t9 ends-by mon 2pm 10
domain, t10 ends-by tue 1pm 7
domain, t11 ends-by tue 2pm 2
domain, t12 ends-by wed 12pm 8
domain, t13 ends-by fri 10am 7
domain, t14 ends-by thu 1pm 9
domain, t15 ends-by tue 2pm 5
t1: mon 9am
t2: fri 9am
t3: mon 9am
t4: mon 9am
t5: mon 9am
t6: mon 11am
t7: thu 9am
t8: tue 9am
t9: mon 9am
t10: tue 10am
t11: tue 9am
t12: wed 9am
t13: mon 9am
t14: mon 9am
t15: mon 9am
cost: 985

Nodes expanded vs Problem size (Greedy AC-splitting CSP Solver)



Answers for Question 3

Implementing the cost function guarantees optimality, as soft cost is an admissible monotonic heuristic, meaning nodes are expanded in non-decreasing order of estimated cost, guaranteeing that the first goal dequeued is the minimum-cost solution. In contrast, the solver without the cost heuristic, expands the children in an arbitrary order produced by Python's unordered set partitioning. In practice the solver will take the 'left' partition of the split often taking the set of earlier times coincidentally leading to a low-cost solution, but this is not guaranteed.

The implementation of the cost function will have little effect on the number of nodes expanded, rather the solver will take the minimum cost path leading to the optimal goal state, rather than some arbitrary goal state. There will be some additional overhead to implement `calculate_cost()`, with time complexity $O(n)$ per node. However this will be negligible compared to potential costs to ensure arc consistency, which will be $O(n \cdot d^2)$ under the assumption of one binary constraint per task. Thus, we expect little to no change in node expansion count, only in the order in which nodes are explored and the guarantee of optimality.

Question 4 (5 marks)

Compare the Depth-First Search (DFS) solver to the Depth-First Search solver using forward checking with Minimum Remaining Values heuristic (DFS-MRV). For this question, ignore the costs associated with the CSP problems.

- What is the worst case time and space complexity of each algorithm (give a general form in terms of fuzzy scheduling problem sizes)? (1 mark)

- What are the properties of the search algorithms (completeness, optimality)? (1 mark)
- Give an example of a problem that is *easier* for the DFS-MRV solver than it is for the DFS solver, and explain why (1 mark)
- Empirically compare the quality of the first solution found by DFS and DFS-MRV compared to the optimal solution (1 mark)
- Empirically compare DFS-MRV with DFS in terms of the number of nodes expanded (1 mark)

For the empirical evaluations, run the two algorithms on a variety of problems of size `n` for varying `n`. Note that the domain splitting CSP solver with costs should always find an optimal solution.

```
In [15]: # Code for Question 4
# Place your code here

display = False

random.seed(10)

spec = generate_problem(25)
csp_problem = create_CSP_from_spec(spec)

# test_dfs_solver(csp_problem)
# dfs_solve_all(csp_problem)

test_mrv_dfs_solver(csp_problem)
# mrv_dfs_solve_all(csp_problem)

csp_problem = create_CSP_from_spec(spec)
solver_c = GreedySearcher(Search_with_AC_from_Cost_CSP(csp_problem))
test_csp_solver(solver_c)

ns = [1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,20,50,100,150,200,300]
dfs = [0,7,12,4,157,10,681,33,2265,14847,982,3282542, None, None, None, None, None, None, None, None]
mrv_dfs = [0,2,7,4,5,6,8,8,12,13,12,14, None, None, None, 31,79,102,193,713, None]
optimal = [4,8,11,13,14,20,15,18,24,22,24,27,45,34,38,51,110,292,374,447,558]

plt.figure(figsize=(7,5))

plt.plot(ns, dfs, marker="o", linestyle="--", label="DFS (no heuristic)")
plt.plot(ns, mrv_dfs, marker="x", linestyle="-. ", label="DFS + MRV heuristic")
plt.plot(ns, optimal, marker="s", linestyle="--", label="Optimal AC-splitting")

plt.xlabel("Problem size (n)")
plt.ylabel("Nodes expanded")
plt.title("Node Expansion Comparison: DFS vs DFS-MRV vs Optimal")
plt.yscale("log") # OPTIONAL - highly recommended since DFS will spike hard
plt.legend()
plt.grid(alpha=0.3)
plt.show()

example_spec = """
# two tasks with two binary constraints and soft deadlines
```


```
task, t1 3
task, t2 4
task, t3 3
task, t4 2
task, t5 1
# two binary constraints
constraint, t5 before t4
constraint, t5 before t3
constraint, t5 after t2
constraint, t5 after t1
constraint, t5 same-day t2
# domain constraint
domain, t5 wed
# soft deadlines
"""
# csp_problem = create_CSP_from_spec(example_spec)
# test_mrv_dfs_solver(example_spec)
# test_dfs_solver(csp_problem)
```

task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
task, t6 1
task, t7 2
task, t8 4
task, t9 7
task, t10 4
task, t11 7
task, t12 3
task, t13 6
task, t14 7
task, t15 2
task, t16 1
task, t17 5
task, t18 4
task, t19 3
task, t20 1
task, t21 2
task, t22 6
task, t23 3
task, t24 1
task, t25 4
constraint, t25 before t4
constraint, t19 before t5
constraint, t24 before t16
constraint, t23 before t15
constraint, t23 before t4
constraint, t22 before t7
domain, t1 9am
domain, t1 ends-after mon 4pm
domain, t5 11am
domain, t6 wed
domain, t9 9am
domain, t10 thu
domain, t11 mon
domain, t15 ends-after thu 12pm
domain, t16 ends-before fri 4pm
domain, t19 ends-after tue 12pm
domain, t21 thu
domain, t21 starts-after tue 11am
domain, t21 ends-after tue 1pm
domain, t22 ends-before thu 9am
domain, t24 10am
domain, t25 ends-before fri 2pm
domain, t1 ends-by mon 11am 10
domain, t2 ends-by wed 4pm 7
domain, t3 ends-by wed 1pm 10
domain, t4 ends-by tue 11am 3
domain, t5 ends-by mon 4pm 10
domain, t6 ends-by wed 3pm 3
domain, t7 ends-by mon 10am 9
domain, t8 ends-by fri 9am 6
domain, t9 ends-by mon 2pm 7
domain, t10 ends-by thu 1pm 10
domain, t11 ends-by wed 3pm 1
domain, t12 ends-by tue 10am 8
domain, t13 ends-by thu 3pm 10

domain, t14 ends-by thu 1pm 8
domain, t15 ends-by fri 3pm 3
domain, t16 ends-by wed 3pm 7
domain, t17 ends-by wed 2pm 9
domain, t18 ends-by fri 9am 8
domain, t19 ends-by thu 9am 4
domain, t20 ends-by mon 3pm 7
domain, t21 ends-by tue 10am 1
domain, t22 ends-by tue 12pm 4
domain, t23 ends-by fri 1pm 7
domain, t24 ends-by wed 4pm 9
domain, t25 ends-by thu 9am 1
Nodes expanded to reach solution: 26
t11: mon 9am
t1: fri 9am
t10: thu 9am
t5: fri 11am
t9: mon 9am
t14: mon 9am
t24: mon 10am
t21: thu 9am
t22: mon 9am
t6: wed 9am
t13: mon 9am
t15: fri 9am
t19: tue 9am
t17: mon 9am
t25: mon 9am
t4: tue 9am
t23: mon 9am
t3: mon 9am
t8: mon 9am
t18: mon 9am
t7: tue 9am
t12: mon 9am
t16: mon 11am
t2: mon 9am
t20: mon 9am
task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
task, t6 1
task, t7 2
task, t8 4
task, t9 7
task, t10 4
task, t11 7
task, t12 3
task, t13 6
task, t14 7
task, t15 2
task, t16 1
task, t17 5
task, t18 4
task, t19 3
task, t20 1
task, t21 2
task, t22 6

task, t23 3
task, t24 1
task, t25 4
constraint, t25 before t4
constraint, t19 before t5
constraint, t24 before t16
constraint, t23 before t15
constraint, t23 before t4
constraint, t22 before t7
domain, t1 9am
domain, t1 ends-after mon 4pm
domain, t5 11am
domain, t6 wed
domain, t9 9am
domain, t10 thu
domain, t11 mon
domain, t15 ends-after thu 12pm
domain, t16 ends-before fri 4pm
domain, t19 ends-after tue 12pm
domain, t21 thu
domain, t21 starts-after tue 11am
domain, t21 ends-after tue 1pm
domain, t22 ends-before thu 9am
domain, t24 10am
domain, t25 ends-before fri 2pm
domain, t1 ends-by mon 11am 10
domain, t2 ends-by wed 4pm 7
domain, t3 ends-by wed 1pm 10
domain, t4 ends-by tue 11am 3
domain, t5 ends-by mon 4pm 10
domain, t6 ends-by wed 3pm 3
domain, t7 ends-by mon 10am 9
domain, t8 ends-by fri 9am 6
domain, t9 ends-by mon 2pm 7
domain, t10 ends-by thu 1pm 10
domain, t11 ends-by wed 3pm 1
domain, t12 ends-by tue 10am 8
domain, t13 ends-by thu 3pm 10
domain, t14 ends-by thu 1pm 8
domain, t15 ends-by fri 3pm 3
domain, t16 ends-by wed 3pm 7
domain, t17 ends-by wed 2pm 9
domain, t18 ends-by fri 9am 8
domain, t19 ends-by thu 9am 4
domain, t20 ends-by mon 3pm 7
domain, t21 ends-by tue 10am 1
domain, t22 ends-by tue 12pm 4
domain, t23 ends-by fri 1pm 7
domain, t24 ends-by wed 4pm 9
domain, t25 ends-by thu 9am 1
t1: tue 9am
t2: mon 9am
t3: mon 9am
t4: tue 9am
t5: wed 11am
t6: wed 9am
t7: tue 9am
t8: mon 9am
t9: mon 9am
t10: thu 9am

t11: mon 9am
 t12: mon 9am
 t13: mon 9am
 t14: mon 9am
 t15: thu 10am
 t16: mon 11am
 t17: mon 9am
 t18: mon 9am
 t19: tue 9am
 t20: mon 9am
 t21: thu 9am
 t22: mon 9am
 t23: mon 9am
 t24: mon 10am
 t25: mon 9am
 cost: 1044



Answers for Question 4

If you want to submit additional code, put this at the end of the notebook. Here just give the answers (including plots or tables).

- What is the worst case time and space complexity of each algorithm (give a general form in terms of fuzzy scheduling problem sizes)? (1 mark)

The worst case time complexity of both DFS solver with and without heuristic is $O(d^n)$ as stated in Q1. Space complexity is max size of the recursive stack $O(n)$

- What are the properties of the search algorithms (completeness, optimality)? (1 mark)

Generally, DFS solvers are incomplete as they can get caught in cycles or down a path of infinite depth. However, in this context, the search space is acyclic and finite. The solver will eventually explore the solution making DFS complete, however the solution may never be found for $n > 12$ where exploring the entire search space isn't feasible due to computational cost. Adding the heuristic makes these larger problems much cheaper, although in the worst case, time complexity remains the same (evenly bound variables).

Neither DFS or DFS with added heuristic is optimal. Both will terminate at the first goal state with all hard constraints satisfied with no regard for cost. The heuristic only makes the search faster.

- Give an example of a problem that is *easier* for the DFS-MRV solver than it is for the DFS solver, and explain why (1 mark)

example_spec = "" task, t1 3 task, t2 4 task, t3 3 task, t4 2 task, t5 1 constraint, t5 before t4 constraint, t5 before t3 constraint, t5 after t2 constraint, t5 after t1 constraint, t5 same-day t2 domain, t5 wed ""

Problems with a few highly constrained variables and large n will be much easier to solve. The heuristic will satisfy those with the smallest domain first, which tend to be the most constrained. By forcing assignment to difficult variables first, paths are pruned much earlier instead of getting lost deep in the tree exploring failing partial assignments of highly constrained variables. This example specifically the dfs solver 'Nodes expanded to reach solution: 51968' whereas added heuristic 'Nodes expanded to reach solution: 9'

- Empirically compare the quality of the first solution found by DFS and DFS-MRV compared to the optimal solution (1 mark)

Regarding runtime, the DFS without heuristic performs the worst of the 3 solvers, and begins to fail reliably at $n > 12$, subbing into time complexity $O(d^n)$ becomes $O(40^{12})$, this is an extremely large number and unlikely to be found by the solver in the worst case. DFS with heuristic performed similarly to the optimal solution of domain splitting with arc consistency and added cost heuristic. These were both found to take longer than 10 sec at fail at $n = \sim 200$. Performance of these solvers is subject to change based on the number and distribution of constraints however.

*Data on number of nodes/paths expanded (as a proxy for runtime), was collected and graphed in the code block above. Raw data used is provided below.

n	DFS Expanded	MRV+DFS Expanded	Optimal (Cost)
1	0	0	4
2	7	2	8
3	12	7	11
4	4	4	13
5	157	5	14
6	10	6	20

n	DFS Expanded	MRV+DFS Expanded	Optimal (Cost)
7	681	8	15
8	33	8	18
9	2265	12	24
10	14847	13	22
11	982	12	24
12	3282542	14	27
13	–	–	45
14	–	–	34
15	–	–	38
20	–	31	51
50	–	79	110
100	–	102	292
150	–	193	374
200	–	713	447
300	–	–	558

Regarding the optimality of the solvers, dfs with or without heuristic was found to be significantly worse than the optimal solution, as it is not guaranteed to find the minimum cost solution. Both DFS solvers will submit the first goal state found where all hard constraints are satisfied. Added heuristic only guides finding a solution faster but does not influence whether the solution will be more optimal.

- Empirically compare DFS-MRV with DFS in terms of the number of nodes expanded (1 mark)

Data below gained from manually reading 'Nodes expanded to reach solution: ' with `random.seed(10)` from `generate_problem(n)` with ordered n range 1-12:

dfs_solver without heuristic will very likely expand many more nodes. It is worth noting that in a few cases, the dfs solver may get lucky and assign more highly constrained tasks first and perform similarly to dfs + heuristic. Overall on average, DFS-MRV consistently expands far fewer nodes across problem sizes, confirming that MRV improves efficiency by prioritising the most constrained variables first.

Question 5 (4 marks)

The DFS solver chooses variables in random order, and systematically explores all values for those variables in no particular order.

Incorporate costs into the DFS constraint solver as heuristics to guide the search. Similar to the cost function for the domain splitting solver, for a given variable v , the cost of

assigning the value *val* to *v* is the cost of violating the soft deadline constraint (if any) associated with *v* for the value *val*. The *minimum cost* for *v* is the lowest cost from amongst the values in the domain of *v*. The DFS solver should choose a variable *v* with lowest minimum cost, and explore its values in order of cost from lowest to highest.

- Implement this behaviour by modifying the code in `dfs_solver` and place a copy of the code below (2 marks)
- Empirically compare the performance of DFS with and without these heuristics (2 marks)

For the empirical evaluations, again run the two algorithms on a variety of problems of size `n` for varying `n`.

```
In [16]: # Code for Question 5
# Place a copy of your code here and run it in the relevant cell

def dfs_solver(constraints, domains, context, var_order):
    """ generator for all solutions to csp
        context is an assignment of values to some of the variables
        var_order is a list of the variables in csp that are not in context
    """
    global num_expanded, display
    to_eval = {c for c in constraints if c.can_evaluate(context)}
    if all(c.holds(context) for c in to_eval):
        if var_order == []:
            print("Nodes expanded to reach solution:", num_expanded)
            yield context
        else:
            rem_cons = [c for c in constraints if c not in to_eval]
            var = var_order[0]
            for val in sorted(domains[var]): # SORTED - explore earlier times f
                if display:
                    print("Setting", var, "to", val)
                    num_expanded += 1
                yield from dfs_solver(rem_cons, domains, context|{var:val}, var_

def dfs_solve1(csp, var_order=None):
    """ depth-first CSP solver """
    global num_expanded
    num_expanded = 0
    if var_order == None: # use an arbitrary variable order
        var_order = list(csp.domains)
    for sol in dfs_solver(csp.constraints, csp.domains, {}, var_order):
        return sol, num_expanded # CHANGE HERE ONLY - return num_expanded for e

def get_var_order(csp):
    var_costs = {}
    for var, cost_func in csp.cost_functions.items():
        earliest = min(csp.domains[var])
        min_cost = cost_func[0](earliest, csp.soft_day_time[var], csp.durations[
        var_costs[var] = min_cost
    # print(var_costs)
    return sorted(var_costs, key=var_costs.get)

def solution_cost(csp, assignment):
    total = 0
```

```

    for var, start_time in assignment.items():
        cost_fn = csp.cost_functions[var][0]
        total += cost_fn(start_time, csp.soft_day_time[var], csp.durations[var],
    return total

random.seed(15) # 9 n=5 was good, 15 n=7 diff cost and
spec = generate_problem(7)
csp_problem = create_CSP_from_spec(spec)
var_order = get_var_order(csp_problem)
sol_heur, nodes_h = dfs_solve1(csp_problem, var_order) # pass in ordered varia
print("Heuristic DFS cost:", solution_cost(csp_problem, sol_heur))

csp_problem = create_CSP_from_spec(spec)
sol_plain, nodes_p = dfs_solve1(csp_problem)
print("Plain DFS cost:", solution_cost(csp_problem, sol_plain))

```

task, t1 2
task, t2 1
task, t3 5
task, t4 6
task, t5 1
task, t6 2
task, t7 2
constraint, t3 before t4
constraint, t2 before t6
constraint, t4 before t5
constraint, t2 before t5
constraint, t7 before t4
constraint, t7 before t6
constraint, t7 before t5
constraint, t6 before t5
domain, t1 ends-after mon 12pm
domain, t2 ends-before fri 4pm
domain, t3 ends-before wed 4pm
domain, t4 ends-after tue 9am
domain, t6 starts-before wed 10am
domain, t7 starts-before tue 3pm
domain, t7 ends-before thu 2pm
domain, t1 ends-by fri 2pm 8
domain, t2 ends-by wed 9am 2
domain, t3 ends-by fri 4pm 1
domain, t4 ends-by mon 12pm 6
domain, t5 ends-by thu 9am 7
domain, t6 ends-by wed 3pm 1
domain, t7 ends-by fri 4pm 5
Nodes expanded to reach solution: 1874
Heuristic DFS cost: 162
task, t1 2
task, t2 1
task, t3 5
task, t4 6
task, t5 1
task, t6 2
task, t7 2
constraint, t3 before t4
constraint, t2 before t6
constraint, t4 before t5
constraint, t2 before t5
constraint, t7 before t4
constraint, t7 before t6
constraint, t7 before t5
constraint, t6 before t5
domain, t1 ends-after mon 12pm
domain, t2 ends-before fri 4pm
domain, t3 ends-before wed 4pm
domain, t4 ends-after tue 9am
domain, t6 starts-before wed 10am
domain, t7 starts-before tue 3pm
domain, t7 ends-before thu 2pm
domain, t1 ends-by fri 2pm 8
domain, t2 ends-by wed 9am 2
domain, t3 ends-by fri 4pm 1
domain, t4 ends-by mon 12pm 6
domain, t5 ends-by thu 9am 7
domain, t6 ends-by wed 3pm 1
domain, t7 ends-by fri 4pm 5

Nodes expanded to reach solution: 34
Plain DFS cost: 162

In [17]: *# note THIS CODE BLOCK TAKES A WHILE TO GENERATE AVERAGES - MAY TESTS RUN ~ 5 mi*

```
import random
results = []

def dfs_solve1(csp, var_order=None):
    global num_expanded
    num_expanded = 0
    if var_order == None:
        var_order = list(csp.domains)
    for sol in dfs_solver(csp.constraints, csp.domains, {}, var_order):
        return sol, num_expanded # need to return num expanded here

for n in range(8):
    costs_plain = []
    costs_heur = []
    nodes_plain = []
    nodes_heur = []

    for trial in range(20): # change range() here to run less trials - speed up
        random.seed(trial)

        spec = generate_problem(n)
        csp1 = create_CSP_from_spec(spec)
        sol_p, nodes_p = dfs_solve1(csp1)
        cost_p = solution_cost(csp1, sol_p)

        csp2 = create_CSP_from_spec(spec)
        var_order = get_var_order(csp2)
        sol_h, nodes_h = dfs_solve1(csp2, var_order)
        cost_h = solution_cost(csp2, sol_h)

        costs_plain.append(cost_p)
        costs_heur.append(cost_h)
        nodes_plain.append(nodes_p)
        nodes_heur.append(nodes_h)

    results.append({
        "n": n,
        "avg_nodes_plain": sum(nodes_plain) / len(nodes_plain),
        "avg_nodes_heur": sum(nodes_heur) / len(nodes_heur),
        "avg_cost_plain": sum(costs_plain) / len(costs_plain),
        "avg_cost_heur": sum(costs_heur) / len(costs_heur),
    })

print(results)

ns = [r["n"] for r in results]
nodes_plain = [r["avg_nodes_plain"] for r in results]
nodes_heur = [r["avg_nodes_heur"] for r in results]
cost_plain = [r["avg_cost_plain"] for r in results]
cost_heur = [r["avg_cost_heur"] for r in results]

plt.figure()
plt.plot(ns, nodes_plain, label="Plain DFS")
plt.plot(ns, nodes_heur, label="DFS+Cost")
plt.yscale("log")
```

```
plt.legend()
plt.title("Nodes Expanded vs n")

plt.figure()
plt.plot(ns, cost_plain, label="Plain DFS")
plt.plot(ns, cost_heur, label="DFS+Cost")
plt.legend()
plt.title("Solution Cost vs n")
```


[illegible]

task, t1 2
domain, t1 ends-by fri 12pm 4
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 ends-by fri 12pm 4
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 starts-before wed 12pm
domain, t1 ends-by mon 12pm 4
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 starts-before wed 12pm
domain, t1 ends-by mon 12pm 4
Nodes expanded to reach solution: 1
task, t1 5
domain, t1 starts-after mon 2pm
domain, t1 ends-by tue 4pm 7
Nodes expanded to reach solution: 1
task, t1 5
domain, t1 starts-after mon 2pm
domain, t1 ends-by tue 4pm 7
Nodes expanded to reach solution: 1
task, t1 7
domain, t1 wed
domain, t1 ends-by wed 10am 8
Nodes expanded to reach solution: 1
task, t1 7
domain, t1 wed
domain, t1 ends-by wed 10am 8
Nodes expanded to reach solution: 1
task, t1 3
domain, t1 tue
domain, t1 starts-after tue 9am
domain, t1 ends-after mon 3pm
domain, t1 ends-by mon 1pm 4
Nodes expanded to reach solution: 1
task, t1 3
domain, t1 tue
domain, t1 starts-after tue 9am
domain, t1 ends-after mon 3pm
domain, t1 ends-by mon 1pm 4
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 9am
domain, t1 ends-by mon 10am 8
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 9am
domain, t1 ends-by mon 10am 8
Nodes expanded to reach solution: 1
task, t1 4
domain, t1 ends-by fri 4pm 1
Nodes expanded to reach solution: 1
task, t1 4
domain, t1 ends-by fri 4pm 1
Nodes expanded to reach solution: 1
task, t1 5
domain, t1 ends-by fri 10am 8
Nodes expanded to reach solution: 1
task, t1 5

domain, t1 ends-by fri 10am 8
Nodes expanded to reach solution: 1
task, t1 4
domain, t1 ends-by mon 3pm 8
Nodes expanded to reach solution: 1
task, t1 4
domain, t1 ends-by mon 3pm 8
Nodes expanded to reach solution: 1
task, t1 4
domain, t1 ends-by tue 3pm 9
Nodes expanded to reach solution: 1
task, t1 4
domain, t1 ends-by tue 3pm 9
Nodes expanded to reach solution: 1
task, t1 3
domain, t1 ends-before thu 12pm
domain, t1 ends-by mon 10am 7
Nodes expanded to reach solution: 1
task, t1 3
domain, t1 ends-before thu 12pm
domain, t1 ends-by mon 10am 7
Nodes expanded to reach solution: 1
task, t1 1
domain, t1 ends-by thu 10am 7
Nodes expanded to reach solution: 1
task, t1 1
domain, t1 ends-by thu 10am 7
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 starts-before tue 10am
domain, t1 ends-by wed 2pm 8
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 starts-before tue 10am
domain, t1 ends-by wed 2pm 8
Nodes expanded to reach solution: 1
task, t1 3
domain, t1 ends-after tue 10am
domain, t1 ends-by wed 2pm 3
Nodes expanded to reach solution: 1
task, t1 3
domain, t1 ends-after tue 10am
domain, t1 ends-by wed 2pm 3
Nodes expanded to reach solution: 1
task, t1 5
domain, t1 ends-after thu 9am
domain, t1 ends-by thu 11am 5
Nodes expanded to reach solution: 1
task, t1 5
domain, t1 ends-after thu 9am
domain, t1 ends-by thu 11am 5
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 ends-by wed 9am 2
Nodes expanded to reach solution: 1
task, t1 2
domain, t1 ends-by wed 9am 2
Nodes expanded to reach solution: 1
task, t1 6
domain, t1 ends-by wed 9am 7

Nodes expanded to reach solution: 1
task, t1 6
domain, t1 ends-by wed 9am 7
Nodes expanded to reach solution: 1
task, t1 7
task, t2 4
domain, t1 ends-after tue 9am
domain, t2 ends-after mon 1pm
domain, t1 ends-by wed 2pm 8
domain, t2 ends-by fri 12pm 2
Nodes expanded to reach solution: 2
task, t1 7
task, t2 4
domain, t1 ends-after tue 9am
domain, t2 ends-after mon 1pm
domain, t1 ends-by wed 2pm 8
domain, t2 ends-by fri 12pm 2
Nodes expanded to reach solution: 2
task, t1 2
task, t2 5
domain, t1 ends-before mon 4pm
domain, t1 ends-by fri 2pm 2
domain, t2 ends-by wed 1pm 1
Nodes expanded to reach solution: 2
task, t1 2
task, t2 5
domain, t1 ends-before mon 4pm
domain, t1 ends-by fri 2pm 2
domain, t2 ends-by wed 1pm 1
Nodes expanded to reach solution: 2
task, t1 7
task, t2 7
domain, t1 ends-by fri 9am 9
domain, t2 ends-by wed 4pm 9
Nodes expanded to reach solution: 2
task, t1 7
task, t2 7
domain, t1 ends-by fri 9am 9
domain, t2 ends-by wed 4pm 9
Nodes expanded to reach solution: 2
task, t1 2
task, t2 5
constraint, t2 before t1
domain, t1 ends-by thu 9am 1
domain, t2 ends-by mon 1pm 3
Nodes expanded to reach solution: 82
task, t1 2
task, t2 5
constraint, t2 before t1
domain, t1 ends-by thu 9am 1
domain, t2 ends-by mon 1pm 3
Nodes expanded to reach solution: 82
task, t1 2
task, t2 3
domain, t1 thu
domain, t1 ends-by wed 9am 5
domain, t2 ends-by tue 1pm 3
Nodes expanded to reach solution: 2
task, t1 2
task, t2 3

domain, t1 thu
domain, t1 ends-by wed 9am 5
domain, t2 ends-by tue 1pm 3
Nodes expanded to reach solution: 2
task, t1 5
task, t2 3
constraint, t2 before t1
domain, t1 ends-before fri 3pm
domain, t2 ends-before fri 9am
domain, t1 ends-by mon 9am 1
domain, t2 ends-by tue 2pm 4
Nodes expanded to reach solution: 65
task, t1 5
task, t2 3
constraint, t2 before t1
domain, t1 ends-before fri 3pm
domain, t2 ends-before fri 9am
domain, t1 ends-by mon 9am 1
domain, t2 ends-by tue 2pm 4
Nodes expanded to reach solution: 5
task, t1 7
task, t2 5
domain, t1 ends-after tue 4pm
domain, t1 ends-by fri 12pm 5
domain, t2 ends-by fri 4pm 2
Nodes expanded to reach solution: 2
task, t1 7
task, t2 5
domain, t1 ends-after tue 4pm
domain, t1 ends-by fri 12pm 5
domain, t2 ends-by fri 4pm 2
Nodes expanded to reach solution: 2
task, t1 3
task, t2 2
domain, t1 10am
domain, t1 ends-after tue 2pm
domain, t2 mon
domain, t2 12pm
domain, t1 ends-by fri 2pm 1
domain, t2 ends-by fri 1pm 10
Nodes expanded to reach solution: 2
task, t1 3
task, t2 2
domain, t1 10am
domain, t1 ends-after tue 2pm
domain, t2 mon
domain, t2 12pm
domain, t1 ends-by fri 2pm 1
domain, t2 ends-by fri 1pm 10
Nodes expanded to reach solution: 2
task, t1 2
task, t2 3
constraint, t2 before t1
domain, t1 ends-before fri 10am
domain, t2 starts-after mon 12pm
domain, t1 ends-by fri 10am 7
domain, t2 ends-by thu 3pm 7
Nodes expanded to reach solution: 140
task, t1 2
task, t2 3

```

constraint, t2 before t1
domain, t1 ends-before fri 10am
domain, t2 starts-after mon 12pm
domain, t1 ends-by fri 10am 7
domain, t2 ends-by thu 3pm 7
Nodes expanded to reach solution: 140
task, t1 4
task, t2 5
constraint, t2 before t1
domain, t1 starts-before fri 11am
domain, t2 ends-after mon 11am
domain, t1 ends-by fri 9am 10
domain, t2 ends-by mon 1pm 7
Nodes expanded to reach solution: 66
task, t1 4
task, t2 5
constraint, t2 before t1
domain, t1 starts-before fri 11am
domain, t2 ends-after mon 11am
domain, t1 ends-by fri 9am 10
domain, t2 ends-by mon 1pm 7
Nodes expanded to reach solution: 66
task, t1 5
task, t2 1
constraint, t1 before t2
domain, t1 ends-after mon 10am
domain, t1 ends-by wed 4pm 3
domain, t2 ends-by thu 2pm 4
Nodes expanded to reach solution: 7
task, t1 5
task, t2 1
constraint, t1 before t2
domain, t1 ends-after mon 10am
domain, t1 ends-by wed 4pm 3
domain, t2 ends-by thu 2pm 4
Nodes expanded to reach solution: 7
task, t1 4
task, t2 7
domain, t1 fri
domain, t1 starts-before fri 12pm
domain, t2 ends-before fri 4pm
domain, t1 ends-by tue 4pm 10
domain, t2 ends-by mon 10am 8
Nodes expanded to reach solution: 2
task, t1 4
task, t2 7
domain, t1 fri
domain, t1 starts-before fri 12pm
domain, t2 ends-before fri 4pm
domain, t1 ends-by tue 4pm 10
domain, t2 ends-by mon 10am 8
Nodes expanded to reach solution: 2
task, t1 4
task, t2 3
constraint, t2 before t1
domain, t1 ends-before fri 4pm
domain, t2 starts-after mon 12pm
domain, t2 ends-before fri 10am
domain, t1 ends-by thu 10am 2
domain, t2 ends-by mon 10am 1

```

Nodes expanded to reach solution: 74
task, t1 4
task, t2 3
constraint, t2 before t1
domain, t1 ends-before fri 4pm
domain, t2 starts-after mon 12pm
domain, t2 ends-before fri 10am
domain, t1 ends-by thu 10am 2
domain, t2 ends-by mon 10am 1
Nodes expanded to reach solution: 74
task, t1 3
task, t2 3
domain, t2 10am
domain, t1 ends-by wed 9am 8
domain, t2 ends-by thu 12pm 3
Nodes expanded to reach solution: 2
task, t1 3
task, t2 3
domain, t2 10am
domain, t1 ends-by wed 9am 8
domain, t2 ends-by thu 12pm 3
Nodes expanded to reach solution: 2
task, t1 1
task, t2 5
constraint, t2 before t1
domain, t1 ends-by fri 12pm 5
domain, t2 ends-by tue 11am 1
Nodes expanded to reach solution: 82
task, t1 1
task, t2 5
constraint, t2 before t1
domain, t1 ends-by fri 12pm 5
domain, t2 ends-by tue 11am 1
Nodes expanded to reach solution: 82
task, t1 2
task, t2 1
constraint, t2 before t1
domain, t1 fri
domain, t1 ends-by wed 3pm 6
domain, t2 ends-by tue 3pm 5
Nodes expanded to reach solution: 2
task, t1 2
task, t2 1
constraint, t2 before t1
domain, t1 fri
domain, t1 ends-by wed 3pm 6
domain, t2 ends-by tue 3pm 5
Nodes expanded to reach solution: 2
task, t1 3
task, t2 4
domain, t1 wed
domain, t2 ends-before fri 10am
domain, t1 ends-by wed 9am 1
domain, t2 ends-by tue 10am 10
Nodes expanded to reach solution: 2
task, t1 3
task, t2 4
domain, t1 wed
domain, t2 ends-before fri 10am
domain, t1 ends-by wed 9am 1

domain, t2 ends-by tue 10am 10
Nodes expanded to reach solution: 2
task, t1 5
task, t2 4
constraint, t2 before t1
domain, t2 12pm
domain, t1 ends-by fri 12pm 4
domain, t2 ends-by wed 2pm 9
Nodes expanded to reach solution: 20
task, t1 5
task, t2 4
constraint, t2 before t1
domain, t2 12pm
domain, t1 ends-by fri 12pm 4
domain, t2 ends-by wed 2pm 9
Nodes expanded to reach solution: 20
task, t1 2
task, t2 1
constraint, t2 before t1
domain, t1 ends-by tue 11am 4
domain, t2 ends-by tue 1pm 6
Nodes expanded to reach solution: 38
task, t1 2
task, t2 1
constraint, t2 before t1
domain, t1 ends-by tue 11am 4
domain, t2 ends-by tue 1pm 6
Nodes expanded to reach solution: 38
task, t1 6
task, t2 1
domain, t2 ends-before fri 2pm
domain, t1 ends-by mon 1pm 4
domain, t2 ends-by mon 4pm 9
Nodes expanded to reach solution: 2
task, t1 6
task, t2 1
domain, t2 ends-before fri 2pm
domain, t1 ends-by mon 1pm 4
domain, t2 ends-by mon 4pm 9
Nodes expanded to reach solution: 2
task, t1 7
task, t2 4
task, t3 7
domain, t1 9am
domain, t2 starts-before fri 10am
domain, t1 ends-by fri 10am 5
domain, t2 ends-by mon 12pm 9
domain, t3 ends-by mon 9am 2
Nodes expanded to reach solution: 3
task, t1 7
task, t2 4
task, t3 7
domain, t1 9am
domain, t2 starts-before fri 10am
domain, t1 ends-by fri 10am 5
domain, t2 ends-by mon 12pm 9
domain, t3 ends-by mon 9am 2
Nodes expanded to reach solution: 3
task, t1 2
task, t2 5


```

task, t3 7
constraint, t1 before t2
constraint, t2 before t3
constraint, t1 before t3
domain, t1 starts-after mon 1pm
domain, t1 ends-before thu 3pm
domain, t1 ends-by fri 12pm 2
domain, t2 ends-by tue 12pm 5
domain, t3 ends-by mon 4pm 6
Nodes expanded to reach solution: 8
task, t1 2
task, t2 5
task, t3 7
constraint, t1 before t2
constraint, t2 before t3
constraint, t1 before t3
domain, t1 starts-after mon 1pm
domain, t1 ends-before thu 3pm
domain, t1 ends-by fri 12pm 2
domain, t2 ends-by tue 12pm 5
domain, t3 ends-by mon 4pm 6
Nodes expanded to reach solution: 8
task, t1 7
task, t2 7
task, t3 1
constraint, t1 before t2
domain, t1 ends-by wed 4pm 10
domain, t2 ends-by wed 3pm 6
domain, t3 ends-by thu 1pm 3
Nodes expanded to reach solution: 4
task, t1 7
task, t2 7
task, t3 1
constraint, t1 before t2
domain, t1 ends-by wed 4pm 10
domain, t2 ends-by wed 3pm 6
domain, t3 ends-by thu 1pm 3
Nodes expanded to reach solution: 4
task, t1 2
task, t2 5
task, t3 5
constraint, t2 before t1
constraint, t1 before t3
domain, t1 ends-before fri 11am
domain, t1 ends-after tue 10am
domain, t2 mon
domain, t1 ends-by tue 9am 6
domain, t2 ends-by mon 3pm 1
domain, t3 ends-by tue 9am 8
Nodes expanded to reach solution: 8
task, t1 2
task, t2 5
task, t3 5
constraint, t2 before t1
constraint, t1 before t3
domain, t1 ends-before fri 11am
domain, t1 ends-after tue 10am
domain, t2 mon
domain, t1 ends-by tue 9am 6
domain, t2 ends-by mon 3pm 1

```

domain, t3 ends-by tue 9am 8
Nodes expanded to reach solution: 103
task, t1 2
task, t2 3
task, t3 1
domain, t1 thu
domain, t1 ends-before fri 12pm
domain, t1 ends-by wed 4pm 2
domain, t2 ends-by fri 3pm 6
domain, t3 ends-by thu 9am 9
Nodes expanded to reach solution: 3
task, t1 2
task, t2 3
task, t3 1
domain, t1 thu
domain, t1 ends-before fri 12pm
domain, t1 ends-by wed 4pm 2
domain, t2 ends-by fri 3pm 6
domain, t3 ends-by thu 9am 9
Nodes expanded to reach solution: 3
task, t1 5
task, t2 3
task, t3 6
constraint, t2 before t3
constraint, t3 before t1
constraint, t2 before t1
domain, t1 ends-after mon 9am
domain, t1 ends-by thu 9am 5
domain, t2 ends-by mon 10am 6
domain, t3 ends-by thu 11am 3
Nodes expanded to reach solution: 311
task, t1 5
task, t2 3
task, t3 6
constraint, t2 before t3
constraint, t3 before t1
constraint, t2 before t1
domain, t1 ends-after mon 9am
domain, t1 ends-by thu 9am 5
domain, t2 ends-by mon 10am 6
domain, t3 ends-by thu 11am 3
Nodes expanded to reach solution: 271
task, t1 7
task, t2 5
task, t3 7
domain, t1 ends-before fri 3pm
domain, t1 ends-by mon 2pm 6
domain, t2 ends-by thu 11am 5
domain, t3 ends-by thu 1pm 2
Nodes expanded to reach solution: 3
task, t1 7
task, t2 5
task, t3 7
domain, t1 ends-before fri 3pm
domain, t1 ends-by mon 2pm 6
domain, t2 ends-by thu 11am 5
domain, t3 ends-by thu 1pm 2
Nodes expanded to reach solution: 3
task, t1 3
task, t2 2

```

task, t3 4
domain, t1 12pm
domain, t1 starts-after mon 12pm
domain, t2 1pm
domain, t3 fri
domain, t3 starts-before fri 12pm
domain, t3 starts-after tue 9am
domain, t1 ends-by mon 4pm 10
domain, t2 ends-by wed 12pm 9
domain, t3 ends-by tue 12pm 2
Nodes expanded to reach solution: 3
task, t1 3
task, t2 2
task, t3 4
domain, t1 12pm
domain, t1 starts-after mon 12pm
domain, t2 1pm
domain, t3 fri
domain, t3 starts-before fri 12pm
domain, t3 starts-after tue 9am
domain, t1 ends-by mon 4pm 10
domain, t2 ends-by wed 12pm 9
domain, t3 ends-by tue 12pm 2
Nodes expanded to reach solution: 3
task, t1 2
task, t2 3
task, t3 4
domain, t1 ends-before thu 10am
domain, t2 starts-after mon 12pm
domain, t3 ends-after mon 3pm
domain, t1 ends-by mon 1pm 7
domain, t2 ends-by fri 4pm 7
domain, t3 ends-by mon 3pm 1
Nodes expanded to reach solution: 3
task, t1 2
task, t2 3
task, t3 4
domain, t1 ends-before thu 10am
domain, t2 starts-after mon 12pm
domain, t3 ends-after mon 3pm
domain, t1 ends-by mon 1pm 7
domain, t2 ends-by fri 4pm 7
domain, t3 ends-by mon 3pm 1
Nodes expanded to reach solution: 3
task, t1 4
task, t2 5
task, t3 3
constraint, t2 before t1
constraint, t3 before t1
domain, t1 ends-by mon 2pm 5
domain, t2 ends-by tue 2pm 7
domain, t3 ends-by wed 10am 6
Nodes expanded to reach solution: 67
task, t1 4
task, t2 5
task, t3 3
constraint, t2 before t1
constraint, t3 before t1
domain, t1 ends-by mon 2pm 5
domain, t2 ends-by tue 2pm 7

```

domain, t3 ends-by wed 10am 6
 Nodes expanded to reach solution: 67
 task, t1 5
 task, t2 1
 task, t3 4
 constraint, t1 before t2
 constraint, t2 before t3
 domain, t1 9am
 domain, t3 starts-after mon 9am
 domain, t1 ends-by wed 12pm 9
 domain, t2 ends-by wed 4pm 4
 domain, t3 ends-by wed 1pm 9
 Nodes expanded to reach solution: 12
 task, t1 5
 task, t2 1
 task, t3 4
 constraint, t1 before t2
 constraint, t2 before t3
 domain, t1 9am
 domain, t3 starts-after mon 9am
 domain, t1 ends-by wed 12pm 9
 domain, t2 ends-by wed 4pm 4
 domain, t3 ends-by wed 1pm 9
 Nodes expanded to reach solution: 12
 task, t1 4
 task, t2 7
 task, t3 5
 domain, t2 ends-before fri 4pm
 domain, t3 10am
 domain, t1 ends-by wed 11am 8
 domain, t2 ends-by mon 9am 2
 domain, t3 ends-by thu 2pm 5
 Nodes expanded to reach solution: 3
 task, t1 4
 task, t2 7
 task, t3 5
 domain, t2 ends-before fri 4pm
 domain, t3 10am
 domain, t1 ends-by wed 11am 8
 domain, t2 ends-by mon 9am 2
 domain, t3 ends-by thu 2pm 5
 Nodes expanded to reach solution: 3
 task, t1 4
 task, t2 3
 task, t3 6
 domain, t2 tue
 domain, t1 ends-by mon 2pm 1
 domain, t2 ends-by mon 12pm 9
 domain, t3 ends-by tue 3pm 2
 Nodes expanded to reach solution: 3
 task, t1 4
 task, t2 3
 task, t3 6
 domain, t2 tue
 domain, t1 ends-by mon 2pm 1
 domain, t2 ends-by mon 12pm 9
 domain, t3 ends-by tue 3pm 2
 Nodes expanded to reach solution: 3
 task, t1 3
 task, t2 3

```

task, t3 6
domain, t2 tue
domain, t1 ends-by thu 4pm 9
domain, t2 ends-by fri 1pm 7
domain, t3 ends-by wed 4pm 7
Nodes expanded to reach solution: 3
task, t1 3
task, t2 3
task, t3 6
domain, t2 tue
domain, t1 ends-by thu 4pm 9
domain, t2 ends-by fri 1pm 7
domain, t3 ends-by wed 4pm 7
Nodes expanded to reach solution: 3
task, t1 1
task, t2 5
task, t3 6
constraint, t3 before t1
domain, t1 ends-by mon 2pm 5
domain, t2 ends-by tue 2pm 7
domain, t3 ends-by thu 10am 10
Nodes expanded to reach solution: 999
task, t1 1
task, t2 5
task, t3 6
constraint, t3 before t1
domain, t1 ends-by mon 2pm 5
domain, t2 ends-by tue 2pm 7
domain, t3 ends-by thu 10am 10
Nodes expanded to reach solution: 999
task, t1 2
task, t2 1
task, t3 5
domain, t1 ends-by thu 11am 8
domain, t2 ends-by mon 2pm 8
domain, t3 ends-by fri 1pm 6
Nodes expanded to reach solution: 3
task, t1 2
task, t2 1
task, t3 5
domain, t1 ends-by thu 11am 8
domain, t2 ends-by mon 2pm 8
domain, t3 ends-by fri 1pm 6
Nodes expanded to reach solution: 3
task, t1 3
task, t2 4
task, t3 4
constraint, t1 before t2
domain, t1 11am
domain, t3 9am
domain, t1 ends-by wed 12pm 6
domain, t2 ends-by wed 9am 7
domain, t3 ends-by mon 2pm 6
Nodes expanded to reach solution: 7
task, t1 3
task, t2 4
task, t3 4
constraint, t1 before t2
domain, t1 11am
domain, t3 9am

```

domain, t1 ends-by wed 12pm 6
 domain, t2 ends-by wed 9am 7
 domain, t3 ends-by mon 2pm 6
 Nodes expanded to reach solution: 7
 task, t1 5
 task, t2 4
 task, t3 7
 constraint, t1 before t3
 constraint, t2 before t1
 domain, t2 starts-after mon 4pm
 domain, t1 ends-by wed 3pm 1
 domain, t2 ends-by thu 3pm 6
 domain, t3 ends-by fri 2pm 1
 Nodes expanded to reach solution: 108
 task, t1 5
 task, t2 4
 task, t3 7
 constraint, t1 before t3
 constraint, t2 before t1
 domain, t2 starts-after mon 4pm
 domain, t1 ends-by wed 3pm 1
 domain, t2 ends-by thu 3pm 6
 domain, t3 ends-by fri 2pm 1
 Nodes expanded to reach solution: 108
 task, t1 2
 task, t2 1
 task, t3 6
 constraint, t2 before t1
 domain, t3 starts-after tue 1pm
 domain, t1 ends-by fri 11am 6
 domain, t2 ends-by fri 2pm 10
 domain, t3 ends-by fri 10am 5
 Nodes expanded to reach solution: 39
 task, t1 2
 task, t2 1
 task, t3 6
 constraint, t2 before t1
 domain, t3 starts-after tue 1pm
 domain, t1 ends-by fri 11am 6
 domain, t2 ends-by fri 2pm 10
 domain, t3 ends-by fri 10am 5
 Nodes expanded to reach solution: 39
 task, t1 6
 task, t2 1
 task, t3 7
 domain, t2 starts-before fri 12pm
 domain, t3 wed
 domain, t3 9am
 domain, t3 starts-before fri 11am
 domain, t1 ends-by wed 12pm 10
 domain, t2 ends-by fri 9am 3
 domain, t3 ends-by thu 11am 4
 Nodes expanded to reach solution: 3
 task, t1 6
 task, t2 1
 task, t3 7
 domain, t2 starts-before fri 12pm
 domain, t3 wed
 domain, t3 9am
 domain, t3 starts-before fri 11am

domain, t1 ends-by wed 12pm 10
 domain, t2 ends-by fri 9am 3
 domain, t3 ends-by thu 11am 4
 Nodes expanded to reach solution: 3
 task, t1 7
 task, t2 4
 task, t3 7
 task, t4 4
 constraint, t1 before t2
 constraint, t1 before t3
 constraint, t4 before t3
 domain, t1 wed
 domain, t2 ends-after fri 12pm
 domain, t3 9am
 domain, t4 ends-after tue 10am
 domain, t1 ends-by tue 3pm 4
 domain, t2 ends-by tue 10am 9
 domain, t3 ends-by thu 1pm 2
 domain, t4 ends-by mon 2pm 6
 Nodes expanded to reach solution: 7
 task, t1 7
 task, t2 4
 task, t3 7
 task, t4 4
 constraint, t1 before t2
 constraint, t1 before t3
 constraint, t4 before t3
 domain, t1 wed
 domain, t2 ends-after fri 12pm
 domain, t3 9am
 domain, t4 ends-after tue 10am
 domain, t1 ends-by tue 3pm 4
 domain, t2 ends-by tue 10am 9
 domain, t3 ends-by thu 1pm 2
 domain, t4 ends-by mon 2pm 6
 Nodes expanded to reach solution: 10
 task, t1 2
 task, t2 5
 task, t3 7
 task, t4 7
 constraint, t1 before t4
 constraint, t2 before t3
 constraint, t1 before t2
 domain, t1 mon
 domain, t2 wed
 domain, t3 starts-after wed 10am
 domain, t1 ends-by fri 9am 7
 domain, t2 ends-by fri 9am 4
 domain, t3 ends-by wed 12pm 5
 domain, t4 ends-by fri 2pm 8
 Nodes expanded to reach solution: 5
 task, t1 2
 task, t2 5
 task, t3 7
 task, t4 7
 constraint, t1 before t4
 constraint, t2 before t3
 constraint, t1 before t2
 domain, t1 mon
 domain, t2 wed

domain, t3 starts-after wed 10am
domain, t1 ends-by fri 9am 7
domain, t2 ends-by fri 9am 4
domain, t3 ends-by wed 12pm 5
domain, t4 ends-by fri 2pm 8
Nodes expanded to reach solution: 5
task, t1 7
task, t2 7
task, t3 1
task, t4 1
constraint, t1 before t4
constraint, t4 before t2
domain, t1 9am
domain, t1 ends-by fri 9am 9
domain, t2 ends-by wed 3pm 8
domain, t3 ends-by thu 2pm 6
domain, t4 ends-by fri 1pm 9
Nodes expanded to reach solution: 2533
task, t1 7
task, t2 7
task, t3 1
task, t4 1
constraint, t1 before t4
constraint, t4 before t2
domain, t1 9am
domain, t1 ends-by fri 9am 9
domain, t2 ends-by wed 3pm 8
domain, t3 ends-by thu 2pm 6
domain, t4 ends-by fri 1pm 9
Nodes expanded to reach solution: 2533
task, t1 2
task, t2 5
task, t3 5
task, t4 2
constraint, t3 before t1
domain, t2 9am
domain, t2 ends-after mon 11am
domain, t4 ends-before fri 2pm
domain, t1 ends-by wed 9am 7
domain, t2 ends-by wed 12pm 7
domain, t3 ends-by fri 9am 7
domain, t4 ends-by fri 1pm 6
Nodes expanded to reach solution: 409
task, t1 2
task, t2 5
task, t3 5
task, t4 2
constraint, t3 before t1
domain, t2 9am
domain, t2 ends-after mon 11am
domain, t4 ends-before fri 2pm
domain, t1 ends-by wed 9am 7
domain, t2 ends-by wed 12pm 7
domain, t3 ends-by fri 9am 7
domain, t4 ends-by fri 1pm 6
Nodes expanded to reach solution: 409
task, t1 2
task, t2 3
task, t3 1
task, t4 6


```

constraint, t2 before t1
constraint, t3 before t1
constraint, t4 before t1
constraint, t3 before t2
domain, t2 tue
domain, t3 mon
domain, t1 ends-by thu 12pm 8
domain, t2 ends-by tue 11am 4
domain, t3 ends-by wed 12pm 5
domain, t4 ends-by mon 11am 2
Nodes expanded to reach solution: 58
task, t1 2
task, t2 3
task, t3 1
task, t4 6
constraint, t2 before t1
constraint, t3 before t1
constraint, t4 before t1
constraint, t3 before t2
domain, t2 tue
domain, t3 mon
domain, t1 ends-by thu 12pm 8
domain, t2 ends-by tue 11am 4
domain, t3 ends-by wed 12pm 5
domain, t4 ends-by mon 11am 2
Nodes expanded to reach solution: 256
task, t1 5
task, t2 3
task, t3 6
task, t4 3
constraint, t3 before t1
domain, t2 mon
domain, t2 ends-after mon 10am
domain, t1 ends-by mon 10am 6
domain, t2 ends-by thu 11am 3
domain, t3 ends-by tue 10am 5
domain, t4 ends-by mon 1pm 6
Nodes expanded to reach solution: 172
task, t1 5
task, t2 3
task, t3 6
task, t4 3
constraint, t3 before t1
domain, t2 mon
domain, t2 ends-after mon 10am
domain, t1 ends-by mon 10am 6
domain, t2 ends-by thu 11am 3
domain, t3 ends-by tue 10am 5
domain, t4 ends-by mon 1pm 6
Nodes expanded to reach solution: 7
task, t1 7
task, t2 5
task, t3 7
task, t4 1
constraint, t4 before t1
constraint, t3 before t1
constraint, t2 before t1
constraint, t3 before t4
domain, t1 9am
domain, t1 ends-after mon 3pm

```

domain, t2 starts-before mon 1pm
domain, t4 starts-before wed 1pm
domain, t1 ends-by mon 4pm 2
domain, t2 ends-by fri 9am 9
domain, t3 ends-by tue 1pm 2
domain, t4 ends-by fri 3pm 5
Nodes expanded to reach solution: 91
task, t1 7
task, t2 5
task, t3 7
task, t4 1
constraint, t4 before t1
constraint, t3 before t1
constraint, t2 before t1
constraint, t3 before t4
domain, t1 9am
domain, t1 ends-after mon 3pm
domain, t2 starts-before mon 1pm
domain, t4 starts-before wed 1pm
domain, t1 ends-by mon 4pm 2
domain, t2 ends-by fri 9am 9
domain, t3 ends-by tue 1pm 2
domain, t4 ends-by fri 3pm 5
Nodes expanded to reach solution: 91
task, t1 3
task, t2 2
task, t3 4
task, t4 6
constraint, t1 before t4
domain, t1 mon
domain, t1 12pm
domain, t2 ends-after mon 3pm
domain, t4 starts-after mon 1pm
domain, t1 ends-by thu 4pm 9
domain, t2 ends-by thu 12pm 6
domain, t3 ends-by thu 2pm 10
domain, t4 ends-by thu 2pm 6
Nodes expanded to reach solution: 4
task, t1 3
task, t2 2
task, t3 4
task, t4 6
constraint, t1 before t4
domain, t1 mon
domain, t1 12pm
domain, t2 ends-after mon 3pm
domain, t4 starts-after mon 1pm
domain, t1 ends-by thu 4pm 9
domain, t2 ends-by thu 12pm 6
domain, t3 ends-by thu 2pm 10
domain, t4 ends-by thu 2pm 6
Nodes expanded to reach solution: 4
task, t1 2
task, t2 3
task, t3 4
task, t4 2
constraint, t2 before t1
domain, t1 ends-before wed 2pm
domain, t3 tue
domain, t3 ends-after mon 12pm

domain, t1 ends-by mon 1pm 9
domain, t2 ends-by mon 11am 8
domain, t3 ends-by tue 1pm 3
domain, t4 ends-by fri 2pm 8
Nodes expanded to reach solution: 82
task, t1 2
task, t2 3
task, t3 4
task, t4 2
constraint, t2 before t1
domain, t1 ends-before wed 2pm
domain, t3 tue
domain, t3 ends-after mon 12pm
domain, t1 ends-by mon 1pm 9
domain, t2 ends-by mon 11am 8
domain, t3 ends-by tue 1pm 3
domain, t4 ends-by fri 2pm 8
Nodes expanded to reach solution: 9379
task, t1 4
task, t2 5
task, t3 3
task, t4 3
domain, t2 mon
domain, t2 ends-before thu 2pm
domain, t4 ends-before fri 3pm
domain, t1 ends-by mon 12pm 7
domain, t2 ends-by thu 4pm 3
domain, t3 ends-by mon 10am 4
domain, t4 ends-by thu 12pm 2
Nodes expanded to reach solution: 4
task, t1 4
task, t2 5
task, t3 3
task, t4 3
domain, t2 mon
domain, t2 ends-before thu 2pm
domain, t4 ends-before fri 3pm
domain, t1 ends-by mon 12pm 7
domain, t2 ends-by thu 4pm 3
domain, t3 ends-by mon 10am 4
domain, t4 ends-by thu 12pm 2
Nodes expanded to reach solution: 4
task, t1 5
task, t2 1
task, t3 4
task, t4 4
domain, t1 ends-after mon 10am
domain, t4 tue
domain, t4 11am
domain, t1 ends-by tue 4pm 6
domain, t2 ends-by fri 12pm 8
domain, t3 ends-by thu 12pm 8
domain, t4 ends-by mon 1pm 10
Nodes expanded to reach solution: 4
task, t1 5
task, t2 1
task, t3 4
task, t4 4
domain, t1 ends-after mon 10am
domain, t4 tue

```

domain, t4 11am
domain, t1 ends-by tue 4pm 6
domain, t2 ends-by fri 12pm 8
domain, t3 ends-by thu 12pm 8
domain, t4 ends-by mon 1pm 10
Nodes expanded to reach solution: 4
task, t1 4
task, t2 7
task, t3 5
task, t4 7
constraint, t4 before t3
constraint, t3 before t1
domain, t2 ends-after mon 3pm
domain, t3 ends-after mon 12pm
domain, t4 9am
domain, t1 ends-by tue 1pm 5
domain, t2 ends-by wed 2pm 2
domain, t3 ends-by wed 12pm 6
domain, t4 ends-by mon 9am 7
Nodes expanded to reach solution: 970
task, t1 4
task, t2 7
task, t3 5
task, t4 7
constraint, t4 before t3
constraint, t3 before t1
domain, t2 ends-after mon 3pm
domain, t3 ends-after mon 12pm
domain, t4 9am
domain, t1 ends-by tue 1pm 5
domain, t2 ends-by wed 2pm 2
domain, t3 ends-by wed 12pm 6
domain, t4 ends-by mon 9am 7
Nodes expanded to reach solution: 970
task, t1 4
task, t2 3
task, t3 6
task, t4 5
constraint, t1 before t4
constraint, t1 before t2
constraint, t4 before t2
constraint, t3 before t2
domain, t1 10am
domain, t4 wed
domain, t1 ends-by mon 2pm 4
domain, t2 ends-by wed 9am 6
domain, t3 ends-by wed 4pm 7
domain, t4 ends-by wed 12pm 2
Nodes expanded to reach solution: 209
task, t1 4
task, t2 3
task, t3 6
task, t4 5
constraint, t1 before t4
constraint, t1 before t2
constraint, t4 before t2
constraint, t3 before t2
domain, t1 10am
domain, t4 wed
domain, t1 ends-by mon 2pm 4

```

```

domain, t2 ends-by wed 9am 6
domain, t3 ends-by wed 4pm 7
domain, t4 ends-by wed 12pm 2
Nodes expanded to reach solution: 209
task, t1 3
task, t2 3
task, t3 6
task, t4 6
constraint, t4 before t2
domain, t1 ends-by wed 9am 6
domain, t2 ends-by thu 2pm 5
domain, t3 ends-by fri 3pm 5
domain, t4 ends-by thu 10am 3
Nodes expanded to reach solution: 559
task, t1 3
task, t2 3
task, t3 6
task, t4 6
constraint, t4 before t2
domain, t1 ends-by wed 9am 6
domain, t2 ends-by thu 2pm 5
domain, t3 ends-by fri 3pm 5
domain, t4 ends-by thu 10am 3
Nodes expanded to reach solution: 559
task, t1 1
task, t2 5
task, t3 6
task, t4 7
constraint, t2 before t1
constraint, t4 before t1
domain, t2 wed
domain, t4 9am
domain, t1 ends-by tue 2pm 8
domain, t2 ends-by wed 11am 9
domain, t3 ends-by wed 9am 2
domain, t4 ends-by mon 4pm 2
Nodes expanded to reach solution: 80
task, t1 1
task, t2 5
task, t3 6
task, t4 7
constraint, t2 before t1
constraint, t4 before t1
domain, t2 wed
domain, t4 9am
domain, t1 ends-by tue 2pm 8
domain, t2 ends-by wed 11am 9
domain, t3 ends-by wed 9am 2
domain, t4 ends-by mon 4pm 2
Nodes expanded to reach solution: 1673
task, t1 2
task, t2 1
task, t3 5
task, t4 6
constraint, t1 before t4
domain, t4 starts-before fri 4pm
domain, t4 ends-before wed 12pm
domain, t1 ends-by fri 4pm 1
domain, t2 ends-by wed 11am 9
domain, t3 ends-by thu 4pm 3

```

domain, t4 ends-by mon 3pm 2
 Nodes expanded to reach solution: 6
 task, t1 2
 task, t2 1
 task, t3 5
 task, t4 6
 constraint, t1 before t4
 domain, t4 starts-before fri 4pm
 domain, t4 ends-before wed 12pm
 domain, t1 ends-by fri 4pm 1
 domain, t2 ends-by wed 11am 9
 domain, t3 ends-by thu 4pm 3
 domain, t4 ends-by mon 3pm 2
 Nodes expanded to reach solution: 6
 task, t1 3
 task, t2 4
 task, t3 4
 task, t4 3
 constraint, t4 before t1
 domain, t1 ends-before fri 9am
 domain, t2 ends-before fri 10am
 domain, t3 ends-after tue 4pm
 domain, t4 ends-before wed 2pm
 domain, t1 ends-by mon 9am 9
 domain, t2 ends-by wed 4pm 4
 domain, t3 ends-by thu 4pm 3
 domain, t4 ends-by wed 12pm 5
 Nodes expanded to reach solution: 8791
 task, t1 3
 task, t2 4
 task, t3 4
 task, t4 3
 constraint, t4 before t1
 domain, t1 ends-before fri 9am
 domain, t2 ends-before fri 10am
 domain, t3 ends-after tue 4pm
 domain, t4 ends-before wed 2pm
 domain, t1 ends-by mon 9am 9
 domain, t2 ends-by wed 4pm 4
 domain, t3 ends-by thu 4pm 3
 domain, t4 ends-by wed 12pm 5
 Nodes expanded to reach solution: 7
 task, t1 5
 task, t2 4
 task, t3 7
 task, t4 3
 constraint, t1 before t3
 domain, t2 starts-after mon 4pm
 domain, t4 starts-before fri 10am
 domain, t1 ends-by tue 4pm 2
 domain, t2 ends-by fri 12pm 4
 domain, t3 ends-by tue 4pm 9
 domain, t4 ends-by wed 4pm 1
 Nodes expanded to reach solution: 5
 task, t1 5
 task, t2 4
 task, t3 7
 task, t4 3
 constraint, t1 before t3
 domain, t2 starts-after mon 4pm

```

domain, t4 starts-before fri 10am
domain, t1 ends-by tue 4pm 2
domain, t2 ends-by fri 12pm 4
domain, t3 ends-by tue 4pm 9
domain, t4 ends-by wed 4pm 1
Nodes expanded to reach solution: 5
task, t1 2
task, t2 1
task, t3 6
task, t4 4
constraint, t4 before t1
domain, t3 wed
domain, t1 ends-by fri 9am 3
domain, t2 ends-by thu 4pm 3
domain, t3 ends-by tue 1pm 4
domain, t4 ends-by thu 12pm 3
Nodes expanded to reach solution: 6028
task, t1 2
task, t2 1
task, t3 6
task, t4 4
constraint, t4 before t1
domain, t3 wed
domain, t1 ends-by fri 9am 3
domain, t2 ends-by thu 4pm 3
domain, t3 ends-by tue 1pm 4
domain, t4 ends-by thu 12pm 3
Nodes expanded to reach solution: 2948
task, t1 6
task, t2 1
task, t3 7
task, t4 5
constraint, t4 before t1
constraint, t2 before t4
constraint, t3 before t1
domain, t1 ends-before fri 4pm
domain, t4 ends-before fri 12pm
domain, t1 ends-by fri 3pm 2
domain, t2 ends-by fri 10am 8
domain, t3 ends-by fri 9am 8
domain, t4 ends-by wed 4pm 7
Nodes expanded to reach solution: 427
task, t1 6
task, t2 1
task, t3 7
task, t4 5
constraint, t4 before t1
constraint, t2 before t4
constraint, t3 before t1
domain, t1 ends-before fri 4pm
domain, t4 ends-before fri 12pm
domain, t1 ends-by fri 3pm 2
domain, t2 ends-by fri 10am 8
domain, t3 ends-by fri 9am 8
domain, t4 ends-by wed 4pm 7
Nodes expanded to reach solution: 427
task, t1 7
task, t2 4
task, t3 7
task, t4 4

```

```

task, t5 1
constraint, t4 before t2
domain, t4 tue
domain, t4 ends-after mon 4pm
domain, t5 ends-before fri 2pm
domain, t1 ends-by tue 10am 9
domain, t2 ends-by thu 1pm 2
domain, t3 ends-by mon 2pm 6
domain, t4 ends-by fri 9am 8
domain, t5 ends-by mon 3pm 5
Nodes expanded to reach solution: 213
task, t1 7
task, t2 4
task, t3 7
task, t4 4
task, t5 1
constraint, t4 before t2
domain, t4 tue
domain, t4 ends-after mon 4pm
domain, t5 ends-before fri 2pm
domain, t1 ends-by tue 10am 9
domain, t2 ends-by thu 1pm 2
domain, t3 ends-by mon 2pm 6
domain, t4 ends-by fri 9am 8
domain, t5 ends-by mon 3pm 5
Nodes expanded to reach solution: 45
task, t1 2
task, t2 5
task, t3 7
task, t4 7
task, t5 7
constraint, t2 before t3
constraint, t5 before t3
constraint, t5 before t2
constraint, t5 before t4
domain, t1 ends-by fri 9am 7
domain, t2 ends-by fri 2pm 1
domain, t3 ends-by thu 3pm 4
domain, t4 ends-by thu 10am 7
domain, t5 ends-by tue 12pm 6
Nodes expanded to reach solution: 391
task, t1 2
task, t2 5
task, t3 7
task, t4 7
task, t5 7
constraint, t2 before t3
constraint, t5 before t3
constraint, t5 before t2
constraint, t5 before t4
domain, t1 ends-by fri 9am 7
domain, t2 ends-by fri 2pm 1
domain, t3 ends-by thu 3pm 4
domain, t4 ends-by thu 10am 7
domain, t5 ends-by tue 12pm 6
Nodes expanded to reach solution: 391
task, t1 7
task, t2 7
task, t3 1
task, t4 1

```



```

task, t5 1
constraint, t1 before t4
constraint, t5 before t3
domain, t1 ends-before fri 10am
domain, t1 ends-by thu 2pm 8
domain, t2 ends-by wed 3pm 10
domain, t3 ends-by fri 12pm 8
domain, t4 ends-by thu 4pm 4
domain, t5 ends-by wed 1pm 3
Nodes expanded to reach solution: 1028
task, t1 7
task, t2 7
task, t3 1
task, t4 1
task, t5 1
constraint, t1 before t4
constraint, t5 before t3
domain, t1 ends-before fri 10am
domain, t1 ends-by thu 2pm 8
domain, t2 ends-by wed 3pm 10
domain, t3 ends-by fri 12pm 8
domain, t4 ends-by thu 4pm 4
domain, t5 ends-by wed 1pm 3
Nodes expanded to reach solution: 1028
task, t1 2
task, t2 5
task, t3 5
task, t4 2
task, t5 3
constraint, t5 before t3
constraint, t5 before t1
domain, t1 starts-before fri 4pm
domain, t1 starts-after mon 10am
domain, t3 ends-before fri 1pm
domain, t1 ends-by wed 10am 10
domain, t2 ends-by tue 11am 6
domain, t3 ends-by fri 11am 10
domain, t4 ends-by fri 1pm 2
domain, t5 ends-by tue 2pm 10
Nodes expanded to reach solution: 283540
task, t1 2
task, t2 5
task, t3 5
task, t4 2
task, t5 3
constraint, t5 before t3
constraint, t5 before t1
domain, t1 starts-before fri 4pm
domain, t1 starts-after mon 10am
domain, t3 ends-before fri 1pm
domain, t1 ends-by wed 10am 10
domain, t2 ends-by tue 11am 6
domain, t3 ends-by fri 11am 10
domain, t4 ends-by fri 1pm 2
domain, t5 ends-by tue 2pm 10
Nodes expanded to reach solution: 283540
task, t1 2
task, t2 3
task, t3 1
task, t4 6

```

```

task, t5 4
constraint, t3 before t1
constraint, t1 before t5
domain, t1 ends-before thu 4pm
domain, t3 10am
domain, t4 10am
domain, t1 ends-by fri 3pm 5
domain, t2 ends-by thu 12pm 8
domain, t3 ends-by tue 11am 4
domain, t4 ends-by wed 12pm 5
domain, t5 ends-by mon 11am 2
Nodes expanded to reach solution: 311
task, t1 2
task, t2 3
task, t3 1
task, t4 6
task, t5 4
constraint, t3 before t1
constraint, t1 before t5
domain, t1 ends-before thu 4pm
domain, t3 10am
domain, t4 10am
domain, t1 ends-by fri 3pm 5
domain, t2 ends-by thu 12pm 8
domain, t3 ends-by tue 11am 4
domain, t4 ends-by wed 12pm 5
domain, t5 ends-by mon 11am 2
Nodes expanded to reach solution: 311
task, t1 5
task, t2 3
task, t3 6
task, t4 3
task, t5 7
constraint, t3 before t1
domain, t1 ends-after mon 9am
domain, t4 ends-after wed 12pm
domain, t5 ends-before thu 2pm
domain, t1 ends-by thu 3pm 6
domain, t2 ends-by tue 12pm 8
domain, t3 ends-by thu 3pm 3
domain, t4 ends-by mon 12pm 5
domain, t5 ends-by mon 10am 6
Nodes expanded to reach solution: 833
task, t1 5
task, t2 3
task, t3 6
task, t4 3
task, t5 7
constraint, t3 before t1
domain, t1 ends-after mon 9am
domain, t4 ends-after wed 12pm
domain, t5 ends-before thu 2pm
domain, t1 ends-by thu 3pm 6
domain, t2 ends-by tue 12pm 8
domain, t3 ends-by thu 3pm 3
domain, t4 ends-by mon 12pm 5
domain, t5 ends-by mon 10am 6
Nodes expanded to reach solution: 833
task, t1 7
task, t2 5

```

```

task, t3 7
task, t4 1
task, t5 4
constraint, t4 before t1
constraint, t5 before t1
domain, t1 starts-after tue 2pm
domain, t2 mon
domain, t4 ends-before wed 2pm
domain, t1 ends-by fri 3pm 5
domain, t2 ends-by wed 12pm 4
domain, t3 ends-by thu 9am 8
domain, t4 ends-by tue 3pm 3
domain, t5 ends-by fri 3pm 4
Nodes expanded to reach solution: 5
task, t1 7
task, t2 5
task, t3 7
task, t4 1
task, t5 4
constraint, t4 before t1
constraint, t5 before t1
domain, t1 starts-after tue 2pm
domain, t2 mon
domain, t4 ends-before wed 2pm
domain, t1 ends-by fri 3pm 5
domain, t2 ends-by wed 12pm 4
domain, t3 ends-by thu 9am 8
domain, t4 ends-by tue 3pm 3
domain, t5 ends-by fri 3pm 4
Nodes expanded to reach solution: 5
task, t1 3
task, t2 2
task, t3 4
task, t4 6
task, t5 1
domain, t1 mon
domain, t1 ends-before tue 3pm
domain, t2 starts-before fri 3pm
domain, t2 ends-after tue 9am
domain, t4 ends-before fri 3pm
domain, t1 ends-by tue 4pm 3
domain, t2 ends-by tue 4pm 2
domain, t3 ends-by fri 1pm 5
domain, t4 ends-by fri 10am 8
domain, t5 ends-by wed 2pm 8
Nodes expanded to reach solution: 5
task, t1 3
task, t2 2
task, t3 4
task, t4 6
task, t5 1
domain, t1 mon
domain, t1 ends-before tue 3pm
domain, t2 starts-before fri 3pm
domain, t2 ends-after tue 9am
domain, t4 ends-before fri 3pm
domain, t1 ends-by tue 4pm 3
domain, t2 ends-by tue 4pm 2
domain, t3 ends-by fri 1pm 5
domain, t4 ends-by fri 10am 8

```

domain, t5 ends-by wed 2pm 8
Nodes expanded to reach solution: 5
task, t1 2
task, t2 3
task, t3 4
task, t4 2
task, t5 2
constraint, t1 before t3
constraint, t5 before t3
constraint, t2 before t5
constraint, t2 before t4
constraint, t4 before t3
constraint, t1 before t5
domain, t1 mon
domain, t1 ends-after mon 10am
domain, t3 fri
domain, t5 10am
domain, t1 ends-by fri 9am 10
domain, t2 ends-by tue 1pm 5
domain, t3 ends-by tue 10am 6
domain, t4 ends-by fri 10am 5
domain, t5 ends-by fri 9am 2
Nodes expanded to reach solution: 9
task, t1 2
task, t2 3
task, t3 4
task, t4 2
task, t5 2
constraint, t1 before t3
constraint, t5 before t3
constraint, t2 before t5
constraint, t2 before t4
constraint, t4 before t3
constraint, t1 before t5
domain, t1 mon
domain, t1 ends-after mon 10am
domain, t3 fri
domain, t5 10am
domain, t1 ends-by fri 9am 10
domain, t2 ends-by tue 1pm 5
domain, t3 ends-by tue 10am 6
domain, t4 ends-by fri 10am 5
domain, t5 ends-by fri 9am 2
Nodes expanded to reach solution: 9
task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
constraint, t5 before t4
constraint, t5 before t1
constraint, t2 before t1
domain, t2 ends-after mon 11am
domain, t3 starts-after mon 9am
domain, t3 ends-after thu 9am
domain, t5 mon
domain, t1 ends-by tue 9am 9
domain, t2 ends-by mon 10am 9
domain, t3 ends-by mon 2pm 10
domain, t4 ends-by thu 4pm 9

domain, t5 ends-by tue 1pm 7
Nodes expanded to reach solution: 83
task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
constraint, t5 before t4
constraint, t5 before t1
constraint, t2 before t1
domain, t2 ends-after mon 11am
domain, t3 starts-after mon 9am
domain, t3 ends-after thu 9am
domain, t5 mon
domain, t1 ends-by tue 9am 9
domain, t2 ends-by mon 10am 9
domain, t3 ends-by mon 2pm 10
domain, t4 ends-by thu 4pm 9
domain, t5 ends-by tue 1pm 7
Nodes expanded to reach solution: 1743
task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
constraint, t2 before t3
constraint, t1 before t4
constraint, t4 before t3
domain, t5 mon
domain, t5 starts-after mon 9am
domain, t1 ends-by wed 4pm 10
domain, t2 ends-by tue 10am 2
domain, t3 ends-by mon 3pm 8
domain, t4 ends-by tue 11am 4
domain, t5 ends-by wed 3pm 7
Nodes expanded to reach solution: 157
task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
constraint, t2 before t3
constraint, t1 before t4
constraint, t4 before t3
domain, t5 mon
domain, t5 starts-after mon 9am
domain, t1 ends-by wed 4pm 10
domain, t2 ends-by tue 10am 2
domain, t3 ends-by mon 3pm 8
domain, t4 ends-by tue 11am 4
domain, t5 ends-by wed 3pm 7
Nodes expanded to reach solution: 157
task, t1 4
task, t2 7
task, t3 5
task, t4 7
task, t5 7
constraint, t4 before t1
constraint, t3 before t2
constraint, t4 before t2

```

constraint, t5 before t2
constraint, t3 before t1
domain, t1 starts-after tue 2pm
domain, t1 ends-after thu 9am
domain, t2 starts-before fri 12pm
domain, t2 ends-after wed 2pm
domain, t3 tue
domain, t3 ends-after mon 4pm
domain, t1 ends-by fri 2pm 5
domain, t2 ends-by mon 10am 4
domain, t3 ends-by tue 12pm 7
domain, t4 ends-by fri 3pm 10
domain, t5 ends-by mon 3pm 1
Nodes expanded to reach solution: 5
task, t1 4
task, t2 7
task, t3 5
task, t4 7
task, t5 7
constraint, t4 before t1
constraint, t3 before t2
constraint, t4 before t2
constraint, t5 before t2
constraint, t3 before t1
domain, t1 starts-after tue 2pm
domain, t1 ends-after thu 9am
domain, t2 starts-before fri 12pm
domain, t2 ends-after wed 2pm
domain, t3 tue
domain, t3 ends-after mon 4pm
domain, t1 ends-by fri 2pm 5
domain, t2 ends-by mon 10am 4
domain, t3 ends-by tue 12pm 7
domain, t4 ends-by fri 3pm 10
domain, t5 ends-by mon 3pm 1
Nodes expanded to reach solution: 5
task, t1 4
task, t2 3
task, t3 6
task, t4 5
task, t5 6
constraint, t5 before t4
constraint, t1 before t4
constraint, t3 before t2
constraint, t5 before t1
constraint, t1 before t2
constraint, t3 before t1
domain, t1 10am
domain, t2 ends-after mon 2pm
domain, t3 9am
domain, t4 starts-before wed 4pm
domain, t1 ends-by fri 9am 10
domain, t2 ends-by fri 9am 3
domain, t3 ends-by mon 10am 7
domain, t4 ends-by thu 12pm 1
domain, t5 ends-by fri 10am 1
Nodes expanded to reach solution: 143
task, t1 4
task, t2 3
task, t3 6

```

```

task, t4 5
task, t5 6
constraint, t5 before t4
constraint, t1 before t4
constraint, t3 before t2
constraint, t5 before t1
constraint, t1 before t2
constraint, t3 before t1
domain, t1 10am
domain, t2 ends-after mon 2pm
domain, t3 9am
domain, t4 starts-before wed 4pm
domain, t1 ends-by fri 9am 10
domain, t2 ends-by fri 9am 3
domain, t3 ends-by mon 10am 7
domain, t4 ends-by thu 12pm 1
domain, t5 ends-by fri 10am 1
Nodes expanded to reach solution: 1423
task, t1 3
task, t2 3
task, t3 6
task, t4 6
task, t5 7
constraint, t4 before t2
domain, t1 ends-by mon 1pm 7
domain, t2 ends-by thu 2pm 7
domain, t3 ends-by mon 9am 7
domain, t4 ends-by mon 11am 4
domain, t5 ends-by tue 10am 8
Nodes expanded to reach solution: 560
task, t1 3
task, t2 3
task, t3 6
task, t4 6
task, t5 7
constraint, t4 before t2
domain, t1 ends-by mon 1pm 7
domain, t2 ends-by thu 2pm 7
domain, t3 ends-by mon 9am 7
domain, t4 ends-by mon 11am 4
domain, t5 ends-by tue 10am 8
Nodes expanded to reach solution: 285
task, t1 1
task, t2 5
task, t3 6
task, t4 7
task, t5 6
constraint, t4 before t1
constraint, t5 before t1
constraint, t3 before t1
domain, t1 starts-before fri 11am
domain, t2 starts-before fri 2pm
domain, t3 starts-before thu 4pm
domain, t4 ends-after tue 9am
domain, t1 ends-by tue 11am 9
domain, t2 ends-by thu 9am 8
domain, t3 ends-by wed 12pm 8
domain, t4 ends-by thu 2pm 7
domain, t5 ends-by thu 11am 10
Nodes expanded to reach solution: 2869

```

task, t1 1
task, t2 5
task, t3 6
task, t4 7
task, t5 6
constraint, t4 before t1
constraint, t5 before t1
constraint, t3 before t1
domain, t1 starts-before fri 11am
domain, t2 starts-before fri 2pm
domain, t3 starts-before thu 4pm
domain, t4 ends-after tue 9am
domain, t1 ends-by tue 11am 9
domain, t2 ends-by thu 9am 8
domain, t3 ends-by wed 12pm 8
domain, t4 ends-by thu 2pm 7
domain, t5 ends-by thu 11am 10
Nodes expanded to reach solution: 2869
task, t1 2
task, t2 1
task, t3 5
task, t4 6
task, t5 1
constraint, t1 before t4
constraint, t3 before t5
constraint, t1 before t5
domain, t1 starts-after tue 10am
domain, t2 ends-after mon 9am
domain, t3 ends-after tue 9am
domain, t4 starts-before wed 1pm
domain, t4 ends-before fri 9am
domain, t1 ends-by wed 1pm 7
domain, t2 ends-by thu 3pm 6
domain, t3 ends-by thu 1pm 2
domain, t4 ends-by wed 10am 8
domain, t5 ends-by tue 10am 2
Nodes expanded to reach solution: 21
task, t1 2
task, t2 1
task, t3 5
task, t4 6
task, t5 1
constraint, t1 before t4
constraint, t3 before t5
constraint, t1 before t5
domain, t1 starts-after tue 10am
domain, t2 ends-after mon 9am
domain, t3 ends-after tue 9am
domain, t4 starts-before wed 1pm
domain, t4 ends-before fri 9am
domain, t1 ends-by wed 1pm 7
domain, t2 ends-by thu 3pm 6
domain, t3 ends-by thu 1pm 2
domain, t4 ends-by wed 10am 8
domain, t5 ends-by tue 10am 2
Nodes expanded to reach solution: 21
task, t1 3
task, t2 4
task, t3 4
task, t4 3


```

task, t5 4
constraint, t4 before t1
constraint, t5 before t1
constraint, t4 before t3
domain, t2 mon
domain, t4 9am
domain, t5 ends-before fri 11am
domain, t1 ends-by mon 9am 8
domain, t2 ends-by thu 4pm 1
domain, t3 ends-by thu 3pm 2
domain, t4 ends-by thu 2pm 10
domain, t5 ends-by mon 2pm 8
Nodes expanded to reach solution: 3051
task, t1 3
task, t2 4
task, t3 4
task, t4 3
task, t5 4
constraint, t4 before t1
constraint, t5 before t1
constraint, t4 before t3
domain, t2 mon
domain, t4 9am
domain, t5 ends-before fri 11am
domain, t1 ends-by mon 9am 8
domain, t2 ends-by thu 4pm 1
domain, t3 ends-by thu 3pm 2
domain, t4 ends-by thu 2pm 10
domain, t5 ends-by mon 2pm 8
Nodes expanded to reach solution: 27
task, t1 5
task, t2 4
task, t3 7
task, t4 3
task, t5 3
constraint, t1 before t4
constraint, t5 before t3
constraint, t1 before t3
constraint, t2 before t3
constraint, t2 before t4
domain, t2 ends-before thu 3pm
domain, t1 ends-by fri 1pm 10
domain, t2 ends-by wed 10am 6
domain, t3 ends-by mon 9am 1
domain, t4 ends-by wed 3pm 1
domain, t5 ends-by thu 2pm 5
Nodes expanded to reach solution: 11
task, t1 5
task, t2 4
task, t3 7
task, t4 3
task, t5 3
constraint, t1 before t4
constraint, t5 before t3
constraint, t1 before t3
constraint, t2 before t3
constraint, t2 before t4
domain, t2 ends-before thu 3pm
domain, t1 ends-by fri 1pm 10
domain, t2 ends-by wed 10am 6

```

domain, t3 ends-by mon 9am 1
domain, t4 ends-by wed 3pm 1
domain, t5 ends-by thu 2pm 5
Nodes expanded to reach solution: 11
task, t1 2
task, t2 1
task, t3 6
task, t4 4
task, t5 3
constraint, t1 before t3
constraint, t1 before t5
domain, t1 starts-before thu 9am
domain, t1 ends-by fri 11am 8
domain, t2 ends-by mon 2pm 8
domain, t3 ends-by tue 10am 8
domain, t4 ends-by tue 10am 8
domain, t5 ends-by mon 2pm 4
Nodes expanded to reach solution: 9
task, t1 2
task, t2 1
task, t3 6
task, t4 4
task, t5 3
constraint, t1 before t3
constraint, t1 before t5
domain, t1 starts-before thu 9am
domain, t1 ends-by fri 11am 8
domain, t2 ends-by mon 2pm 8
domain, t3 ends-by tue 10am 8
domain, t4 ends-by tue 10am 8
domain, t5 ends-by mon 2pm 4
Nodes expanded to reach solution: 9
task, t1 6
task, t2 1
task, t3 7
task, t4 5
task, t5 1
constraint, t4 before t5
constraint, t4 before t1
constraint, t2 before t4
constraint, t2 before t1
domain, t1 ends-before fri 4pm
domain, t4 ends-before fri 12pm
domain, t1 ends-by tue 12pm 1
domain, t2 ends-by tue 4pm 2
domain, t3 ends-by mon 10am 8
domain, t4 ends-by thu 9am 8
domain, t5 ends-by mon 4pm 5
Nodes expanded to reach solution: 149
task, t1 6
task, t2 1
task, t3 7
task, t4 5
task, t5 1
constraint, t4 before t5
constraint, t4 before t1
constraint, t2 before t4
constraint, t2 before t1
domain, t1 ends-before fri 4pm
domain, t4 ends-before fri 12pm

domain, t1 ends-by tue 12pm 1
domain, t2 ends-by tue 4pm 2
domain, t3 ends-by mon 10am 8
domain, t4 ends-by thu 9am 8
domain, t5 ends-by mon 4pm 5
Nodes expanded to reach solution: 96
task, t1 7
task, t2 4
task, t3 7
task, t4 4
task, t5 1
task, t6 3
constraint, t4 before t1
constraint, t6 before t1
constraint, t4 before t5
constraint, t5 before t1
constraint, t2 before t3
domain, t1 ends-after fri 12pm
domain, t2 10am
domain, t3 ends-after fri 1pm
domain, t4 ends-before wed 3pm
domain, t6 ends-after mon 3pm
domain, t1 ends-by wed 1pm 10
domain, t2 ends-by tue 4pm 5
domain, t3 ends-by tue 12pm 4
domain, t4 ends-by tue 12pm 1
domain, t5 ends-by fri 4pm 5
domain, t6 ends-by thu 3pm 2
Nodes expanded to reach solution: 10
task, t1 7
task, t2 4
task, t3 7
task, t4 4
task, t5 1
task, t6 3
constraint, t4 before t1
constraint, t6 before t1
constraint, t4 before t5
constraint, t5 before t1
constraint, t2 before t3
domain, t1 ends-after fri 12pm
domain, t2 10am
domain, t3 ends-after fri 1pm
domain, t4 ends-before wed 3pm
domain, t6 ends-after mon 3pm
domain, t1 ends-by wed 1pm 10
domain, t2 ends-by tue 4pm 5
domain, t3 ends-by tue 12pm 4
domain, t4 ends-by tue 12pm 1
domain, t5 ends-by fri 4pm 5
domain, t6 ends-by thu 3pm 2
Nodes expanded to reach solution: 10
task, t1 2
task, t2 5
task, t3 7
task, t4 7
task, t5 7
task, t6 1
constraint, t5 before t6
constraint, t4 before t2

constraint, t5 before t3
 constraint, t5 before t2
 constraint, t1 before t2
 domain, t5 ends-after mon 10am
 domain, t6 ends-before thu 10am
 domain, t1 ends-by fri 4pm 10
 domain, t2 ends-by fri 2pm 7
 domain, t3 ends-by tue 11am 3
 domain, t4 ends-by fri 9am 4
 domain, t5 ends-by mon 9am 4
 domain, t6 ends-by fri 11am 9
 Nodes expanded to reach solution: 57
 task, t1 2
 task, t2 5
 task, t3 7
 task, t4 7
 task, t5 7
 task, t6 1
 constraint, t5 before t6
 constraint, t4 before t2
 constraint, t5 before t3
 constraint, t5 before t2
 constraint, t1 before t2
 domain, t5 ends-after mon 10am
 domain, t6 ends-before thu 10am
 domain, t1 ends-by fri 4pm 10
 domain, t2 ends-by fri 2pm 7
 domain, t3 ends-by tue 11am 3
 domain, t4 ends-by fri 9am 4
 domain, t5 ends-by mon 9am 4
 domain, t6 ends-by fri 11am 9
 Nodes expanded to reach solution: 219
 task, t1 7
 task, t2 7
 task, t3 1
 task, t4 1
 task, t5 1
 task, t6 3
 domain, t1 ends-by thu 2pm 6
 domain, t2 ends-by fri 1pm 9
 domain, t3 ends-by thu 2pm 8
 domain, t4 ends-by tue 3pm 6
 domain, t5 ends-by tue 11am 10
 domain, t6 ends-by wed 10am 8
 Nodes expanded to reach solution: 6
 task, t1 7
 task, t2 7
 task, t3 1
 task, t4 1
 task, t5 1
 task, t6 3
 domain, t1 ends-by thu 2pm 6
 domain, t2 ends-by fri 1pm 9
 domain, t3 ends-by thu 2pm 8
 domain, t4 ends-by tue 3pm 6
 domain, t5 ends-by tue 11am 10
 domain, t6 ends-by wed 10am 8
 Nodes expanded to reach solution: 6
 task, t1 2
 task, t2 5

```

task, t3 5
task, t4 2
task, t5 3
task, t6 5
constraint, t5 before t6
constraint, t5 before t1
constraint, t2 before t5
domain, t1 starts-before fri 2pm
domain, t3 starts-after tue 4pm
domain, t1 ends-by fri 1pm 2
domain, t2 ends-by tue 2pm 10
domain, t3 ends-by wed 10am 5
domain, t4 ends-by mon 4pm 2
domain, t5 ends-by thu 3pm 8
domain, t6 ends-by mon 2pm 6
Nodes expanded to reach solution: 949076
task, t1 2
task, t2 5
task, t3 5
task, t4 2
task, t5 3
task, t6 5
constraint, t5 before t6
constraint, t5 before t1
constraint, t2 before t5
domain, t1 starts-before fri 2pm
domain, t3 starts-after tue 4pm
domain, t1 ends-by fri 1pm 2
domain, t2 ends-by tue 2pm 10
domain, t3 ends-by wed 10am 5
domain, t4 ends-by mon 4pm 2
domain, t5 ends-by thu 3pm 8
domain, t6 ends-by mon 2pm 6
Nodes expanded to reach solution: 105461
task, t1 2
task, t2 3
task, t3 1
task, t4 6
task, t5 4
task, t6 4
constraint, t3 before t1
constraint, t4 before t5
constraint, t1 before t6
constraint, t3 before t6
constraint, t2 before t1
constraint, t1 before t4
constraint, t2 before t6
domain, t2 ends-before thu 10am
domain, t4 starts-after mon 10am
domain, t5 ends-after tue 1pm
domain, t1 ends-by tue 1pm 6
domain, t2 ends-by mon 3pm 1
domain, t3 ends-by tue 3pm 5
domain, t4 ends-by fri 2pm 10
domain, t5 ends-by tue 4pm 2
domain, t6 ends-by wed 2pm 3
Nodes expanded to reach solution: 63
task, t1 2
task, t2 3
task, t3 1

```

```

task, t4 6
task, t5 4
task, t6 4
constraint, t3 before t1
constraint, t4 before t5
constraint, t1 before t6
constraint, t3 before t6
constraint, t2 before t1
constraint, t1 before t4
constraint, t2 before t6
domain, t2 ends-before thu 10am
domain, t4 starts-after mon 10am
domain, t5 ends-after tue 1pm
domain, t1 ends-by tue 1pm 6
domain, t2 ends-by mon 3pm 1
domain, t3 ends-by tue 3pm 5
domain, t4 ends-by fri 2pm 10
domain, t5 ends-by tue 4pm 2
domain, t6 ends-by wed 2pm 3
Nodes expanded to reach solution: 63
task, t1 5
task, t2 3
task, t3 6
task, t4 3
task, t5 7
task, t6 6
constraint, t3 before t1
constraint, t5 before t3
domain, t1 ends-before fri 3pm
domain, t3 ends-after tue 2pm
domain, t4 starts-before fri 1pm
domain, t5 9am
domain, t1 ends-by thu 10am 1
domain, t2 ends-by fri 12pm 7
domain, t3 ends-by wed 4pm 7
domain, t4 ends-by fri 2pm 1
domain, t5 ends-by thu 1pm 1
domain, t6 ends-by tue 12pm 10
Nodes expanded to reach solution: 1362
task, t1 5
task, t2 3
task, t3 6
task, t4 3
task, t5 7
task, t6 6
constraint, t3 before t1
constraint, t5 before t3
domain, t1 ends-before fri 3pm
domain, t3 ends-after tue 2pm
domain, t4 starts-before fri 1pm
domain, t5 9am
domain, t1 ends-by thu 10am 1
domain, t2 ends-by fri 12pm 7
domain, t3 ends-by wed 4pm 7
domain, t4 ends-by fri 2pm 1
domain, t5 ends-by thu 1pm 1
domain, t6 ends-by tue 12pm 10
Nodes expanded to reach solution: 1362
task, t1 7
task, t2 5

```

task, t3 7
task, t4 1
task, t5 4
task, t6 7
constraint, t3 before t1
constraint, t2 before t4
constraint, t2 before t1
constraint, t3 before t4
domain, t1 9am
domain, t1 starts-before wed 3pm
domain, t1 ends-by wed 4pm 7
domain, t2 ends-by fri 10am 7
domain, t3 ends-by wed 11am 3
domain, t4 ends-by thu 4pm 1
domain, t5 ends-by tue 12pm 7
domain, t6 ends-by fri 3pm 7
Nodes expanded to reach solution: 29
task, t1 7
task, t2 5
task, t3 7
task, t4 1
task, t5 4
task, t6 7
constraint, t3 before t1
constraint, t2 before t4
constraint, t2 before t1
constraint, t3 before t4
domain, t1 9am
domain, t1 starts-before wed 3pm
domain, t1 ends-by wed 4pm 7
domain, t2 ends-by fri 10am 7
domain, t3 ends-by wed 11am 3
domain, t4 ends-by thu 4pm 1
domain, t5 ends-by tue 12pm 7
domain, t6 ends-by fri 3pm 7
Nodes expanded to reach solution: 29
task, t1 3
task, t2 2
task, t3 4
task, t4 6
task, t5 1
task, t6 1
domain, t1 starts-after mon 4pm
domain, t2 2pm
domain, t2 starts-after tue 3pm
domain, t2 ends-before fri 4pm
domain, t4 starts-after mon 12pm
domain, t6 starts-before wed 2pm
domain, t1 ends-by wed 11am 10
domain, t2 ends-by mon 1pm 2
domain, t3 ends-by fri 9am 7
domain, t4 ends-by tue 11am 6
domain, t5 ends-by tue 10am 8
domain, t6 ends-by thu 11am 1
Nodes expanded to reach solution: 6
task, t1 3
task, t2 2
task, t3 4
task, t4 6
task, t5 1

```

task, t6 1
domain, t1 starts-after mon 4pm
domain, t2 2pm
domain, t2 starts-after tue 3pm
domain, t2 ends-before fri 4pm
domain, t4 starts-after mon 12pm
domain, t6 starts-before wed 2pm
domain, t1 ends-by wed 11am 10
domain, t2 ends-by mon 1pm 2
domain, t3 ends-by fri 9am 7
domain, t4 ends-by tue 11am 6
domain, t5 ends-by tue 10am 8
domain, t6 ends-by thu 11am 1
Nodes expanded to reach solution: 6
task, t1 2
task, t2 3
task, t3 4
task, t4 2
task, t5 2
task, t6 6
constraint, t4 before t3
constraint, t5 before t3
constraint, t4 before t5
constraint, t6 before t5
domain, t1 ends-before tue 9am
domain, t2 starts-before wed 4pm
domain, t3 starts-after mon 11am
domain, t5 starts-after wed 3pm
domain, t1 ends-by mon 1pm 9
domain, t2 ends-by fri 11am 4
domain, t3 ends-by wed 3pm 4
domain, t4 ends-by mon 9am 5
domain, t5 ends-by wed 2pm 4
domain, t6 ends-by wed 10am 1
Nodes expanded to reach solution: 1782
task, t1 2
task, t2 3
task, t3 4
task, t4 2
task, t5 2
task, t6 6
constraint, t4 before t3
constraint, t5 before t3
constraint, t4 before t5
constraint, t6 before t5
domain, t1 ends-before tue 9am
domain, t2 starts-before wed 4pm
domain, t3 starts-after mon 11am
domain, t5 starts-after wed 3pm
domain, t1 ends-by mon 1pm 9
domain, t2 ends-by fri 11am 4
domain, t3 ends-by wed 3pm 4
domain, t4 ends-by mon 9am 5
domain, t5 ends-by wed 2pm 4
domain, t6 ends-by wed 10am 1
Nodes expanded to reach solution: 17778
task, t1 4
task, t2 5
task, t3 3
task, t4 3

```



```

task, t5 2
task, t6 2
constraint, t5 before t3
constraint, t4 before t5
constraint, t4 before t6
constraint, t1 before t5
constraint, t1 before t3
constraint, t1 before t2
domain, t2 fri
domain, t2 starts-before fri 3pm
domain, t2 starts-after thu 9am
domain, t3 ends-before fri 3pm
domain, t4 11am
domain, t4 starts-before fri 1pm
domain, t5 starts-before thu 3pm
domain, t5 ends-before fri 12pm
domain, t6 starts-before wed 11am
domain, t1 ends-by wed 10am 10
domain, t2 ends-by mon 11am 2
domain, t3 ends-by thu 10am 4
domain, t4 ends-by tue 11am 10
domain, t5 ends-by fri 9am 1
domain, t6 ends-by wed 4pm 9
Nodes expanded to reach solution: 146
task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
task, t6 2
constraint, t5 before t3
constraint, t4 before t5
constraint, t4 before t6
constraint, t1 before t5
constraint, t1 before t3
constraint, t1 before t2
domain, t2 fri
domain, t2 starts-before fri 3pm
domain, t2 starts-after thu 9am
domain, t3 ends-before fri 3pm
domain, t4 11am
domain, t4 starts-before fri 1pm
domain, t5 starts-before thu 3pm
domain, t5 ends-before fri 12pm
domain, t6 starts-before wed 11am
domain, t1 ends-by wed 10am 10
domain, t2 ends-by mon 11am 2
domain, t3 ends-by thu 10am 4
domain, t4 ends-by tue 11am 10
domain, t5 ends-by fri 9am 1
domain, t6 ends-by wed 4pm 9
Nodes expanded to reach solution: 146
task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
task, t6 1
constraint, t6 before t4
constraint, t1 before t4

```

domain, t2 ends-before tue 12pm
 domain, t5 starts-before wed 2pm
 domain, t1 ends-by mon 3pm 8
 domain, t2 ends-by tue 11am 4
 domain, t3 ends-by wed 3pm 7
 domain, t4 ends-by thu 11am 8
 domain, t5 ends-by tue 4pm 5
 domain, t6 ends-by tue 10am 10
 Nodes expanded to reach solution: 10
 task, t1 5
 task, t2 1
 task, t3 4
 task, t4 4
 task, t5 5
 task, t6 1
 constraint, t6 before t4
 constraint, t1 before t4
 domain, t2 ends-before tue 12pm
 domain, t5 starts-before wed 2pm
 domain, t1 ends-by mon 3pm 8
 domain, t2 ends-by tue 11am 4
 domain, t3 ends-by wed 3pm 7
 domain, t4 ends-by thu 11am 8
 domain, t5 ends-by tue 4pm 5
 domain, t6 ends-by tue 10am 10
 Nodes expanded to reach solution: 10
 task, t1 4
 task, t2 7
 task, t3 5
 task, t4 7
 task, t5 7
 task, t6 4
 constraint, t4 before t1
 constraint, t3 before t6
 constraint, t4 before t3
 domain, t1 ends-after tue 2pm
 domain, t2 9am
 domain, t3 ends-before thu 12pm
 domain, t4 starts-after mon 9am
 domain, t1 ends-by mon 10am 4
 domain, t2 ends-by tue 12pm 7
 domain, t3 ends-by fri 3pm 10
 domain, t4 ends-by mon 3pm 1
 domain, t5 ends-by tue 10am 4
 domain, t6 ends-by thu 1pm 5
 Nodes expanded to reach solution: 32
 task, t1 4
 task, t2 7
 task, t3 5
 task, t4 7
 task, t5 7
 task, t6 4
 constraint, t4 before t1
 constraint, t3 before t6
 constraint, t4 before t3
 domain, t1 ends-after tue 2pm
 domain, t2 9am
 domain, t3 ends-before thu 12pm
 domain, t4 starts-after mon 9am
 domain, t1 ends-by mon 10am 4

domain, t2 ends-by tue 12pm 7
domain, t3 ends-by fri 3pm 10
domain, t4 ends-by mon 3pm 1
domain, t5 ends-by tue 10am 4
domain, t6 ends-by thu 1pm 5
Nodes expanded to reach solution: 1532
task, t1 4
task, t2 3
task, t3 6
task, t4 5
task, t5 6
task, t6 3
constraint, t1 before t4
constraint, t3 before t6
constraint, t3 before t4
constraint, t6 before t4
constraint, t3 before t1
domain, t3 starts-after mon 9am
domain, t4 starts-after mon 3pm
domain, t6 ends-before fri 3pm
domain, t1 ends-by mon 11am 9
domain, t2 ends-by mon 10am 4
domain, t3 ends-by thu 12pm 1
domain, t4 ends-by thu 9am 4
domain, t5 ends-by fri 3pm 2
domain, t6 ends-by fri 12pm 4
Nodes expanded to reach solution: 1118
task, t1 4
task, t2 3
task, t3 6
task, t4 5
task, t5 6
task, t6 3
constraint, t1 before t4
constraint, t3 before t6
constraint, t3 before t4
constraint, t6 before t4
constraint, t3 before t1
domain, t3 starts-after mon 9am
domain, t4 starts-after mon 3pm
domain, t6 ends-before fri 3pm
domain, t1 ends-by mon 11am 9
domain, t2 ends-by mon 10am 4
domain, t3 ends-by thu 12pm 1
domain, t4 ends-by thu 9am 4
domain, t5 ends-by fri 3pm 2
domain, t6 ends-by fri 12pm 4
Nodes expanded to reach solution: 768
task, t1 3
task, t2 3
task, t3 6
task, t4 6
task, t5 7
task, t6 7
constraint, t4 before t3
domain, t1 ends-by thu 2pm 7
domain, t2 ends-by mon 9am 7
domain, t3 ends-by mon 11am 4
domain, t4 ends-by tue 10am 8
domain, t5 ends-by thu 1pm 5

domain, t6 ends-by tue 11am 7
 Nodes expanded to reach solution: 28
 task, t1 3
 task, t2 3
 task, t3 6
 task, t4 6
 task, t5 7
 task, t6 7
 constraint, t4 before t3
 domain, t1 ends-by thu 2pm 7
 domain, t2 ends-by mon 9am 7
 domain, t3 ends-by mon 11am 4
 domain, t4 ends-by tue 10am 8
 domain, t5 ends-by thu 1pm 5
 domain, t6 ends-by tue 11am 7
 Nodes expanded to reach solution: 8
 task, t1 1
 task, t2 5
 task, t3 6
 task, t4 7
 task, t5 6
 task, t6 5
 constraint, t4 before t6
 constraint, t4 before t3
 domain, t1 starts-after mon 3pm
 domain, t2 starts-after mon 12pm
 domain, t1 ends-by thu 11am 10
 domain, t2 ends-by mon 3pm 5
 domain, t3 ends-by thu 3pm 7
 domain, t4 ends-by tue 4pm 8
 domain, t5 ends-by fri 4pm 8
 domain, t6 ends-by mon 1pm 10
 Nodes expanded to reach solution: 21
 task, t1 1
 task, t2 5
 task, t3 6
 task, t4 7
 task, t5 6
 task, t6 5
 constraint, t4 before t6
 constraint, t4 before t3
 domain, t1 starts-after mon 3pm
 domain, t2 starts-after mon 12pm
 domain, t1 ends-by thu 11am 10
 domain, t2 ends-by mon 3pm 5
 domain, t3 ends-by thu 3pm 7
 domain, t4 ends-by tue 4pm 8
 domain, t5 ends-by fri 4pm 8
 domain, t6 ends-by mon 1pm 10
 Nodes expanded to reach solution: 21
 task, t1 2
 task, t2 1
 task, t3 5
 task, t4 6
 task, t5 1
 task, t6 2
 constraint, t2 before t6
 constraint, t3 before t4
 constraint, t2 before t4
 constraint, t4 before t5

```

domain, t1 starts-after mon 10am
domain, t2 ends-before mon 2pm
domain, t3 ends-before thu 3pm
domain, t4 10am
domain, t4 starts-after tue 3pm
domain, t5 ends-after tue 10am
domain, t1 ends-by mon 1pm 5
domain, t2 ends-by thu 3pm 3
domain, t3 ends-by mon 4pm 8
domain, t4 ends-by thu 9am 7
domain, t5 ends-by mon 9am 5
domain, t6 ends-by mon 2pm 5
Nodes expanded to reach solution: 21
task, t1 2
task, t2 1
task, t3 5
task, t4 6
task, t5 1
task, t6 2
constraint, t2 before t6
constraint, t3 before t4
constraint, t2 before t4
constraint, t4 before t5
domain, t1 starts-after mon 10am
domain, t2 ends-before mon 2pm
domain, t3 ends-before thu 3pm
domain, t4 10am
domain, t4 starts-after tue 3pm
domain, t5 ends-after tue 10am
domain, t1 ends-by mon 1pm 5
domain, t2 ends-by thu 3pm 3
domain, t3 ends-by mon 4pm 8
domain, t4 ends-by thu 9am 7
domain, t5 ends-by mon 9am 5
domain, t6 ends-by mon 2pm 5
Nodes expanded to reach solution: 21
task, t1 3
task, t2 4
task, t3 4
task, t4 3
task, t5 4
task, t6 2
constraint, t4 before t3
domain, t2 mon
domain, t4 9am
domain, t5 ends-before fri 11am
domain, t6 wed
domain, t1 ends-by thu 2pm 10
domain, t2 ends-by mon 2pm 8
domain, t3 ends-by mon 10am 3
domain, t4 ends-by tue 3pm 7
domain, t5 ends-by wed 4pm 1
domain, t6 ends-by fri 11am 1
Nodes expanded to reach solution: 24
task, t1 3
task, t2 4
task, t3 4
task, t4 3
task, t5 4
task, t6 2

```

```

constraint, t4 before t3
domain, t2 mon
domain, t4 9am
domain, t5 ends-before fri 11am
domain, t6 wed
domain, t1 ends-by thu 2pm 10
domain, t2 ends-by mon 2pm 8
domain, t3 ends-by mon 10am 3
domain, t4 ends-by tue 3pm 7
domain, t5 ends-by wed 4pm 1
domain, t6 ends-by fri 11am 1
Nodes expanded to reach solution: 9
task, t1 5
task, t2 4
task, t3 7
task, t4 3
task, t5 3
task, t6 3
constraint, t3 before t1
constraint, t2 before t3
constraint, t2 before t4
constraint, t3 before t6
constraint, t5 before t6
constraint, t4 before t6
domain, t1 starts-after wed 4pm
domain, t2 10am
domain, t2 ends-before fri 10am
domain, t6 fri
domain, t1 ends-by tue 1pm 5
domain, t2 ends-by wed 9am 2
domain, t3 ends-by thu 4pm 1
domain, t4 ends-by fri 4pm 10
domain, t5 ends-by fri 10am 3
domain, t6 ends-by thu 10am 8
Nodes expanded to reach solution: 12
task, t1 5
task, t2 4
task, t3 7
task, t4 3
task, t5 3
task, t6 3
constraint, t3 before t1
constraint, t2 before t3
constraint, t2 before t4
constraint, t3 before t6
constraint, t5 before t6
constraint, t4 before t6
domain, t1 starts-after wed 4pm
domain, t2 10am
domain, t2 ends-before fri 10am
domain, t6 fri
domain, t1 ends-by tue 1pm 5
domain, t2 ends-by wed 9am 2
domain, t3 ends-by thu 4pm 1
domain, t4 ends-by fri 4pm 10
domain, t5 ends-by fri 10am 3
domain, t6 ends-by thu 10am 8
Nodes expanded to reach solution: 12
task, t1 2
task, t2 1

```

```

task, t3 6
task, t4 4
task, t5 3
task, t6 2
constraint, t1 before t4
constraint, t1 before t5
constraint, t5 before t6
constraint, t4 before t6
constraint, t3 before t6
constraint, t2 before t5
domain, t6 starts-before fri 12pm
domain, t1 ends-by fri 2pm 9
domain, t2 ends-by fri 10am 1
domain, t3 ends-by tue 9am 2
domain, t4 ends-by thu 3pm 7
domain, t5 ends-by thu 10am 3
domain, t6 ends-by thu 9am 7
Nodes expanded to reach solution: 16
task, t1 2
task, t2 1
task, t3 6
task, t4 4
task, t5 3
task, t6 2
constraint, t1 before t4
constraint, t1 before t5
constraint, t5 before t6
constraint, t4 before t6
constraint, t3 before t6
constraint, t2 before t5
domain, t6 starts-before fri 12pm
domain, t1 ends-by fri 2pm 9
domain, t2 ends-by fri 10am 1
domain, t3 ends-by tue 9am 2
domain, t4 ends-by thu 3pm 7
domain, t5 ends-by thu 10am 3
domain, t6 ends-by thu 9am 7
Nodes expanded to reach solution: 16
task, t1 6
task, t2 1
task, t3 7
task, t4 5
task, t5 1
task, t6 5
constraint, t6 before t5
domain, t1 thu
domain, t2 3pm
domain, t2 starts-before wed 3pm
domain, t2 starts-after tue 2pm
domain, t5 starts-after tue 3pm
domain, t1 ends-by mon 9am 4
domain, t2 ends-by mon 2pm 1
domain, t3 ends-by thu 2pm 7
domain, t4 ends-by thu 1pm 2
domain, t5 ends-by wed 9am 3
domain, t6 ends-by thu 3pm 5
Nodes expanded to reach solution: 6
task, t1 6
task, t2 1
task, t3 7

```

task, t4 5
task, t5 1
task, t6 5
constraint, t6 before t5
domain, t1 thu
domain, t2 3pm
domain, t2 starts-before wed 3pm
domain, t2 starts-after tue 2pm
domain, t5 starts-after tue 3pm
domain, t1 ends-by mon 9am 4
domain, t2 ends-by mon 2pm 1
domain, t3 ends-by thu 2pm 7
domain, t4 ends-by thu 1pm 2
domain, t5 ends-by wed 9am 3
domain, t6 ends-by thu 3pm 5
Nodes expanded to reach solution: 6
task, t1 7
task, t2 4
task, t3 7
task, t4 4
task, t5 1
task, t6 3
task, t7 5
constraint, t2 before t4
constraint, t2 before t5
domain, t2 9am
domain, t3 9am
domain, t5 starts-after thu 9am
domain, t6 starts-before thu 3pm
domain, t6 ends-before fri 10am
domain, t1 ends-by thu 10am 9
domain, t2 ends-by wed 10am 9
domain, t3 ends-by tue 4pm 4
domain, t4 ends-by fri 2pm 7
domain, t5 ends-by fri 2pm 5
domain, t6 ends-by thu 1pm 8
domain, t7 ends-by wed 3pm 2
Nodes expanded to reach solution: 11
task, t1 7
task, t2 4
task, t3 7
task, t4 4
task, t5 1
task, t6 3
task, t7 5
constraint, t2 before t4
constraint, t2 before t5
domain, t2 9am
domain, t3 9am
domain, t5 starts-after thu 9am
domain, t6 starts-before thu 3pm
domain, t6 ends-before fri 10am
domain, t1 ends-by thu 10am 9
domain, t2 ends-by wed 10am 9
domain, t3 ends-by tue 4pm 4
domain, t4 ends-by fri 2pm 7
domain, t5 ends-by fri 2pm 5
domain, t6 ends-by thu 1pm 8
domain, t7 ends-by wed 3pm 2
Nodes expanded to reach solution: 11

task, t1 2
task, t2 5
task, t3 7
task, t4 7
task, t5 7
task, t6 1
task, t7 3
constraint, t4 before t1
constraint, t5 before t7
constraint, t6 before t7
constraint, t5 before t3
constraint, t4 before t7
domain, t5 ends-before fri 4pm
domain, t1 ends-by mon 9am 4
domain, t2 ends-by fri 11am 9
domain, t3 ends-by tue 3pm 7
domain, t4 ends-by fri 9am 6
domain, t5 ends-by fri 1pm 6
domain, t6 ends-by thu 2pm 5
domain, t7 ends-by fri 12pm 10
Nodes expanded to reach solution: 2819
task, t1 2
task, t2 5
task, t3 7
task, t4 7
task, t5 7
task, t6 1
task, t7 3
constraint, t4 before t1
constraint, t5 before t7
constraint, t6 before t7
constraint, t5 before t3
constraint, t4 before t7
domain, t5 ends-before fri 4pm
domain, t1 ends-by mon 9am 4
domain, t2 ends-by fri 11am 9
domain, t3 ends-by tue 3pm 7
domain, t4 ends-by fri 9am 6
domain, t5 ends-by fri 1pm 6
domain, t6 ends-by thu 2pm 5
domain, t7 ends-by fri 12pm 10
Nodes expanded to reach solution: 49
task, t1 7
task, t2 7
task, t3 1
task, t4 1
task, t5 1
task, t6 3
task, t7 7
constraint, t6 before t3
constraint, t6 before t4
constraint, t6 before t7
constraint, t6 before t2
domain, t1 ends-by fri 9am 10
domain, t2 ends-by fri 2pm 7
domain, t3 ends-by wed 12pm 4
domain, t4 ends-by thu 4pm 9
domain, t5 ends-by wed 4pm 10
domain, t6 ends-by mon 1pm 6
domain, t7 ends-by mon 9am 4

Nodes expanded to reach solution: 1214410

task, t1 7
task, t2 7
task, t3 1
task, t4 1
task, t5 1
task, t6 3
task, t7 7
constraint, t6 before t3
constraint, t6 before t4
constraint, t6 before t7
constraint, t6 before t2
domain, t1 ends-by fri 9am 10
domain, t2 ends-by fri 2pm 7
domain, t3 ends-by wed 12pm 4
domain, t4 ends-by thu 4pm 9
domain, t5 ends-by wed 4pm 10
domain, t6 ends-by mon 1pm 6
domain, t7 ends-by mon 9am 4

Nodes expanded to reach solution: 1214410

task, t1 2
task, t2 5
task, t3 5
task, t4 2
task, t5 3
task, t6 5
task, t7 4
constraint, t5 before t6
constraint, t5 before t1
domain, t1 starts-before fri 4pm
domain, t1 starts-after mon 10am
domain, t3 ends-before fri 1pm
domain, t1 ends-by wed 11am 2
domain, t2 ends-by mon 1pm 8
domain, t3 ends-by thu 3pm 2
domain, t4 ends-by wed 3pm 2
domain, t5 ends-by thu 11am 3
domain, t6 ends-by mon 10am 5
domain, t7 ends-by thu 12pm 7

Nodes expanded to reach solution: 281202

task, t1 2
task, t2 5
task, t3 5
task, t4 2
task, t5 3
task, t6 5
task, t7 4
constraint, t5 before t6
constraint, t5 before t1
domain, t1 starts-before fri 4pm
domain, t1 starts-after mon 10am
domain, t3 ends-before fri 1pm
domain, t1 ends-by wed 11am 2
domain, t2 ends-by mon 1pm 8
domain, t3 ends-by thu 3pm 2
domain, t4 ends-by wed 3pm 2
domain, t5 ends-by thu 11am 3
domain, t6 ends-by mon 10am 5
domain, t7 ends-by thu 12pm 7

Nodes expanded to reach solution: 18756

task, t1 2
task, t2 3
task, t3 1
task, t4 6
task, t5 4
task, t6 4
task, t7 2
constraint, t6 before t5
constraint, t2 before t6
domain, t3 mon
domain, t4 thu
domain, t6 ends-before wed 4pm
domain, t1 ends-by mon 1pm 7
domain, t2 ends-by tue 1pm 8
domain, t3 ends-by wed 10am 3
domain, t4 ends-by wed 3pm 7
domain, t5 ends-by fri 2pm 6
domain, t6 ends-by fri 12pm 4
domain, t7 ends-by wed 1pm 2
Nodes expanded to reach solution: 62
task, t1 2
task, t2 3
task, t3 1
task, t4 6
task, t5 4
task, t6 4
task, t7 2
constraint, t6 before t5
constraint, t2 before t6
domain, t3 mon
domain, t4 thu
domain, t6 ends-before wed 4pm
domain, t1 ends-by mon 1pm 7
domain, t2 ends-by tue 1pm 8
domain, t3 ends-by wed 10am 3
domain, t4 ends-by wed 3pm 7
domain, t5 ends-by fri 2pm 6
domain, t6 ends-by fri 12pm 4
domain, t7 ends-by wed 1pm 2
Nodes expanded to reach solution: 62
task, t1 5
task, t2 3
task, t3 6
task, t4 3
task, t5 7
task, t6 6
task, t7 7
domain, t1 fri
domain, t1 ends-after tue 2pm
domain, t4 fri
domain, t5 starts-after mon 9am
domain, t6 starts-after mon 9am
domain, t1 ends-by tue 12pm 10
domain, t2 ends-by tue 1pm 2
domain, t3 ends-by tue 4pm 8
domain, t4 ends-by wed 3pm 9
domain, t5 ends-by wed 3pm 9
domain, t6 ends-by wed 9am 8
domain, t7 ends-by mon 3pm 10
Nodes expanded to reach solution: 7

task, t1 5
task, t2 3
task, t3 6
task, t4 3
task, t5 7
task, t6 6
task, t7 7
domain, t1 fri
domain, t1 ends-after tue 2pm
domain, t4 fri
domain, t5 starts-after mon 9am
domain, t6 starts-after mon 9am
domain, t1 ends-by tue 12pm 10
domain, t2 ends-by tue 1pm 2
domain, t3 ends-by tue 4pm 8
domain, t4 ends-by wed 3pm 9
domain, t5 ends-by wed 3pm 9
domain, t6 ends-by wed 9am 8
domain, t7 ends-by mon 3pm 10
Nodes expanded to reach solution: 7
task, t1 7
task, t2 5
task, t3 7
task, t4 1
task, t5 4
task, t6 7
task, t7 3
constraint, t1 before t3
constraint, t2 before t3
constraint, t1 before t7
constraint, t4 before t6
constraint, t3 before t5
constraint, t6 before t5
constraint, t2 before t6
domain, t1 starts-after mon 9am
domain, t3 9am
domain, t3 starts-after tue 11am
domain, t5 starts-after tue 3pm
domain, t7 ends-before fri 12pm
domain, t1 ends-by tue 12pm 1
domain, t2 ends-by mon 10am 9
domain, t3 ends-by mon 4pm 5
domain, t4 ends-by fri 2pm 6
domain, t5 ends-by tue 1pm 5
domain, t6 ends-by fri 9am 8
domain, t7 ends-by wed 2pm 9
Nodes expanded to reach solution: 17
task, t1 7
task, t2 5
task, t3 7
task, t4 1
task, t5 4
task, t6 7
task, t7 3
constraint, t1 before t3
constraint, t2 before t3
constraint, t1 before t7
constraint, t4 before t6
constraint, t3 before t5
constraint, t6 before t5

```

constraint, t2 before t6
domain, t1 starts-after mon 9am
domain, t3 9am
domain, t3 starts-after tue 11am
domain, t5 starts-after tue 3pm
domain, t7 ends-before fri 12pm
domain, t1 ends-by tue 12pm 1
domain, t2 ends-by mon 10am 9
domain, t3 ends-by mon 4pm 5
domain, t4 ends-by fri 2pm 6
domain, t5 ends-by tue 1pm 5
domain, t6 ends-by fri 9am 8
domain, t7 ends-by wed 2pm 9
Nodes expanded to reach solution: 29
task, t1 3
task, t2 2
task, t3 4
task, t4 6
task, t5 1
task, t6 1
task, t7 7
constraint, t5 before t4
constraint, t6 before t2
constraint, t7 before t2
domain, t2 fri
domain, t2 2pm
domain, t5 ends-after tue 11am
domain, t6 mon
domain, t7 starts-before tue 2pm
domain, t1 ends-by mon 12pm 5
domain, t2 ends-by fri 1pm 8
domain, t3 ends-by wed 11am 7
domain, t4 ends-by wed 3pm 1
domain, t5 ends-by thu 2pm 6
domain, t6 ends-by tue 11am 10
domain, t7 ends-by mon 4pm 8
Nodes expanded to reach solution: 119
task, t1 3
task, t2 2
task, t3 4
task, t4 6
task, t5 1
task, t6 1
task, t7 7
constraint, t5 before t4
constraint, t6 before t2
constraint, t7 before t2
domain, t2 fri
domain, t2 2pm
domain, t5 ends-after tue 11am
domain, t6 mon
domain, t7 starts-before tue 2pm
domain, t1 ends-by mon 12pm 5
domain, t2 ends-by fri 1pm 8
domain, t3 ends-by wed 11am 7
domain, t4 ends-by wed 3pm 1
domain, t5 ends-by thu 2pm 6
domain, t6 ends-by tue 11am 10
domain, t7 ends-by mon 4pm 8
Nodes expanded to reach solution: 119

```

```

task, t1 2
task, t2 3
task, t3 4
task, t4 2
task, t5 2
task, t6 6
task, t7 1
constraint, t4 before t7
constraint, t4 before t3
constraint, t1 before t7
constraint, t6 before t7
constraint, t1 before t2
constraint, t7 before t3
constraint, t5 before t3
domain, t1 ends-before tue 12pm
domain, t2 starts-before wed 4pm
domain, t3 starts-after mon 11am
domain, t5 starts-after wed 3pm
domain, t1 ends-by mon 9am 5
domain, t2 ends-by wed 2pm 4
domain, t3 ends-by wed 10am 1
domain, t4 ends-by thu 12pm 5
domain, t5 ends-by thu 9am 5
domain, t6 ends-by thu 11am 3
domain, t7 ends-by thu 10am 2
Nodes expanded to reach solution: 1791
task, t1 2
task, t2 3
task, t3 4
task, t4 2
task, t5 2
task, t6 6
task, t7 1
constraint, t4 before t7
constraint, t4 before t3
constraint, t1 before t7
constraint, t6 before t7
constraint, t1 before t2
constraint, t7 before t3
constraint, t5 before t3
domain, t1 ends-before tue 12pm
domain, t2 starts-before wed 4pm
domain, t3 starts-after mon 11am
domain, t5 starts-after wed 3pm
domain, t1 ends-by mon 9am 5
domain, t2 ends-by wed 2pm 4
domain, t3 ends-by wed 10am 1
domain, t4 ends-by thu 12pm 5
domain, t5 ends-by thu 9am 5
domain, t6 ends-by thu 11am 3
domain, t7 ends-by thu 10am 2
Nodes expanded to reach solution: 437863
task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
task, t6 2
task, t7 7
constraint, t5 before t2

```

constraint, t6 before t3
constraint, t1 before t5
constraint, t4 before t6
domain, t2 fri
domain, t2 starts-before fri 3pm
domain, t2 starts-after thu 9am
domain, t3 ends-before fri 3pm
domain, t4 11am
domain, t4 starts-before fri 1pm
domain, t5 starts-before thu 3pm
domain, t5 ends-before fri 12pm
domain, t6 starts-before wed 11am
domain, t1 ends-by tue 4pm 3
domain, t2 ends-by fri 4pm 9
domain, t3 ends-by mon 11am 6
domain, t4 ends-by fri 10am 10
domain, t5 ends-by fri 1pm 2
domain, t6 ends-by wed 3pm 2
domain, t7 ends-by fri 2pm 6
Nodes expanded to reach solution: 8146
task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
task, t6 2
task, t7 7
constraint, t5 before t2
constraint, t6 before t3
constraint, t1 before t5
constraint, t4 before t6
domain, t2 fri
domain, t2 starts-before fri 3pm
domain, t2 starts-after thu 9am
domain, t3 ends-before fri 3pm
domain, t4 11am
domain, t4 starts-before fri 1pm
domain, t5 starts-before thu 3pm
domain, t5 ends-before fri 12pm
domain, t6 starts-before wed 11am
domain, t1 ends-by tue 4pm 3
domain, t2 ends-by fri 4pm 9
domain, t3 ends-by mon 11am 6
domain, t4 ends-by fri 10am 10
domain, t5 ends-by fri 1pm 2
domain, t6 ends-by wed 3pm 2
domain, t7 ends-by fri 2pm 6
Nodes expanded to reach solution: 21
task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
task, t6 1
task, t7 2
constraint, t7 before t6
constraint, t2 before t6
constraint, t6 before t4
constraint, t2 before t1
constraint, t5 before t6

```

domain, t4 starts-before fri 12pm
domain, t6 11am
domain, t1 ends-by thu 2pm 5
domain, t2 ends-by tue 11am 3
domain, t3 ends-by tue 12pm 8
domain, t4 ends-by wed 3pm 6
domain, t5 ends-by thu 12pm 4
domain, t6 ends-by mon 9am 9
domain, t7 ends-by mon 11am 6
Nodes expanded to reach solution: 681
task, t1 5
task, t2 1
task, t3 4
task, t4 4
task, t5 5
task, t6 1
task, t7 2
constraint, t7 before t6
constraint, t2 before t6
constraint, t6 before t4
constraint, t2 before t1
constraint, t5 before t6
domain, t4 starts-before fri 12pm
domain, t6 11am
domain, t1 ends-by thu 2pm 5
domain, t2 ends-by tue 11am 3
domain, t3 ends-by tue 12pm 8
domain, t4 ends-by wed 3pm 6
domain, t5 ends-by thu 12pm 4
domain, t6 ends-by mon 9am 9
domain, t7 ends-by mon 11am 6
Nodes expanded to reach solution: 19056
task, t1 4
task, t2 7
task, t3 5
task, t4 7
task, t5 7
task, t6 4
task, t7 4
constraint, t4 before t7
constraint, t3 before t7
constraint, t7 before t2
constraint, t4 before t3
constraint, t7 before t1
constraint, t6 before t7
domain, t1 9am
domain, t1 starts-before fri 9am
domain, t1 ends-after thu 9am
domain, t2 starts-before fri 12pm
domain, t2 ends-after wed 2pm
domain, t3 tue
domain, t3 ends-after mon 4pm
domain, t1 ends-by fri 4pm 6
domain, t2 ends-by wed 11am 7
domain, t3 ends-by mon 1pm 2
domain, t4 ends-by mon 2pm 4
domain, t5 ends-by fri 2pm 4
domain, t6 ends-by mon 9am 10
domain, t7 ends-by wed 4pm 6
Nodes expanded to reach solution: 6349

```


task, t1 4
task, t2 7
task, t3 5
task, t4 7
task, t5 7
task, t6 4
task, t7 4
constraint, t4 before t7
constraint, t3 before t7
constraint, t7 before t2
constraint, t4 before t3
constraint, t7 before t1
constraint, t6 before t7
domain, t1 9am
domain, t1 starts-before fri 9am
domain, t1 ends-after thu 9am
domain, t2 starts-before fri 12pm
domain, t2 ends-after wed 2pm
domain, t3 tue
domain, t3 ends-after mon 4pm
domain, t1 ends-by fri 4pm 6
domain, t2 ends-by wed 11am 7
domain, t3 ends-by mon 1pm 2
domain, t4 ends-by mon 2pm 4
domain, t5 ends-by fri 2pm 4
domain, t6 ends-by mon 9am 10
domain, t7 ends-by wed 4pm 6
Nodes expanded to reach solution: 452

task, t1 4
task, t2 3
task, t3 6
task, t4 5
task, t5 6
task, t6 3
task, t7 2
constraint, t4 before t5
constraint, t3 before t1
constraint, t2 before t6
domain, t1 starts-after mon 10am
domain, t4 9am
domain, t5 starts-before tue 4pm
domain, t7 starts-after mon 3pm
domain, t7 ends-before tue 1pm
domain, t1 ends-by thu 12pm 1
domain, t2 ends-by thu 9am 4
domain, t3 ends-by fri 3pm 2
domain, t4 ends-by fri 12pm 4
domain, t5 ends-by tue 12pm 2
domain, t6 ends-by wed 10am 1
domain, t7 ends-by thu 12pm 5
Nodes expanded to reach solution: 840

task, t1 4
task, t2 3
task, t3 6
task, t4 5
task, t5 6
task, t6 3
task, t7 2
constraint, t4 before t5
constraint, t3 before t1

```

constraint, t2 before t6
domain, t1 starts-after mon 10am
domain, t4 9am
domain, t5 starts-before tue 4pm
domain, t7 starts-after mon 3pm
domain, t7 ends-before tue 1pm
domain, t1 ends-by thu 12pm 1
domain, t2 ends-by thu 9am 4
domain, t3 ends-by fri 3pm 2
domain, t4 ends-by fri 12pm 4
domain, t5 ends-by tue 12pm 2
domain, t6 ends-by wed 10am 1
domain, t7 ends-by thu 12pm 5
Nodes expanded to reach solution: 840
task, t1 3
task, t2 3
task, t3 6
task, t4 6
task, t5 7
task, t6 7
task, t7 2
constraint, t4 before t3
constraint, t3 before t7
constraint, t2 before t7
constraint, t4 before t1
constraint, t5 before t7
domain, t5 starts-before fri 12pm
domain, t5 ends-before wed 12pm
domain, t1 ends-by fri 3pm 4
domain, t2 ends-by thu 4pm 4
domain, t3 ends-by fri 4pm 1
domain, t4 ends-by fri 2pm 10
domain, t5 ends-by mon 11am 6
domain, t6 ends-by fri 2pm 10
domain, t7 ends-by wed 2pm 3
Nodes expanded to reach solution: 13921
task, t1 3
task, t2 3
task, t3 6
task, t4 6
task, t5 7
task, t6 7
task, t7 2
constraint, t4 before t3
constraint, t3 before t7
constraint, t2 before t7
constraint, t4 before t1
constraint, t5 before t7
domain, t5 starts-before fri 12pm
domain, t5 ends-before wed 12pm
domain, t1 ends-by fri 3pm 4
domain, t2 ends-by thu 4pm 4
domain, t3 ends-by fri 4pm 1
domain, t4 ends-by fri 2pm 10
domain, t5 ends-by mon 11am 6
domain, t6 ends-by fri 2pm 10
domain, t7 ends-by wed 2pm 3
Nodes expanded to reach solution: 13921
task, t1 1
task, t2 5

```

```

task, t3 6
task, t4 7
task, t5 6
task, t6 5
task, t7 2
constraint, t1 before t6
constraint, t2 before t3
domain, t1 starts-after mon 3pm
domain, t2 starts-after mon 12pm
domain, t1 ends-by thu 4pm 2
domain, t2 ends-by fri 1pm 3
domain, t3 ends-by thu 4pm 5
domain, t4 ends-by fri 1pm 8
domain, t5 ends-by mon 10am 7
domain, t6 ends-by thu 12pm 1
domain, t7 ends-by wed 3pm 10
Nodes expanded to reach solution: 14
task, t1 1
task, t2 5
task, t3 6
task, t4 7
task, t5 6
task, t6 5
task, t7 2
constraint, t1 before t6
constraint, t2 before t3
domain, t1 starts-after mon 3pm
domain, t2 starts-after mon 12pm
domain, t1 ends-by thu 4pm 2
domain, t2 ends-by fri 1pm 3
domain, t3 ends-by thu 4pm 5
domain, t4 ends-by fri 1pm 8
domain, t5 ends-by mon 10am 7
domain, t6 ends-by thu 12pm 1
domain, t7 ends-by wed 3pm 10
Nodes expanded to reach solution: 14
task, t1 2
task, t2 1
task, t3 5
task, t4 6
task, t5 1
task, t6 2
task, t7 2
constraint, t3 before t4
constraint, t2 before t6
constraint, t4 before t5
constraint, t2 before t5
constraint, t7 before t4
constraint, t7 before t6
constraint, t7 before t5
constraint, t6 before t5
domain, t1 ends-after mon 12pm
domain, t2 ends-before fri 4pm
domain, t3 ends-before wed 4pm
domain, t4 ends-after tue 9am
domain, t6 starts-before wed 10am
domain, t7 starts-before tue 3pm
domain, t7 ends-before thu 2pm
domain, t1 ends-by fri 2pm 8
domain, t2 ends-by wed 9am 2

```

domain, t3 ends-by fri 4pm 1
domain, t4 ends-by mon 12pm 6
domain, t5 ends-by thu 9am 7
domain, t6 ends-by wed 3pm 1
domain, t7 ends-by fri 4pm 5
Nodes expanded to reach solution: 34
task, t1 2
task, t2 1
task, t3 5
task, t4 6
task, t5 1
task, t6 2
task, t7 2
constraint, t3 before t4
constraint, t2 before t6
constraint, t4 before t5
constraint, t2 before t5
constraint, t7 before t4
constraint, t7 before t6
constraint, t7 before t5
constraint, t6 before t5
domain, t1 ends-after mon 12pm
domain, t2 ends-before fri 4pm
domain, t3 ends-before wed 4pm
domain, t4 ends-after tue 9am
domain, t6 starts-before wed 10am
domain, t7 starts-before tue 3pm
domain, t7 ends-before thu 2pm
domain, t1 ends-by fri 2pm 8
domain, t2 ends-by wed 9am 2
domain, t3 ends-by fri 4pm 1
domain, t4 ends-by mon 12pm 6
domain, t5 ends-by thu 9am 7
domain, t6 ends-by wed 3pm 1
domain, t7 ends-by fri 4pm 5
Nodes expanded to reach solution: 1874
task, t1 3
task, t2 4
task, t3 4
task, t4 3
task, t5 4
task, t6 2
task, t7 4
constraint, t5 before t2
constraint, t1 before t3
constraint, t3 before t2
constraint, t4 before t5
constraint, t7 before t6
domain, t1 ends-after mon 9am
domain, t3 9am
domain, t3 ends-before fri 12pm
domain, t3 ends-after tue 4pm
domain, t4 starts-after mon 9am
domain, t5 starts-before wed 12pm
domain, t7 10am
domain, t7 starts-after mon 9am
domain, t1 ends-by mon 12pm 7
domain, t2 ends-by tue 10am 5
domain, t3 ends-by tue 4pm 3
domain, t4 ends-by fri 2pm 1

domain, t5 ends-by tue 4pm 9
 domain, t6 ends-by tue 4pm 2
 domain, t7 ends-by mon 3pm 3
 Nodes expanded to reach solution: 76
 task, t1 3
 task, t2 4
 task, t3 4
 task, t4 3
 task, t5 4
 task, t6 2
 task, t7 4
 constraint, t5 before t2
 constraint, t1 before t3
 constraint, t3 before t2
 constraint, t4 before t5
 constraint, t7 before t6
 domain, t1 ends-after mon 9am
 domain, t3 9am
 domain, t3 ends-before fri 12pm
 domain, t3 ends-after tue 4pm
 domain, t4 starts-after mon 9am
 domain, t5 starts-before wed 12pm
 domain, t7 10am
 domain, t7 starts-after mon 9am
 domain, t1 ends-by mon 12pm 7
 domain, t2 ends-by tue 10am 5
 domain, t3 ends-by tue 4pm 3
 domain, t4 ends-by fri 2pm 1
 domain, t5 ends-by tue 4pm 9
 domain, t6 ends-by tue 4pm 2
 domain, t7 ends-by mon 3pm 3
 Nodes expanded to reach solution: 32472
 task, t1 5
 task, t2 4
 task, t3 7
 task, t4 3
 task, t5 3
 task, t6 3
 task, t7 2
 constraint, t3 before t6
 constraint, t4 before t6
 constraint, t2 before t4
 constraint, t7 before t3
 domain, t1 fri
 domain, t3 starts-before fri 4pm
 domain, t7 1pm
 domain, t1 ends-by mon 12pm 4
 domain, t2 ends-by wed 12pm 5
 domain, t3 ends-by mon 1pm 8
 domain, t4 ends-by mon 10am 10
 domain, t5 ends-by fri 1pm 9
 domain, t6 ends-by tue 9am 7
 domain, t7 ends-by thu 4pm 10
 Nodes expanded to reach solution: 36447
 task, t1 5
 task, t2 4
 task, t3 7
 task, t4 3
 task, t5 3
 task, t6 3

```

task, t7 2
constraint, t3 before t6
constraint, t4 before t6
constraint, t2 before t4
constraint, t7 before t3
domain, t1 fri
domain, t3 starts-before fri 4pm
domain, t7 1pm
domain, t1 ends-by mon 12pm 4
domain, t2 ends-by wed 12pm 5
domain, t3 ends-by mon 1pm 8
domain, t4 ends-by mon 10am 10
domain, t5 ends-by fri 1pm 9
domain, t6 ends-by tue 9am 7
domain, t7 ends-by thu 4pm 10
Nodes expanded to reach solution: 1522
task, t1 2
task, t2 1
task, t3 6
task, t4 4
task, t5 3
task, t6 2
task, t7 2
constraint, t7 before t4
constraint, t2 before t6
constraint, t5 before t2
constraint, t7 before t5
constraint, t3 before t2
constraint, t3 before t6
constraint, t7 before t2
constraint, t5 before t6
domain, t4 ends-after mon 1pm
domain, t5 starts-after tue 12pm
domain, t1 ends-by thu 11am 3
domain, t2 ends-by wed 10am 7
domain, t3 ends-by wed 4pm 3
domain, t4 ends-by wed 2pm 6
domain, t5 ends-by fri 4pm 5
domain, t6 ends-by tue 9am 7
domain, t7 ends-by fri 11am 1
Nodes expanded to reach solution: 6018
task, t1 2
task, t2 1
task, t3 6
task, t4 4
task, t5 3
task, t6 2
task, t7 2
constraint, t7 before t4
constraint, t2 before t6
constraint, t5 before t2
constraint, t7 before t5
constraint, t3 before t2
constraint, t3 before t6
constraint, t7 before t2
constraint, t5 before t6
domain, t4 ends-after mon 1pm
domain, t5 starts-after tue 12pm
domain, t1 ends-by thu 11am 3
domain, t2 ends-by wed 10am 7

```


domain, t3 ends-by wed 4pm 3
domain, t4 ends-by wed 2pm 6
domain, t5 ends-by fri 4pm 5
domain, t6 ends-by tue 9am 7
domain, t7 ends-by fri 11am 1
Nodes expanded to reach solution: 6018
task, t1 6
task, t2 1
task, t3 7
task, t4 5
task, t5 1
task, t6 5
task, t7 2
constraint, t6 before t1
constraint, t2 before t1
constraint, t3 before t1
constraint, t3 before t5
constraint, t7 before t1
constraint, t2 before t5
constraint, t7 before t5
domain, t2 ends-after tue 3pm
domain, t4 starts-before wed 11am
domain, t4 starts-after tue 1pm
domain, t6 starts-after tue 10am
domain, t7 1pm
domain, t7 ends-before fri 12pm
domain, t1 ends-by mon 1pm 2
domain, t2 ends-by tue 9am 3
domain, t3 ends-by thu 12pm 5
domain, t4 ends-by thu 2pm 2
domain, t5 ends-by tue 1pm 10
domain, t6 ends-by thu 3pm 2
domain, t7 ends-by thu 12pm 3
Nodes expanded to reach solution: 116
task, t1 6
task, t2 1
task, t3 7
task, t4 5
task, t5 1
task, t6 5
task, t7 2
constraint, t6 before t1
constraint, t2 before t1
constraint, t3 before t1
constraint, t3 before t5
constraint, t7 before t1
constraint, t2 before t5
constraint, t7 before t5
domain, t2 ends-after tue 3pm
domain, t4 starts-before wed 11am
domain, t4 starts-after tue 1pm
domain, t6 starts-after tue 10am
domain, t7 1pm
domain, t7 ends-before fri 12pm
domain, t1 ends-by mon 1pm 2
domain, t2 ends-by tue 9am 3
domain, t3 ends-by thu 12pm 5
domain, t4 ends-by thu 2pm 2
domain, t5 ends-by tue 1pm 10
domain, t6 ends-by thu 3pm 2


domain, t7 ends-by thu 12pm 3

Nodes expanded to reach solution: 5154

```
[{'n': 0, 'avg_nodes_plain': 0.0, 'avg_nodes_heur': 0.0, 'avg_cost_plain': 0.0, 'avg_cost_heur': 0.0}, {'n': 1, 'avg_nodes_plain': 1.0, 'avg_nodes_heur': 1.0, 'avg_cost_plain': 8.85, 'avg_cost_heur': 8.85}, {'n': 2, 'avg_nodes_plain': 29.8, 'avg_nodes_heur': 26.8, 'avg_cost_plain': 59.35, 'avg_cost_heur': 59.35}, {'n': 3, 'avg_nodes_plain': 79.65, 'avg_nodes_heur': 82.4, 'avg_cost_plain': 47.6, 'avg_cost_heur': 47.6}, {'n': 4, 'avg_nodes_plain': 1022.2, 'avg_nodes_heur': 975.3, 'avg_cost_plain': 120.15, 'avg_cost_heur': 120.15}, {'n': 5, 'avg_nodes_plain': 14669.65, 'avg_nodes_heur': 14640.65, 'avg_cost_plain': 134.85, 'avg_cost_heur': 134.85}, {'n': 6, 'avg_nodes_plain': 47691.25, 'avg_nodes_heur': 6374.15, 'avg_cost_plain': 187.4, 'avg_cost_heur': 187.4}, {'n': 7, 'avg_nodes_plain': 78654.0, 'avg_nodes_heur': 87632.5, 'avg_cost_plain': 236.35, 'avg_cost_heur': 236.35}]
```

Out[17]: Text(0.5, 1.0, 'Solution Cost vs n')





Answers for Question 5

- Empirically compare the performance of DFS with and without these heuristics (2 marks)

*Refer to graph generated at the bottom of the above code for plotting and empirical comparison of methods.

For DFS with cost heuristic, variables are ordered once at the root by their minimum soft-deadline penalty. This approximates 'choose lowest-cost variable first' without dynamically recomputing at each depth. This is safe as no domain shrinking occurs after the starting state prunes domains for unary constraints, so the minimum cost ordering will remain the same throughout the `dfs_solver`.

Empirically, the optimality of the goal state with ordering by min cost variables first is very similar to plain DFS across all tested instances. While low cost variables are allocated first, this has the tradeoff that variables with higher costs are likely to be allocated later, incur more conflicts, and be allocated a worse time with a larger cost.

Additionally, the performance on average was found to be slightly poorer when averaged across trials. More constrained nodes are more likely to incur a higher cost and be allocated last, deep in the recursion tree. Rather than conflicting domains being pruned higher and more efficiently. This results in the opposite effect of the MRV heuristic which forces highly constrained variables to be satisfied earlier, resulting in large performance gains.

Question 6 (3 marks)

The CSP solver with domain splitting splits a CSP variable domain into *exactly two* partitions. Poole & Mackworth claim that in practice, this is as good as splitting into a larger number of partitions. In this question, empirically evaluate this claim for fuzzy scheduling CSPs.

- Write a new `partition_domain` function that partitions a domain into a list of `k` partitions, where `k` is a parameter to the function (1 mark)
- Modify the CSP solver to use the list of `k` partitions and evaluate the performance of the solver using the above metric for a range of values of `k` (2 marks)

```
In [18]: # Code for Question 6
# Place a copy of your code here and run it in the relevant cell
Con_solver.max_display_level = 2
Search_with_AC_from_Cost_CSP.max_display_level = 2
GreedySearcher.max_display_level = 1

def partition_domain_k(dom, k):
    # Ensure a deterministic split into k (nearly) equal non-empty sets
    L = sorted(set(dom))
    n = len(L)
    parts = []
    for i in range(k):
        a = (i*n)//k
        b = ((i+1)*n)//k
        chunk = set(L[a:b])
        if chunk:
            parts.append(chunk)
    return parts

class Search_with_AC_from_Cost_CSP_K(Search_problem):
    """ A search problem with domain splitting and arc consistency """
    def __init__(self, csp, k=2):
        self.cons = Con_solver(csp) # copy of the CSP with access to arc consistency
        self.domains = self.cons.make_arc_consistent(csp.domains)
        self.constraints = csp.constraints
        self.cost_functions = csp.cost_functions
        self.durations = csp.durations
        self.soft_day_time = csp.soft_day_time
        self.soft_costs = csp.soft_costs
        csp.domains = self.domains # after arc consistency
        self.csp = csp
        self.k = k

    def is_goal(self, node):
        """ node is a goal if all domains have exactly 1 element """
        return all(len(node.domains[var]) == 1 for var in node.domains)

    def start_node(self):
        return CSP_with_Cost(self.domains, self.durations, self.constraints,
                             self.cost_functions, self.soft_day_time, self.soft_

    def neighbors(self, node):
        neighs = []
        var = select(x for x in node.domains if len(node.domains[x]) > 1)
        if var:
```

```

        parts = partition_domain_k(node.domains[var], self.k) # list[set]
        self.display(2, "Splitting", var, "into", parts)
        print('splitting', var, 'into', parts)
        to_do = self.cons.new_to_do(var, None)
        for dom in parts:
            newdoms = node.domains | {var: dom} # overwrite var's dom
            cons_doms = self.cons.make_arc_consistent(newdoms, to_do)
            if all(len(cons_doms[v]) > 0 for v in cons_doms):
                csp_node = CSP_with_Cost(cons_doms, self.durations, self.con
                                         self.cost_functions, self.soft_day_
                neighs.append(Arc(node, csp_node))
            else:
                self.display(2, "...", var, "in", dom, "has no solution")
        return neighs

    def heuristic(self, n):
        return n.cost

random.seed(9)
spec = generate_problem(100)
for k in range(2, 7):
    print('\n\n', 'k =', k, '\n\n')
    csp_problem = create_CSP_from_spec(spec)
    solver_k3 = GreedySearcher(Search_with_AC_from_Cost_CSP_K(csp_problem, k))
    test_csp_solver(solver_k3)

```

k = 2

task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
task, t6 2
task, t7 7
task, t8 6
task, t9 1
task, t10 3
task, t11 5
task, t12 4
task, t13 5
task, t14 1
task, t15 3
task, t16 5
task, t17 5
task, t18 6
task, t19 1
task, t20 6
task, t21 4
task, t22 2
task, t23 6
task, t24 4
task, t25 6
task, t26 4
task, t27 2
task, t28 2
task, t29 2
task, t30 1
task, t31 1
task, t32 2
task, t33 5
task, t34 7
task, t35 5
task, t36 1
task, t37 7
task, t38 6
task, t39 4
task, t40 7
task, t41 6
task, t42 1
task, t43 3
task, t44 2
task, t45 6
task, t46 2
task, t47 6
task, t48 7
task, t49 4
task, t50 1
task, t51 7
task, t52 3
task, t53 2
task, t54 4
task, t55 3
task, t56 3

task, t57 7
task, t58 1
task, t59 2
task, t60 6
task, t61 1
task, t62 4
task, t63 1
task, t64 4
task, t65 7
task, t66 4
task, t67 2
task, t68 1
task, t69 2
task, t70 4
task, t71 6
task, t72 7
task, t73 1
task, t74 5
task, t75 1
task, t76 1
task, t77 7
task, t78 5
task, t79 2
task, t80 7
task, t81 2
task, t82 3
task, t83 1
task, t84 1
task, t85 2
task, t86 5
task, t87 1
task, t88 5
task, t89 1
task, t90 5
task, t91 4
task, t92 5
task, t93 2
task, t94 4
task, t95 1
task, t96 4
task, t97 2
task, t98 6
task, t99 7
task, t100 1
constraint, t57 before t43
constraint, t31 before t90
constraint, t46 before t35
constraint, t56 before t85
constraint, t91 before t90
constraint, t52 before t39
constraint, t95 before t6
constraint, t53 before t85
constraint, t85 before t68
constraint, t28 before t62
constraint, t5 before t68
constraint, t20 before t48
constraint, t75 before t63
constraint, t17 before t76
constraint, t31 before t61
constraint, t13 before t9

constraint, t69 before t82
constraint, t15 before t26
constraint, t43 before t18
constraint, t20 before t4
constraint, t34 before t35
constraint, t80 before t74
constraint, t19 before t43
constraint, t30 before t74
constraint, t13 before t39
constraint, t32 before t58
constraint, t89 before t54
constraint, t95 before t22
constraint, t63 before t44
constraint, t100 before t21
constraint, t59 before t43
constraint, t28 before t68
constraint, t67 before t28
constraint, t23 before t88
constraint, t34 before t21
constraint, t58 before t10
constraint, t6 before t62
constraint, t21 before t68
constraint, t90 before t75
constraint, t1 before t35
constraint, t3 before t54
constraint, t45 before t9
constraint, t58 before t9
constraint, t66 before t56
constraint, t3 before t99
constraint, t62 before t24
constraint, t56 before t88
constraint, t96 before t32
constraint, t97 before t8
constraint, t43 before t14
constraint, t69 before t18
constraint, t95 before t43
constraint, t50 before t44
constraint, t95 before t76
constraint, t25 before t24
constraint, t59 before t68
constraint, t90 before t13
constraint, t99 before t24
constraint, t100 before t7
constraint, t79 before t81
constraint, t79 before t97
constraint, t92 before t42
constraint, t91 before t14
constraint, t69 before t52
constraint, t89 before t76
constraint, t100 before t13
constraint, t77 before t14
constraint, t17 before t14
constraint, t67 before t10
constraint, t34 before t44
domain, t1 starts-after tue 10am
domain, t2 ends-before fri 9am
domain, t5 starts-after thu 10am
domain, t9 ends-before fri 4pm
domain, t10 ends-after tue 2pm
domain, t11 thu

domain, t12 starts-before thu 12pm
domain, t12 ends-after mon 1pm
domain, t15 ends-after mon 11am
domain, t16 ends-after tue 2pm
domain, t17 starts-before wed 2pm
domain, t18 fri
domain, t19 starts-before wed 2pm
domain, t20 mon
domain, t21 9am
domain, t23 ends-before fri 4pm
domain, t24 9am
domain, t24 ends-after thu 3pm
domain, t29 ends-after mon 11am
domain, t30 starts-before fri 4pm
domain, t31 12pm
domain, t32 wed
domain, t32 ends-after tue 10am
domain, t33 tue
domain, t36 ends-after tue 9am
domain, t37 starts-after mon 9am
domain, t39 ends-before fri 4pm
domain, t39 ends-after fri 1pm
domain, t41 ends-before wed 2pm
domain, t43 starts-before fri 1pm
domain, t46 12pm
domain, t47 ends-after mon 4pm
domain, t48 ends-after mon 10am
domain, t49 ends-after mon 3pm
domain, t50 starts-before tue 11am
domain, t50 ends-before wed 10am
domain, t51 starts-before fri 12pm
domain, t52 tue
domain, t52 starts-before wed 9am
domain, t54 12pm
domain, t58 11am
domain, t60 starts-after mon 9am
domain, t62 starts-before fri 9am
domain, t63 fri
domain, t63 11am
domain, t64 starts-after tue 1pm
domain, t66 mon
domain, t66 ends-after mon 3pm
domain, t67 starts-before tue 4pm
domain, t68 starts-before fri 4pm
domain, t72 mon
domain, t74 ends-after tue 2pm
domain, t76 3pm
domain, t78 tue
domain, t78 starts-before tue 9am
domain, t81 9am
domain, t81 starts-before fri 11am
domain, t81 starts-after wed 9am
domain, t81 ends-before wed 12pm
domain, t82 10am
domain, t82 starts-before fri 10am
domain, t85 thu
domain, t86 wed
domain, t86 9am
domain, t86 starts-after tue 9am
domain, t87 starts-after mon 9am

domain, t89 starts-after tue 4pm
domain, t93 starts-before fri 4pm
domain, t93 starts-after tue 9am
domain, t93 ends-before fri 12pm
domain, t94 wed
domain, t94 12pm
domain, t95 mon
domain, t95 starts-after mon 11am
domain, t96 ends-before fri 2pm
domain, t99 ends-after tue 11am
domain, t1 ends-by wed 10am 9
domain, t2 ends-by fri 10am 1
domain, t3 ends-by fri 9am 7
domain, t4 ends-by tue 12pm 3
domain, t5 ends-by thu 12pm 4
domain, t6 ends-by thu 11am 10
domain, t7 ends-by fri 1pm 4
domain, t8 ends-by fri 11am 1
domain, t9 ends-by mon 9am 9
domain, t10 ends-by mon 3pm 4
domain, t11 ends-by wed 2pm 10
domain, t12 ends-by thu 1pm 1
domain, t13 ends-by mon 11am 4
domain, t14 ends-by tue 10am 10
domain, t15 ends-by mon 3pm 5
domain, t16 ends-by mon 1pm 7
domain, t17 ends-by wed 12pm 1
domain, t18 ends-by mon 1pm 6
domain, t19 ends-by mon 2pm 7
domain, t20 ends-by tue 1pm 4
domain, t21 ends-by thu 9am 4
domain, t22 ends-by wed 1pm 2
domain, t23 ends-by thu 4pm 8
domain, t24 ends-by wed 3pm 7
domain, t25 ends-by wed 2pm 9
domain, t26 ends-by fri 4pm 9
domain, t27 ends-by wed 3pm 7
domain, t28 ends-by fri 12pm 9
domain, t29 ends-by tue 3pm 10
domain, t30 ends-by wed 2pm 5
domain, t31 ends-by tue 10am 7
domain, t32 ends-by fri 1pm 3
domain, t33 ends-by thu 2pm 5
domain, t34 ends-by mon 3pm 1
domain, t35 ends-by thu 10am 10
domain, t36 ends-by tue 11am 10
domain, t37 ends-by fri 1pm 6
domain, t38 ends-by wed 3pm 1
domain, t39 ends-by wed 10am 10
domain, t40 ends-by mon 2pm 3
domain, t41 ends-by thu 2pm 9
domain, t42 ends-by mon 9am 7
domain, t43 ends-by tue 2pm 1
domain, t44 ends-by thu 12pm 4
domain, t45 ends-by fri 9am 8
domain, t46 ends-by thu 2pm 4
domain, t47 ends-by tue 9am 4
domain, t48 ends-by fri 3pm 10
domain, t49 ends-by fri 2pm 8
domain, t50 ends-by wed 3pm 8

domain, t51 ends-by tue 3pm 2
 domain, t52 ends-by tue 11am 10
 domain, t53 ends-by wed 2pm 7
 domain, t54 ends-by thu 10am 8
 domain, t55 ends-by fri 3pm 7
 domain, t56 ends-by fri 4pm 9
 domain, t57 ends-by thu 10am 7
 domain, t58 ends-by thu 1pm 10
 domain, t59 ends-by mon 2pm 9
 domain, t60 ends-by wed 11am 9
 domain, t61 ends-by thu 1pm 3
 domain, t62 ends-by mon 11am 2
 domain, t63 ends-by thu 4pm 3
 domain, t64 ends-by tue 1pm 7
 domain, t65 ends-by fri 9am 9
 domain, t66 ends-by fri 11am 6
 domain, t67 ends-by mon 10am 6
 domain, t68 ends-by tue 1pm 2
 domain, t69 ends-by thu 10am 10
 domain, t70 ends-by tue 4pm 5
 domain, t71 ends-by fri 4pm 2
 domain, t72 ends-by wed 2pm 1
 domain, t73 ends-by tue 3pm 2
 domain, t74 ends-by thu 1pm 9
 domain, t75 ends-by thu 2pm 7
 domain, t76 ends-by thu 12pm 10
 domain, t77 ends-by tue 2pm 6
 domain, t78 ends-by wed 10am 1
 domain, t79 ends-by fri 11am 8
 domain, t80 ends-by mon 1pm 2
 domain, t81 ends-by wed 10am 8
 domain, t82 ends-by tue 12pm 6
 domain, t83 ends-by wed 9am 4
 domain, t84 ends-by tue 3pm 7
 domain, t85 ends-by mon 3pm 9
 domain, t86 ends-by fri 10am 9
 domain, t87 ends-by tue 1pm 5
 domain, t88 ends-by thu 12pm 1
 domain, t89 ends-by wed 1pm 10
 domain, t90 ends-by mon 12pm 8
 domain, t91 ends-by fri 12pm 6
 domain, t92 ends-by wed 2pm 2
 domain, t93 ends-by mon 2pm 7
 domain, t94 ends-by tue 10am 1
 domain, t95 ends-by thu 11am 5
 domain, t96 ends-by fri 4pm 10
 domain, t97 ends-by mon 4pm 6
 domain, t98 ends-by fri 1pm 7
 domain, t99 ends-by mon 10am 4
 domain, t100 ends-by tue 4pm 7
 splitting t1 into [{9, 10, 11, 16, 17}, {18, 19, 24, 25, 26, 27}]
 splitting t1 into [{9, 10}, {16, 17, 11}]
 splitting t1 into [{9}, {10}]
 splitting t2 into [{0, 1, 2, 8, 9, 10}, {16, 17, 18, 24, 25, 26}]
 splitting t2 into [{0, 1, 2}, {8, 9, 10}]
 splitting t2 into [{0}, {1, 2}]
 splitting t3 into [{0, 1, 2, 3, 4, 8, 9}, {10, 11, 12, 16, 17, 18, 19, 20}]
 splitting t3 into [{0, 1, 2}, {8, 9, 3, 4}]
 splitting t3 into [{0}, {1, 2}]
 splitting t4 into [{8, 9, 10, 11, 12, 16, 17, 18, 19, 20}, {32, 33, 34, 35, 36, 2

4, 25, 26, 27, 28}]
 splitting t4 into [{8, 9, 10, 11, 12}, {16, 17, 18, 19, 20}]
 splitting t4 into [{8, 9}, {10, 11, 12}]
 splitting t4 into [{8}, {9}]
 splitting t5 into [{25, 26, 27, 28, 29}, {32, 33, 34, 35, 36}]
 splitting t5 into [{25, 26}, {27, 28, 29}]
 splitting t5 into [{25}, {26}]
 splitting t6 into [{3, 4, 5, 8, 9, 10, 11, 12}, {13, 16, 17, 18, 19, 20, 21, 24, 25}]
 splitting t6 into [{8, 3, 4, 5}, {9, 10, 11, 12}]
 splitting t6 into [{3, 4}, {8, 5}]
 splitting t6 into [{3}, {4}]
 splitting t7 into [{8, 16}, {24, 32}]
 splitting t7 into [{8}, {16}]
 splitting t8 into [{8, 9, 16, 17}, {24, 25, 32, 33}]
 splitting t8 into [{8, 9}, {16, 17}]
 splitting t8 into [{8}, {9}]
 splitting t9 into [{21, 22, 24, 25, 26, 27, 28, 29}, {32, 33, 34, 35, 36, 37, 38, 30}]
 splitting t9 into [{24, 25, 21, 22}, {26, 27, 28, 29}]
 splitting t9 into [{21, 22}, {24, 25}]
 splitting t9 into [{21}, {22}]
 splitting t10 into [{19, 20, 24, 25, 26, 27}, {32, 33, 34, 35, 36, 28}]
 splitting t10 into [{24, 19, 20}, {25, 26, 27}]
 splitting t10 into [{19}, {24, 20}]
 splitting t11 into [{24}, {25, 26}]
 splitting t12 into [{0, 1, 2, 3, 8, 9, 10, 11}, {16, 17, 18, 19, 24, 25, 26, 27}]
 splitting t12 into [{0, 1, 2, 3}, {8, 9, 10, 11}]
 splitting t12 into [{0, 1}, {2, 3}]
 splitting t12 into [{0}, {1}]
 splitting t14 into [{11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 24}, {32, 33, 34, 35, 36, 37, 38, 25, 26, 27, 28, 29, 30}]
 splitting t14 into [{11, 12, 13, 14, 16, 17}, {18, 19, 20, 21, 22, 24}]
 splitting t14 into [{11, 12, 13}, {16, 17, 14}]
 splitting t14 into [{11}, {12, 13}]
 splitting t15 into [{0, 1, 2, 3, 4, 8, 9, 10, 11, 12}, {32, 16, 17, 18, 19, 20, 24, 25, 26, 27, 28}]
 splitting t15 into [{0, 1, 2, 3, 4}, {8, 9, 10, 11, 12}]
 splitting t15 into [{0, 1}, {2, 3, 4}]
 splitting t15 into [{0}, {1}]
 splitting t16 into [{8, 9, 10, 16, 17, 18}, {32, 33, 34, 24, 25, 26}]
 splitting t16 into [{8, 9, 10}, {16, 17, 18}]
 splitting t16 into [{8}, {9, 10}]
 splitting t17 into [{0}, {1, 2}]
 splitting t18 into [{32}, {33}]
 splitting t19 into [{0, 1, 2}, {3, 4, 5, 6}]
 splitting t19 into [{0}, {1, 2}]
 splitting t20 into [{0}, {1}]
 splitting t21 into [{8, 16}, {24, 32}]
 splitting t21 into [{8}, {16}]
 splitting t22 into [{3, 4, 5, 8, 9, 10, 11, 12, 13, 16, 17, 18, 19}, {32, 33, 34, 35, 36, 37, 20, 21, 24, 25, 26, 27, 28, 29}]
 splitting t22 into [{3, 4, 5, 8, 9, 10}, {11, 12, 13, 16, 17, 18, 19}]
 splitting t22 into [{3, 4, 5}, {8, 9, 10}]
 splitting t22 into [{3}, {4, 5}]
 splitting t23 into [{0, 1, 8, 9}, {16, 17, 24, 25}]
 splitting t23 into [{0, 1}, {8, 9}]
 splitting t23 into [{0}, {1}]
 splitting t25 into [{0, 1, 8, 9}, {16, 17, 24, 25}]
 splitting t25 into [{0, 1}, {8, 9}]

splitting t25 into [{0}, {1}]
 splitting t26 into [{3, 8, 9, 10, 11, 16, 17, 18}, {32, 33, 34, 35, 19, 24, 25, 26, 27}]
 splitting t26 into [{8, 9, 10, 3}, {16, 17, 18, 11}]
 splitting t26 into [{8, 3}, {9, 10}]
 splitting t26 into [{3}, {8}]
 splitting t27 into [{0, 1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 13, 16, 17, 18}, {32, 33, 34, 35, 36, 37, 19, 20, 21, 24, 25, 26, 27, 28, 29}]
 splitting t27 into [{0, 1, 2, 3, 4, 5, 8}, {9, 10, 11, 12, 13, 16, 17, 18}]
 splitting t27 into [{0, 1, 2}, {8, 3, 4, 5}]
 splitting t27 into [{0}, {1, 2}]
 splitting t28 into [{2, 3, 4, 5, 8, 9, 10, 11, 12}, {13, 16, 17, 18, 19, 20, 21, 24, 25}]
 splitting t28 into [{2, 3, 4, 5}, {8, 9, 10, 11, 12}]
 splitting t28 into [{2, 3}, {4, 5}]
 splitting t28 into [{2}, {3}]
 splitting t29 into [{0, 1, 2, 3, 4, 5, 8, 9, 10, 11, 12, 13, 16, 17, 18}, {32, 33, 34, 35, 36, 37, 19, 20, 21, 24, 25, 26, 27, 28, 29}]
 splitting t29 into [{0, 1, 2, 3, 4, 5, 8}, {9, 10, 11, 12, 13, 16, 17, 18}]
 splitting t29 into [{0, 1, 2}, {8, 3, 4, 5}]
 splitting t29 into [{0}, {1, 2}]
 splitting t30 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16}, {32, 33, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30}]
 splitting t30 into [{0, 1, 2, 3, 4, 5, 6}, {8, 9, 10, 11, 12, 13, 14, 16}]
 splitting t30 into [{0, 1, 2}, {3, 4, 5, 6}]
 splitting t30 into [{0}, {1, 2}]
 splitting t33 into [{8}, {9, 10}]
 splitting t35 into [{16, 17, 18, 24}, {32, 33, 34, 25, 26}]
 splitting t35 into [{16, 17}, {24, 18}]
 splitting t35 into [{16}, {17}]
 splitting t36 into [{8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22}, {32, 33, 34, 35, 36, 37, 38, 24, 25, 26, 27, 28, 29, 30}]
 splitting t36 into [{8, 9, 10, 11, 12, 13, 14}, {16, 17, 18, 19, 20, 21, 22}]
 splitting t36 into [{8, 9, 10}, {11, 12, 13, 14}]
 splitting t36 into [{8}, {9, 10}]
 splitting t37 into [{0, 8}, {16, 24, 32}]
 splitting t37 into [{0}, {8}]
 splitting t38 into [{0, 1, 8, 9, 16}, {32, 33, 17, 24, 25}]
 splitting t38 into [{0, 1}, {8, 9, 16}]
 splitting t38 into [{0}, {1}]
 splitting t39 into [{32, 33}, {34, 35}]
 splitting t39 into [{32}, {33}]
 splitting t40 into [{0, 8}, {16, 24, 32}]
 splitting t40 into [{0}, {8}]
 splitting t41 into [{0, 1}, {8, 9}]
 splitting t41 into [{0}, {1}]
 splitting t42 into [{5, 6, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21}, {32, 33, 34, 35, 36, 37, 38, 22, 24, 25, 26, 27, 28, 29, 30}]
 splitting t42 into [{5, 6, 8, 9, 10, 11, 12}, {13, 14, 16, 17, 18, 19, 20, 21}]
 splitting t42 into [{8, 5, 6}, {9, 10, 11, 12}]
 splitting t42 into [{5}, {8, 6}]
 splitting t44 into [{35}, {36, 37}]
 splitting t45 into [{0, 1}, {8, 9}]
 splitting t45 into [{0}, {1}]
 splitting t46 into [{3}, {11}]
 splitting t47 into [{8, 1, 9, 16}, {32, 33, 17, 24, 25}]
 splitting t47 into [{8, 1}, {16, 9}]
 splitting t47 into [{1}, {8}]
 splitting t48 into [{8, 16}, {24, 32}]
 splitting t48 into [{8}, {16}]

splitting t49 into [{2, 3, 8, 9, 10, 11, 16, 17, 18}, {32, 33, 34, 35, 19, 24, 25, 26, 27}]
 splitting t49 into [{8, 9, 2, 3}, {10, 11, 16, 17, 18}]
 splitting t49 into [{2, 3}, {8, 9}]
 splitting t49 into [{2}, {3}]
 splitting t50 into [{0, 1, 2, 3, 4}, {5, 6, 8, 9, 10}]
 splitting t50 into [{0, 1}, {2, 3, 4}]
 splitting t50 into [{0}, {1}]
 splitting t51 into [{0, 8}, {16, 24, 32}]
 splitting t51 into [{0}, {8}]
 splitting t52 into [{8, 9}, {10, 11, 12}]
 splitting t52 into [{8}, {9}]
 splitting t53 into [{0, 1, 2, 3, 4, 5, 8, 9, 10, 11, 12}, {13, 16, 17, 18, 19, 20, 21, 24, 25, 26, 27}]
 splitting t53 into [{0, 1, 2, 3, 4}, {5, 8, 9, 10, 11, 12}]
 splitting t53 into [{0, 1}, {2, 3, 4}]
 splitting t53 into [{0}, {1}]
 splitting t54 into [{19}, {35, 27}]
 splitting t55 into [{0, 1, 2, 3, 4, 8, 9, 10, 11, 12, 16, 17}, {32, 33, 34, 35, 36, 18, 19, 20, 24, 25, 26, 27, 28}]
 splitting t55 into [{0, 1, 2, 3, 4, 8}, {9, 10, 11, 12, 16, 17}]
 splitting t55 into [{0, 1, 2}, {8, 3, 4}]
 splitting t55 into [{0}, {1, 2}]
 splitting t56 into [{8, 9, 10, 11, 12, 16}, {17, 18, 19, 20, 24, 25, 26}]
 splitting t56 into [{8, 9, 10}, {16, 11, 12}]
 splitting t56 into [{8}, {9, 10}]
 splitting t59 into [{0, 1, 2}, {3, 4, 5}]
 splitting t59 into [{0}, {1, 2}]
 splitting t60 into [{0, 1, 8, 9, 16}, {32, 33, 17, 24, 25}]
 splitting t60 into [{0, 1}, {8, 9, 16}]
 splitting t60 into [{0}, {1}]
 splitting t61 into [{4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20}, {32, 33, 34, 35, 36, 37, 38, 21, 22, 24, 25, 26, 27, 28, 29, 30}]
 splitting t61 into [{4, 5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 18, 19, 20}]
 splitting t61 into [{4, 5, 6}, {8, 9, 10, 11}]
 splitting t61 into [{4}, {5, 6}]
 splitting t62 into [{8, 9, 10, 11, 16, 17}, {18, 19, 24, 25, 26, 27}]
 splitting t62 into [{8, 9, 10}, {16, 17, 11}]
 splitting t62 into [{8}, {9, 10}]
 splitting t64 into [{16, 17, 18, 19, 24, 25}, {32, 33, 34, 35, 26, 27}]
 splitting t64 into [{16, 17, 18}, {24, 25, 19}]
 splitting t64 into [{16}, {17, 18}]
 splitting t65 into [{0, 8}, {16, 24, 32}]
 splitting t65 into [{0}, {8}]
 splitting t66 into [{2}, {3}]
 splitting t68 into [{32, 27, 28, 29, 30}, {33, 34, 35, 36, 37, 38}]
 splitting t68 into [{27, 28}, {32, 29, 30}]
 splitting t68 into [{27}, {28}]
 splitting t69 into [{0, 1, 2}, {3, 4, 5}]
 splitting t69 into [{0}, {1, 2}]
 splitting t70 into [{0, 1, 2, 3, 8, 9, 10, 11, 16, 17}, {32, 33, 34, 35, 18, 19, 24, 25, 26, 27}]
 splitting t70 into [{0, 1, 2, 3, 8}, {9, 10, 11, 16, 17}]
 splitting t70 into [{0, 1}, {8, 2, 3}]
 splitting t70 into [{0}, {1}]
 splitting t71 into [{0, 1, 8, 9, 16}, {32, 33, 17, 24, 25}]
 splitting t71 into [{0, 1}, {8, 9, 16}]
 splitting t71 into [{0}, {1}]
 splitting t73 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18}, {32, 33, 34, 35, 36, 37, 38, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30}]

splitting t73 into [{0, 1, 2, 3, 4, 5, 6, 8}, {9, 10, 11, 12, 13, 14, 16, 17, 18}]
 splitting t73 into [{0, 1, 2, 3}, {8, 4, 5, 6}]
 splitting t73 into [{0, 1}, {2, 3}]
 splitting t73 into [{0}, {1}]
 splitting t74 into [{8, 9, 10, 16, 17, 18}, {32, 33, 34, 24, 25, 26}]
 splitting t74 into [{8, 9, 10}, {16, 17, 18}]
 splitting t74 into [{8}, {9, 10}]
 splitting t75 into [{13, 14, 16, 17, 18, 19, 20, 21, 22}, {32, 33, 24, 25, 26, 27, 28, 29, 30}]
 splitting t75 into [{16, 17, 13, 14}, {18, 19, 20, 21, 22}]
 splitting t75 into [{13, 14}, {16, 17}]
 splitting t75 into [{13}, {14}]
 splitting t76 into [{22}, {38, 30}]
 splitting t79 into [{0, 1}, {2, 3}]
 splitting t79 into [{0}, {1}]
 splitting t82 into [{9, 17}, {25, 33}]
 splitting t82 into [{9}, {17}]
 splitting t83 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18}, {32, 33, 34, 35, 36, 37, 38, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30}]
 splitting t83 into [{0, 1, 2, 3, 4, 5, 6, 8}, {9, 10, 11, 12, 13, 14, 16, 17, 18}]
 splitting t83 into [{0, 1, 2, 3}, {8, 4, 5, 6}]
 splitting t83 into [{0, 1}, {2, 3}]
 splitting t83 into [{0}, {1}]
 splitting t84 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18}, {32, 33, 34, 35, 36, 37, 38, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30}]
 splitting t84 into [{0, 1, 2, 3, 4, 5, 6, 8}, {9, 10, 11, 12, 13, 14, 16, 17, 18}]
 splitting t84 into [{0, 1, 2, 3}, {8, 4, 5, 6}]
 splitting t84 into [{0, 1}, {2, 3}]
 splitting t84 into [{0}, {1}]
 splitting t85 into [{24}, {25}]
 splitting t87 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18}, {32, 33, 34, 35, 36, 37, 38, 19, 20, 21, 22, 24, 25, 26, 27, 28, 29, 30}]
 splitting t87 into [{0, 1, 2, 3, 4, 5, 6, 8}, {9, 10, 11, 12, 13, 14, 16, 17, 18}]
 splitting t87 into [{0, 1, 2, 3}, {8, 4, 5, 6}]
 splitting t87 into [{0, 1}, {2, 3}]
 splitting t87 into [{0}, {1}]
 splitting t88 into [{16, 17, 18, 24}, {32, 33, 34, 25, 26}]
 splitting t88 into [{16, 17}, {24, 18}]
 splitting t88 into [{16}, {17}]
 splitting t89 into [{16}, {17, 18}]
 splitting t91 into [{0, 1}, {2, 3}]
 splitting t91 into [{0}, {1}]
 splitting t93 into [{8, 9, 10, 11, 12, 13, 16, 17, 18, 19}, {32, 33, 20, 21, 24, 25, 26, 27, 28, 29}]
 splitting t93 into [{8, 9, 10, 11, 12}, {13, 16, 17, 18, 19}]
 splitting t93 into [{8, 9}, {10, 11, 12}]
 splitting t93 into [{8}, {9}]
 splitting t96 into [{0, 1, 2, 3}, {8, 9, 10, 11}]
 splitting t96 into [{0, 1}, {2, 3}]
 splitting t96 into [{0}, {1}]
 splitting t97 into [{2, 3}, {4, 5}]
 splitting t97 into [{2}, {3}]
 splitting t98 into [{0, 1, 8, 9, 16}, {32, 33, 17, 24, 25}]
 splitting t98 into [{0, 1}, {8, 9, 16}]
 splitting t98 into [{0}, {1}]
 splitting t99 into [{8}, {16, 24}]

t10: wed 12pm
t11: thu 9am
t12: mon 9am
t13: wed 9am
t14: tue 12pm
t15: mon 9am
t16: tue 9am
t17: mon 9am
t18: fri 9am
t19: mon 9am
t20: mon 9am
t21: tue 9am
t22: mon 12pm
t23: mon 9am
t24: fri 9am
t25: mon 9am
t26: mon 12pm
t27: mon 9am
t28: mon 11am
t29: mon 9am
t30: mon 9am
t31: mon 12pm
t32: wed 9am
t33: tue 9am
t34: mon 9am
t35: wed 9am
t36: tue 9am
t37: mon 9am
t38: mon 9am
t39: fri 9am
t40: mon 9am
t41: mon 9am
t42: mon 2pm
t43: tue 9am
t44: fri 12pm
t45: mon 9am
t46: mon 12pm
t47: mon 10am
t48: tue 9am
t49: mon 11am
t50: mon 9am
t51: mon 9am
t52: tue 9am
t53: mon 9am
t54: wed 12pm
t55: mon 9am
t56: tue 9am
t57: mon 9am
t58: wed 11am
t59: mon 9am
t60: mon 9am
t61: mon 1pm
t62: tue 9am
t63: fri 11am
t64: wed 9am
t65: mon 9am
t66: mon 11am
t67: mon 9am
t68: thu 12pm
t69: mon 9am

t70: mon 9am
t71: mon 9am
t72: mon 9am
t73: mon 9am
t74: tue 9am
t75: tue 2pm
t76: wed 3pm
t77: mon 9am
t78: tue 9am
t79: mon 9am
t80: mon 9am
t81: wed 9am
t82: tue 10am
t83: mon 9am
t84: mon 9am
t85: thu 9am
t86: wed 9am
t87: mon 9am
t88: wed 9am
t89: wed 9am
t90: tue 9am
t91: mon 9am
t92: mon 9am
t93: tue 9am
t94: wed 12pm
t95: mon 11am
t96: mon 9am
t97: mon 11am
t98: mon 9am
t99: tue 9am
t100: mon 9am
cost: 4429

k = 3

task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
task, t6 2
task, t7 7
task, t8 6
task, t9 1
task, t10 3
task, t11 5
task, t12 4
task, t13 5
task, t14 1
task, t15 3
task, t16 5
task, t17 5
task, t18 6
task, t19 1
task, t20 6
task, t21 4
task, t22 2
task, t23 6

task, t24 4
task, t25 6
task, t26 4
task, t27 2
task, t28 2
task, t29 2
task, t30 1
task, t31 1
task, t32 2
task, t33 5
task, t34 7
task, t35 5
task, t36 1
task, t37 7
task, t38 6
task, t39 4
task, t40 7
task, t41 6
task, t42 1
task, t43 3
task, t44 2
task, t45 6
task, t46 2
task, t47 6
task, t48 7
task, t49 4
task, t50 1
task, t51 7
task, t52 3
task, t53 2
task, t54 4
task, t55 3
task, t56 3
task, t57 7
task, t58 1
task, t59 2
task, t60 6
task, t61 1
task, t62 4
task, t63 1
task, t64 4
task, t65 7
task, t66 4
task, t67 2
task, t68 1
task, t69 2
task, t70 4
task, t71 6
task, t72 7
task, t73 1
task, t74 5
task, t75 1
task, t76 1
task, t77 7
task, t78 5
task, t79 2
task, t80 7
task, t81 2
task, t82 3
task, t83 1

task, t84 1
task, t85 2
task, t86 5
task, t87 1
task, t88 5
task, t89 1
task, t90 5
task, t91 4
task, t92 5
task, t93 2
task, t94 4
task, t95 1
task, t96 4
task, t97 2
task, t98 6
task, t99 7
task, t100 1
constraint, t57 before t43
constraint, t31 before t90
constraint, t46 before t35
constraint, t56 before t85
constraint, t91 before t90
constraint, t52 before t39
constraint, t95 before t6
constraint, t53 before t85
constraint, t85 before t68
constraint, t28 before t62
constraint, t5 before t68
constraint, t20 before t48
constraint, t75 before t63
constraint, t17 before t76
constraint, t31 before t61
constraint, t13 before t9
constraint, t69 before t82
constraint, t15 before t26
constraint, t43 before t18
constraint, t20 before t4
constraint, t34 before t35
constraint, t80 before t74
constraint, t19 before t43
constraint, t30 before t74
constraint, t13 before t39
constraint, t32 before t58
constraint, t89 before t54
constraint, t95 before t22
constraint, t63 before t44
constraint, t100 before t21
constraint, t59 before t43
constraint, t28 before t68
constraint, t67 before t28
constraint, t23 before t88
constraint, t34 before t21
constraint, t58 before t10
constraint, t6 before t62
constraint, t21 before t68
constraint, t90 before t75
constraint, t1 before t35
constraint, t3 before t54
constraint, t45 before t9
constraint, t58 before t9

constraint, t66 before t56
constraint, t3 before t99
constraint, t62 before t24
constraint, t56 before t88
constraint, t96 before t32
constraint, t97 before t8
constraint, t43 before t14
constraint, t69 before t18
constraint, t95 before t43
constraint, t50 before t44
constraint, t95 before t76
constraint, t25 before t24
constraint, t59 before t68
constraint, t90 before t13
constraint, t99 before t24
constraint, t100 before t7
constraint, t79 before t81
constraint, t79 before t97
constraint, t92 before t42
constraint, t91 before t14
constraint, t69 before t52
constraint, t89 before t76
constraint, t100 before t13
constraint, t77 before t14
constraint, t17 before t14
constraint, t67 before t10
constraint, t34 before t44
domain, t1 starts-after tue 10am
domain, t2 ends-before fri 9am
domain, t5 starts-after thu 10am
domain, t9 ends-before fri 4pm
domain, t10 ends-after tue 2pm
domain, t11 thu
domain, t12 starts-before thu 12pm
domain, t12 ends-after mon 1pm
domain, t15 ends-after mon 11am
domain, t16 ends-after tue 2pm
domain, t17 starts-before wed 2pm
domain, t18 fri
domain, t19 starts-before wed 2pm
domain, t20 mon
domain, t21 9am
domain, t23 ends-before fri 4pm
domain, t24 9am
domain, t24 ends-after thu 3pm
domain, t29 ends-after mon 11am
domain, t30 starts-before fri 4pm
domain, t31 12pm
domain, t32 wed
domain, t32 ends-after tue 10am
domain, t33 tue
domain, t36 ends-after tue 9am
domain, t37 starts-after mon 9am
domain, t39 ends-before fri 4pm
domain, t39 ends-after fri 1pm
domain, t41 ends-before wed 2pm
domain, t43 starts-before fri 1pm
domain, t46 12pm
domain, t47 ends-after mon 4pm
domain, t48 ends-after mon 10am

domain, t49 ends-after mon 3pm
domain, t50 starts-before tue 11am
domain, t50 ends-before wed 10am
domain, t51 starts-before fri 12pm
domain, t52 tue
domain, t52 starts-before wed 9am
domain, t54 12pm
domain, t58 11am
domain, t60 starts-after mon 9am
domain, t62 starts-before fri 9am
domain, t63 fri
domain, t63 11am
domain, t64 starts-after tue 1pm
domain, t66 mon
domain, t66 ends-after mon 3pm
domain, t67 starts-before tue 4pm
domain, t68 starts-before fri 4pm
domain, t72 mon
domain, t74 ends-after tue 2pm
domain, t76 3pm
domain, t78 tue
domain, t78 starts-before tue 9am
domain, t81 9am
domain, t81 starts-before fri 11am
domain, t81 starts-after wed 9am
domain, t81 ends-before wed 12pm
domain, t82 10am
domain, t82 starts-before fri 10am
domain, t85 thu
domain, t86 wed
domain, t86 9am
domain, t86 starts-after tue 9am
domain, t87 starts-after mon 9am
domain, t89 starts-after tue 4pm
domain, t93 starts-before fri 4pm
domain, t93 starts-after tue 9am
domain, t93 ends-before fri 12pm
domain, t94 wed
domain, t94 12pm
domain, t95 mon
domain, t95 starts-after mon 11am
domain, t96 ends-before fri 2pm
domain, t99 ends-after tue 11am
domain, t1 ends-by wed 10am 9
domain, t2 ends-by fri 10am 1
domain, t3 ends-by fri 9am 7
domain, t4 ends-by tue 12pm 3
domain, t5 ends-by thu 12pm 4
domain, t6 ends-by thu 11am 10
domain, t7 ends-by fri 1pm 4
domain, t8 ends-by fri 11am 1
domain, t9 ends-by mon 9am 9
domain, t10 ends-by mon 3pm 4
domain, t11 ends-by wed 2pm 10
domain, t12 ends-by thu 1pm 1
domain, t13 ends-by mon 11am 4
domain, t14 ends-by tue 10am 10
domain, t15 ends-by mon 3pm 5
domain, t16 ends-by mon 1pm 7
domain, t17 ends-by wed 12pm 1

domain, t18 ends-by mon 1pm 6
domain, t19 ends-by mon 2pm 7
domain, t20 ends-by tue 1pm 4
domain, t21 ends-by thu 9am 4
domain, t22 ends-by wed 1pm 2
domain, t23 ends-by thu 4pm 8
domain, t24 ends-by wed 3pm 7
domain, t25 ends-by wed 2pm 9
domain, t26 ends-by fri 4pm 9
domain, t27 ends-by wed 3pm 7
domain, t28 ends-by fri 12pm 9
domain, t29 ends-by tue 3pm 10
domain, t30 ends-by wed 2pm 5
domain, t31 ends-by tue 10am 7
domain, t32 ends-by fri 1pm 3
domain, t33 ends-by thu 2pm 5
domain, t34 ends-by mon 3pm 1
domain, t35 ends-by thu 10am 10
domain, t36 ends-by tue 11am 10
domain, t37 ends-by fri 1pm 6
domain, t38 ends-by wed 3pm 1
domain, t39 ends-by wed 10am 10
domain, t40 ends-by mon 2pm 3
domain, t41 ends-by thu 2pm 9
domain, t42 ends-by mon 9am 7
domain, t43 ends-by tue 2pm 1
domain, t44 ends-by thu 12pm 4
domain, t45 ends-by fri 9am 8
domain, t46 ends-by thu 2pm 4
domain, t47 ends-by tue 9am 4
domain, t48 ends-by fri 3pm 10
domain, t49 ends-by fri 2pm 8
domain, t50 ends-by wed 3pm 8
domain, t51 ends-by tue 3pm 2
domain, t52 ends-by tue 11am 10
domain, t53 ends-by wed 2pm 7
domain, t54 ends-by thu 10am 8
domain, t55 ends-by fri 3pm 7
domain, t56 ends-by fri 4pm 9
domain, t57 ends-by thu 10am 7
domain, t58 ends-by thu 1pm 10
domain, t59 ends-by mon 2pm 9
domain, t60 ends-by wed 11am 9
domain, t61 ends-by thu 1pm 3
domain, t62 ends-by mon 11am 2
domain, t63 ends-by thu 4pm 3
domain, t64 ends-by tue 1pm 7
domain, t65 ends-by fri 9am 9
domain, t66 ends-by fri 11am 6
domain, t67 ends-by mon 10am 6
domain, t68 ends-by tue 1pm 2
domain, t69 ends-by thu 10am 10
domain, t70 ends-by tue 4pm 5
domain, t71 ends-by fri 4pm 2
domain, t72 ends-by wed 2pm 1
domain, t73 ends-by tue 3pm 2
domain, t74 ends-by thu 1pm 9
domain, t75 ends-by thu 2pm 7
domain, t76 ends-by thu 12pm 10
domain, t77 ends-by tue 2pm 6

domain, t78 ends-by wed 10am 1
 domain, t79 ends-by fri 11am 8
 domain, t80 ends-by mon 1pm 2
 domain, t81 ends-by wed 10am 8
 domain, t82 ends-by tue 12pm 6
 domain, t83 ends-by wed 9am 4
 domain, t84 ends-by tue 3pm 7
 domain, t85 ends-by mon 3pm 9
 domain, t86 ends-by fri 10am 9
 domain, t87 ends-by tue 1pm 5
 domain, t88 ends-by thu 12pm 1
 domain, t89 ends-by wed 1pm 10
 domain, t90 ends-by mon 12pm 8
 domain, t91 ends-by fri 12pm 6
 domain, t92 ends-by wed 2pm 2
 domain, t93 ends-by mon 2pm 7
 domain, t94 ends-by tue 10am 1
 domain, t95 ends-by thu 11am 5
 domain, t96 ends-by fri 4pm 10
 domain, t97 ends-by mon 4pm 6
 domain, t98 ends-by fri 1pm 7
 domain, t99 ends-by mon 10am 4
 domain, t100 ends-by tue 4pm 7
 splitting t1 into [{9, 10, 11}, {16, 17, 18, 19}, {24, 25, 26, 27}]
 splitting t1 into [{9}, {10}, {11}]
 splitting t2 into [{0, 1, 2, 8}, {16, 9, 10, 17}, {24, 25, 18, 26}]
 splitting t2 into [{0}, {1}, {8, 2}]
 splitting t3 into [{0, 1, 2, 3, 4}, {8, 9, 10, 11, 12}, {16, 17, 18, 19, 20}]
 splitting t3 into [{0}, {1, 2}, {3, 4}]
 splitting t4 into [{8, 9, 10, 11, 12, 16}, {17, 18, 19, 20, 24, 25, 26}, {32, 33, 34, 35, 36, 27, 28}]
 splitting t4 into [{8, 9}, {10, 11}, {16, 12}]
 splitting t4 into [{8}, {9}]
 splitting t5 into [{25, 26, 27}, {32, 28, 29}, {33, 34, 35, 36}]
 splitting t5 into [{25}, {26}, {27}]
 splitting t6 into [{3, 4, 5, 8, 9}, {10, 11, 12, 13, 16, 17}, {18, 19, 20, 21, 24, 25}]
 splitting t6 into [{3}, {4, 5}, {8, 9}]
 splitting t7 into [{8}, {16}, {24, 32}]
 splitting t8 into [{8, 9}, {16, 17, 24}, {32, 25, 33}]
 splitting t8 into [{8}, {9}]
 splitting t9 into [{21, 22, 24, 25, 26}, {32, 27, 28, 29, 30}, {33, 34, 35, 36, 37, 38}]
 splitting t9 into [{21}, {24, 22}, {25, 26}]
 splitting t10 into [{24, 25, 19, 20}, {32, 26, 27, 28}, {33, 34, 35, 36}]
 splitting t10 into [{19}, {20}, {24, 25}]
 splitting t11 into [{24}, {25}, {26}]
 splitting t12 into [{0, 1, 2, 3, 8}, {9, 10, 11, 16, 17}, {18, 19, 24, 25, 26, 27}]
 splitting t12 into [{0}, {1, 2}, {8, 3}]
 splitting t14 into [{11, 12, 13, 14, 16, 17, 18, 19}, {20, 21, 22, 24, 25, 26, 27, 28}, {32, 33, 34, 35, 36, 37, 38, 29, 30}]
 splitting t14 into [{11, 12}, {16, 13, 14}, {17, 18, 19}]
 splitting t14 into [{11}, {12}]
 splitting t15 into [{0, 1, 2, 3, 4, 8, 9}, {10, 11, 12, 16, 17, 18, 19}, {32, 20, 24, 25, 26, 27, 28}]
 splitting t15 into [{0, 1}, {2, 3}, {8, 9, 4}]
 splitting t15 into [{0}, {1}]
 splitting t16 into [{8, 9, 10, 16}, {24, 17, 18, 25}, {32, 33, 26, 34}]
 splitting t16 into [{8}, {9}, {16, 10}]

splitting t17 into [{0}, {1}, {2}]
 splitting t18 into [{32}, {33}]
 splitting t19 into [{0, 1}, {2, 3}, {4, 5, 6}]
 splitting t19 into [{0}, {1}]
 splitting t20 into [{0}, {1}]
 splitting t21 into [{8}, {16}, {24, 32}]
 splitting t22 into [{3, 4, 5, 8, 9, 10, 11, 12, 13}, {16, 17, 18, 19, 20, 21, 24, 25, 26}, {32, 33, 34, 35, 36, 37, 27, 28, 29}]
 splitting t22 into [{3, 4, 5}, {8, 9, 10}, {11, 12, 13}]
 splitting t22 into [{3}, {4}, {5}]
 splitting t23 into [{0, 1}, {8, 9, 16}, {24, 17, 25}]
 splitting t23 into [{0}, {1}]
 splitting t25 into [{0, 1}, {8, 9, 16}, {24, 17, 25}]
 splitting t25 into [{0}, {1}]
 splitting t26 into [{3, 8, 9, 10, 11}, {16, 17, 18, 19, 24, 25}, {32, 33, 34, 35, 26, 27}]
 splitting t26 into [{3}, {8, 9}, {10, 11}]
 splitting t27 into [{0, 1, 2, 3, 4, 5, 8, 9, 10, 11}, {12, 13, 16, 17, 18, 19, 20, 21, 24, 25}, {32, 33, 34, 35, 36, 37, 26, 27, 28, 29}]
 splitting t27 into [{0, 1, 2}, {3, 4, 5}, {8, 9, 10, 11}]
 splitting t27 into [{0}, {1}, {2}]
 splitting t28 into [{2, 3, 4, 5, 8, 9}, {10, 11, 12, 13, 16, 17}, {18, 19, 20, 21, 24, 25}]
 splitting t28 into [{2, 3}, {4, 5}, {8, 9}]
 splitting t28 into [{2}, {3}]
 splitting t29 into [{0, 1, 2, 3, 4, 5, 8, 9, 10, 11}, {12, 13, 16, 17, 18, 19, 20, 21, 24, 25}, {32, 33, 34, 35, 36, 37, 26, 27, 28, 29}]
 splitting t29 into [{0, 1, 2}, {3, 4, 5}, {8, 9, 10, 11}]
 splitting t29 into [{0}, {1}, {2}]
 splitting t30 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10}, {11, 12, 13, 14, 16, 17, 18, 19, 20, 21}, {32, 33, 22, 24, 25, 26, 27, 28, 29, 30}]
 splitting t30 into [{0, 1, 2}, {3, 4, 5}, {8, 9, 10, 6}]
 splitting t30 into [{0}, {1}, {2}]
 splitting t33 into [{8}, {9}, {10}]
 splitting t35 into [{16, 17, 18}, {24, 25, 26}, {32, 33, 34}]
 splitting t35 into [{16}, {17}, {18}]
 splitting t36 into [{8, 9, 10, 11, 12, 13, 14, 16, 17}, {18, 19, 20, 21, 22, 24, 25, 26, 27}, {32, 33, 34, 35, 36, 37, 38, 28, 29, 30}]
 splitting t36 into [{8, 9, 10}, {11, 12, 13}, {16, 17, 14}]
 splitting t36 into [{8}, {9}, {10}]
 splitting t37 into [{0}, {8, 16}, {24, 32}]
 splitting t38 into [{0, 1, 8}, {16, 9, 17}, {24, 25, 32, 33}]
 splitting t38 into [{0}, {1}, {8}]
 splitting t39 into [{32}, {33}, {34, 35}]
 splitting t40 into [{0}, {8, 16}, {24, 32}]
 splitting t41 into [{0}, {1}, {8, 9}]
 splitting t42 into [{5, 6, 8, 9, 10, 11, 12, 13, 14, 16}, {17, 18, 19, 20, 21, 22, 24, 25, 26, 27}, {32, 33, 34, 35, 36, 37, 38, 28, 29, 30}]
 splitting t42 into [{8, 5, 6}, {9, 10, 11}, {16, 12, 13, 14}]
 splitting t42 into [{5}, {6}, {8}]
 splitting t44 into [{35}, {36}, {37}]
 splitting t45 into [{0}, {1}, {8, 9}]
 splitting t46 into [{3}, {11}]
 splitting t47 into [{8, 1, 9}, {16, 17, 24}, {32, 25, 33}]
 splitting t47 into [{1}, {8}, {9}]
 splitting t48 into [{8}, {16}, {24, 32}]
 splitting t49 into [{2, 3, 8, 9, 10, 11}, {16, 17, 18, 19, 24, 25}, {32, 33, 34, 35, 26, 27}]
 splitting t49 into [{2, 3}, {8, 9}, {10, 11}]
 splitting t49 into [{2}, {3}]

splitting t50 into [{0, 1, 2}, {3, 4, 5}, {8, 9, 10, 6}]
 splitting t50 into [{0}, {1}, {2}]
 splitting t51 into [{0}, {8, 16}, {24, 32}]
 splitting t52 into [{8}, {9, 10}, {11, 12}]
 splitting t53 into [{0, 1, 2, 3, 4, 5, 8}, {9, 10, 11, 12, 13, 16, 17}, {18, 19, 20, 21, 24, 25, 26, 27}]
 splitting t53 into [{0, 1}, {2, 3}, {8, 4, 5}]
 splitting t53 into [{0}, {1}]
 splitting t54 into [{19}, {27}, {35}]
 splitting t55 into [{0, 1, 2, 3, 4, 8, 9, 10}, {11, 12, 16, 17, 18, 19, 20, 24}, {32, 33, 34, 35, 36, 25, 26, 27, 28}]
 splitting t55 into [{0, 1}, {2, 3, 4}, {8, 9, 10}]
 splitting t55 into [{0}, {1}]
 splitting t56 into [{8, 9, 10, 11}, {16, 17, 18, 12}, {19, 20, 24, 25, 26}]
 splitting t56 into [{8}, {9}, {10, 11}]
 splitting t59 into [{0, 1}, {2, 3}, {4, 5}]
 splitting t59 into [{0}, {1}]
 splitting t60 into [{0, 1, 8}, {16, 9, 17}, {24, 25, 32, 33}]
 splitting t60 into [{0}, {1}, {8}]
 splitting t61 into [{4, 5, 6, 8, 9, 10, 11, 12, 13, 14}, {16, 17, 18, 19, 20, 21, 22, 24, 25, 26}, {32, 33, 34, 35, 36, 37, 38, 27, 28, 29, 30}]
 splitting t61 into [{4, 5, 6}, {8, 9, 10}, {11, 12, 13, 14}]
 splitting t61 into [{4}, {5}, {6}]
 splitting t62 into [{8, 9, 10, 11}, {16, 17, 18, 19}, {24, 25, 26, 27}]
 splitting t62 into [{8}, {9}, {10, 11}]
 splitting t64 into [{16, 17, 18, 19}, {24, 25, 26, 27}, {32, 33, 34, 35}]
 splitting t64 into [{16}, {17}, {18, 19}]
 splitting t65 into [{0}, {8, 16}, {24, 32}]
 splitting t66 into [{2}, {3}]
 splitting t68 into [{27, 28, 29}, {32, 33, 34, 30}, {35, 36, 37, 38}]
 splitting t68 into [{27}, {28}, {29}]
 splitting t69 into [{0, 1}, {2, 3}, {4, 5}]
 splitting t69 into [{0}, {1}]
 splitting t70 into [{0, 1, 2, 3, 8, 9}, {10, 11, 16, 17, 18, 19, 24}, {32, 33, 34, 35, 25, 26, 27}]
 splitting t70 into [{0, 1}, {2, 3}, {8, 9}]
 splitting t70 into [{0}, {1}]
 splitting t71 into [{0, 1, 8}, {16, 9, 17}, {24, 25, 32, 33}]
 splitting t71 into [{0}, {1}, {8}]
 splitting t73 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 24, 25}, {32, 33, 34, 35, 36, 37, 38, 26, 27, 28, 29, 30}]
 splitting t73 into [{0, 1, 2}, {3, 4, 5, 6}, {8, 9, 10, 11}]
 splitting t73 into [{0}, {1}, {2}]
 splitting t74 into [{8, 9, 10, 16}, {24, 17, 18, 25}, {32, 33, 26, 34}]
 splitting t74 into [{8}, {9}, {16, 10}]
 splitting t75 into [{13, 14, 16, 17, 18, 19}, {20, 21, 22, 24, 25, 26}, {32, 33, 27, 28, 29, 30}]
 splitting t75 into [{13, 14}, {16, 17}, {18, 19}]
 splitting t75 into [{13}, {14}]
 splitting t76 into [{22}, {30}, {38}]
 splitting t79 into [{0}, {1}, {2, 3}]
 splitting t82 into [{9}, {17}, {25, 33}]
 splitting t83 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 24, 25}, {32, 33, 34, 35, 36, 37, 38, 26, 27, 28, 29, 30}]
 splitting t83 into [{0, 1, 2}, {3, 4, 5, 6}, {8, 9, 10, 11}]
 splitting t83 into [{0}, {1}, {2}]
 splitting t84 into [{0, 1, 2, 3, 4, 5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 24, 25}, {32, 33, 34, 35, 36, 37, 38, 26, 27, 28, 29, 30}]
 splitting t84 into [{0, 1, 2}, {3, 4, 5, 6}, {8, 9, 10, 11}]
 splitting t84 into [{0}, {1}, {2}]

t6: mon 12pm
t7: tue 9am
t8: tue 9am
t9: wed 2pm
t10: wed 12pm
t11: thu 9am
t12: mon 9am
t13: wed 9am
t14: tue 12pm
t15: mon 9am
t16: tue 9am
t17: mon 9am
t18: fri 9am
t19: mon 9am
t20: mon 9am
t21: tue 9am
t22: mon 12pm
t23: mon 9am
t24: fri 9am
t25: mon 9am
t26: mon 12pm
t27: mon 9am
t28: mon 11am
t29: mon 9am
t30: mon 9am
t31: mon 12pm
t32: wed 9am
t33: tue 9am
t34: mon 9am
t35: wed 9am
t36: tue 9am
t37: mon 9am
t38: mon 9am
t39: fri 9am
t40: mon 9am
t41: mon 9am
t42: mon 2pm
t43: tue 9am
t44: fri 12pm
t45: mon 9am
t46: mon 12pm
t47: mon 10am
t48: tue 9am
t49: mon 11am
t50: mon 9am
t51: mon 9am
t52: tue 9am
t53: mon 9am
t54: wed 12pm
t55: mon 9am
t56: tue 9am
t57: mon 9am
t58: wed 11am
t59: mon 9am
t60: mon 9am
t61: mon 1pm
t62: tue 9am
t63: fri 11am
t64: wed 9am
t65: mon 9am

t66: mon 11am
t67: mon 9am
t68: thu 12pm
t69: mon 9am
t70: mon 9am
t71: mon 9am
t72: mon 9am
t73: mon 9am
t74: tue 9am
t75: tue 2pm
t76: wed 3pm
t77: mon 9am
t78: tue 9am
t79: mon 9am
t80: mon 9am
t81: wed 9am
t82: tue 10am
t83: mon 9am
t84: mon 9am
t85: thu 9am
t86: wed 9am
t87: mon 9am
t88: wed 9am
t89: wed 9am
t90: tue 9am
t91: mon 9am
t92: mon 9am
t93: tue 9am
t94: wed 12pm
t95: mon 11am
t96: mon 9am
t97: mon 11am
t98: mon 9am
t99: tue 9am
t100: mon 9am
cost: 4429

k = 4

task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
task, t6 2
task, t7 7
task, t8 6
task, t9 1
task, t10 3
task, t11 5
task, t12 4
task, t13 5
task, t14 1
task, t15 3
task, t16 5
task, t17 5
task, t18 6
task, t19 1

task, t20 6
task, t21 4
task, t22 2
task, t23 6
task, t24 4
task, t25 6
task, t26 4
task, t27 2
task, t28 2
task, t29 2
task, t30 1
task, t31 1
task, t32 2
task, t33 5
task, t34 7
task, t35 5
task, t36 1
task, t37 7
task, t38 6
task, t39 4
task, t40 7
task, t41 6
task, t42 1
task, t43 3
task, t44 2
task, t45 6
task, t46 2
task, t47 6
task, t48 7
task, t49 4
task, t50 1
task, t51 7
task, t52 3
task, t53 2
task, t54 4
task, t55 3
task, t56 3
task, t57 7
task, t58 1
task, t59 2
task, t60 6
task, t61 1
task, t62 4
task, t63 1
task, t64 4
task, t65 7
task, t66 4
task, t67 2
task, t68 1
task, t69 2
task, t70 4
task, t71 6
task, t72 7
task, t73 1
task, t74 5
task, t75 1
task, t76 1
task, t77 7
task, t78 5
task, t79 2

task, t80 7
task, t81 2
task, t82 3
task, t83 1
task, t84 1
task, t85 2
task, t86 5
task, t87 1
task, t88 5
task, t89 1
task, t90 5
task, t91 4
task, t92 5
task, t93 2
task, t94 4
task, t95 1
task, t96 4
task, t97 2
task, t98 6
task, t99 7
task, t100 1
constraint, t57 before t43
constraint, t31 before t90
constraint, t46 before t35
constraint, t56 before t85
constraint, t91 before t90
constraint, t52 before t39
constraint, t95 before t6
constraint, t53 before t85
constraint, t85 before t68
constraint, t28 before t62
constraint, t5 before t68
constraint, t20 before t48
constraint, t75 before t63
constraint, t17 before t76
constraint, t31 before t61
constraint, t13 before t9
constraint, t69 before t82
constraint, t15 before t26
constraint, t43 before t18
constraint, t20 before t4
constraint, t34 before t35
constraint, t80 before t74
constraint, t19 before t43
constraint, t30 before t74
constraint, t13 before t39
constraint, t32 before t58
constraint, t89 before t54
constraint, t95 before t22
constraint, t63 before t44
constraint, t100 before t21
constraint, t59 before t43
constraint, t28 before t68
constraint, t67 before t28
constraint, t23 before t88
constraint, t34 before t21
constraint, t58 before t10
constraint, t6 before t62
constraint, t21 before t68
constraint, t90 before t75

constraint, t1 before t35
constraint, t3 before t54
constraint, t45 before t9
constraint, t58 before t9
constraint, t66 before t56
constraint, t3 before t99
constraint, t62 before t24
constraint, t56 before t88
constraint, t96 before t32
constraint, t97 before t8
constraint, t43 before t14
constraint, t69 before t18
constraint, t95 before t43
constraint, t50 before t44
constraint, t95 before t76
constraint, t25 before t24
constraint, t59 before t68
constraint, t90 before t13
constraint, t99 before t24
constraint, t100 before t7
constraint, t79 before t81
constraint, t79 before t97
constraint, t92 before t42
constraint, t91 before t14
constraint, t69 before t52
constraint, t89 before t76
constraint, t100 before t13
constraint, t77 before t14
constraint, t17 before t14
constraint, t67 before t10
constraint, t34 before t44
domain, t1 starts-after tue 10am
domain, t2 ends-before fri 9am
domain, t5 starts-after thu 10am
domain, t9 ends-before fri 4pm
domain, t10 ends-after tue 2pm
domain, t11 thu
domain, t12 starts-before thu 12pm
domain, t12 ends-after mon 1pm
domain, t15 ends-after mon 11am
domain, t16 ends-after tue 2pm
domain, t17 starts-before wed 2pm
domain, t18 fri
domain, t19 starts-before wed 2pm
domain, t20 mon
domain, t21 9am
domain, t23 ends-before fri 4pm
domain, t24 9am
domain, t24 ends-after thu 3pm
domain, t29 ends-after mon 11am
domain, t30 starts-before fri 4pm
domain, t31 12pm
domain, t32 wed
domain, t32 ends-after tue 10am
domain, t33 tue
domain, t36 ends-after tue 9am
domain, t37 starts-after mon 9am
domain, t39 ends-before fri 4pm
domain, t39 ends-after fri 1pm
domain, t41 ends-before wed 2pm

domain, t43 starts-before fri 1pm
domain, t46 12pm
domain, t47 ends-after mon 4pm
domain, t48 ends-after mon 10am
domain, t49 ends-after mon 3pm
domain, t50 starts-before tue 11am
domain, t50 ends-before wed 10am
domain, t51 starts-before fri 12pm
domain, t52 tue
domain, t52 starts-before wed 9am
domain, t54 12pm
domain, t58 11am
domain, t60 starts-after mon 9am
domain, t62 starts-before fri 9am
domain, t63 fri
domain, t63 11am
domain, t64 starts-after tue 1pm
domain, t66 mon
domain, t66 ends-after mon 3pm
domain, t67 starts-before tue 4pm
domain, t68 starts-before fri 4pm
domain, t72 mon
domain, t74 ends-after tue 2pm
domain, t76 3pm
domain, t78 tue
domain, t78 starts-before tue 9am
domain, t81 9am
domain, t81 starts-before fri 11am
domain, t81 starts-after wed 9am
domain, t81 ends-before wed 12pm
domain, t82 10am
domain, t82 starts-before fri 10am
domain, t85 thu
domain, t86 wed
domain, t86 9am
domain, t86 starts-after tue 9am
domain, t87 starts-after mon 9am
domain, t89 starts-after tue 4pm
domain, t93 starts-before fri 4pm
domain, t93 starts-after tue 9am
domain, t93 ends-before fri 12pm
domain, t94 wed
domain, t94 12pm
domain, t95 mon
domain, t95 starts-after mon 11am
domain, t96 ends-before fri 2pm
domain, t99 ends-after tue 11am
domain, t1 ends-by wed 10am 9
domain, t2 ends-by fri 10am 1
domain, t3 ends-by fri 9am 7
domain, t4 ends-by tue 12pm 3
domain, t5 ends-by thu 12pm 4
domain, t6 ends-by thu 11am 10
domain, t7 ends-by fri 1pm 4
domain, t8 ends-by fri 11am 1
domain, t9 ends-by mon 9am 9
domain, t10 ends-by mon 3pm 4
domain, t11 ends-by wed 2pm 10
domain, t12 ends-by thu 1pm 1
domain, t13 ends-by mon 11am 4

domain, t14 ends-by tue 10am 10
domain, t15 ends-by mon 3pm 5
domain, t16 ends-by mon 1pm 7
domain, t17 ends-by wed 12pm 1
domain, t18 ends-by mon 1pm 6
domain, t19 ends-by mon 2pm 7
domain, t20 ends-by tue 1pm 4
domain, t21 ends-by thu 9am 4
domain, t22 ends-by wed 1pm 2
domain, t23 ends-by thu 4pm 8
domain, t24 ends-by wed 3pm 7
domain, t25 ends-by wed 2pm 9
domain, t26 ends-by fri 4pm 9
domain, t27 ends-by wed 3pm 7
domain, t28 ends-by fri 12pm 9
domain, t29 ends-by tue 3pm 10
domain, t30 ends-by wed 2pm 5
domain, t31 ends-by tue 10am 7
domain, t32 ends-by fri 1pm 3
domain, t33 ends-by thu 2pm 5
domain, t34 ends-by mon 3pm 1
domain, t35 ends-by thu 10am 10
domain, t36 ends-by tue 11am 10
domain, t37 ends-by fri 1pm 6
domain, t38 ends-by wed 3pm 1
domain, t39 ends-by wed 10am 10
domain, t40 ends-by mon 2pm 3
domain, t41 ends-by thu 2pm 9
domain, t42 ends-by mon 9am 7
domain, t43 ends-by tue 2pm 1
domain, t44 ends-by thu 12pm 4
domain, t45 ends-by fri 9am 8
domain, t46 ends-by thu 2pm 4
domain, t47 ends-by tue 9am 4
domain, t48 ends-by fri 3pm 10
domain, t49 ends-by fri 2pm 8
domain, t50 ends-by wed 3pm 8
domain, t51 ends-by tue 3pm 2
domain, t52 ends-by tue 11am 10
domain, t53 ends-by wed 2pm 7
domain, t54 ends-by thu 10am 8
domain, t55 ends-by fri 3pm 7
domain, t56 ends-by fri 4pm 9
domain, t57 ends-by thu 10am 7
domain, t58 ends-by thu 1pm 10
domain, t59 ends-by mon 2pm 9
domain, t60 ends-by wed 11am 9
domain, t61 ends-by thu 1pm 3
domain, t62 ends-by mon 11am 2
domain, t63 ends-by thu 4pm 3
domain, t64 ends-by tue 1pm 7
domain, t65 ends-by fri 9am 9
domain, t66 ends-by fri 11am 6
domain, t67 ends-by mon 10am 6
domain, t68 ends-by tue 1pm 2
domain, t69 ends-by thu 10am 10
domain, t70 ends-by tue 4pm 5
domain, t71 ends-by fri 4pm 2
domain, t72 ends-by wed 2pm 1
domain, t73 ends-by tue 3pm 2

domain, t74 ends-by thu 1pm 9
 domain, t75 ends-by thu 2pm 7
 domain, t76 ends-by thu 12pm 10
 domain, t77 ends-by tue 2pm 6
 domain, t78 ends-by wed 10am 1
 domain, t79 ends-by fri 11am 8
 domain, t80 ends-by mon 1pm 2
 domain, t81 ends-by wed 10am 8
 domain, t82 ends-by tue 12pm 6
 domain, t83 ends-by wed 9am 4
 domain, t84 ends-by tue 3pm 7
 domain, t85 ends-by mon 3pm 9
 domain, t86 ends-by fri 10am 9
 domain, t87 ends-by tue 1pm 5
 domain, t88 ends-by thu 12pm 1
 domain, t89 ends-by wed 1pm 10
 domain, t90 ends-by mon 12pm 8
 domain, t91 ends-by fri 12pm 6
 domain, t92 ends-by wed 2pm 2
 domain, t93 ends-by mon 2pm 7
 domain, t94 ends-by tue 10am 1
 domain, t95 ends-by thu 11am 5
 domain, t96 ends-by fri 4pm 10
 domain, t97 ends-by mon 4pm 6
 domain, t98 ends-by fri 1pm 7
 domain, t99 ends-by mon 10am 4
 domain, t100 ends-by tue 4pm 7
 splitting t1 into [{9, 10}, {16, 17, 11}, {24, 18, 19}, {25, 26, 27}]
 splitting t1 into [{9}, {10}]
 splitting t2 into [{0, 1, 2}, {8, 9, 10}, {16, 17, 18}, {24, 25, 26}]
 splitting t2 into [{0}, {1}, {2}]
 splitting t3 into [{0, 1, 2}, {8, 9, 3, 4}, {16, 10, 11, 12}, {17, 18, 19, 20}]
 splitting t3 into [{0}, {1}, {2}]
 splitting t4 into [{8, 9, 10, 11, 12}, {16, 17, 18, 19, 20}, {24, 25, 26, 27, 28}, {32, 33, 34, 35, 36}]
 splitting t4 into [{8}, {9}, {10}, {11, 12}]
 splitting t5 into [{25, 26}, {27, 28, 29}, {32, 33}, {34, 35, 36}]
 splitting t5 into [{25}, {26}]
 splitting t6 into [{8, 3, 4, 5}, {9, 10, 11, 12}, {16, 17, 18, 13}, {19, 20, 21, 24, 25}]
 splitting t6 into [{3}, {4}, {5}, {8}]
 splitting t7 into [{8}, {16}, {24}, {32}]
 splitting t8 into [{8, 9}, {16, 17}, {24, 25}, {32, 33}]
 splitting t8 into [{8}, {9}]
 splitting t9 into [{24, 25, 21, 22}, {26, 27, 28, 29}, {32, 33, 34, 30}, {35, 36, 37, 38}]
 splitting t9 into [{21}, {22}, {24}, {25}]
 splitting t10 into [{24, 19, 20}, {25, 26, 27}, {32, 33, 28}, {34, 35, 36}]
 splitting t10 into [{19}, {20}, {24}]
 splitting t11 into [{24}, {25}, {26}]
 splitting t12 into [{0, 1, 2, 3}, {8, 9, 10, 11}, {16, 17, 18, 19}, {24, 25, 26, 27}]
 splitting t12 into [{0}, {1}, {2}, {3}]
 splitting t14 into [{11, 12, 13, 14, 16, 17}, {18, 19, 20, 21, 22, 24}, {25, 26, 27, 28, 29, 30}, {32, 33, 34, 35, 36, 37, 38}]
 splitting t14 into [{11}, {12, 13}, {14}, {16, 17}]
 splitting t15 into [{0, 1, 2, 3, 4}, {8, 9, 10, 11, 12}, {16, 17, 18, 19, 20}, {32, 24, 25, 26, 27, 28}]
 splitting t15 into [{0}, {1}, {2}, {3, 4}]
 splitting t16 into [{8, 9, 10}, {16, 17, 18}, {24, 25, 26}, {32, 33, 34}]

splitting t16 into [{8}, {9}, {10}]
 splitting t17 into [{0}, {1}, {2}]
 splitting t18 into [{32}, {33}]
 splitting t19 into [{0}, {1, 2}, {3, 4}, {5, 6}]
 splitting t20 into [{0}, {1}]
 splitting t21 into [{8}, {16}, {24}, {32}]
 splitting t22 into [{3, 4, 5, 8, 9, 10}, {11, 12, 13, 16, 17, 18, 19}, {20, 21, 24, 25, 26, 27, 28}, {32, 33, 34, 35, 36, 37, 29}]
 splitting t22 into [{3}, {4, 5}, {8}, {9, 10}]
 splitting t23 into [{0, 1}, {8, 9}, {16, 17}, {24, 25}]
 splitting t23 into [{0}, {1}]
 splitting t25 into [{0, 1}, {8, 9}, {16, 17}, {24, 25}]
 splitting t25 into [{0}, {1}]
 splitting t26 into [{8, 9, 10, 3}, {16, 17, 18, 11}, {24, 25, 26, 19}, {32, 33, 34, 35, 27}]
 splitting t26 into [{3}, {8}, {9}, {10}]
 splitting t27 into [{0, 1, 2, 3, 4, 5, 8}, {9, 10, 11, 12, 13, 16, 17, 18}, {19, 20, 21, 24, 25, 26, 27}, {32, 33, 34, 35, 36, 37, 28, 29}]
 splitting t27 into [{0}, {1, 2}, {3, 4}, {8, 5}]
 splitting t28 into [{2, 3, 4, 5}, {8, 9, 10, 11, 12}, {16, 17, 18, 13}, {19, 20, 21, 24, 25}]
 splitting t28 into [{2}, {3}, {4}, {5}]
 splitting t29 into [{0, 1, 2, 3, 4, 5, 8}, {9, 10, 11, 12, 13, 16, 17, 18}, {19, 20, 21, 24, 25, 26, 27}, {32, 33, 34, 35, 36, 37, 28, 29}]
 splitting t29 into [{0}, {1, 2}, {3, 4}, {8, 5}]
 splitting t30 into [{0, 1, 2, 3, 4, 5, 6}, {8, 9, 10, 11, 12, 13, 14, 16}, {17, 18, 19, 20, 21, 22, 24}, {32, 33, 25, 26, 27, 28, 29, 30}]
 splitting t30 into [{0}, {1, 2}, {3, 4}, {5, 6}]
 splitting t33 into [{8}, {9}, {10}]
 splitting t35 into [{16, 17}, {24, 18}, {25, 26}, {32, 33, 34}]
 splitting t35 into [{16}, {17}]
 splitting t36 into [{8, 9, 10, 11, 12, 13, 14}, {16, 17, 18, 19, 20, 21, 22}, {24, 25, 26, 27, 28, 29, 30}, {32, 33, 34, 35, 36, 37, 38}]
 splitting t36 into [{8}, {9, 10}, {11, 12}, {13, 14}]
 splitting t37 into [{0}, {8}, {16}, {24, 32}]
 splitting t38 into [{0, 1}, {8, 9, 16}, {24, 17}, {32, 25, 33}]
 splitting t38 into [{0}, {1}]
 splitting t39 into [{32}, {33}, {34}, {35}]
 splitting t40 into [{0}, {8}, {16}, {24, 32}]
 splitting t41 into [{0}, {1}, {8}, {9}]
 splitting t42 into [{5, 6, 8, 9, 10, 11, 12}, {13, 14, 16, 17, 18, 19, 20, 21}, {22, 24, 25, 26, 27, 28, 29}, {32, 33, 34, 35, 36, 37, 38, 30}]
 splitting t42 into [{5}, {8, 6}, {9, 10}, {11, 12}]
 splitting t44 into [{35}, {36}, {37}]
 splitting t45 into [{0}, {1}, {8}, {9}]
 splitting t46 into [{3}, {11}]
 splitting t47 into [{8, 1}, {16, 9}, {24, 17}, {32, 25, 33}]
 splitting t47 into [{1}, {8}]
 splitting t48 into [{8}, {16}, {24}, {32}]
 splitting t49 into [{8, 9, 2, 3}, {10, 11, 16, 17, 18}, {24, 25, 26, 19}, {32, 33, 34, 35, 27}]
 splitting t49 into [{2}, {3}, {8}, {9}]
 splitting t50 into [{0, 1}, {2, 3, 4}, {5, 6}, {8, 9, 10}]
 splitting t50 into [{0}, {1}]
 splitting t51 into [{0}, {8}, {16}, {24, 32}]
 splitting t52 into [{8}, {9}, {10}, {11, 12}]
 splitting t53 into [{0, 1, 2, 3, 4}, {5, 8, 9, 10, 11, 12}, {13, 16, 17, 18, 19}, {20, 21, 24, 25, 26, 27}]
 splitting t53 into [{0}, {1}, {2}, {3, 4}]
 splitting t54 into [{19}, {27}, {35}]

splitting t55 into [{0, 1, 2, 3, 4, 8}, {9, 10, 11, 12, 16, 17}, {18, 19, 20, 24, 25, 26}, {32, 33, 34, 35, 36, 27, 28}]
 splitting t55 into [{0}, {1, 2}, {3}, {8, 4}]
 splitting t56 into [{8, 9, 10}, {16, 11, 12}, {17, 18, 19}, {24, 25, 26, 20}]
 splitting t56 into [{8}, {9}, {10}]
 splitting t59 into [{0}, {1, 2}, {3}, {4, 5}]
 splitting t60 into [{0, 1}, {8, 9, 16}, {24, 17}, {32, 25, 33}]
 splitting t60 into [{0}, {1}]
 splitting t61 into [{4, 5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 18, 19, 20}, {21, 22, 24, 25, 26, 27, 28, 29}, {32, 33, 34, 35, 36, 37, 38, 30}]
 splitting t61 into [{4}, {5, 6}, {8, 9}, {10, 11}]
 splitting t62 into [{8, 9, 10}, {16, 17, 11}, {24, 18, 19}, {25, 26, 27}]
 splitting t62 into [{8}, {9}, {10}]
 splitting t64 into [{16, 17, 18}, {24, 25, 19}, {32, 26, 27}, {33, 34, 35}]
 splitting t64 into [{16}, {17}, {18}]
 splitting t65 into [{0}, {8}, {16}, {24, 32}]
 splitting t66 into [{2}, {3}]
 splitting t68 into [{27, 28}, {32, 29, 30}, {33, 34, 35}, {36, 37, 38}]
 splitting t68 into [{27}, {28}]
 splitting t69 into [{0}, {1, 2}, {3}, {4, 5}]
 splitting t70 into [{0, 1, 2, 3, 8}, {9, 10, 11, 16, 17}, {18, 19, 24, 25, 26}, {32, 33, 34, 35, 27}]
 splitting t70 into [{0}, {1}, {2}, {8, 3}]
 splitting t71 into [{0, 1}, {8, 9, 16}, {24, 17}, {32, 25, 33}]
 splitting t71 into [{0}, {1}]
 splitting t73 into [{0, 1, 2, 3, 4, 5, 6, 8}, {9, 10, 11, 12, 13, 14, 16, 17, 18}, {19, 20, 21, 22, 24, 25, 26, 27, 28}, {32, 33, 34, 35, 36, 37, 38, 29, 30}]
 splitting t73 into [{0, 1}, {2, 3}, {4, 5}, {8, 6}]
 splitting t73 into [{0}, {1}]
 splitting t74 into [{8, 9, 10}, {16, 17, 18}, {24, 25, 26}, {32, 33, 34}]
 splitting t74 into [{8}, {9}, {10}]
 splitting t75 into [{16, 17, 13, 14}, {18, 19, 20, 21, 22}, {24, 25, 26, 27}, {32, 33, 28, 29, 30}]
 splitting t75 into [{13}, {14}, {16}, {17}]
 splitting t76 into [{22}, {30}, {38}]
 splitting t79 into [{0}, {1}, {2}, {3}]
 splitting t82 into [{9}, {17}, {25}, {33}]
 splitting t83 into [{0, 1, 2, 3, 4, 5, 6, 8}, {9, 10, 11, 12, 13, 14, 16, 17, 18}, {19, 20, 21, 22, 24, 25, 26, 27, 28}, {32, 33, 34, 35, 36, 37, 38, 29, 30}]
 splitting t83 into [{0, 1}, {2, 3}, {4, 5}, {8, 6}]
 splitting t83 into [{0}, {1}]
 splitting t84 into [{0, 1, 2, 3, 4, 5, 6, 8}, {9, 10, 11, 12, 13, 14, 16, 17, 18}, {19, 20, 21, 22, 24, 25, 26, 27, 28}, {32, 33, 34, 35, 36, 37, 38, 29, 30}]
 splitting t84 into [{0, 1}, {2, 3}, {4, 5}, {8, 6}]
 splitting t84 into [{0}, {1}]
 splitting t85 into [{24}, {25}]
 splitting t87 into [{0, 1, 2, 3, 4, 5, 6, 8}, {9, 10, 11, 12, 13, 14, 16, 17, 18}, {19, 20, 21, 22, 24, 25, 26, 27, 28}, {32, 33, 34, 35, 36, 37, 38, 29, 30}]
 splitting t87 into [{0, 1}, {2, 3}, {4, 5}, {8, 6}]
 splitting t87 into [{0}, {1}]
 splitting t88 into [{16, 17}, {24, 18}, {25, 26}, {32, 33, 34}]
 splitting t88 into [{16}, {17}]
 splitting t89 into [{16}, {17}, {18}]
 splitting t91 into [{0}, {1}, {2}, {3}]
 splitting t93 into [{8, 9, 10, 11, 12}, {13, 16, 17, 18, 19}, {20, 21, 24, 25, 26}, {32, 33, 27, 28, 29}]
 splitting t93 into [{8}, {9}, {10}, {11, 12}]
 splitting t96 into [{0, 1}, {2, 3}, {8, 9}, {10, 11}]
 splitting t96 into [{0}, {1}]
 splitting t97 into [{2}, {3}, {4}, {5}]

t27: mon 9am
t28: mon 11am
t29: mon 9am
t30: mon 9am
t31: mon 12pm
t32: wed 9am
t33: tue 9am
t34: mon 9am
t35: wed 9am
t36: tue 9am
t37: mon 9am
t38: mon 9am
t39: fri 9am
t40: mon 9am
t41: mon 9am
t42: mon 2pm
t43: tue 9am
t44: fri 12pm
t45: mon 9am
t46: mon 12pm
t47: mon 10am
t48: tue 9am
t49: mon 11am
t50: mon 9am
t51: mon 9am
t52: tue 9am
t53: mon 9am
t54: wed 12pm
t55: mon 9am
t56: tue 9am
t57: mon 9am
t58: wed 11am
t59: mon 9am
t60: mon 9am
t61: mon 1pm
t62: tue 9am
t63: fri 11am
t64: wed 9am
t65: mon 9am
t66: mon 11am
t67: mon 9am
t68: thu 12pm
t69: mon 9am
t70: mon 9am
t71: mon 9am
t72: mon 9am
t73: mon 9am
t74: tue 9am
t75: tue 2pm
t76: wed 3pm
t77: mon 9am
t78: tue 9am
t79: mon 9am
t80: mon 9am
t81: wed 9am
t82: tue 10am
t83: mon 9am
t84: mon 9am
t85: thu 9am
t86: wed 9am

t87: mon 9am
t88: wed 9am
t89: wed 9am
t90: tue 9am
t91: mon 9am
t92: mon 9am
t93: tue 9am
t94: wed 12pm
t95: mon 11am
t96: mon 9am
t97: mon 11am
t98: mon 9am
t99: tue 9am
t100: mon 9am
cost: 4429

k = 5

task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
task, t6 2
task, t7 7
task, t8 6
task, t9 1
task, t10 3
task, t11 5
task, t12 4
task, t13 5
task, t14 1
task, t15 3
task, t16 5
task, t17 5
task, t18 6
task, t19 1
task, t20 6
task, t21 4
task, t22 2
task, t23 6
task, t24 4
task, t25 6
task, t26 4
task, t27 2
task, t28 2
task, t29 2
task, t30 1
task, t31 1
task, t32 2
task, t33 5
task, t34 7
task, t35 5
task, t36 1
task, t37 7
task, t38 6
task, t39 4
task, t40 7

task, t41 6
task, t42 1
task, t43 3
task, t44 2
task, t45 6
task, t46 2
task, t47 6
task, t48 7
task, t49 4
task, t50 1
task, t51 7
task, t52 3
task, t53 2
task, t54 4
task, t55 3
task, t56 3
task, t57 7
task, t58 1
task, t59 2
task, t60 6
task, t61 1
task, t62 4
task, t63 1
task, t64 4
task, t65 7
task, t66 4
task, t67 2
task, t68 1
task, t69 2
task, t70 4
task, t71 6
task, t72 7
task, t73 1
task, t74 5
task, t75 1
task, t76 1
task, t77 7
task, t78 5
task, t79 2
task, t80 7
task, t81 2
task, t82 3
task, t83 1
task, t84 1
task, t85 2
task, t86 5
task, t87 1
task, t88 5
task, t89 1
task, t90 5
task, t91 4
task, t92 5
task, t93 2
task, t94 4
task, t95 1
task, t96 4
task, t97 2
task, t98 6
task, t99 7
task, t100 1

constraint, t57 before t43
constraint, t31 before t90
constraint, t46 before t35
constraint, t56 before t85
constraint, t91 before t90
constraint, t52 before t39
constraint, t95 before t6
constraint, t53 before t85
constraint, t85 before t68
constraint, t28 before t62
constraint, t5 before t68
constraint, t20 before t48
constraint, t75 before t63
constraint, t17 before t76
constraint, t31 before t61
constraint, t13 before t9
constraint, t69 before t82
constraint, t15 before t26
constraint, t43 before t18
constraint, t20 before t4
constraint, t34 before t35
constraint, t80 before t74
constraint, t19 before t43
constraint, t30 before t74
constraint, t13 before t39
constraint, t32 before t58
constraint, t89 before t54
constraint, t95 before t22
constraint, t63 before t44
constraint, t100 before t21
constraint, t59 before t43
constraint, t28 before t68
constraint, t67 before t28
constraint, t23 before t88
constraint, t34 before t21
constraint, t58 before t10
constraint, t6 before t62
constraint, t21 before t68
constraint, t90 before t75
constraint, t1 before t35
constraint, t3 before t54
constraint, t45 before t9
constraint, t58 before t9
constraint, t66 before t56
constraint, t3 before t99
constraint, t62 before t24
constraint, t56 before t88
constraint, t96 before t32
constraint, t97 before t8
constraint, t43 before t14
constraint, t69 before t18
constraint, t95 before t43
constraint, t50 before t44
constraint, t95 before t76
constraint, t25 before t24
constraint, t59 before t68
constraint, t90 before t13
constraint, t99 before t24
constraint, t100 before t7
constraint, t79 before t81

constraint, t79 before t97
constraint, t92 before t42
constraint, t91 before t14
constraint, t69 before t52
constraint, t89 before t76
constraint, t100 before t13
constraint, t77 before t14
constraint, t17 before t14
constraint, t67 before t10
constraint, t34 before t44
domain, t1 starts-after tue 10am
domain, t2 ends-before fri 9am
domain, t5 starts-after thu 10am
domain, t9 ends-before fri 4pm
domain, t10 ends-after tue 2pm
domain, t11 thu
domain, t12 starts-before thu 12pm
domain, t12 ends-after mon 1pm
domain, t15 ends-after mon 11am
domain, t16 ends-after tue 2pm
domain, t17 starts-before wed 2pm
domain, t18 fri
domain, t19 starts-before wed 2pm
domain, t20 mon
domain, t21 9am
domain, t23 ends-before fri 4pm
domain, t24 9am
domain, t24 ends-after thu 3pm
domain, t29 ends-after mon 11am
domain, t30 starts-before fri 4pm
domain, t31 12pm
domain, t32 wed
domain, t32 ends-after tue 10am
domain, t33 tue
domain, t36 ends-after tue 9am
domain, t37 starts-after mon 9am
domain, t39 ends-before fri 4pm
domain, t39 ends-after fri 1pm
domain, t41 ends-before wed 2pm
domain, t43 starts-before fri 1pm
domain, t46 12pm
domain, t47 ends-after mon 4pm
domain, t48 ends-after mon 10am
domain, t49 ends-after mon 3pm
domain, t50 starts-before tue 11am
domain, t50 ends-before wed 10am
domain, t51 starts-before fri 12pm
domain, t52 tue
domain, t52 starts-before wed 9am
domain, t54 12pm
domain, t58 11am
domain, t60 starts-after mon 9am
domain, t62 starts-before fri 9am
domain, t63 fri
domain, t63 11am
domain, t64 starts-after tue 1pm
domain, t66 mon
domain, t66 ends-after mon 3pm
domain, t67 starts-before tue 4pm
domain, t68 starts-before fri 4pm

domain, t72 mon
domain, t74 ends-after tue 2pm
domain, t76 3pm
domain, t78 tue
domain, t78 starts-before tue 9am
domain, t81 9am
domain, t81 starts-before fri 11am
domain, t81 starts-after wed 9am
domain, t81 ends-before wed 12pm
domain, t82 10am
domain, t82 starts-before fri 10am
domain, t85 thu
domain, t86 wed
domain, t86 9am
domain, t86 starts-after tue 9am
domain, t87 starts-after mon 9am
domain, t89 starts-after tue 4pm
domain, t93 starts-before fri 4pm
domain, t93 starts-after tue 9am
domain, t93 ends-before fri 12pm
domain, t94 wed
domain, t94 12pm
domain, t95 mon
domain, t95 starts-after mon 11am
domain, t96 ends-before fri 2pm
domain, t99 ends-after tue 11am
domain, t1 ends-by wed 10am 9
domain, t2 ends-by fri 10am 1
domain, t3 ends-by fri 9am 7
domain, t4 ends-by tue 12pm 3
domain, t5 ends-by thu 12pm 4
domain, t6 ends-by thu 11am 10
domain, t7 ends-by fri 1pm 4
domain, t8 ends-by fri 11am 1
domain, t9 ends-by mon 9am 9
domain, t10 ends-by mon 3pm 4
domain, t11 ends-by wed 2pm 10
domain, t12 ends-by thu 1pm 1
domain, t13 ends-by mon 11am 4
domain, t14 ends-by tue 10am 10
domain, t15 ends-by mon 3pm 5
domain, t16 ends-by mon 1pm 7
domain, t17 ends-by wed 12pm 1
domain, t18 ends-by mon 1pm 6
domain, t19 ends-by mon 2pm 7
domain, t20 ends-by tue 1pm 4
domain, t21 ends-by thu 9am 4
domain, t22 ends-by wed 1pm 2
domain, t23 ends-by thu 4pm 8
domain, t24 ends-by wed 3pm 7
domain, t25 ends-by wed 2pm 9
domain, t26 ends-by fri 4pm 9
domain, t27 ends-by wed 3pm 7
domain, t28 ends-by fri 12pm 9
domain, t29 ends-by tue 3pm 10
domain, t30 ends-by wed 2pm 5
domain, t31 ends-by tue 10am 7
domain, t32 ends-by fri 1pm 3
domain, t33 ends-by thu 2pm 5
domain, t34 ends-by mon 3pm 1

domain, t35 ends-by thu 10am 10
domain, t36 ends-by tue 11am 10
domain, t37 ends-by fri 1pm 6
domain, t38 ends-by wed 3pm 1
domain, t39 ends-by wed 10am 10
domain, t40 ends-by mon 2pm 3
domain, t41 ends-by thu 2pm 9
domain, t42 ends-by mon 9am 7
domain, t43 ends-by tue 2pm 1
domain, t44 ends-by thu 12pm 4
domain, t45 ends-by fri 9am 8
domain, t46 ends-by thu 2pm 4
domain, t47 ends-by tue 9am 4
domain, t48 ends-by fri 3pm 10
domain, t49 ends-by fri 2pm 8
domain, t50 ends-by wed 3pm 8
domain, t51 ends-by tue 3pm 2
domain, t52 ends-by tue 11am 10
domain, t53 ends-by wed 2pm 7
domain, t54 ends-by thu 10am 8
domain, t55 ends-by fri 3pm 7
domain, t56 ends-by fri 4pm 9
domain, t57 ends-by thu 10am 7
domain, t58 ends-by thu 1pm 10
domain, t59 ends-by mon 2pm 9
domain, t60 ends-by wed 11am 9
domain, t61 ends-by thu 1pm 3
domain, t62 ends-by mon 11am 2
domain, t63 ends-by thu 4pm 3
domain, t64 ends-by tue 1pm 7
domain, t65 ends-by fri 9am 9
domain, t66 ends-by fri 11am 6
domain, t67 ends-by mon 10am 6
domain, t68 ends-by tue 1pm 2
domain, t69 ends-by thu 10am 10
domain, t70 ends-by tue 4pm 5
domain, t71 ends-by fri 4pm 2
domain, t72 ends-by wed 2pm 1
domain, t73 ends-by tue 3pm 2
domain, t74 ends-by thu 1pm 9
domain, t75 ends-by thu 2pm 7
domain, t76 ends-by thu 12pm 10
domain, t77 ends-by tue 2pm 6
domain, t78 ends-by wed 10am 1
domain, t79 ends-by fri 11am 8
domain, t80 ends-by mon 1pm 2
domain, t81 ends-by wed 10am 8
domain, t82 ends-by tue 12pm 6
domain, t83 ends-by wed 9am 4
domain, t84 ends-by tue 3pm 7
domain, t85 ends-by mon 3pm 9
domain, t86 ends-by fri 10am 9
domain, t87 ends-by tue 1pm 5
domain, t88 ends-by thu 12pm 1
domain, t89 ends-by wed 1pm 10
domain, t90 ends-by mon 12pm 8
domain, t91 ends-by fri 12pm 6
domain, t92 ends-by wed 2pm 2
domain, t93 ends-by mon 2pm 7
domain, t94 ends-by tue 10am 1

domain, t95 ends-by thu 11am 5
 domain, t96 ends-by fri 4pm 10
 domain, t97 ends-by mon 4pm 6
 domain, t98 ends-by fri 1pm 7
 domain, t99 ends-by mon 10am 4
 domain, t100 ends-by tue 4pm 7
 splitting t1 into [{9, 10}, {16, 11}, {17, 18}, {24, 19}, {25, 26, 27}]
 splitting t1 into [{9}, {10}]
 splitting t2 into [{0, 1}, {8, 2}, {16, 9, 10}, {17, 18}, {24, 25, 26}]
 splitting t2 into [{0}, {1}]
 splitting t3 into [{0, 1, 2}, {8, 3, 4}, {9, 10, 11}, {16, 17, 12}, {18, 19, 20}]
 splitting t3 into [{0}, {1}, {2}]
 splitting t4 into [{8, 9, 10, 11}, {16, 17, 18, 12}, {24, 25, 19, 20}, {32, 26, 27, 28}, {33, 34, 35, 36}]
 splitting t4 into [{8}, {9}, {10}, {11}]
 splitting t5 into [{25, 26}, {27, 28}, {32, 29}, {33, 34}, {35, 36}]
 splitting t5 into [{25}, {26}]
 splitting t6 into [{3, 4, 5}, {8, 9, 10}, {16, 11, 12, 13}, {17, 18, 19}, {24, 25, 20, 21}]
 splitting t6 into [{3}, {4}, {5}]
 splitting t7 into [{8}, {16}, {24}, {32}]
 splitting t8 into [{8}, {16, 9}, {17}, {24, 25}, {32, 33}]
 splitting t9 into [{24, 21, 22}, {25, 26, 27}, {28, 29, 30}, {32, 33, 34}, {35, 36, 37, 38}]
 splitting t9 into [{21}, {22}, {24}]
 splitting t10 into [{19, 20}, {24, 25}, {26, 27, 28}, {32, 33}, {34, 35, 36}]
 splitting t10 into [{19}, {20}]
 splitting t11 into [{24}, {25}, {26}]
 splitting t12 into [{0, 1, 2}, {8, 9, 3}, {16, 10, 11}, {17, 18, 19}, {24, 25, 26, 27}]
 splitting t12 into [{0}, {1}, {2}]
 splitting t14 into [{11, 12, 13, 14, 16}, {17, 18, 19, 20, 21}, {22, 24, 25, 26, 27}, {32, 33, 28, 29, 30}, {34, 35, 36, 37, 38}]
 splitting t14 into [{11}, {12}, {13}, {14}, {16}]
 splitting t15 into [{0, 1, 2, 3}, {8, 9, 10, 4}, {16, 17, 11, 12}, {24, 18, 19, 20}, {32, 25, 26, 27, 28}]
 splitting t15 into [{0}, {1}, {2}, {3}]
 splitting t16 into [{8, 9}, {16, 10}, {24, 17, 18}, {25, 26}, {32, 33, 34}]
 splitting t16 into [{8}, {9}]
 splitting t17 into [{0}, {1}, {2}]
 splitting t18 into [{32}, {33}]
 splitting t19 into [{0}, {1}, {2, 3}, {4}, {5, 6}]
 splitting t20 into [{0}, {1}]
 splitting t21 into [{8}, {16}, {24}, {32}]
 splitting t22 into [{3, 4, 5, 8, 9}, {10, 11, 12, 13, 16}, {17, 18, 19, 20, 21, 24}, {25, 26, 27, 28, 29}, {32, 33, 34, 35, 36, 37}]
 splitting t22 into [{3}, {4}, {5}, {8}, {9}]
 splitting t23 into [{0}, {8, 1}, {9}, {16, 17}, {24, 25}]
 splitting t25 into [{0}, {8, 1}, {9}, {16, 17}, {24, 25}]
 splitting t26 into [{8, 9, 3}, {16, 10, 11}, {24, 17, 18, 19}, {25, 26, 27}, {32, 33, 34, 35}]
 splitting t26 into [{3}, {8}, {9}]
 splitting t27 into [{0, 1, 2, 3, 4, 5}, {8, 9, 10, 11, 12, 13}, {16, 17, 18, 19, 20, 21}, {24, 25, 26, 27, 28, 29}, {32, 33, 34, 35, 36, 37}]
 splitting t27 into [{0}, {1}, {2}, {3}, {4, 5}]
 splitting t28 into [{2, 3, 4}, {8, 9, 10, 5}, {11, 12, 13}, {16, 17, 18, 19}, {24, 25, 20, 21}]
 splitting t28 into [{2}, {3}, {4}]
 splitting t29 into [{0, 1, 2, 3, 4, 5}, {8, 9, 10, 11, 12, 13}, {16, 17, 18, 19, 20, 21}, {24, 25, 26, 27, 28, 29}, {32, 33, 34, 35, 36, 37}]

splitting t29 into [{0}, {1}, {2}, {3}, {4}, {5}]
 splitting t30 into [{0}, {1}, {2}, {3}, {4}, {5}], {6}, {8}, {9}, {10}, {11}, {12}, {13}, {14}, {16}, {17}, {18}, {19}, {20}, {21}, {22}, {24}, {25}, {26}, {32}, {33}, {27}, {28}, {29}, {30}]
 splitting t30 into [{0}, {1}, {2}, {3}, {4}, {5}]
 splitting t33 into [{8}, {9}, {10}]
 splitting t35 into [{16}, {17}, {18}, {24}, {25}, {32}, {26}, {33}, {34}]
 splitting t36 into [{8}, {9}, {10}, {11}, {12}, {13}, {14}, {16}, {17}, {18}, {19}, {20}, {21}, {22}, {24}, {25}, {32}, {26}, {27}, {28}, {29}, {30}, {33}, {34}, {35}, {36}, {37}, {38}]
 splitting t36 into [{8}, {9}, {10}, {11}, {12}]
 splitting t37 into [{0}, {8}, {16}, {24}, {32}]
 splitting t38 into [{0}, {1}, {8}, {9}, {16}, {17}, {24}, {25}, {32}, {33}]
 splitting t38 into [{0}, {1}]
 splitting t39 into [{32}, {33}, {34}, {35}]
 splitting t40 into [{0}, {8}, {16}, {24}, {32}]
 splitting t41 into [{0}, {1}, {8}, {9}]
 splitting t42 into [{5}, {6}, {8}, {9}, {10}, {11}, {12}, {13}, {14}, {16}, {17}, {18}, {19}, {20}, {21}, {22}, {24}, {25}, {32}, {26}, {27}, {28}, {29}, {30}, {33}, {34}, {35}, {36}, {37}, {38}]
 splitting t42 into [{5}, {6}, {8}, {9}, {10}, {11}]
 splitting t44 into [{35}, {36}, {37}]
 splitting t45 into [{0}, {1}, {8}, {9}]
 splitting t46 into [{3}, {11}]
 splitting t47 into [{1}, {8}, {9}, {16}, {17}, {24}, {25}, {32}, {33}]
 splitting t48 into [{8}, {16}, {24}, {32}]
 splitting t49 into [{8}, {2}, {3}, {16}, {9}, {10}, {11}, {17}, {18}, {19}, {24}, {25}, {26}, {27}, {32}, {33}, {34}, {35}]
 splitting t49 into [{2}, {3}, {8}]
 splitting t50 into [{0}, {1}, {2}, {3}, {4}, {5}, {8}, {6}, {9}, {10}]
 splitting t50 into [{0}, {1}]
 splitting t51 into [{0}, {8}, {16}, {24}, {32}]
 splitting t52 into [{8}, {9}, {10}, {11}, {12}]
 splitting t53 into [{0}, {1}, {2}, {3}, {8}, {9}, {4}, {5}, {10}, {11}, {12}, {13}, {16}, {17}, {18}, {19}, {20}, {21}, {24}, {25}, {26}, {27}]
 splitting t53 into [{0}, {1}, {2}, {3}]
 splitting t54 into [{19}, {27}, {35}]
 splitting t55 into [{0}, {1}, {2}, {3}, {4}, {8}, {9}, {10}, {11}, {12}, {16}, {17}, {18}, {19}, {20}, {24}, {25}, {26}, {27}, {28}, {32}, {33}, {34}, {35}, {36}]
 splitting t55 into [{0}, {1}, {2}, {3}, {4}]
 splitting t56 into [{8}, {9}, {10}, {11}, {12}, {16}, {17}, {18}, {19}, {20}, {24}, {25}, {26}]
 splitting t56 into [{8}, {9}]
 splitting t59 into [{0}, {1}, {2}, {3}, {4}, {5}]
 splitting t60 into [{0}, {1}, {8}, {9}, {16}, {17}, {24}, {25}, {32}, {33}]
 splitting t60 into [{0}, {1}]
 splitting t61 into [{4}, {5}, {6}, {8}, {9}, {10}, {11}, {12}, {13}, {14}, {16}, {17}, {18}, {19}, {20}, {21}, {22}, {24}, {25}, {26}, {27}, {28}, {29}, {30}, {32}, {33}, {34}, {35}, {36}, {37}, {38}]
 splitting t61 into [{4}, {5}, {6}, {8}, {9}, {10}]
 splitting t62 into [{8}, {9}, {10}, {11}, {16}, {17}, {18}, {24}, {19}, {25}, {26}, {27}]
 splitting t62 into [{8}, {9}]
 splitting t64 into [{16}, {17}, {18}, {19}, {24}, {25}, {26}, {32}, {27}, {33}, {34}, {35}]
 splitting t64 into [{16}, {17}]
 splitting t65 into [{0}, {8}, {16}, {24}, {32}]
 splitting t66 into [{2}, {3}]
 splitting t68 into [{27}, {28}, {29}, {30}, {32}, {33}, {34}, {35}, {36}, {37}, {38}]
 splitting t68 into [{27}, {28}]
 splitting t69 into [{0}, {1}, {2}, {3}, {4}, {5}]
 splitting t70 into [{0}, {1}, {2}, {3}, {8}, {9}, {10}, {11}, {16}, {17}, {18}, {19}, {24}, {25}, {26}, {27}, {32}, {33}, {34}, {35}]
 splitting t70 into [{0}, {1}, {2}, {3}]
 splitting t71 into [{0}, {1}, {8}, {9}, {16}, {17}, {24}, {25}, {32}, {33}]
 splitting t71 into [{0}, {1}]
 splitting t73 into [{0}, {1}, {2}, {3}, {4}, {5}, {6}, {8}, {9}, {10}, {11}, {12}, {13}, {14}, {16}, {17}, {18}, {19}, {20}, {21}, {22}, {24}, {25}, {26}, {27}, {28}, {29}, {30}, {32}, {33}, {34}, {35}, {36}, {37}, {38}]

```

8, 19, 20, 21, 22}, {24, 25, 26, 27, 28, 29, 30}, {32, 33, 34, 35, 36, 37, 38}]
splitting t73 into [{0}, {1}, {2, 3}, {4}, {5, 6}]
splitting t74 into [{8, 9}, {16, 10}, {24, 17, 18}, {25, 26}, {32, 33, 34}]
splitting t74 into [{8}, {9}]
splitting t75 into [{16, 13, 14}, {17, 18, 19, 20}, {24, 21, 22}, {25, 26, 27, 2
8}, {32, 33, 29, 30}]
splitting t75 into [{13}, {14}, {16}]
splitting t76 into [{22}, {30}, {38}]
splitting t79 into [{0}, {1}, {2}, {3}]
splitting t82 into [{9}, {17}, {25}, {33}]
splitting t83 into [{0, 1, 2, 3, 4, 5, 6}, {8, 9, 10, 11, 12, 13, 14}, {16, 17, 1
8, 19, 20, 21, 22}, {24, 25, 26, 27, 28, 29, 30}, {32, 33, 34, 35, 36, 37, 38}]
splitting t83 into [{0}, {1}, {2, 3}, {4}, {5, 6}]
splitting t84 into [{0, 1, 2, 3, 4, 5, 6}, {8, 9, 10, 11, 12, 13, 14}, {16, 17, 1
8, 19, 20, 21, 22}, {24, 25, 26, 27, 28, 29, 30}, {32, 33, 34, 35, 36, 37, 38}]
splitting t84 into [{0}, {1}, {2, 3}, {4}, {5, 6}]
splitting t85 into [{24}, {25}]
splitting t87 into [{0, 1, 2, 3, 4, 5, 6}, {8, 9, 10, 11, 12, 13, 14}, {16, 17, 1
8, 19, 20, 21, 22}, {24, 25, 26, 27, 28, 29, 30}, {32, 33, 34, 35, 36, 37, 38}]
splitting t87 into [{0}, {1}, {2, 3}, {4}, {5, 6}]
splitting t88 into [{16}, {17, 18}, {24, 25}, {32, 26}, {33, 34}]
splitting t89 into [{16}, {17}, {18}]
splitting t91 into [{0}, {1}, {2}, {3}]
splitting t93 into [{8, 9, 10, 11}, {16, 17, 12, 13}, {18, 19, 20, 21}, {24, 25,
26, 27}, {32, 33, 28, 29}]
splitting t93 into [{8}, {9}, {10}, {11}]
splitting t96 into [{0}, {1, 2}, {3}, {8, 9}, {10, 11}]
splitting t97 into [{2}, {3}, {4}, {5}]
splitting t98 into [{0, 1}, {8, 9}, {16, 17}, {24, 25}, {32, 33}]
splitting t98 into [{0}, {1}]
splitting t99 into [{8}, {16}, {24}]
splitting t100 into [{0}, {1}, {2, 3}, {4}, {5, 6}]
Solution: title of csp --> title of csp --> title of csp --> title of csp --> tit
le of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp --> title of csp --> title of csp
--> title of csp --> title of csp --> title of csp --> title of csp --> title of
csp --> title of csp --> title of csp --> title of csp --> title of csp --> title
of csp --> title of csp --> title of csp --> title of csp --> title of csp --> ti
tle of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp --> title of csp --> title of cs
p --> title of csp --> title of csp --> title of csp --> title of csp --> title o
f csp --> title of csp --> title of csp --> title of csp --> title of csp --> tit
le of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp --> title of csp --> title of csp
--> title of csp --> title of csp --> title of csp --> title of csp --> title of
csp --> title of csp --> title of csp --> title of csp --> title of csp --> title
of csp --> title of csp --> title of csp --> title of csp --> title of csp --> ti
tle of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp --> title of csp --> title of cs
p --> title of csp --> title of csp --> title of csp --> title of csp --> title o
f csp --> title of csp --> title of csp --> title of csp --> title of csp --> tit
le of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp --> title of csp --> title of csp
--> title of csp --> title of csp --> title of csp --> title of csp --> title of
csp --> title of csp --> title of csp --> title of csp --> title of csp --> tit
le of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp --> title of csp --> title of csp
--> title of csp --> title of csp --> title of csp --> title of csp --> title of
csp --> title of csp --> title of csp --> title of csp --> title of csp --> tit
le of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp (cost: 121)
122 paths have been expanded and 377 paths remain in the frontier
t1: tue 10am

```

t2: mon 9am
t3: mon 9am
t4: tue 9am
t5: thu 10am
t6: mon 12pm
t7: tue 9am
t8: tue 9am
t9: wed 2pm
t10: wed 12pm
t11: thu 9am
t12: mon 9am
t13: wed 9am
t14: tue 12pm
t15: mon 9am
t16: tue 9am
t17: mon 9am
t18: fri 9am
t19: mon 9am
t20: mon 9am
t21: tue 9am
t22: mon 12pm
t23: mon 9am
t24: fri 9am
t25: mon 9am
t26: mon 12pm
t27: mon 9am
t28: mon 11am
t29: mon 9am
t30: mon 9am
t31: mon 12pm
t32: wed 9am
t33: tue 9am
t34: mon 9am
t35: wed 9am
t36: tue 9am
t37: mon 9am
t38: mon 9am
t39: fri 9am
t40: mon 9am
t41: mon 9am
t42: mon 2pm
t43: tue 9am
t44: fri 12pm
t45: mon 9am
t46: mon 12pm
t47: mon 10am
t48: tue 9am
t49: mon 11am
t50: mon 9am
t51: mon 9am
t52: tue 9am
t53: mon 9am
t54: wed 12pm
t55: mon 9am
t56: tue 9am
t57: mon 9am
t58: wed 11am
t59: mon 9am
t60: mon 9am
t61: mon 1pm

t62: tue 9am
t63: fri 11am
t64: wed 9am
t65: mon 9am
t66: mon 11am
t67: mon 9am
t68: thu 12pm
t69: mon 9am
t70: mon 9am
t71: mon 9am
t72: mon 9am
t73: mon 9am
t74: tue 9am
t75: tue 2pm
t76: wed 3pm
t77: mon 9am
t78: tue 9am
t79: mon 9am
t80: mon 9am
t81: wed 9am
t82: tue 10am
t83: mon 9am
t84: mon 9am
t85: thu 9am
t86: wed 9am
t87: mon 9am
t88: wed 9am
t89: wed 9am
t90: tue 9am
t91: mon 9am
t92: mon 9am
t93: tue 9am
t94: wed 12pm
t95: mon 11am
t96: mon 9am
t97: mon 11am
t98: mon 9am
t99: tue 9am
t100: mon 9am
cost: 4429

k = 6

task, t1 4
task, t2 5
task, t3 3
task, t4 3
task, t5 2
task, t6 2
task, t7 7
task, t8 6
task, t9 1
task, t10 3
task, t11 5
task, t12 4
task, t13 5
task, t14 1
task, t15 3

task, t16 5
task, t17 5
task, t18 6
task, t19 1
task, t20 6
task, t21 4
task, t22 2
task, t23 6
task, t24 4
task, t25 6
task, t26 4
task, t27 2
task, t28 2
task, t29 2
task, t30 1
task, t31 1
task, t32 2
task, t33 5
task, t34 7
task, t35 5
task, t36 1
task, t37 7
task, t38 6
task, t39 4
task, t40 7
task, t41 6
task, t42 1
task, t43 3
task, t44 2
task, t45 6
task, t46 2
task, t47 6
task, t48 7
task, t49 4
task, t50 1
task, t51 7
task, t52 3
task, t53 2
task, t54 4
task, t55 3
task, t56 3
task, t57 7
task, t58 1
task, t59 2
task, t60 6
task, t61 1
task, t62 4
task, t63 1
task, t64 4
task, t65 7
task, t66 4
task, t67 2
task, t68 1
task, t69 2
task, t70 4
task, t71 6
task, t72 7
task, t73 1
task, t74 5
task, t75 1

task, t76 1
task, t77 7
task, t78 5
task, t79 2
task, t80 7
task, t81 2
task, t82 3
task, t83 1
task, t84 1
task, t85 2
task, t86 5
task, t87 1
task, t88 5
task, t89 1
task, t90 5
task, t91 4
task, t92 5
task, t93 2
task, t94 4
task, t95 1
task, t96 4
task, t97 2
task, t98 6
task, t99 7
task, t100 1
constraint, t57 before t43
constraint, t31 before t90
constraint, t46 before t35
constraint, t56 before t85
constraint, t91 before t90
constraint, t52 before t39
constraint, t95 before t6
constraint, t53 before t85
constraint, t85 before t68
constraint, t28 before t62
constraint, t5 before t68
constraint, t20 before t48
constraint, t75 before t63
constraint, t17 before t76
constraint, t31 before t61
constraint, t13 before t9
constraint, t69 before t82
constraint, t15 before t26
constraint, t43 before t18
constraint, t20 before t4
constraint, t34 before t35
constraint, t80 before t74
constraint, t19 before t43
constraint, t30 before t74
constraint, t13 before t39
constraint, t32 before t58
constraint, t89 before t54
constraint, t95 before t22
constraint, t63 before t44
constraint, t100 before t21
constraint, t59 before t43
constraint, t28 before t68
constraint, t67 before t28
constraint, t23 before t88
constraint, t34 before t21

constraint, t58 before t10
constraint, t6 before t62
constraint, t21 before t68
constraint, t90 before t75
constraint, t1 before t35
constraint, t3 before t54
constraint, t45 before t9
constraint, t58 before t9
constraint, t66 before t56
constraint, t3 before t99
constraint, t62 before t24
constraint, t56 before t88
constraint, t96 before t32
constraint, t97 before t8
constraint, t43 before t14
constraint, t69 before t18
constraint, t95 before t43
constraint, t50 before t44
constraint, t95 before t76
constraint, t25 before t24
constraint, t59 before t68
constraint, t90 before t13
constraint, t99 before t24
constraint, t100 before t7
constraint, t79 before t81
constraint, t79 before t97
constraint, t92 before t42
constraint, t91 before t14
constraint, t69 before t52
constraint, t89 before t76
constraint, t100 before t13
constraint, t77 before t14
constraint, t17 before t14
constraint, t67 before t10
constraint, t34 before t44
domain, t1 starts-after tue 10am
domain, t2 ends-before fri 9am
domain, t5 starts-after thu 10am
domain, t9 ends-before fri 4pm
domain, t10 ends-after tue 2pm
domain, t11 thu
domain, t12 starts-before thu 12pm
domain, t12 ends-after mon 1pm
domain, t15 ends-after mon 11am
domain, t16 ends-after tue 2pm
domain, t17 starts-before wed 2pm
domain, t18 fri
domain, t19 starts-before wed 2pm
domain, t20 mon
domain, t21 9am
domain, t23 ends-before fri 4pm
domain, t24 9am
domain, t24 ends-after thu 3pm
domain, t29 ends-after mon 11am
domain, t30 starts-before fri 4pm
domain, t31 12pm
domain, t32 wed
domain, t32 ends-after tue 10am
domain, t33 tue
domain, t36 ends-after tue 9am

domain, t37 starts-after mon 9am
domain, t39 ends-before fri 4pm
domain, t39 ends-after fri 1pm
domain, t41 ends-before wed 2pm
domain, t43 starts-before fri 1pm
domain, t46 12pm
domain, t47 ends-after mon 4pm
domain, t48 ends-after mon 10am
domain, t49 ends-after mon 3pm
domain, t50 starts-before tue 11am
domain, t50 ends-before wed 10am
domain, t51 starts-before fri 12pm
domain, t52 tue
domain, t52 starts-before wed 9am
domain, t54 12pm
domain, t58 11am
domain, t60 starts-after mon 9am
domain, t62 starts-before fri 9am
domain, t63 fri
domain, t63 11am
domain, t64 starts-after tue 1pm
domain, t66 mon
domain, t66 ends-after mon 3pm
domain, t67 starts-before tue 4pm
domain, t68 starts-before fri 4pm
domain, t72 mon
domain, t74 ends-after tue 2pm
domain, t76 3pm
domain, t78 tue
domain, t78 starts-before tue 9am
domain, t81 9am
domain, t81 starts-before fri 11am
domain, t81 starts-after wed 9am
domain, t81 ends-before wed 12pm
domain, t82 10am
domain, t82 starts-before fri 10am
domain, t85 thu
domain, t86 wed
domain, t86 9am
domain, t86 starts-after tue 9am
domain, t87 starts-after mon 9am
domain, t89 starts-after tue 4pm
domain, t93 starts-before fri 4pm
domain, t93 starts-after tue 9am
domain, t93 ends-before fri 12pm
domain, t94 wed
domain, t94 12pm
domain, t95 mon
domain, t95 starts-after mon 11am
domain, t96 ends-before fri 2pm
domain, t99 ends-after tue 11am
domain, t1 ends-by wed 10am 9
domain, t2 ends-by fri 10am 1
domain, t3 ends-by fri 9am 7
domain, t4 ends-by tue 12pm 3
domain, t5 ends-by thu 12pm 4
domain, t6 ends-by thu 11am 10
domain, t7 ends-by fri 1pm 4
domain, t8 ends-by fri 11am 1
domain, t9 ends-by mon 9am 9

domain, t10 ends-by mon 3pm 4
domain, t11 ends-by wed 2pm 10
domain, t12 ends-by thu 1pm 1
domain, t13 ends-by mon 11am 4
domain, t14 ends-by tue 10am 10
domain, t15 ends-by mon 3pm 5
domain, t16 ends-by mon 1pm 7
domain, t17 ends-by wed 12pm 1
domain, t18 ends-by mon 1pm 6
domain, t19 ends-by mon 2pm 7
domain, t20 ends-by tue 1pm 4
domain, t21 ends-by thu 9am 4
domain, t22 ends-by wed 1pm 2
domain, t23 ends-by thu 4pm 8
domain, t24 ends-by wed 3pm 7
domain, t25 ends-by wed 2pm 9
domain, t26 ends-by fri 4pm 9
domain, t27 ends-by wed 3pm 7
domain, t28 ends-by fri 12pm 9
domain, t29 ends-by tue 3pm 10
domain, t30 ends-by wed 2pm 5
domain, t31 ends-by tue 10am 7
domain, t32 ends-by fri 1pm 3
domain, t33 ends-by thu 2pm 5
domain, t34 ends-by mon 3pm 1
domain, t35 ends-by thu 10am 10
domain, t36 ends-by tue 11am 10
domain, t37 ends-by fri 1pm 6
domain, t38 ends-by wed 3pm 1
domain, t39 ends-by wed 10am 10
domain, t40 ends-by mon 2pm 3
domain, t41 ends-by thu 2pm 9
domain, t42 ends-by mon 9am 7
domain, t43 ends-by tue 2pm 1
domain, t44 ends-by thu 12pm 4
domain, t45 ends-by fri 9am 8
domain, t46 ends-by thu 2pm 4
domain, t47 ends-by tue 9am 4
domain, t48 ends-by fri 3pm 10
domain, t49 ends-by fri 2pm 8
domain, t50 ends-by wed 3pm 8
domain, t51 ends-by tue 3pm 2
domain, t52 ends-by tue 11am 10
domain, t53 ends-by wed 2pm 7
domain, t54 ends-by thu 10am 8
domain, t55 ends-by fri 3pm 7
domain, t56 ends-by fri 4pm 9
domain, t57 ends-by thu 10am 7
domain, t58 ends-by thu 1pm 10
domain, t59 ends-by mon 2pm 9
domain, t60 ends-by wed 11am 9
domain, t61 ends-by thu 1pm 3
domain, t62 ends-by mon 11am 2
domain, t63 ends-by thu 4pm 3
domain, t64 ends-by tue 1pm 7
domain, t65 ends-by fri 9am 9
domain, t66 ends-by fri 11am 6
domain, t67 ends-by mon 10am 6
domain, t68 ends-by tue 1pm 2
domain, t69 ends-by thu 10am 10

domain, t70 ends-by tue 4pm 5
 domain, t71 ends-by fri 4pm 2
 domain, t72 ends-by wed 2pm 1
 domain, t73 ends-by tue 3pm 2
 domain, t74 ends-by thu 1pm 9
 domain, t75 ends-by thu 2pm 7
 domain, t76 ends-by thu 12pm 10
 domain, t77 ends-by tue 2pm 6
 domain, t78 ends-by wed 10am 1
 domain, t79 ends-by fri 11am 8
 domain, t80 ends-by mon 1pm 2
 domain, t81 ends-by wed 10am 8
 domain, t82 ends-by tue 12pm 6
 domain, t83 ends-by wed 9am 4
 domain, t84 ends-by tue 3pm 7
 domain, t85 ends-by mon 3pm 9
 domain, t86 ends-by fri 10am 9
 domain, t87 ends-by tue 1pm 5
 domain, t88 ends-by thu 12pm 1
 domain, t89 ends-by wed 1pm 10
 domain, t90 ends-by mon 12pm 8
 domain, t91 ends-by fri 12pm 6
 domain, t92 ends-by wed 2pm 2
 domain, t93 ends-by mon 2pm 7
 domain, t94 ends-by tue 10am 1
 domain, t95 ends-by thu 11am 5
 domain, t96 ends-by fri 4pm 10
 domain, t97 ends-by mon 4pm 6
 domain, t98 ends-by fri 1pm 7
 domain, t99 ends-by mon 10am 4
 domain, t100 ends-by tue 4pm 7
 splitting t1 into [{9}, {10, 11}, {16, 17}, {18, 19}, {24, 25}, {26, 27}]
 splitting t2 into [{0, 1}, {8, 2}, {9, 10}, {16, 17}, {24, 18}, {25, 26}]
 splitting t2 into [{0}, {1}]
 splitting t3 into [{0, 1}, {2, 3, 4}, {8, 9}, {10, 11, 12}, {16, 17}, {18, 19, 20}]
 splitting t3 into [{0}, {1}]
 splitting t4 into [{8, 9, 10}, {16, 11, 12}, {17, 18, 19, 20}, {24, 25, 26}, {32, 27, 28}, {33, 34, 35, 36}]
 splitting t4 into [{8}, {9}, {10}]
 splitting t5 into [{25}, {26, 27}, {28, 29}, {32}, {33, 34}, {35, 36}]
 splitting t6 into [{3, 4}, {8, 9, 5}, {10, 11, 12}, {16, 17, 13}, {18, 19, 20}, {24, 25, 21}]
 splitting t6 into [{3}, {4}]
 splitting t7 into [{8}, {16}, {24}, {32}]
 splitting t8 into [{8}, {9}, {16, 17}, {24}, {25}, {32, 33}]
 splitting t9 into [{21, 22}, {24, 25, 26}, {27, 28, 29}, {32, 30}, {33, 34, 35}, {36, 37, 38}]
 splitting t9 into [{21}, {22}]
 splitting t10 into [{19, 20}, {24, 25}, {26, 27}, {32, 28}, {33, 34}, {35, 36}]
 splitting t10 into [{19}, {20}]
 splitting t11 into [{24}, {25}, {26}]
 splitting t12 into [{0, 1}, {8, 2, 3}, {9, 10, 11}, {16, 17}, {24, 18, 19}, {25, 26, 27}]
 splitting t12 into [{0}, {1}]
 splitting t14 into [{11, 12, 13, 14}, {16, 17, 18, 19}, {24, 20, 21, 22}, {25, 26, 27, 28}, {32, 33, 29, 30}, {34, 35, 36, 37, 38}]
 splitting t14 into [{11}, {12}, {13}, {14}]
 splitting t15 into [{0, 1, 2}, {8, 9, 3, 4}, {10, 11, 12}, {16, 17, 18, 19}, {24, 25, 20}, {32, 26, 27, 28}]

splitting t15 into [{0}, {1}, {2}]
 splitting t16 into [{8, 9}, {16, 10}, {17, 18}, {24, 25}, {32, 26}, {33, 34}]
 splitting t16 into [{8}, {9}]
 splitting t17 into [{0}, {1}, {2}]
 splitting t18 into [{32}, {33}]
 splitting t19 into [{0}, {1}, {2}, {3}, {4}, {5, 6}]
 splitting t20 into [{0}, {1}]
 splitting t21 into [{8}, {16}, {24}, {32}]
 splitting t22 into [{8, 3, 4, 5}, {9, 10, 11, 12, 13}, {16, 17, 18, 19}, {20, 21, 24, 25, 26}, {32, 27, 28, 29}, {33, 34, 35, 36, 37}]
 splitting t22 into [{3}, {4}, {5}, {8}]
 splitting t23 into [{0}, {1}, {8, 9}, {16}, {17}, {24, 25}]
 splitting t25 into [{0}, {1}, {8, 9}, {16}, {17}, {24, 25}]
 splitting t26 into [{8, 3}, {9, 10, 11}, {16, 17, 18}, {24, 25, 19}, {32, 26, 27}, {33, 34, 35}]
 splitting t26 into [{3}, {8}]
 splitting t27 into [{0, 1, 2, 3, 4}, {5, 8, 9, 10, 11}, {12, 13, 16, 17, 18}, {19, 20, 21, 24, 25}, {32, 26, 27, 28, 29}, {33, 34, 35, 36, 37}]
 splitting t27 into [{0}, {1}, {2}, {3}, {4}]
 splitting t28 into [{2, 3, 4}, {8, 9, 5}, {10, 11, 12}, {16, 17, 13}, {18, 19, 20}, {24, 25, 21}]
 splitting t28 into [{2}, {3}, {4}]
 splitting t29 into [{0, 1, 2, 3, 4}, {5, 8, 9, 10, 11}, {12, 13, 16, 17, 18}, {19, 20, 21, 24, 25}, {32, 26, 27, 28, 29}, {33, 34, 35, 36, 37}]
 splitting t29 into [{0}, {1}, {2}, {3}, {4}]
 splitting t30 into [{0, 1, 2, 3, 4}, {5, 6, 8, 9, 10}, {11, 12, 13, 14, 16}, {17, 18, 19, 20, 21}, {22, 24, 25, 26, 27}, {32, 33, 28, 29, 30}]
 splitting t30 into [{0}, {1}, {2}, {3}, {4}]
 splitting t33 into [{8}, {9}, {10}]
 splitting t35 into [{16}, {17, 18}, {24}, {25, 26}, {32}, {33, 34}]
 splitting t36 into [{8, 9, 10, 11}, {12, 13, 14, 16, 17}, {18, 19, 20, 21, 22}, {24, 25, 26, 27}, {32, 33, 28, 29, 30}, {34, 35, 36, 37, 38}]
 splitting t36 into [{8}, {9}, {10}, {11}]
 splitting t37 into [{0}, {8}, {16}, {24}, {32}]
 splitting t38 into [{0}, {8, 1}, {16, 9}, {17}, {24, 25}, {32, 33}]
 splitting t39 into [{32}, {33}, {34}, {35}]
 splitting t40 into [{0}, {8}, {16}, {24}, {32}]
 splitting t41 into [{0}, {1}, {8}, {9}]
 splitting t42 into [{5, 6, 8, 9, 10}, {11, 12, 13, 14, 16}, {17, 18, 19, 20, 21}, {22, 24, 25, 26, 27}, {32, 33, 28, 29, 30}, {34, 35, 36, 37, 38}]
 splitting t42 into [{5}, {6}, {8}, {9}, {10}]
 splitting t44 into [{35}, {36}, {37}]
 splitting t45 into [{0}, {1}, {8}, {9}]
 splitting t46 into [{3}, {11}]
 splitting t47 into [{1}, {8, 9}, {16}, {24, 17}, {25}, {32, 33}]
 splitting t48 into [{8}, {16}, {24}, {32}]
 splitting t49 into [{8, 2, 3}, {9, 10, 11}, {16, 17, 18}, {24, 25, 19}, {32, 26, 27}, {33, 34, 35}]
 splitting t49 into [{2}, {3}, {8}]
 splitting t50 into [{0}, {1, 2}, {3, 4}, {5}, {8, 6}, {9, 10}]
 splitting t51 into [{0}, {8}, {16}, {24}, {32}]
 splitting t52 into [{8}, {9}, {10}, {11}, {12}]
 splitting t53 into [{0, 1, 2}, {8, 3, 4, 5}, {9, 10, 11, 12}, {16, 17, 13}, {18, 19, 20, 21}, {24, 25, 26, 27}]
 splitting t53 into [{0}, {1}, {2}]
 splitting t54 into [{19}, {27}, {35}]
 splitting t55 into [{0, 1, 2, 3}, {8, 9, 10, 4}, {16, 17, 11, 12}, {24, 18, 19, 20}, {25, 26, 27, 28}, {32, 33, 34, 35, 36}]
 splitting t55 into [{0}, {1}, {2}, {3}]
 splitting t56 into [{8, 9}, {10, 11}, {16, 12}, {17, 18}, {19, 20}, {24, 25, 26}]

splitting t56 into [{8}, {9}]
 splitting t59 into [{0}, {1}, {2}, {3}, {4}, {5}]
 splitting t60 into [{0}, {8, 1}, {16, 9}, {17}, {24, 25}, {32, 33}]
 splitting t61 into [{4, 5, 6, 8, 9}, {10, 11, 12, 13, 14}, {16, 17, 18, 19, 20},
 {21, 22, 24, 25, 26}, {32, 27, 28, 29, 30}, {33, 34, 35, 36, 37, 38}]
 splitting t61 into [{4}, {5}, {6}, {8}, {9}]
 splitting t62 into [{8, 9}, {10, 11}, {16, 17}, {18, 19}, {24, 25}, {26, 27}]
 splitting t62 into [{8}, {9}]
 splitting t64 into [{16, 17}, {18, 19}, {24, 25}, {26, 27}, {32, 33}, {34, 35}]
 splitting t64 into [{16}, {17}]
 splitting t65 into [{0}, {8}, {16}, {24}, {32}]
 splitting t66 into [{2}, {3}]
 splitting t68 into [{27}, {28, 29}, {32, 30}, {33, 34}, {35, 36}, {37, 38}]
 splitting t69 into [{0}, {1}, {2}, {3}, {4}, {5}]
 splitting t70 into [{0, 1, 2}, {8, 9, 3}, {16, 17, 10, 11}, {24, 18, 19}, {25, 2
 6, 27}, {32, 33, 34, 35}]
 splitting t70 into [{0}, {1}, {2}]
 splitting t71 into [{0}, {8, 1}, {16, 9}, {17}, {24, 25}, {32, 33}]
 splitting t73 into [{0, 1, 2, 3, 4}, {5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 1
 8}, {19, 20, 21, 22, 24, 25}, {32, 26, 27, 28, 29, 30}, {33, 34, 35, 36, 37, 38}]
 splitting t73 into [{0}, {1}, {2}, {3}, {4}]
 splitting t74 into [{8, 9}, {16, 10}, {17, 18}, {24, 25}, {32, 26}, {33, 34}]
 splitting t74 into [{8}, {9}]
 splitting t75 into [{16, 13, 14}, {17, 18, 19}, {20, 21, 22}, {24, 25, 26}, {27,
 28, 29}, {32, 33, 30}]
 splitting t75 into [{13}, {14}, {16}]
 splitting t76 into [{22}, {30}, {38}]
 splitting t79 into [{0}, {1}, {2}, {3}]
 splitting t82 into [{9}, {17}, {25}, {33}]
 splitting t83 into [{0, 1, 2, 3, 4}, {5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 1
 8}, {19, 20, 21, 22, 24, 25}, {32, 26, 27, 28, 29, 30}, {33, 34, 35, 36, 37, 38}]
 splitting t83 into [{0}, {1}, {2}, {3}, {4}]
 splitting t84 into [{0, 1, 2, 3, 4}, {5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 1
 8}, {19, 20, 21, 22, 24, 25}, {32, 26, 27, 28, 29, 30}, {33, 34, 35, 36, 37, 38}]
 splitting t84 into [{0}, {1}, {2}, {3}, {4}]
 splitting t85 into [{24}, {25}]
 splitting t87 into [{0, 1, 2, 3, 4}, {5, 6, 8, 9, 10, 11}, {12, 13, 14, 16, 17, 1
 8}, {19, 20, 21, 22, 24, 25}, {32, 26, 27, 28, 29, 30}, {33, 34, 35, 36, 37, 38}]
 splitting t87 into [{0}, {1}, {2}, {3}, {4}]
 splitting t88 into [{16}, {17, 18}, {24}, {25, 26}, {32}, {33, 34}]
 splitting t89 into [{16}, {17}, {18}]
 splitting t91 into [{0}, {1}, {2}, {3}]
 splitting t93 into [{8, 9, 10}, {11, 12, 13}, {16, 17, 18, 19}, {24, 20, 21}, {2
 5, 26, 27}, {32, 33, 28, 29}]
 splitting t93 into [{8}, {9}, {10}]
 splitting t96 into [{0}, {1}, {2, 3}, {8}, {9}, {10, 11}]
 splitting t97 into [{2}, {3}, {4}, {5}]
 splitting t98 into [{0}, {8, 1}, {16, 9}, {17}, {24, 25}, {32, 33}]
 splitting t99 into [{8}, {16}, {24}]
 splitting t100 into [{0}, {1}, {2}, {3}, {4}, {5, 6}]
 Solution: title of csp --> title of csp --> title of csp --> title of csp --> tit
 le of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
 title of csp --> title of csp --> title of csp --> title of csp --> title of csp
 --> title of csp --> title of csp --> title of csp --> title of csp --> title of
 csp --> title of csp --> title of csp --> title of csp --> title of csp --> ti
 tle of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
 > title of csp --> title of csp --> title of csp --> title of csp --> title of cs
 p --> title of csp --> title of csp --> title of csp --> title of csp --> title o
 f csp --> title of csp --> title of csp --> title of csp --> title of csp --> tit

le of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp --> title of csp --> title of csp
--> title of csp --> title of csp --> title of csp --> title of csp --> title of
csp --> title of csp --> title of csp --> title of csp --> title of csp --> title
of csp --> title of csp --> title of csp --> title of csp --> title of csp --> ti
tle of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
> title of csp --> title of csp --> title of csp --> title of csp --> title of cs
p --> title of csp --> title of csp --> title of csp --> title of csp --> title o
f csp --> title of csp --> title of csp --> title of csp --> title of csp --> tit
le of csp --> title of csp --> title of csp --> title of csp --> title of csp -->
title of csp --> title of csp --> title of csp --> title of csp --> title of csp
--> title of csp --> title of csp --> title of csp --> title of csp --> title of
csp --> title of csp --> title of csp --> title of csp --> title of csp --> title
of csp --> title of csp --> title of csp --> title of csp --> title of csp (cost:
113)

114 paths have been expanded and 407 paths remain in the frontier

t1: tue 10am
t2: mon 9am
t3: mon 9am
t4: tue 9am
t5: thu 10am
t6: mon 12pm
t7: tue 9am
t8: tue 9am
t9: wed 2pm
t10: wed 12pm
t11: thu 9am
t12: mon 9am
t13: wed 9am
t14: tue 12pm
t15: mon 9am
t16: tue 9am
t17: mon 9am
t18: fri 9am
t19: mon 9am
t20: mon 9am
t21: tue 9am
t22: mon 12pm
t23: mon 9am
t24: fri 9am
t25: mon 9am
t26: mon 12pm
t27: mon 9am
t28: mon 11am
t29: mon 9am
t30: mon 9am
t31: mon 12pm
t32: wed 9am
t33: tue 9am
t34: mon 9am
t35: wed 9am
t36: tue 9am
t37: mon 9am
t38: mon 9am
t39: fri 9am
t40: mon 9am
t41: mon 9am
t42: mon 2pm
t43: tue 9am
t44: fri 12pm

t45: mon 9am
t46: mon 12pm
t47: mon 10am
t48: tue 9am
t49: mon 11am
t50: mon 9am
t51: mon 9am
t52: tue 9am
t53: mon 9am
t54: wed 12pm
t55: mon 9am
t56: tue 9am
t57: mon 9am
t58: wed 11am
t59: mon 9am
t60: mon 9am
t61: mon 1pm
t62: tue 9am
t63: fri 11am
t64: wed 9am
t65: mon 9am
t66: mon 11am
t67: mon 9am
t68: thu 12pm
t69: mon 9am
t70: mon 9am
t71: mon 9am
t72: mon 9am
t73: mon 9am
t74: tue 9am
t75: tue 2pm
t76: wed 3pm
t77: mon 9am
t78: tue 9am
t79: mon 9am
t80: mon 9am
t81: wed 9am
t82: tue 10am
t83: mon 9am
t84: mon 9am
t85: thu 9am
t86: wed 9am
t87: mon 9am
t88: wed 9am
t89: wed 9am
t90: tue 9am
t91: mon 9am
t92: mon 9am
t93: tue 9am
t94: wed 12pm
t95: mon 11am
t96: mon 9am
t97: mon 11am
t98: mon 9am
t99: tue 9am
t100: mon 9am
cost: 4429

Answers for Question 6

- Modify the CSP solver to use the list of k partitions and evaluate the performance of the solver using the above metric for a range of values of k (2 marks)

Partitioning the same problem into a range of k between 2 and 10 yields the same cost. This is because more partitions still maintain the optimality of the solver. As the monotonic cost function and greedy best-first expansion order are preserved.

The number of paths expanded generally reduces the greater the value of k . Although the branching factor means more states must be evaluated by the solver, domains are shrunk faster, resulting in generally fewer nodes being expanded. This increased branching results in more nodes remaining on the frontier, so although less paths are expanded, a similar amount of nodes must still be evaluated by the solver. Additionally there is a greater memory cost associated with higher branching, as more nodes remain on the frontier enqueued in the priority queue per node popped. Additionally as the domain splits more aggressively, arc consistency applications per split might become slightly cheaper, having to check across a smaller domain space. More analysis beyond nodes expanded would be needed to evaluate the true runtime tradeoff.

As Poole & Mackworth suggest, $k = 2$ strikes a balanced trade-off between domain reduction and branching overhead. Our results are consistent with this claim: while $k > 2$ sometimes reduced expansions, the added branching and memory pressure make it unclear that larger k provides a net benefit.