## Aggregate Data

## Tyler Lau

July 18, 2016

- [1] "No Sound Change, Token Freq T, Number of cases being considered: 3"
- [1] "Only considering max suffixes: FALSE"
- [1] "Dropping suffixes that appear 10 or less times"

		_			
[1] '	'Sø"				
		frea	Percent_Trials		
1		24	48		
5	0	16	32		
6	s	5	10		
3	е	2	4		
4	es	2	4		
2	a	1	2		
[1] '	'SgNo	om,Aco	c"		
	_		Percent_Trials		
2	0	42	84		
1	-	8	16		
[1] '	'1Sgl	Nom, Ac	cc"		
Suf	fix	freq	Percent_Trials		
2	a	49	98		
1	-	1	2		
[1] '	'2Sgl	Nom, Ac	cc"		
Suf	fix	freq	Percent_Trials		
1	0	50	100		
[1] '	'3Sgl	Nom, Ac	cc"		
Suf	fix	${\tt freq}$	Percent_Trials		
1	-	44	88		
2	е	5	10		
3	s	1	2		
	_	Nom, Ac			
Suf	fix	-	Percent_Trials		
1	0	50	100		
		Nom, Ac			
	fix	-	Percent_Trials		
1	-	43	86		
3	е	5	10		
2	a	2	4		
	_	Nom, Ac			
			Percent_Trials		
1	0	50	100		
	_	Nom, Ac			
		-	Percent_Trials		
2	a	39	78		
1	_	8	16		
3	е.	. 3	6		
[1] '	[1] "nSgNom,Acc"				

```
Suffix freq Percent_Trials
   o 50
1
[1] "SgAcc, Gen"
 Suffix freq Percent_Trials
         21
6
         13
                     26
     s
5
     o 9
                     18
3
         3
                      6
     е
4
    es
          3
                      6
          1
                      2
    a
[1] "1SgAcc,Gen"
Suffix freq Percent_Trials
2 a 42
         7
                     14
1
3
     s
          1
                      2
[1] "2SgAcc,Gen"
 Suffix freq Percent_Trials
4 o 24
         21
                      42
1
2
        2
                      4
     е
5
         2
     s
                      4
3
    es
         1
[1] "3SgAcc,Gen"
 Suffix freq Percent_Trials
         29
1
5
     s
        9
                     18
3
     е
          6
                     12
4
   es
          5
                     10
          1
                      2
     a
[1] "4SgAcc,Gen"
 Suffix freq Percent_Trials
4 o 27
1
         17
                      34
2
     e 2
                      4
3
          2
                      4
    es
         2
5
     s
[1] "5SgAcc,Gen"
 Suffix freq Percent_Trials
1 - 36
         12
3
                      24
     е
     a 2
                      4
[1] "mSgAcc,Gen"
Suffix freq Percent_Trials
1 -
         19
                     38
     o 16
                      32
5
     s 8
                      16
2
         4
                      8
     е
3
    es
          3
[1] "fSgAcc,Gen"
Suffix freq Percent_Trials
2
     a
         22
                     44
                     20
1
         10
5
     s 10
                     20
3
     e 6
                      12
```

```
4 es 2
[1] "nSgAcc,Gen"
 Suffix freq Percent_Trials
          22
1
          14
                         28
4
      0
5
          10
                        20
      S
2
           2
                         4
      е
3
           2
                         4
     es
[1] "SgNom, Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
    -
          30
5
          12
                         24
      S
3
           3
                         6
     es
4
           3
                          6
2
      е
           2
[1] "1SgNom,Gen"
 Suffix freq Percent_Trials
  a 42
           7
1
                         14
                         2
3
      s
           1
[1] "2SgNom,Gen"
 Suffix freq Percent_Trials
4
          24
      0
                         48
1
          21
                         42
2
         2
                         4
5
      s
           2
                          4
3
     es
           1
                          2
[1] "3SgNom, Gen"
 Suffix freq Percent_Trials
          43
1
2
           4
                         8
     es
3
      s
           3
                          6
[1] "4SgNom,Gen"
 Suffix freq Percent_Trials
          27
   0
1
          17
                         34
2
      е
         2
                         4
3
     es
           2
                         4
           2
5
      s
[1] "5SgNom,Gen"
 Suffix freq Percent_Trials
1
          39
                        78
5
           5
                         10
      S
3
           3
                         6
      е
2
           2
                          4
      a
                          2
           1
     es
[1] "mSgNom,Gen"
 Suffix freq Percent_Trials
          22
1
                         28
4
          14
      0
5
                         18
           9
      S
3
           3
                         6
     es
2
           2
                         4
      е
[1] "fSgNom, Gen"
```

```
Suffix freq Percent_Trials
          25
1
5
           12
                         24
2
           9
                         18
      a
4
           3
                          6
     es
3
      е
            1
                          2
[1] "nSgNom,Gen"
 Suffix freq Percent_Trials
1
          21
4
          14
                         28
      0
5
                         22
      s
          11
2
           2
                          4
      е
3
           2
                          4
     es
[1] "SgNom, Acc, Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
          24
1
    _
5
          16
                         32
      0
         5
                         10
6
      S
3
           2
                          4
      е
4
           2
                          4
     es
      a
           1
                          2
[1] "1SgNom, Acc, Gen"
 Suffix freq Percent_Trials
2 a 49
      - 1
                          2
1
[1] "2SgNom, Acc, Gen"
Suffix freq Percent_Trials
1 o 50
[1] "3SgNom, Acc, Gen"
 Suffix freq Percent_Trials
          40
1
2
      е
           9
                         18
     s 1
                          2
[1] "4SgNom, Acc, Gen"
 Suffix freq Percent_Trials
    o 50
[1] "5SgNom, Acc, Gen"
 Suffix freq Percent_Trials
   -
          39
1
           5
5
                         10
      s
           3
3
      е
                          6
2
           2
                          4
      a
4
     es
           1
[1] "mSgNom, Acc, Gen"
 {\tt Suffix\ freq\ Percent\_Trials}
          30
3
                         60
      0
1
          17
                          34
2
         2
                          4
                          2
      s
         1
[1] "fSgNom, Acc, Gen"
 Suffix freq Percent_Trials
      a
          30
          13
                         26
1
4
      s
         4
                          8
```

```
3 e 3
[1] "nSgNom, Acc, Gen"
Suffix freq Percent_Trials
3 o 28
- 20
2 e 1
4 e
                  40
                  2
[1] "Nom"
Suffix freq Percent_Trials
1 -
        20
5
    s 18
2 a 7
4 es 3
3 as 2
                 14
                  6
[1] "NomSg"
Suffix freq Percent_Trials
1 - 41
2 o 8
3 s 1
                  16
                  2
[1] "1"
Suffix freq Percent_Trials
2 a 40 80
3
   as 8
                 16
1 - 1
4 es 1
                  2
                   2
[1] "1Sg"
Suffix freq Percent_Trials
2 a 49 98
1 - 1 2
[1] "1SgNom"
Suffix freq Percent_Trials
2 a 49 98
    - 1
[1] "2"
Suffix freq Percent_Trials
1 - 17
6 s 15
                  30
4
   o 11
                  22
2 a 5
                 10
3 as 1
5 os 1
                 2
[1] "2Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "2SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "3"
Suffix freq Percent_Trials
1 - 24
5
                  32
     s 16
4
    es 7
                 14
   e 2
3
                  4
2 as 1
                   2
```

```
[1] "3Sg"
Suffix freq Percent_Trials
1 - 40 80
2
   e 9
                 18
3 s 1
                 2
[1] "3SgNom"
Suffix freq Percent_Trials
1 - 44
2 e 5
3 s 1
                 10
                 2
[1] "4"
Suffix freq Percent_Trials
1 - 20
7
   s 16
                 32
   o 8
5
                 16
4 es 3
                 6
2 as 1
                  2
3 e 1
6 os 1
[1] "4Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "4SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "5"
Suffix freq Percent_Trials
1 - 26 52
5 s 15
4 es 6
                 30
                 12
2 a 2
3 e 1
                 4
                  2
[1] "5Sg"
Suffix freq Percent_Trials
1 - 39 78
5 s 5
3 e 3
                 10
                 6
2
   a 2
                 4
  es 1
4
[1] "5SgNom"
 Suffix freq Percent_Trials
1 - 39 78
5 s 5
3 e 3
                 10
                 6
2
   a 2
4 es 1
[1] "m"
 Suffix freq Percent_Trials
7
       22
  s
1
       20
                 40
4
  es 3
                 6
   o 2
5
                 4
2
   as 1
                  2
3
   e 1
                  2
```

```
6 os 1 2
[1] "mSg"
Suffix freq Percent_Trials
3 o 30 60
1 - 17
2 e 2
                   34
                  4
    s 1
[1] "mSgNom"
Suffix freq Percent_Trials
1 o 50
[1] "f135Sg"
Suffix freq Percent_Trials
2 a 30
1 - 13
4 s 4
3 e 3
                   26
                   8
                   6
[1] "m24Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "n24Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "m234Sg"
Suffix freq Percent_Trials
3 o 30
1
   - 17
2 e 2
4 s 1
                   4
[1] "m2345Sg"
 Suffix freq Percent_Trials
3 o 30
1
    - 17
                   34
2 e 2
4 s 1
                  4
[1] "m1Sg"
Suffix freq Percent_Trials
2 a 36 72
1 - 14
[1] "m1SgNom"
Suffix freq Percent_Trials
2 a 35 70
1 - 15
                  30
[1] "m2Sg"
Suffix freq Percent_Trials
1 o 50
[1] "m2SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "m3Sg"
Suffix freq Percent_Trials
1 - 40 80
2 e 9
3 s 1
                  18
                  2
[1] "m3SgNom"
```

```
Suffix freq Percent_Trials
1 - 44
    e 5
2
                 10
3
   s 1
                 2
[1] "m4Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "m4SgNom"
Suffix freq Percent_Trials
1 o 50
[1] "m5Sg"
Suffix freq Percent_Trials
1 - 38 76
6 s 5
                 10
   е 3
3
                 6
2
   a 2
                 4
4
  es 1
                  2
5
       1
   0
[1] "m5SgNom"
Suffix freq Percent_Trials
1 - 38 76
6
   s 5
                10
3
   е 3
                 6
   a 2
2
                  4
4
  es 1
                  2
   0
       1
[1] "f"
Suffix freq Percent_Trials
2 a 19
5
   s 15
                 30
   - 9
1
                 18
3 as 4
                 8
4 es 3
[1] "fSg"
Suffix freq Percent_Trials
2 a 30
                 26
1
    - 13
4
   s 4
                 8
3 e 3
                  6
[1] "fSgNom"
 Suffix freq Percent_Trials
1 - 37 74
2 a 9
3 e 3
                 18
                  6
    s 1
[1] "f1Sg"
Suffix freq Percent_Trials
2 a 49
   - 1
                 2
[1] "f1SgNom"
Suffix freq Percent_Trials
2 a 49 98
1 - 1 2
[1] "f2Sg"
```

```
Suffix freq Percent_Trials
2 o 46 92
   - 4
[1] "f2SgNom"
Suffix freq Percent_Trials
2 o 46 92
1 - 4 8
[1] "f3Sg"
Suffix freq Percent_Trials
1 - 39 78
2
   e 9
                18
3 es 1
4 s 1
                 2
                  2
[1] "f3SgNom"
Suffix freq Percent_Trials
1 - 44 88
2 e 5
3 s 1
                 10
                 2
[1] "f4Sg"
Suffix freq Percent_Trials
2 o 45 90
1 - 5
[1] "f4SgNom"
Suffix freq Percent Trials
2 o 46 92
   - 4
[1] "f5Sg"
Suffix freq Percent_Trials
1 - 39 78
   s 5
5
                 10
   e 3
3
                 6
2 a 2
4 es 1
                  4
[1] "f5SgNom"
Suffix freq Percent_Trials
1 - 39 78
   s 5
5
                 10
   е 3
3
                 6
2
   a 2
                  4
   es 1
[1] "n"
Suffix freq Percent_Trials
6 s 21 42
1
    - 17
                 34
2
                12
   a 6
3 as 3
                 6
4 o 2
5 os 1
                  4
[1] "nSg"
Suffix freq Percent_Trials
3 o 28 56
   - 20
                 40
1
2
                 2
   e 1
4 s 1
                  2
```

```
[1] "nSgNom"
Suffix freq Percent_Trials
1 o 50
[1] "n2Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "n2SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "n3Sg"
Suffix freq Percent_Trials
1 - 46 92
3 s 3
2 e 1
                  6
[1] "n3SgNom"
Suffix freq Percent_Trials
1 - 46
2 s 4
                  8
[1] "n4Sg"
Suffix freq Percent_Trials
1 o 50 100
[1] "n4SgNom"
Suffix freq Percent_Trials
1 o 50 100
[1] "Acc"
Suffix freq Percent_Trials
4 e 16 32
  s 11
7
   - 7
1
                  14
   a 7
2
5 es 4
                   8
3 as 6 o
                   6
        3
[1] "AccSg"
Suffix freq Percent_Trials
3 o 38 76
1 - 8
2 e 4
                   16
                  8
[1] "1SgAcc"
Suffix freq Percent_Trials
2 a 49 98
1 - 1
[1] "2SgAcc"
Suffix freq Percent_Trials
1 o 50
[1] "3SgAcc"
Suffix freq Percent_Trials
2 e 39 78
1 - 11
[1] "4SgAcc"
Suffix freq Percent_Trials
1 o 50
[1] "5SgAcc"
 Suffix freq Percent_Trials
```

```
1 - 28
3 e 20
2 a 2
                 56
                  40
                  4
[1] "mSgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "m1SgAcc"
Suffix freq Percent_Trials
2 a 37 74
1 - 12
3 e 1
                  24
                  2
[1] "m2SgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "m3SgAcc"
Suffix freq Percent_Trials
2 e 40 80
1 - 9
3 s 1
                  18
                  2
[1] "m4SgAcc"
Suffix freq Percent_Trials
1 o 50
          100
[1] "m5SgAcc"
Suffix freq Percent Trials
1 - 27 54
   e 20
3
2 a 2
4 o 1
                  4
[1] "fSgAcc"
Suffix freq Percent_Trials
2 a 24 48
3 e 18
1 - 8
                  36
[1] "f1SgAcc"
Suffix freq Percent_Trials
2 a 49 98
1 - 1 2
[1] "f2SgAcc"
Suffix freq Percent_Trials
2 o 45 90
   - 5
[1] "f3SgAcc"
Suffix freq Percent_Trials
2 e 40 80
1 - 10
[1] "f4SgAcc"
Suffix freq Percent_Trials
2 o 45 90
1 - 5 10
[1] "f5SgAcc"
Suffix freq Percent_Trials
1 - 28 56
   e 20
3
                  40
2 a 2
                  4
```

```
[1] "nSgAcc"
Suffix freq Percent_Trials
1 o 50
[1] "n2SgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "n3SgAcc"
Suffix freq Percent_Trials
1 - 46 92
   e 4
[1] "n4SgAcc"
Suffix freq Percent_Trials
1 o 50 100
[1] "Gen"
Suffix freq Percent_Trials
6 s 20
1
   - 17
                 34
5 es 5
                10
2
   a 4
                8
3 as 2
                4
4
   е
       2
                4
[1] "GenSg"
Suffix freq Percent_Trials
1 - 27
6
   s 14
                 28
4 es 5
                10
 e 2
a 1
3
                 4
2
                 2
   o 1
5
[1] "1SgGen"
Suffix freq Percent_Trials
2 a 26
5
   s 9
                18
   - 7
1
                14
3 as 7
                 14
      1
                2
4
   е
[1] "2SgGen"
Suffix freq Percent_Trials
1 - 22 44
4
   o 11
                 22
   s 11
                 22
6
2
   e 2
                 4
 es 2
3
                 4
   os 2
[1] "3SgGen"
Suffix freq Percent_Trials
1 - 27
                 54
5
   s 12
                 24
4
  es 6
                12
  e 4
3
                 8
      1
                 2
   a
[1] "4SgGen"
Suffix freq Percent_Trials
1 - 19
```

```
6 s 13
               26
4
   o 11
                 22
3
   es 3
                6
2
   е
       2
                4
5
   os
                 4
[1] "5SgGen"
Suffix freq Percent_Trials
       24
1
       16
5
    s
                 32
  es 5
4
                10
2 a 3
3 e 2
                6
                 4
[1] "mSgGen"
Suffix freq Percent_Trials
1 -
       20
4
    o 11
                 22
6 s 11
                 22
3 es 4
                8
2
   e 2
                4
   os
       2
5
[1] "m1SgGen"
Suffix freq Percent_Trials
2 a 17
    - 16
1
                 32
6
   s 8
                16
3 as 7
                14
3
4
es
   e 1
                 2
[1] "m2SgGen"
 Suffix freq Percent_Trials
1 - 22 44
    o 11
4
                 22
6 s 11
                 22
2
   e 2
                4
 es 2
3
                 4
5
        2
    os
[1] "m3SgGen"
Suffix freq Percent_Trials
1 - 27
   s 11
                 22
5
4
   es 7
                14
3 e 4
                 8
2
    a
        1
[1] "m4SgGen"
 Suffix freq Percent_Trials
1 - 19
   s 13
6
                 26
                 22
4
   o 11
3
  es 3
                6
2
   e 2
                4
  os
        2
[1] "m5SgGen"
Suffix freq Percent_Trials
1 - 24
```

```
5 s 16
               32
4
   es 5
                10
  a 3
2
                6
3
       2
                 4
    е
[1] "fSgGen"
Suffix freq Percent_Trials
       22 44
5
    s 14
                28
   a 7
2
                14
4
   es 5
                10
       2
3
   е
[1] "f1SgGen"
 Suffix freq Percent_Trials
2 a 26
   s 9
5
                18
1
   - 7
                14
3
  as 7
                14
                2
4
   e 1
[1] "f2SgGen"
Suffix freq Percent_Trials
1 -
       22 44
                22
4
   o 11
6
   s 11
                22
2
   e 2
                4
3 es 2
                 4
  os 2
5
[1] "f3SgGen"
Suffix freq Percent_Trials
1 - 27
5
   s 12
                24
4
   es 6
                12
 е
3
       4
                8
      1
   a
[1] "f4SgGen"
Suffix freq Percent_Trials
1 - 19
    s 14
                28
6
4
   o 11
                22
2
   e 2
                4
3
       2
  es
                 4
       2
5
   os
[1] "f5SgGen"
Suffix freq Percent_Trials
1 - 24 48
5
   s 16
                32
4
  es 5
                10
 a 3
2
                6
   e 2
3
[1] "nSgGen"
Suffix freq Percent_Trials
       22
1 -
                44
                22
4
    o 11
   s 11
6
                22
  e 2
2
                4
```

```
3 es 2
5
    os
          2
[1] "n2SgGen"
 Suffix freq Percent_Trials
         22
                     22
4
         11
     0
6
                     22
    s 11
2
     e 2
                      4
3
          2
    es
                      4
5
    os
          2
[1] "n3SgGen"
 Suffix freq Percent_Trials
   - 24
1
5
     s 18
                     36
    es 4
4
                      8
2
          2
     a
                      4
3
     е
          2
[1] "n4SgGen"
 Suffix freq Percent_Trials
         18
6
         14
                     28
     s
4
     o 12
                     24
2
     e 2
                     4
3
          2
    es
5
    os
          2
[1] "Pl"
 Suffix freq Percent_Trials
   s
         25
         13
                     26
1
2
        5
                     10
    a
3
          2
                      4
    as
5
    es
          2
                      4
4
          1
    е
6
                      2
     0
          1
          1
    os
[1] "PlNom, Acc"
 Suffix freq Percent_Trials
7
     S
         18
1
         12
                     24
2
    a 10
                     20
    es 5
                     10
4
3
         3
                      6
    as
5
                      2
    os
         1
[1] "1PlNom, Acc"
 Suffix freq Percent_Trials
2
     a 31
                     62
3
        16
                     32
     as
4
    es 2
                      4
                      2
        1
[1] "2PlNom,Acc"
 Suffix freq Percent_Trials
1 - 16
    s 14
6
                      28
```

```
13
                            26
       a
3
            5
                            10
      as
                            2
4
             1
      0
5
             1
                             2
      os
[1] "3PlNom, Acc"
  Suffix freq Percent_Trials
           15
4
           15
                            30
      es
5
           15
       s
                            30
3
       е
            4
                            8
2
             1
                             2
      as
[1] "4PlNom, Acc"
  {\tt Suffix\ freq\ Percent\_Trials}
           23
1
7
       S
           19
                            38
4
            3
                             6
      es
5
      0
             2
                             4
2
      as
3
                             2
       е
             1
6
             1
      os
[1] "5PlNom, Acc"
  Suffix freq Percent_Trials
5
      es
           17
1
           13
                            26
6
                            24
           12
       s
3
      as
            3
                             6
4
       е
             3
                             6
       a
             2
[1] "mPlNom, Acc"
  {\tt Suffix\ freq\ Percent\_Trials}
           23
6
       S
1
            18
                            36
3
            6
                            12
2
                             2
      as
             1
                             2
4
             1
       0
5
             1
                             2
      os
[1] "fPlNom, Acc"
  Suffix freq Percent_Trials
2
           18
       a
5
           12
                            24
      es
6
           10
                            20
     S
3
            6
                            12
      as
1
             3
                             6
       е
             1
[1] "nPlNom,Acc"
  Suffix freq Percent_Trials
1
           16
                            32
6
           14
                            28
       s
2
          13
                            26
       a
3
            5
                            10
      as
4
             1
                             2
       0
             1
      os
[1] "PlAcc, Gen"
  Suffix freq Percent_Trials
```

```
8
           24
                          48
       s
1
           13
                           26
2
                           12
            6
3
            2
                           4
      as
5
            2
      es
                            4
4
       е
            1
                            2
6
       0
            1
                            2
7
                            2
      os
            1
[1] "1PlAcc,Gen"
  {\tt Suffix\ freq\ Percent\_Trials}
       a
           25
3
           15
                           30
      as
1
            6
                          12
            3
4
                            6
      es
5
       s
            1
                            2
[1] "2PlAcc,Gen"
  Suffix freq Percent_Trials
7
           19
      s
1
           16
                          32
2
                           22
           11
       a
3
                            2
      as
          1
4
      es
            1
                            2
5
            1
                            2
      0
6
      os
            1
[1] "3PlAcc,Gen"
  Suffix freq Percent_Trials
5
      s
          19
1
           15
                           30
4
           10
                          20
      es
3
            5
                          10
       е
2
                            2
      as
            1
[1] "4PlAcc,Gen"
  Suffix freq Percent_Trials
           23
1
7
                           38
           19
       s
4
            3
                            6
      es
2
            2
      as
                            4
3
       е
            1
                            2
5
            1
                            2
       0
6
            1
      os
[1] "5PlAcc,Gen"
  Suffix freq Percent_Trials
5
      es
           16
1
           14
                           28
6
                           26
       s
           13
4
                            6
            3
       е
2
            2
       a
                            4
            2
3
      as
[1] "mPlAcc,Gen"
  Suffix freq Percent_Trials
8
           26
                          52
       s
                          30
1
           15
5
            3
                            6
      es
3
            2
                            4
      as
```

```
a 1
          1
                        2
      е
6
          1
                        2
7
     os
          1
                        2
[1] "fPlAcc,Gen"
 Suffix freq Percent_Trials
          18
     s
2
          12
                       24
      a
1
          7
                       14
3
          6
                       12
     as
5
          6
                       12
     es
     е
          1
                        2
[1] "nPlAcc,Gen"
 Suffix freq Percent_Trials
7
      s
          24
1
          13
                       26
2
        8
                       16
     a
3
   as 2
                       4
4
     e 1
                        2
5
                        2
          1
6
     os
[1] "PlNom,Gen"
 Suffix freq Percent_Trials
     s
         26
          16
                       32
1
2
        4
                       8
     a
3
     as
          2
                        4
     es
[1] "1PlNom,Gen"
 Suffix freq Percent_Trials
         20
     a
3
     as
          20
                       40
1
    - 6
                       12
4
          2
                       4
    es
          2
                        4
     s
[1] "2PlNom,Gen"
 Suffix freq Percent_Trials
7
      s
          21
1
          15
                       30
2
        8
                       16
     a
3
     as 3
                       6
4
                        2
     es
          1
5
                        2
     os
          1
[1] "3PlNom,Gen"
 Suffix freq Percent_Trials
          26
                       52
          15
                       30
1
3
        8
                       16
     es
                        2
     as
          1
[1] "4PlNom,Gen"
 Suffix freq Percent_Trials
7
      s
          23
          19
1
                       38
```

```
4
                         6
     es
2
           2
                         4
     as
3
                         2
           1
      е
5
           1
                         2
      0
6
     os
[1] "5PlNom,Gen"
 Suffix freq Percent_Trials
          25
5
      s
1
          14
                         28
4
           7
                         14
     es
3
                         6
     as
           3
2
           1
                         2
      a
[1] "mPlNom,Gen"
 Suffix freq Percent_Trials
      S
          26
          15
                         30
1
5
         3
                         6
     es
3
           2
     as
                         4
2
                         2
      a
           1
4
                         2
           1
6
                         2
      0
           1
7
     os
           1
[1] "fPlNom,Gen"
 Suffix freq Percent_Trials
      S
          24
5
          14
1
4
     es
         5
                        10
3
     as
           4
                         8
2
           3
                         6
      a
[1] "nPlNom,Gen"
 Suffix freq Percent_Trials
7
      S
          25
1
      _
          12
                        24
2
           7
                        14
      a
3
          3
                         6
     as
4
           1
                         2
      е
5
           1
      0
                         2
6
     os
           1
[1] "PlNom, Acc, Gen"
 Suffix freq Percent_Trials
          25
      s
1
          13
                        26
2
      a
           5
                        10
3
     as
           2
                         4
5
           2
     es
4
                         2
           1
      е
6
      0
           1
                         2
7
     os
           1
[1] "1PlNom,Acc,Gen"
 Suffix freq Percent_Trials
2
          28
                        56
      a
                        38
3
          19
     as
4
     es 2
                         4
                         2
1
           1
```

```
[1] "2PlNom, Acc, Gen"
  Suffix freq Percent_Trials
7
            20
       s
1
            15
                             30
2
            10
                             20
       a
3
             2
                              4
      as
                              2
4
      es
             1
5
                              2
             1
       0
6
      os
             1
                              2
[1] "3PlNom, Acc, Gen"
  Suffix freq Percent_Trials
5
            21
       s
4
      es
            14
                             28
1
            13
                             26
2
      as
             1
                              2
                              2
3
       е
             1
[1] "4PlNom, Acc, Gen"
  Suffix freq Percent_Trials
7
            23
       s
            19
                             38
1
4
             3
                              6
      es
2
      as
             2
                              4
3
                              2
       е
             1
5
       0
             1
                              2
6
             1
                              2
      os
[1] "5PlNom,Acc,Gen"
  Suffix freq Percent_Trials
5
       s
            21
            13
                             26
1
4
            12
                             24
      es
3
             3
                              6
      as
2
       a
             1
                              2
[1] "mPlNom, Acc, Gen"
  Suffix freq Percent_Trials
8
            25
       s
1
            15
                             30
5
                              8
      es
             4
3
      as
             2
                              4
2
                              2
       a
             1
4
                              2
             1
       е
                              2
6
       0
             1
7
                              2
      os
             1
[1] "fPlNom, Acc, Gen"
  Suffix freq Percent_Trials
5
       s
            17
2
            12
                             24
1
             8
                             16
3
             7
                             14
      as
                             12
      es
[1] "nPlNom,Acc,Gen"
  Suffix freq Percent_Trials
6
            21
                             42
       s
1
            13
                             26
2
       a
             9
                             18
```

```
3 as 5
                     10
4
          1
                       2
    0
                       2
5
          1
     os
[1] "NomPl"
 Suffix freq Percent_Trials
5 s
         24
         16
                      32
1
2
          4
                       8
     a
3
          3
     as
                       6
4
     es
          3
[1] "1P1"
Suffix freq Percent_Trials
2 a
         28
                      38
3
     as 19
4
     es
        2
                       4
    _
                       2
1
          1
[1] "1PlNom"
 Suffix freq Percent_Trials
2
     a
         27
                      54
3
         20
                      40
     as
4
          2
                       4
     es
                       2
[1] "2P1"
 Suffix freq Percent_Trials
         20
7
     s
1
         15
                       30
2
     a
        10
                      20
3
     as
        2
                       4
4
        1
                       2
   es
5
          1
                        2
    0
6
     os
[1] "2PlNom"
 Suffix freq Percent_Trials
6
    s
         16
                      30
1
         15
2
        11
                      22
     a
3
   as 6
                      12
4
     0
          1
                       2
5
          1
                        2
     os
[1] "3P1"
 Suffix freq Percent_Trials
                      42
5
     S
         21
4
     es
         14
                       28
1
         13
                       26
2
    as
         1
                       2
3
                       2
          1
    е
[1] "3PlNom"
 Suffix freq Percent_Trials
         22
     s
                      44
                       28
1
         14
3
     es 13
                       26
     as
         1
[1] "4P1"
 Suffix freq Percent_Trials
```

```
7 s
       23
                46
1
       19
                 38
                 6
4
      3
   es
2
  as 2
                 4
3
                  2
    е
5
    0
        1
                  2
   os
[1] "4PlNom"
 Suffix freq Percent_Trials
7 s
       24
      19
                 38
1
4 es 3
                 6
                  2
2 as 1
3
                  2
   e 1
5
   o 1
                  2
6
  os
[1] "5P1"
 Suffix freq Percent_Trials
       21
   S
       13
                 26
1
 es 12
4
                 24
3
  as 3
                 6
2
   a
       1
                  2
[1] "5PlNom"
 Suffix freq Percent_Trials
5
 s 24 48
   - 13
1
                 26
 es 9
4
                 18
3 as 3
                 6
2
   a 1
[1] "mPl"
 Suffix freq Percent_Trials
8 s
       25
1
       15
                 30
5
  es 4
                 8
3
  as 2
                  4
2
   a 1
4
   е
        1
                  2
6
   0
       1
   os
[1] "mPlNom"
Suffix freq Percent_Trials
6
 s 24
1
    - 17
                 34
3
                12
  es 6
2
   as 1
                 2
   0
4
        1
                  2
5
   os
[1] "f135Pl"
Suffix freq Percent_Trials
5 s 15
                 30
2
   a 13
                 26
4
   es 8
                 16
   - 7
1
                 14
```

```
3 as 7 14
[1] "m24P1"
 Suffix freq Percent_Trials
  s
       24
    - 16
                 32
1
2
    a 4
                  8
3
  as 2
4
                  2
   e 1
5
   es 1
                  2
   o 1
6
                  2
7 os
        1
[1] "n24P1"
 Suffix freq Percent_Trials
6 s 16
1
   - 15
                 30
2
   a 11
                 22
3
  as 6
                 12
                 2
4
   o 1
5
                  2
  os 1
[1] "m234P1"
Suffix freq Percent_Trials
8 s
       25
1
       15
                 30
5
      5
                 10
   es
2
   a 1
                 2
3
  as 1
                  2
4
   e 1
                  2
6
   0
        1
                  2
7
      1
   os
[1] "m2345P1"
Suffix freq Percent_Trials
8 s 25
1
    - 15
                 30
5
  es 5
                 10
2
                  2
   a 1
3
  as 1
                  2
4
   e 1
                  2
6
   0
        1
                  2
7
   os
[1] "m1P1"
 Suffix freq Percent_Trials
   a 19
2
                 38
  as 17
3
                 34
      8
1
                 16
5
   s 4
        2
4
   es
[1] "m1PlNom"
 Suffix freq Percent_Trials
3
 as 19
2
    a 18
                 36
1
      8
                 16
5
   s 3
                 6
4
   es 2
                  4
[1] "m2P1"
```

```
Suffix freq Percent_Trials
7
       22
    s
                  32
       16
1
2
      7
                  14
    a
3
       2
                   4
    as
4
   es 1
                   2
5
   0
6
       1
                   2
    os
[1] "m2PlNom"
Suffix freq Percent_Trials
  s
       22
1
    - 16
                  32
2
      6
                  12
   a
3 as 3
                  6
   es 1
4
                   2
5
   0
                   2
        1
6
   os
        1
[1] "m3P1"
Suffix freq Percent_Trials
5
 s 20 40
4
   es 14
                  28
1
   - 13
                  26
3
    e 2
                  4
    as 1
2
[1] "m3PlNom"
Suffix freq Percent_Trials
4 s 22 44
1
      14
                  28
3 es 13
                  26
2
   as 1
                  2
[1] "m4P1"
 Suffix freq Percent_Trials
7 s 23
    - 19
                  38
1
  es 3
                  6
4
2
  as 2
                   4
3
                   2
   e 1
5
   0
        1
                   2
6
        1
    os
[1] "m4PlNom"
 Suffix freq Percent_Trials
   s 24
7
                  48
1
      19
                  38
4
  es 3
                   6
2
                   2
   as 1
3
   e 1
                   2
5
   0
        1
                   2
6
   os
        1
[1] "m5P1"
Suffix freq Percent_Trials
5
       22
  s
                  44
       14
                  28
1
4
    es 8
                  16
2
 a 3
                  6
```

```
3 as 3
                         6
[1] "m5PlNom"
 Suffix freq Percent_Trials
    s
          25
1
          13
                        26
4
           7
                        14
     es
3
           3
     as
                         6
2
           2
                         4
      a
[1] "fPl"
 Suffix freq Percent_Trials
    s
          17
2
         12
                        24
      a
1
          8
                        16
           7
3
     as
                        14
4
     es
           6
                        12
[1] "fPlNom"
 Suffix freq Percent_Trials
          21
  s
1
          13
                        26
4
                        18
          9
     es
2
           5
                        10
      a
     as
           2
[1] "f1P1"
 Suffix freq Percent_Trials
          28
2
    a
                        38
3
     as
          19
4
     es
           2
                         4
1
                         2
[1] "f1PlNom"
 Suffix freq Percent_Trials
          27
2
     a
                        54
3
     as
          20
                        40
4
     es
        2
                         4
           1
                         2
1
[1] "f2P1"
 Suffix freq Percent_Trials
7 s
          23
1
          15
                        30
2
          7
                        14
      a
3
                         4
           2
     as
                         2
4
     es
5
                         2
      0
           1
6
     os
[1] "f2PlNom"
 Suffix freq Percent_Trials
7
          23
      S
                        46
1
          15
                        30
2
          6
                        12
3
     as
           3
                         6
                         2
4
           1
     es
5
                         2
      0
           1
           1
     os
[1] "f3P1"
 Suffix freq Percent_Trials
```

```
5 s 20
               40
4
  es 14
                28
  - 13
                26
1
   e 2
3
                4
  as
2
      1
                 2
[1] "f3PlNom"
Suffix freq Percent_Trials
4 s 22
    - 14
                 28
1
3 es 13
                 26
2 as 1
[1] "f4P1"
Suffix freq Percent_Trials
7 s 23
1
   - 19
                 38
4 es 3
2 as 2
                6
                 4
3
  e 1
5 o s 1
   o 1
[1] "f4PlNom"
 Suffix freq Percent_Trials
7 s 23
    - 19
                 38
1
4
  es 3
                6
2 as 2
3 e 1
5 o 1
6 os 1
                 2
[1] "f5P1"
Suffix freq Percent_Trials
5 s 21
1
   - 13
                 26
4 es 12
                24
3 as 3
                6
2
       1
   a
[1] "f5PlNom"
Suffix freq Percent_Trials
5 s 24 48
   - 13
                 26
1
4 es 9
                18
3 as 3
                6
2
   a 1
[1] "nPl"
Suffix freq Percent_Trials
6 s 21
                 42
    - 13
1
                 26
   a 9
2
                18
3 as 5
                10
                2
4
   o 1
  os
       1
[1] "nPlNom"
Suffix freq Percent_Trials
6 s 16
```

```
- 15
                      30
2
         11
                      22
     a
3
        6
                      12
     as
4
     0
          1
                      2
                       2
5
     os
[1] "n2P1"
 Suffix freq Percent_Trials
         15
1
6
      s
         15
                      30
         12
                      24
2
     a
3
        6
                      12
   as
                       2
4
          1
    0
5
     os
          1
[1] "n2PlNom"
 {\tt Suffix\ freq\ Percent\_Trials}
         15
1
6
     s
         15
                      30
2
    a 11
                      22
3
   as 7
                      14
                       2
4
    0
        1
5
          1
                       2
     os
[1] "n3P1"
 Suffix freq Percent_Trials
5 s
         21
         14
                      28
1
2
        8
                      16
    a
3 as
          6
                      12
     es
          1
                       2
[1] "n3PlNom"
 Suffix freq Percent_Trials
         21
5
     s
1
         14
                      28
3
        8
                      16
     as
2
          6
                      12
    a
                       2
     es
          1
[1] "n4P1"
 Suffix freq Percent_Trials
7
     s
         25
1
         18
                      36
2
        2
                      4
     as
5
    o 2
3
          1
                       2
      е
4
     es
                       2
     os
          1
[1] "n4PlNom"
 Suffix freq Percent_Trials
7
     s
         25
         18
                      36
1
2
        2
                      4
   as
    0
          2
5
                       4
3
        1
                       2
     е
4
          1
                       2
     es
6
                       2
     os
[1] "AccPl"
```

```
Suffix freq Percent_Trials
8
         13
      s
         12
                      24
1
2
         12
                      24
     a
5
         5
                      10
     es
3
     as 3
                       6
    е 3
4
6
                       2
     0
          1
7
     os
[1] "1PlAcc"
 Suffix freq Percent_Trials
    a 31
3
     as
        15
                      30
4 es 3
                       6
1
    _
          1
                       2
[1] "2PlAcc"
 Suffix freq Percent_Trials
  _
         16
2
    a 14
                      28
6
                      26
     s 13
   as 5
3
                      10
4
    o 1
                      2
5
     os
          1
                       2
[1] "3PlAcc"
 Suffix freq Percent_Trials
     es 20
3
     e 16
                      32
5
     s
        9
                      18
         4
                       8
1
    as
          1
[1] "4PlAcc"
 {\tt Suffix\ freq\ Percent\_Trials}
         23
1
7
         19
                      38
     s
                       6
4
   es 3
5
    o 2
                       4
2
                       2
    as 1
3
     е
          1
                       2
6
     os
[1] "5PlAcc"
 Suffix freq Percent_Trials
5
    es 17
6
     s
        12
                      24
1
        10
                      20
4
     e 5
                      10
2
          4
                       8
     a
     as
          2
[1] "mPlAcc"
 {\tt Suffix\ freq\ Percent\_Trials}
7
     s 18
                      36
         16
                      32
1
4
     es 7
                      14
3
     e 6
                      12
2
     as 1
                      2
```

```
5 o 1
6 os 1
[1] "m1PlAcc"
Suffix freq Percent_Trials
2 a 23 46
3
  as 14
                28
1
   - 7
                14
5
  es 3
                6
  s 2
6
                 4
   e 1
[1] "m2PlAcc"
Suffix freq Percent_Trials
7 s 20
   - 17
                34
1
   a 9
2
                18
3 as 1
                2
4 es 1
                 2
5
                 2
   o 1
6
  os 1
[1] "m3PlAcc"
Suffix freq Percent_Trials
4 es 20
3
   e 16
                32
    s 9
5
                18
1
   - 4
                8
   as 1
[1] "m4PlAcc"
Suffix freq Percent_Trials
1 - 23
   s 19
7
                38
4
   es 3
                6
  o 2
5
                 4
2
  as 1
3
                 2
   е
       1
   os
6
       1
[1] "m5PlAcc"
Suffix freq Percent_Trials
5 es 16
6 s 12
                24
   - 10
                20
1
4
   e 5
                10
2 as
   a 4
                8
      3
[1] "fPlAcc"
 Suffix freq Percent_Trials
5 es 17
2
                32
   a 16
   s 9
6
                18
4
   e 4
                8
   - 3
1
                 6
       1
   as
[1] "f1PlAcc"
Suffix freq Percent_Trials
2 a 31
```

```
3
           15
                           30
      as
4
            3
                            6
      es
            1
                            2
1
[1] "f2PlAcc"
 Suffix freq Percent_Trials
7
       s
           20
           17
                           34
1
2
            9
                           18
       a
3
                            2
      as
            1
4
      es
            1
                            2
5
                            2
       0
            1
6
            1
                            2
      os
[1] "f3PlAcc"
  Suffix freq Percent_Trials
      es
           20
3
           16
                           32
       е
5
       s
            9
                           18
            4
1
                            8
2
            1
                            2
      as
[1] "f4PlAcc"
  Suffix freq Percent_Trials
           24
7
           19
                           38
       s
4
            3
                            6
      es
                            2
2
            1
      as
3
       е
            1
                            2
5
            1
                            2
6
      os
[1] "f5PlAcc"
  Suffix freq Percent_Trials
5
      es
           17
6
       s
           12
                           24
1
           10
                           20
4
            5
                           10
       е
2
            4
                            8
       a
3
            2
                            4
      as
[1] "nPlAcc"
  Suffix freq Percent_Trials
1
           17
2
           13
                           26
       a
6
           13
                           26
3
            5
                           10
      as
4
            1
                            2
5
      os
            1
                            2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
1
           16
                           32
2
           14
                           28
6
           13
                           26
       s
3
            5
                           10
      as
4
            1
                            2
       0
            1
      os
[1] "n3PlAcc"
  Suffix freq Percent_Trials
```

```
- 18
                 36
6
       15
                 30
2
      9
                 18
3
   as 5
                 10
4
        2
                  4
5
    es
        1
                  2
[1] "n4PlAcc"
 Suffix freq Percent_Trials
1
       22
8
       21
                 42
   s
6
   o 2
                  4
2
   a 1
                  2
3
 as 1
                  2
4
   e 1
                  2
5
   es
        1
7
   os
[1] "GenPl"
 Suffix freq Percent_Trials
6
   S
       26 52
    - 15
                 30
1
   a 4
2
                 8
3 as 2
5
   es
        2
   е
[1] "1PlGen"
 Suffix freq Percent_Trials
2 a 17
3
  as 17
                 34
5
   s 9
                 18
1
   - 6
                 12
   es 1
                 2
4
[1] "2PlGen"
 Suffix freq Percent_Trials
 s 25
    - 12
                 24
1
2
    a 7
                 14
3
  as 2
                 4
4
   e 1
                  2
5
    es
        1
6
        1
                  2
   0
7
   os 1
[1] "3PlGen"
Suffix freq Percent_Trials
5 s 27 54
   - 15
                 30
1
4
   es 6
                 12
2
   as 1
                 2
3
   e 1
[1] "4PlGen"
Suffix freq Percent_Trials
  s 26
8
                 52
1
    - 15
                 30
5
   es 3
                 6
3
    as 2
                  4
```

```
2 a 1
   e 1
                  2
6
   o 1
                  2
7
  os
       1
                  2
[1] "5PlGen"
 Suffix freq Percent_Trials
       26
6 s
1
       14
                 28
5
                 10
  es 5
 a 2
2
                 4
3 as
        2
   e 1
[1] "mPlGen"
 Suffix freq Percent_Trials
   s
       26
       15
                 30
1
   es 3
5
                 6
3 as 2
2
                  2
   a 1
   e 1
4
6
   o 1
                  2
7
   os
       1
[1] "m1PlGen"
Suffix freq Percent_Trials
3 as 14
5
   s 13
   a 12
2
                 24
1
    - 10
                 20
   es 1
[1] "m2PlGen"
Suffix freq Percent_Trials
8 s 26
                 52
1
   - 14
                 28
2
   a 4
                 8
  as 2
3
                  4
4
   e 1
                  2
5
  es 1
                  2
6
   0
        1
                  2
7
   os
        1
[1] "m3PlGen"
 Suffix freq Percent_Trials
  s 27 54
5
1 - 15
4 es 6
      15
                 30
                12
2
  as 1
                 2
3
   e 1
[1] "m4PlGen"
 Suffix freq Percent_Trials
8
   s 26
                 52
    - 15
1
                 30
5
   es 3
                 6
3
   as 2
                 4
2
   a 1
                  2
4
   e 1
```

```
6 o 1
7
           1
                          2
     os
[1] "m5PlGen"
 Suffix freq Percent_Trials
          25
                         28
1
          14
5
     es
         5
                         10
2
           3
                          6
      a
3
     as
           2
                          4
      е
           1
[1] "fPlGen"
 Suffix freq Percent_Trials
6
      s
          26
          12
                         24
1
5
     es
           6
                         12
2
           3
      a
                         6
3
     as
           2
                          4
                          2
4
           1
[1] "f1PlGen"
 Suffix freq Percent_Trials
2
      a
          17
                         34
3
     as
          17
                         34
5
      s 9
                         18
1
           6
                         12
4
           1
                          2
     es
[1] "f2PlGen"
 Suffix freq Percent_Trials
8
      s
          25
          14
                         28
1
2
           5
                         10
      a
3
           2
                          4
     as
4
     е
           1
                          2
5
                          2
     es
6
                          2
      0
           1
     os
[1] "f3PlGen"
 Suffix freq Percent_Trials
5
      s
          27
1
          15
                         30
4
           6
                         12
     es
           1
                         2
     as
           1
                          2
      е
[1] "f4PlGen"
 Suffix freq Percent_Trials
      s
          24
1
          15
                         30
5
           4
                          8
     es
2
           2
                          4
      a
3
           2
     as
4
           1
6
           1
                          2
      0
           1
     os
[1] "f5PlGen"
 Suffix freq Percent_Trials
```


```
6
           26
                           52
1
           14
                           28
5
            5
                           10
      es
2
            2
                            4
       a
3
            2
                            4
      as
            1
                            2
4
       е
[1] "nPlGen"
  Suffix freq Percent_Trials
           25
8
       s
           12
                           24
1
2
            7
                           14
       a
3
            2
                            4
      as
                            2
4
       е
            1
5
                            2
            1
      es
6
       0
            1
                            2
7
                            2
      os
            1
[1] "n2PlGen"
  Suffix freq Percent_Trials
           25
       s
           12
                           24
1
2
            7
                           14
       a
3
            2
      as
                            4
4
            1
                            2
       е
5
            1
                            2
      es
                            2
6
            1
       0
      os
[1] "n3PlGen"
  Suffix freq Percent_Trials
           26
6
       s
1
           14
                           28
2
            5
                           10
       a
3
      as
            3
                            6
4
            1
                            2
       е
5
            1
                            2
      es
[1] "n4PlGen"
  Suffix freq Percent_Trials
           26
8
       S
1
           15
                           30
2
            2
                            4
       a
3
            2
                            4
      as
5
            2
      es
4
            1
                            2
       е
6
       0
            1
                            2
7
      os
            1
[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
1
        59.33333
                     1
2
        63.33333
                     2
                                     4
3
        64.00000
                     1
                                     2
4
                                     2
        64.66667
                     1
5
        65.33333
                     5
                                    10
6
```

66.00000

67.33333

8	68.00000	1	2
9	68.66667	2	4
10	69.33333	4	8
11	70.00000	2	4
12	71.33333	3	6
13	72.00000	1	2
14	72.66667	4	8
15	73.33333	1	2
16	74.00000	2	4
17	75.33333	2	4
18	76.00000	3	6
19	76.66667	2	4
20	78.00000	4	8
21	80.00000	1	2
22	80.66667	1	2
23	84.66667	1	2
24	87.33333	1	2

## Percent of common\_system\_distrib Matching Reality




Percent Matching True System

[1] "NPLtoFSG_system_distrib"						
	Percent_Match	freq	Percent_Trials			
1	61.33333	1	2			
2	64.00000	1	2			
3	65.33333	3	6			
4	66.00000	1	2			
5	66.66667	2	4			
6	67.33333	1	2			
7	68.00000	3	6			
8	68.66667	4	8			
9	69.33333	3	6			

10	70.00000	2	4
11	70.66667	4	8
12	71.33333	1	2
13	72.00000	3	6
14	72.66667	1	2
15	73.33333	3	6
16	74.00000	4	8
17	76.00000	4	8
18	76.66667	1	2
19	77.33333	1	2
20	78.00000	2	4
21	80.00000	1	2
22	81.33333	2	4
23	82.00000	1	2
24	86.66667	1	2


## Percent of NPLtoFSG\_system\_distrib Matching Reality



[1] "romanian\_system\_distrib" Percent\_Match freq Percent\_Trials 59.33333 62.66667 63.33333 64.00000 64.66667 65.33333 66.00000 66.66667 67.33333 68.00000 68.66667


12	69.33333	3	6
13	70.66667	3	6
14	72.00000	2	4
15	72.66667	1	2
16	73.33333	4	8
17	74.00000	4	8
18	74.66667	3	6
19	76.00000	2	4
20	76.66667	2	4
21	81.33333	2	4
22	87.33333	1	2
23	89.33333	1	2

### Percent of romanian\_system\_distrib Matching Reality



[1] "1\_common\_system\_distrib" Percent\_Match freq Percent\_Trials 60.00000 66.66667 70.00000 73.33333 76.66667 80.00000 86.66667 93.33333 100.00000 


## Percent of 1\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	] "1_NPLtoFSG	_syste	em_distrib"
]	Percent_Match	freq	Percent_Trials
1	60.00000	1	2
2	66.66667	4	8
3	70.00000	4	8
4	73.33333	8	16
5	76.66667	2	4
6	80.00000	15	30
7	86.66667	4	8
8	93.33333	8	16
9	100.00000	4	8


## Percent of 1\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	] "1_romanian_	syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	60.00000	1	2
2	66.66667	9	18
3	70.00000	1	2
4	73.33333	17	34
5	76.66667	2	4
6	80.00000	5	10
7	86.66667	4	8
8	93.33333	11	22


## Percent of 1\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	] "2_common_sy	stem_	_distrib"
	Percent_Match	freq	Percent_Trials
1	53.33333	4	8
2	60.00000	34	68
3	66.66667	1	2
4	70.00000	10	20
5	90 00000	1	2


## Percent of 2\_common\_system\_distrib Matching Reality



Percent Matching True System

[1	] "2_NPLtoFSG_	syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	53.33333	2	4
2	60.00000	26	52
3	63.33333	3	6
4	66.66667	4	8
5	70.00000	10	20
6	73.33333	1	2
7	80.00000	4	8


## Percent of 2\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1	] "2_romanian	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	53.33333	3	6
2	60.00000	31	62
3	66.66667	4	8
4	70.00000	9	18
5	80.00000	1	2
6	83.33333	1	2
7	86.66667	1	2


## Percent of 2\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	] "3_common_sy	stem_	_distrib"
]	Percent_Match	freq	Percent_Trials
1	70.00000	13	26
2	73.33333	1	2
3	76.66667	5	10
4	80.00000	2	4
5	83.33333	5	10
6	86.66667	1	2
7	90.00000	19	38
8	93.33333	1	2
9	100.00000	3	6


## Percent of 3\_common\_system\_distrib Matching Reality



Torochi Matering Trae C

[1] "3_NPLtoFSG_system_distrib"				
Per	rcent_Match	freq P	ercent_Trials	
1	66.66667	1	2	
2	70.00000	1	2	
3	73.33333	1	2	
4	76.66667	3	6	
5	80.00000	26	52	
6	83.33333	2	4	
7	86.66667	5	10	
8	90.00000	5	10	
9	93.33333	3	6	
10	96.66667	1	2	
11	100.00000	2	4	


## Percent of 3\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"3_romanian_s	syster	n_distrib"
I	Percent_Match	freq	Percent_Trials
1	66.66667	1	2
2	70.00000	13	26
3	73.33333	2	4
4	76.66667	3	6
5	80.00000	12	24
6	83.33333	5	10
7	86.66667	6	12
8	90.00000	6	12
9	93.33333	1	2
10	96.66667	1	2


## Percent of 3\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[:	l] "4_common_s	ystem_	_distrib"
	Percent_Match	freq	Percent_Trials
1	53.33333	3	6
2	56.66667	2	4
3	60.00000	32	64
4	63.33333	1	2
5	66.66667	1	2
6	70.00000	10	20
7	90.00000	1	2


## Percent of 4\_common\_system\_distrib Matching Reality



Percent Matching True System

[1	.] "4_NPLtoFSG	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	53.33333	3	6
2	56.66667	2	4
3	60.00000	30	60
4	63.33333	2	4
5	66.66667	1	2
6	70.00000	9	18
7	73.33333	1	2
8	80.00000	2	4


## Percent of 4\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"4_romanian	syste	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	53.33333	3	6
2	56.66667	2	4
3	60.00000	32	64
4	63.33333	1	2
5	70.00000	9	18
6	80.00000	2	4
7	86.66667	1	2


# Percent of 4\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"5_common_sy	stem_	_distrib"
P	ercent_Match	freq	Percent_Trials
1	60.00000	20	40
2	66.66667	9	18
3	70.00000	1	2
4	73.33333	8	16
5	76.66667	1	2
6	80.00000	7	14
7	86.66667	2	4
8	93.33333	1	2
9	100.00000	1	2


## Percent of 5\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"5_NPLtoFSG_	_syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	60.00000	20	40
2	66.66667	9	18
3	70.00000	1	2
4	73.33333	8	16
5	76.66667	1	2
6	80.00000	7	14
7	86.66667	2	4
8	93.33333	1	2
9	100.00000	1	2


# Percent of 5\_NPLtoFSG\_system\_distrib Matching Reality



[1	] "5_roman:	ian_sys	stem_di	strib"
	Percent_Ma	tch fre	eq Perc	ent_Tri
1	60.000	000 2	20	


_		- /	-
	${\tt Percent\_Match}$	freq	Percent_Trials
1	60.00000	20	40
2	66.66667	9	18
3	70.00000	1	2
4	73.33333	8	16
5	76.66667	1	2
6	80.00000	7	14
7	86.66667	2	4
8	93.33333	1	2
9	100.00000	1	2

# Percent of 5\_romanian\_system\_distrib Matching Reality



[1] "m_com	mon_sys	tem_di	strib"
Percent	_Match :	freq F	Percent_Trials
1	54	5	10
2	56	2	4
3	58	4	8
4	60	3	6
5	62	7	14
6	64	3	6
7	66	3	6
8	68	3	6
9	70	4	8
10	72	6	12
11	74	1	2
12	76	5	10
13	78	1	2
14	80	1	2
15	84	1	2
16	86	1	2


# Percent of m\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"m_NPLtoFSG_s	syster	n_distrib"
I	Percent_Match	freq	Percent_Trials
1	54	5	10
2	56	2	4
3	58	4	8
4	60	3	6
5	62	7	14
6	64	3	6
7	66	3	6
8	68	3	6
9	70	4	8
10	72	6	12
11	74	1	2
12	76	5	10
13	78	1	2
14	80	1	2
15	84	1	2
16	86	1	2


## Percent of m\_NPLtoFSG\_system\_distrib Matching Reality



[1]	"m_	_romanian_	_system_	_distrib"
-----	-----	------------	----------	-----------

	Percent_Match	freq	Percent_Trials
1	54	6	12
2	56	1	2
3	58	5	10
4	60	4	8
5	62	6	12
6	64	3	6
7	66	1	2
8	68	4	8
9	70	7	14
10	72	4	8
11	74	3	6
12	76	2	4
13	80	1	2
14	84	1	2
15	90	1	2
16	92	1	2


# Percent of m\_romanian\_system\_distrib Matching Reality



Percent Matching True Syst

<pre>[1] "f_common_system_distrib"</pre>				
	Percent_Match	freq	Percent_Trials	
1	46	1	2	
2	54	1	2	
3	56	1	2	
4	58	3	6	
5	60	6	12	
6	62	4	8	
7	64	4	8	
8	66	4	8	
9	68	3	6	
10	70	6	12	
11	72	8	16	
12	76	5	10	
13	78	1	2	
14	80	1	2	
15	84	1	2	
16	86	1	2	


## Percent of f\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"f_NPLtoFSG_s	syster	n_distrib"
F	Percent_Match	freq	Percent_Trials
1	46	1	2
2	54	1	2
3	56	1	2
4	58	3	6
5	60	6	12
6	62	4	8
7	64	4	8
8	66	4	8
9	68	3	6
10	70	6	12
11	72	8	16
12	76	5	10
13	78	1	2
14	80	1	2
15	84	1	2
16	86	1	2


## Percent of f\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"f_romanian_s	syster	n_distrib"
I	Percent_Match	freq	Percent_Trials
1	46	1	2
2	54	2	4
3	56	1	2
4	58	6	12
5	60	4	8
6	62	4	8
7	64	3	6
8	66	3	6
9	68	6	12
10	70	8	16
11	72	3	6
12	74	4	8
13	76	2	4
14	80	1	2
15	84	2	4


# Percent of f\_romanian\_system\_distrib Matching Reality



Percent Matching True System


[1] "n_common_system_distrib"				
Pe	ercent_Match	freq	Percent_Trials	
1	74	1	2	
2	76	3	6	
3	78	17	34	
4	80	3	6	
5	82	19	38	
6	84	3	6	
7	86	2	4	
8	88	1	2	
9	94	1	2	

## Percent of n\_common\_system\_distrib Matching Reality



[1	] "n_NPLtoFSG_:	syster	n_distrib"
	Percent_Match	freq	Percent_Trials
1	74	2	4
2	76	12	24
3	78	4	8
4	80	4	8
5	82	5	10
6	84	11	22
7	88	4	8
8	90	5	10
9	92	1	2
10	94	1	2
11	100	1	2

## Percent of n\_NPLtoFSG\_system\_distrib Matching Reality



[1	[1] "n_romanian_system_distrib"					
	Percent_Match	freq	Percent_Trials			
1	74	2	4			
2	76	15	30			
3	78	17	34			
4	80	3	6			

 4
 80
 3
 6


 5
 82
 6
 12

 6
 84
 5
 10

 7
 94
 1
 2


 8
 100
 1
 2

## Percent of n\_romanian\_system\_distrib Matching Reality



[1] "Nom_common_system_distrib"					
I	Percent_Match	freq	Percent_Trials		
1	36.66667	1	2		
2	43.33333	1	2		
3	46.66667	6	12		
4	50.00000	6	12		
5	53.33333	1	2		
6	56.66667	5	10		
7	60.00000	8	16		
8	63.33333	10	20		
9	66.66667	7	14		
10	70.00000	1	2		
11	73.33333	1	2		
12	76.66667	1	2		
13	80.00000	1	2		
14	86.66667	1	2		


## Percent of Nom\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "Nom_NPLtoFSG_system_distrib"				
1	Percent_Match	freq	Percent_Trials	
1	40.00000	1	2	
2	46.66667	3	6	
3	50.00000	4	8	
4	53.33333	4	8	
5	56.66667	9	18	
6	60.00000	7	14	
7	63.33333	12	24	
8	66.66667	2	4	
9	70.00000	5	10	
10	76.66667	3	6	


## Percent of Nom\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "Nom_romanian_system_distrib"				
]	Percent_Match	freq	Percent_Trials	
1	36.66667	1	2	
2	43.33333	1	2	
3	46.66667	8	16	
4	50.00000	4	8	
5	53.33333	2	4	
6	56.66667	7	14	
7	60.00000	8	16	
8	63.33333	8	16	
9	66.66667	2	4	
10	70.00000	4	8	
11	73.33333	1	2	
12	76.66667	2	4	
13	83.33333	1	2	
14	90.00000	1	2	


## Percent of Nom\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "Acc_common_system_distrib"					
]	Percent_Match	freq	Percent_Trials		
1	36.66667	1	2		
2	46.66667	8	16		
3	50.00000	6	12		
4	53.33333	1	2		
5	56.66667	6	12		
6	60.00000	6	12		
7	63.33333	5	10		
8	66.66667	3	6		
9	70.00000	4	8		
10	73.33333	3	6		
11	76.66667	2	4		
12	80.00000	4	8		
13	100.00000	1	2		


## Percent of Acc\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Acc_NPLtoFS0	3_syst	tem_distrib"
	Percent_Match	freq	Percent_Trials
1	40.00000	1	2
2	50.00000	5	10
3	53.33333	5	10
4	56.66667	11	22
5	60.00000	3	6
6	63.33333	5	10
7	66.66667	1	2
8	70.00000	9	18
9	73.33333	2	4
10	76.66667	6	12
11	80.00000	1	2
12	90.00000	1	2


## Percent of Acc\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "Acc_romanian_system_distrib"				
]	Percent_Match	freq	Percent_Trials	
1	36.66667	1	2	
2	46.66667	8	16	
3	50.00000	6	12	
4	53.33333	2	4	
5	56.66667	8	16	
6	60.00000	2	4	
7	63.33333	7	14	
8	66.66667	1	2	
9	70.00000	5	10	
10	76.66667	7	14	
11	80.00000	1	2	
12	83.33333	1	2	
13	90.00000	1	2	


## Percent of Acc\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	[1] "Gen_common_system_distrib"				
]	Percent_Match	freq	Percent_Trials		
1	20.00000	1	2		
2	23.33333	9	18		
3	26.66667	6	12		
4	30.00000	12	24		
5	33.33333	3	6		
6	40.00000	4	8		
7	43.33333	4	8		
8	46.66667	1	2		
9	50.00000	1	2		
10	56.66667	3	6		
11	60.00000	1	2		
12	63.33333	4	8		
13	76.66667	1	2		


## Percent of Gen\_common\_system\_distrib Matching Reality



Percent Matching True System

	[1] "Gen_NPLtoFSG_system_distrib"				
	Percent_	Match	freq	Percent	Trials
1	20.	00000	5		10
2	23.	33333	1		2
3	26.	66667	14		28
4	30.	00000	4		8
5	33.	33333	2		4
6	36.	66667	8		16
7	40.	00000	4		8
8	43.	33333	1		2
9	46.	66667	1		2
1	0 50.	00000	1		2
1	1 53.	33333	1		2
1	2 56.	66667	1		2
1	3 60.	00000	2		4
1	4 63.	33333	2		4
1	5 66.	66667	1		2
1	6 70.	00000	1		2
1	7 76.	66667	1		2


## Percent of Gen\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "Gen_romanian_system_distrib"					
]	Percent_Match	freq	Percent_Trials		
1	20.00000	8	16		
2	23.33333	12	24		
3	26.66667	8	16		
4	30.00000	3	6		
5	33.33333	5	10		
6	36.66667	1	2		
7	40.00000	2	4		
8	43.33333	2	4		
9	50.00000	2	4		
10	53.33333	4	8		
11	56.66667	1	2		
12	76.66667	1	2		
13	86.66667	1	2		


## Percent of Gen\_romanian\_system\_distrib Matching Reality



Percent Matching True System


[1]	"Sg_common_sy	stem_	_distrib"
1	Percent_Match	freq	Percent_Trials
1	70.66667	1	2
2	72.00000	2	4
3	74.66667	1	2
4	77.33333	3	6
5	78.66667	5	10
6	80.00000	11	22
7	81.33333	1	2
8	82.66667	8	16
9	84.00000	5	10
10	85.33333	1	2
11	86.66667	2	4
12	88.00000	3	6
13	89.33333	1	2
14	92.00000	2	4
15	94.66667	2	4
16	100.00000	2	4

# Percent of Sg\_common\_system\_distrib Matching Reality



[1]	"Sg_NPLtoFSG_	_syst	em_distrib"	
Percent_Match freq Percent_Trials				
1	70.66667	1	2	
2	72.00000	2	4	
3	74.66667	1	2	
4	77.33333	3	6	
5	78.66667	5	10	
6	80.00000	11	22	
7	81.33333	1	2	
8	82.66667	8	16	
9	84.00000	5	10	
10	85.33333	1	2	
11	86.66667	2	4	
12	88.00000	3	6	
13	89.33333	1	2	
14	92.00000	2	4	
15	94.66667	2	4	
16	100.00000	2	4	


# Percent of Sg\_NPLtoFSG\_system\_distrib Matching Reality



e System


[1]	"Sg_romanian_	_syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	70.66667	1	2
2	72.00000	2	4
3	74.66667	1	2
4	77.33333	5	10
5	78.66667	9	18
6	80.00000	10	20
7	81.33333	4	8
8	82.66667	4	8
9	84.00000	2	4
10	86.66667	4	8
11	88.00000	2	4
12	89.33333	2	4
13	92.00000	2	4
14	97.33333	2	4

### Percent of Sg\_romanian\_system\_distrib Matching Reality



		,	_~=~~=
	${\tt Percent\_Match}$	freq	Percent_Trials
1	48.00000	12	24
2	50.66667	2	4
3	53.33333	1	2
4	56.00000	2	4
5	58.66667	7	14
6	60.00000	5	10
7	62.66667	1	2
8	64.00000	6	12
9	66.66667	1	2
10	68.00000	6	12
11	69.33333	1	2
12	70.66667	2	4
13	73.33333	3	6
14	94.66667	1	2


# Percent of PI\_common\_system\_distrib Matching Reality



•	0100110	Wiatoiii	9	

[1]	"Pl_NPLtoFSG_	_syst	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	50.66667	1	2
2	52.00000	8	16
3	54.66667	2	4
4	56.00000	5	10
5	57.33333	3	6
6	58.66667	2	4
7	60.00000	4	8
8	61.33333	2	4
9	62.66667	3	6
10	64.00000	7	14
11	65.33333	1	2
12	66.66667	5	10
13	69.33333	2	4
14	72.00000	2	4
15	73.33333	2	4
16	82.66667	1	2


### Percent of PI\_NPLtoFSG\_system\_distrib Matching Reality



[1]	"Pl_romanian_system_distrib"	

[1] II_IOMANITAN_BJEOOM_AIDOIID				
	${\tt Percent\_Match}$	freq	Percent_Trials	
1	48.00000	13	26	
2	50.66667	1	2	
3	53.33333	1	2	
4	54.66667	1	2	
5	56.00000	6	12	
6	57.33333	1	2	
7	58.66667	6	12	
8	60.00000	3	6	
9	64.00000	6	12	
10	66.66667	4	8	
11	69.33333	2	4	
12	72.00000	1	2	
13	73.33333	1	2	
14	74.66667	1	2	
15	81.33333	1	2	
16	82.66667	1	2	
17	88.00000	1	2	


# Percent of Pl\_romanian\_system\_distrib Matching Reality



Percent Matching True System


	1]	"n.Sg(Nom Ad	cc),m	.Sg(Nom Acc)"
	Pe	ercent_Match	freq	Percent_Trials
1		66.66667	8	16
2		83.33333	29	58
3		100.00000	1.3	26

### Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other



[1]	"n.Pl(Nom Ad	cc),m	.Pl(Nom Acc)"
P	ercent_Match	freq	Percent_Trials
1	0.00000	2	4
2	33.33333	8	16
3	66.66667	11	22
4	83.33333	14	28
5	100.00000	15	30


### Percent of n.PI(Nom|Acc),m.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

	1] "n.Pl(Nom A	cc),f	.Sg(Nom Acc)"
	Percent_Match	freq	Percent_Trials
1	0.00000	33	66
2	16.66667	10	20
3	33.33333	3	6
4	50.00000	2	4
5	83.33333	1	2
6	100.00000	1	2


### Percent of n.PI(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Nom Ad	cc),f	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	2	4
2	33.33333	7	14
3	50.00000	2	4
4	66.66667	10	20
5	83.33333	15	30
6	100.00000	14	28


### Percent of n.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"m.Pl(Nom Ac	cc),f	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	70	1	2
2	80	10	20
3	90	6	12
4	100	33	66


### Percent of m.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other



[1] "1.\*(Nom|Acc),5.\*(Nom|Acc)"
Percent\_Match freq Percent\_Trial

	Percent_Match	freq	Percent_Trials
1	0.0	28	56
2	12.5	2	4
3	25.0	6	12
4	37.5	3	6
5	50.0	8	16
6	75.0	1	2
7	100.0	2	4


# Percent of 1.\*(Nom|Acc),5.\*(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2.*(Nom Acc	c),4.	*(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	41.66667	1	2
2	50.00000	10	20
3	75.00000	2	4
4	83.33333	8	16
5	91.66667	2	4
6	100.00000	27	54


#### Percent of 2.\*(Nom|Acc),4.\*(Nom|Acc) Matching Each Other



[1] "2Sg(Nom|Acc),4Sg(Nom|Acc)"


Percent\_Match freq Percent\_Trials
1 83.33333 2 4
2 100.00000 48 96

#### Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other




[1	.] "2P1(Nom Aco	c),4P]	L(Nom Acc)"
	Percent_Match	freq	Percent_Trials
1	0.00000	11	22
2	50.00000	2	4
3	66.66667	8	16
4	83.33333	1	2
5	100.00000	28	56

### Percent of 2PI(Nom|Acc),4PI(Nom|Acc) Matching Each Other




#### Percent of n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc) Matching Each Oth




[1] "n[24]Pl(Nom|Acc),m[24]Pl(Nom|Acc)"
Percent\_Match freq Percent\_Trials
1 0 2 4
2 50 9 18
3 75 1 2
4 100 38 76

#### Percent of n[24]PI(Nom|Acc),m[24]PI(Nom|Acc) Matching Each Othe




### Percent of n[24]PI(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n[24]Pl(Nor	n Acc)	,f1Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0	30	60
2	25	2	4
3	50	16	32
4	100	2	4


### Percent of n[24]PI(Nom|Acc),f1PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"m[24]P1(Nor	n Acc)	),f1Sg(Nom Acc)'
Pe	ercent_Match	freq	Percent_Trials
1	0	40	80
2	25	3	6
3	50	6	12
4	100	1	2


### Percent of m[24]PI(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"m[24]P1(Nor	n Acc)	f1Pl(Nom Acc)",
Pe	ercent_Match	freq	Percent_Trials
1	0	39	78
2	25	3	6
3	50	6	12
4	100	2	4


### Percent of m[24]PI(Nom|Acc),f1PI(Nom|Acc) Matching Each Other



Percent Matching Each Other


[1]	"n.Sg(Gen Ac	cc),m	.Sg(Gen Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	50.00000	1	2
2	66.66667	8	16
3	83.33333	28	56
4	100.00000	1.3	26

### Percent of n.Sg(Gen|Acc),m.Sg(Gen|Acc) Matching Each Other



[1	l] "n.Pl(Gen Ac	cc),m.	.Pl(Gen Acc)"
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	2	4
3	50.00000	6	12
4	66.66667	7	14
5	83.33333	19	38
6	100.00000	15	30


### Percent of n.PI(Gen|Acc),m.PI(Gen|Acc) Matching Each Other



Percent Matching Each Other

[1	l] "n.Pl(Gen Ac	cc),f	.Sg(Gen Acc)"
	Percent_Match	freq	Percent_Trials
1	0.00000	14	28
2	16.66667	8	16
3	33.33333	6	12
4	50.00000	16	32
5	66.66667	4	8
6	83.33333	1	2
7	100.00000	1	2


# Percent of n.PI(Gen|Acc),f.Sg(Gen|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Gen Ac	cc),f	.Pl(Gen Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	2	4
3	50.00000	5	10
4	66.66667	10	20
5	83.33333	18	36
6	100.00000	14	28


### Percent of n.PI(Gen|Acc),f.PI(Gen|Acc) Matching Each Other



Percent Matching Each Other


	1]	"m.Pl(Gen Ac	cc),f	.Pl(Gen Ac	c)"
	Pe	ercent_Match	freq	Percent_T	rials
1		80	9		18
2		90	8		16
3		100	33		66

#### Percent of m.PI(Gen|Acc),f.PI(Gen|Acc) Matching Each Other



[1] "1.\*(Gen|Acc),5.\*(Gen|Acc)" Percent\_Match freq Percent\_Trials 0.0 12.5 25.0 37.5 50.0 62.5 75.0 100.0


# Percent of 1.\*(Gen|Acc),5.\*(Gen|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2.*(Gen Aco	c),4.×	*(Gen Acc)"
P	ercent_Match	freq	Percent_Trials
1	41.66667	1	2
2	50.00000	4	8
3	58.33333	1	2
4	66.66667	1	2
5	75.00000	7	14
6	83.33333	3	6
7	91.66667	8	16
8	100.00000	25	50


# Percent of 2.\*(Gen|Acc),4.\*(Gen|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2Sg(Gen Aco	:),4Sg	g(Gen Acc)"
P	ercent_Match	freq	Percent_Trials
1	50.00000	3	6
2	83.33333	2	4
3	100.00000	45	90


# Percent of 2Sg(Gen|Acc),4Sg(Gen|Acc) Matching Each Other




Percent Matching Each Other

[1] "2P1(Gen Acc),4P1(Gen Acc)"			
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	4	8
2	16.66667	1	2
3	33.33333	2	4
4	50.00000	4	8
5	66.66667	4	8
6	83.33333	7	14
7	100.00000	28	56


#### Percent of 2PI(Gen|Acc),4PI(Gen|Acc) Matching Each Other



#### Percent of n[24]Sg(Gen|Acc),m[24]Sg(Gen|Acc) Matching Each Othe




# Percent of n[24]PI(Gen|Acc),m[24]PI(Gen|Acc) Matching Each Othe



1	Ü	27	54
2	25	4	8
3	50	12	24
4	75	5	10
5	100	2	4


# Percent of n[24]PI(Gen|Acc),f1Sg(Gen|Acc) Matching Each Other



Percent Matching Each Other

2 25 4	cc)"
2 25 4 3 50 15 4 75 6	ıls
3 50 15 4 75 6	46
4 75 6	8
_ ,,,	30
5 100 2	12
0 100 2	4


# Percent of n[24]PI(Gen|Acc),f1PI(Gen|Acc) Matching Each Other



Percent Matching Each Other

[1]	"m[24]P1(Ger	n Acc)	f1Sg(Gen Acc)'
Pe	ercent_Match	freq	Percent_Trials
1	0	31	62
2	25	4	8
3	50	12	24
4	75	2	4
5	100	1	2


# Percent of m[24]PI(Gen|Acc),f1Sg(Gen|Acc) Matching Each Other



Percent Matching Each Other

[1]	"m[24]P1(Ger	n Acc)	f1Pl(Gen Acc)'
Pe	ercent_Match	freq	Percent_Trials
1	0	28	56
2	25	2	4
3	50	16	32
4	75	2	4
5	100	2	4


### Percent of m[24]PI(Gen|Acc),f1PI(Gen|Acc) Matching Each Other



Percent Matching Each Other

[:	l] "n.Sg(Nom Ge	en),m	.Sg(Nom Gen)"
	${\tt Percent\_Match}$	freq	Percent_Trials
1	66.66667	3	6
2	83.33333	12	24
3	100.00000	35	70

### Percent of n.Sg(Nom|Gen),m.Sg(Nom|Gen) Matching Each Other




56

[1]	"n.Pl(Nom Ge	en),m	.Pl(Nom Gen)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	2	4
3	50.00000	6	12
4	66.66667	6	12
5	83.33333	7	14

100.00000

6


### Percent of n.PI(Nom|Gen),m.PI(Nom|Gen) Matching Each Other



Percent Matching Each Other

[1	] "n.Pl(Nom Ge	en),f	.Sg(Nom Gen)"
	Percent_Match	freq	Percent_Trials
1	0.00000	15	30
2	16.66667	7	14
3	33.33333	6	12
4	50.00000	9	18
5	66.66667	9	18
6	83.33333	2	4
7	100.00000	2	4


# Percent of n.PI(Nom|Gen),f.Sg(Nom|Gen) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Nom Ge	en),f	.Pl(Nom Gen)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	2	4
3	50.00000	4	8
4	66.66667	8	16
5	83.33333	10	20
6	100.00000	25	50


### Percent of n.PI(Nom|Gen),f.PI(Nom|Gen) Matching Each Other



Percent Matching Each Other


[1] "m.Pl(Nom Gen),f.Pl(Nom Gen)"			
Pe	ercent_Match	freq	Percent_Trials
1	80	9	18
2	90	11	22
3	100	30	60

## Percent of m.Pl(Nom|Gen),f.Pl(Nom|Gen) Matching Each Other



	[1]	"1.*(Nom Ger	1),5.	(Nom Ger	n)"
	Pe	ercent_Match	freq	Percent	Trials
	1	0.0	20		40
	2	12.5	2		4
:	3	25.0	6		12
•	4	50.0	15		30
į	5	62.5	2		4
(	6	75.0	2		4
	7	100 0	3		6


## Percent of 1.\*(Nom|Gen),5.\*(Nom|Gen) Matching Each Other



Percent Matching Each Other

[1]	"2.*(Nom Ger	n),4.×	k(Nom Gen)"
P	ercent_Match	freq	Percent_Trials
1	41.66667	2	4
2	50.00000	3	6
3	58.33333	1	2
4	66.66667	1	2
5	75.00000	6	12
6	83.33333	4	8
7	91.66667	9	18
8	100.00000	24	48


## Percent of 2.\*(Nom|Gen),4.\*(Nom|Gen) Matching Each Other



Percent Matching Each Other


[1] "2Sg(Nom Gen),4Sg(Nom Gen)"				
P	ercent_Match	freq	Percent	Trials
1	50.00000	3		6
2	83.33333	4		8
3	100.00000	43		86

## Percent of 2Sg(Nom|Gen),4Sg(Nom|Gen) Matching Each Other




[1]	"2Pl(Nom Ger	n),4P]	L(Nom Gen)"
P	ercent_Match	freq	Percent_Trials
1	0.00000	4	8
2	16.66667	1	2
3	33.33333	2	4
4	50.00000	4	8
5	66.66667	2	4
6	83.33333	10	20
7	100.00000	27	54

#### Percent of 2PI(Nom|Gen),4PI(Nom|Gen) Matching Each Other




[1] "n[24]Sg(Nom|Gen),m[24]Sg(Nom|Gen)"
 Percent\_Match freq Percent\_Trials
1 75 2 4
2 100 48 96

#### Percent of n[24]Sg(Nom|Gen),m[24]Sg(Nom|Gen) Matching Each Oth



```
[1] "n[24]Pl(Nom|Gen),m[24]Pl(Nom|Gen)"
Percent_Match freq Percent_Trials
1 0 1 2
2 50 3 6
3 75 10 20
4 100 36 72
```


#### Percent of n[24]PI(Nom|Gen),m[24]PI(Nom|Gen) Matching Each Othe



[1] "n[24]P1(Nom|Gen),f1Sg(Nom|Gen)"
Percent\_Match freq Percent\_Trials
1 0 30 60

_	U	00	00
2	25	2	4
3	50	11	22
4	75	5	10
5	100	2	Δ


## Percent of n[24]PI(Nom|Gen),f1Sg(Nom|Gen) Matching Each Other



Percent Matching Each Other

[1]	"n[24]P1(Nor	n Gen)	f1Pl(Nom Gen)',
Pe	ercent_Match	freq	Percent_Trials
1	0	24	48
2	25	3	6
3	50	12	24
4	75	8	16
5	100	3	6


## Percent of n[24]PI(Nom|Gen),f1PI(Nom|Gen) Matching Each Other



Percent Matching Each Other

L:	.] "m[24]P1(Non	n Gen)	f1Sg(Nom Gen)',
	Percent_Match	freq	Percent_Trials
1	0	34	68
2	25	1	2
3	50	12	24
4	75	2	4
5	100	1	2


## Percent of m[24]Pl(Nom|Gen),f1Sg(Nom|Gen) Matching Each Other



Percent Matching Each Other

[1]	"m[24]P1(Nor	n Gen)	f1Pl(Nom Gen)',
Pe	ercent_Match	freq	Percent_Trials
1	0	29	58
2	25	1	2
3	50	14	28
4	75	4	8
5	100	2	4


## Percent of m[24]PI(Nom|Gen),f1PI(Nom|Gen) Matching Each Other



Percent Matching Each Other

1] "n.Sg,m.Sg"		
Percent_Match	freq	Percent_Trials
66.66667	3	6
77.77778	12	24
88.88889	22	44
100.00000	13	26
	Percent_Match 66.66667 77.77778 88.88889	Percent_Match freq 66.66667 3 77.77778 12 88.88889 22


# Percent of n.Sg,m.Sg Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,m.Pl"		
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	22.22222	1	2
3	33.33333	1	2
4	44.44444	4	8
5	55.55556	5	10
6	66.66667	3	6
7	77.77778	7	14
8	88.88889	13	26
9	100.00000	15	30


## Percent of n.PI,m.PI Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,f.Sg"		
I	Percent_Match	freq	Percent_Trials
1	0.00000	14	28
2	11.11111	7	14
3	22.22222	7	14
4	33.33333	8	16
5	44.44444	8	16
6	55.55556	2	4
7	66.66667	2	4
8	88.88889	1	2
9	100.00000	1	2


## Percent of n.PI,f.Sg Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,f.Pl"		
P	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	22.22222	1	2
3	33.33333	1	2
4	44.44444	3	6
5	55.55556	5	10
6	66.66667	5	10
7	77.77778	7	14
8	88.88889	14	28
9	100.00000	13	26


## Percent of n.PI,f.PI Matching Each Other



Percent Matching Each Other

	1] "m.Pl,f.Pl"		
	Percent_Match	freq	Percent_Trials
1	80.00000	8	16
2	86.66667	5	10
3	93.33333	8	16
4	100.00000	29	58


## Percent of m.PI,f.PI Matching Each Other



[1]	"1.*,5.*'	•		

	Percent_Match	freq	Percent_Trials
1	0.000000	20	40
2	8.333333	1	2
3	16.666667	3	6
4	25.000000	2	4
5	33.333333	7	14
6	41.666667	2	4
7	50.000000	9	18
8	58.333333	2	4
9	66.666667	1	2
10	83.333333	1	2
11	100.000000	2	4


# Percent of 1.\*,5.\* Matching Each Other



Percent Matching Each Other

[1]	"2.*,4.*"		
	Percent_Match	freq	Percent_Trials
1	44.44444	2	4
2	50.00000	3	6
3	55.55556	1	2
4	61.11111	1	2
5	66.66667	4	8
6	77.77778	1	2
7	83.33333	5	10
8	88.88889	7	14
9	94.44444	2	4
10	100.00000	24	48


# Percent of 2.\*,4.\* Matching Each Other



Percent Matching Each Other

[1	] "2Sg,4Sg"		
	Percent_Match	freq	Percent_Trials
1	66.66667	3	6
2	88.88889	4	8
3	100.00000	43	86


## Percent of 2Sg,4Sg Matching Each Other




Percent Matching Each Other

[1]	"2P1,4P1"		
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	4	8
2	11.11111	1	2
3	22.22222	2	4
4	33.33333	4	8
5	66.66667	4	8
6	77.77778	6	12
7	88.88889	2	4
8	100.00000	27	54

#### Percent of 2PI,4PI Matching Each Other




#### Percent of n[24]Sg,m[24]Sg Matching Each Other



[1	] "n[24]P1,m[2	24]Pl'	1
	Percent_Match	${\tt freq}$	${\tt Percent\_Trials}$
1	0.00000	1	2
2	33.33333	1	2
3	50.00000	2	4
4	66.66667	7	14
5	83.33333	3	6
6	100.00000	36	72


## Percent of n[24]PI,m[24]PI Matching Each Other



Percent Matching Each Other

[1]	"n[24]Pl,f18	3g"	
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	27	54
2	16.66667	4	8
3	33.33333	11	22
4	50.00000	5	10
5	66.66667	2	4
6	100.00000	1	2

# Percent of n[24]PI,f1Sg Matching Each Other




Percent Matching Each Other

Г1]	"n	Г241	P1	.f1Pl	"
1 1 1	- 11	124	IFI	• T TL T	

	Percent_Match	freq	Percent_Trials
1	0.00000	22	44
2	16.66667	2	4
3	33.33333	17	34
4	50.00000	5	10
5	66.66667	2	4
6	100.00000	2	4


## Percent of n[24]PI,f1PI Matching Each Other



Percent Matching Each Other

L1	$[]$ "m[24]P1, $\pm$ 18	ig"	
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	29	58
2	16.66667	5	10
3	33.33333	11	22
4	50.00000	3	6
5	66.66667	1	2
6	100.00000	1	2

# Percent of m[24]PI,f1Sg Matching Each Other




Percent Matching Each Other

[1] "m[24	l]Pl.f1Pl"
-----------	------------

	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	27	54
2	16.66667	2	4
3	33.33333	15	30
4	50.00000	3	6
5	66.66667	1	2
6	100.00000	2	4


## Percent of m[24]PI,f1PI Matching Each Other



Percent Matching Each Other

[1]	"Nom,Acc"		
	Percent_Match	${\tt freq}$	Percent_Trials
1	34.61538	1	2
2	38.46154	1	2
3	42.30769	1	2
4	50.00000	2	4
5	57.69231	1	2
6	61.53846	2	4
7	65.38462	3	6
8	69.23077	5	10
9	73.07692	1	2
10	76.92308	3	6
11	80.76923	3	6
12	84.61538	9	18
13	92.30769	6	12
14	96.15385	2	4
15	100.00000	10	20


## **Percent of Nom,Acc Matching Each Other**



Percent Matching Each Other

[1]	"Acc,Gen"		
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	11.53846	1	2
3	19.23077	4	8
4	26.92308	4	8
5	30.76923	2	4
6	34.61538	7	14
7	38.46154	2	4
8	42.30769	2	4
9	46.15385	3	6
10	50.00000	4	8
11	53.84615	4	8
12	57.69231	2	4
13	61.53846	1	2
14	65.38462	2	4
15	69.23077	2	4
16	76.92308	3	6
17	80.76923	1	2
18	84.61538	2	4
19	92.30769	2	4
20	100.00000	1	2


## Percent of Acc, Gen Matching Each Other



Percent Matching Each Other

[1]	"Nom,Gen"		
	${\tt Percent\_Match}$	${\tt freq}$	Percent_Trials
1	11.53846	1	2
2	19.23077	2	4
3	23.07692	1	2
4	30.76923	2	4
5	34.61538	2	4
6	38.46154	2	4
7	42.30769	4	8
8	46.15385	1	2
9	50.00000	5	10
10	53.84615	3	6
11	57.69231	1	2
12	61.53846	3	6
13	65.38462	1	2
14	69.23077	1	2
15	73.07692	4	8
16	76.92308	5	10
17	80.76923	2	4
18	84.61538	1	2
19	88.46154	1	2
20	92.30769	1	2
21	96.15385	1	2
22	100.00000	6	12


## Percent of Nom, Gen Matching Each Other




Percent Matching Each Other

[1]	"Nom, Acc, Gen'	•	
]	Percent_Match	${\tt freq}$	Percent_Trials
1	0.00000	2	4
2	11.53846	1	2
3	19.23077	4	8
4	26.92308	3	6
5	30.76923	2	4
6	34.61538	8	16
7	38.46154	2	4
8	42.30769	2	4
9	46.15385	3	6
10	50.00000	5	10
11	53.84615	4	8
12	57.69231	1	2
13	65.38462	3	6
14	69.23077	1	2
15	76.92308	3	6
16	80.76923	1	2
17	84.61538	2	4
18	92.30769	2	4
19	100.00000	1	2


#### Percent of Nom, Acc, Gen Matching Each Other



#### Percent of nPImPI\_exclusive Matching Each Other




#### Percent of nPlfPl\_exclusive Matching Each Other




[1] "Sg(Nom|Acc)\_nots" Percent\_Match freq Percent\_Trials 76.92308 88.46154 92.30769 96.15385 100.00000 

# Percent of Sg(Nom|Acc) ending in nots




	[1]	"1Sg(Nom Acc	c)_a(8	\$ ,)"
	Pe	rcent_Match	freq	Percent_Trials
-	Ĺ	0	1	2
2	2	50	12	24
3	3	75	2	4
2	1	100	35	70

## Percent of 1Sg(Nom|Acc) ending in a(\$|,)




[1]	] "[24]Sg(Nom	Acc)	_o(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	66.66667	3	6
2	75.00000	1	2
3	83.33333	1	2
4	91.66667	1	2
5	100.00000	44	88

## Percent of [24]Sg(Nom|Acc) ending in o(\$|,)



[1] "3Sg(Nom Acc)_[e-](\$ ,)"				
	Percent_Match	freq	Percent_Trials	
1	33.33333	1	2	
2	83.33333	3	6	
3	100.00000	46	92	


## Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)



ΓŢ]	"PI(Nom ACC)	_S(\$);	<b>,</b> ) "
	Percent_Match	freq	Percent_Trials
1	0.000000	12	24
2	7.692308	1	2
3	15.384615	1	2
4	26.923077	1	2
5	30.769231	4	8
6	42.307692	1	2
7	46.153846	2	4
8	50.000000	2	4
9	53.846154	1	2


57.692308

## Percent of PI(Nom|Acc) ending in s(\$|,)




[1] "[mf].Pl(Nom Acc)_s(\$ ,)"			
Percent	_Match f	req F	ercent_Trials
1	0	12	24
2	10	2	4
3	30	1	2
4	40	4	8
5	45	2	4
6	50	2	4
7	60	4	8
8	65	1	2
9	70	2	4
10	80	3	6
11	90	1	2
12	100	16	32

## Percent of [mf].PI(Nom|Acc) ending in s(\$|,)




[1]	"[124]Pl(Nom	Acc)_	s(\$ ,)"
]	Percent_Match	freq	Percent_Trials
1	0.00	17	34
2	6.25	1	2
3	12.50	1	2
4	18.75	1	2
5	25.00	2	4
6	37.50	1	2
7	43.75	1	2
8	50.00	3	6
9	62.50	3	6
10	75.00	4	8
11	100.00	16	32

## Percent of [124]PI(Nom|Acc) ending in s(\$|,)



[1] "1P1(Nom Acc)_s(\$ ,)"				
Pe	ercent_Match	freq	${\tt Percent\_Trials}$	
1	0	26	52	
2	25	1	2	
3	50	5	10	
4	100	18	36	


## Percent of 1PI(Nom|Acc) ending in s(\$|,)



Percent Matching Reality

	1] "[24]P1(Nom	Acc)	_s(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.000000	20	40
2	8.333333	1	2
3	25.000000	1	2
4	50.000000	5	10
5	83.333333	4	8
6	100.000000	19	38


## Percent of [24]PI(Nom|Acc) ending in s(\$|,)



Percent Matching Reality

[	1] "n.Pl(Nom Ad	cc)_s	(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	18	36
2	16.66667	1	2
3	33.33333	5	10
4	50.00000	7	14
5	100.00000	19	38


## Percent of n.PI(Nom|Acc) ending in s(\$|,)




[1]	"1Pl(I	Nom Ac	c)_as	(\$ ,)"
F	ercent	_Match	freq	Percen
		^	~~	

1	0	28	56
2	25	2	4
3	50	7	14
4	100	13	26

#### Percent of 1PI(Nom|Acc) ending in as(\$|,)




#### Percent of [24]PI(Nom|Acc) ending in os(\$|,)



#### [1] "3Pl(Nom|Acc)\_e?s(\$|,)" Percent\_Match freq Percent\_Trials 0.00000 16.66667 33.33333 50.00000 66.66667 83.33333 100.00000


### Percent of 3PI(Nom|Acc) ending in e?s(\$|,)



Percent Matching Reality

[1]	"n.Pl(Nom Ac	cc)_a	(\$ ,)"
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	36	72
2	16.66667	2	4
3	33.33333	3	6
4	50.00000	3	6
5	66.66667	6	12


## Percent of n.PI(Nom|Acc) ending in a(\$|,)




Percent Matching Reality

[:	1] "n.Pl(Nom Ad	cc)_as	s(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	40	80
2	16.66667	3	6
3	33.33333	2	4
4	50.00000	1	2
5	66.66667	3	6
6	100.00000	1	2

#### Percent of n.PI(Nom|Acc) ending in as(\$|,)




#### Percent of n.PI(Nom|Acc) ending in os(\$|,)




[1] "m.Pl(Nom|Acc)\_as(\$|,)" Percent\_Match freq Percent\_Trials 

#### Percent of m.PI(Nom|Acc) ending in as(\$|,)




## Percent of m.PI(Nom|Acc) ending in os(\$|,)




[1]	"Sg(Gen Acc)	_nots'	1
I	Percent_Match	freq	Percent_Trials
1	46.15385	1	2
2	50.00000	10	20
3	57.69231	3	6
4	61.53846	1	2
5	69.23077	1	2
6	73.07692	4	8
7	76.92308	1	2
8	92.30769	1	2
9	96.15385	1	2
10	100.00000	27	54

# Percent of Sg(Gen|Acc) ending in nots



[1]	"1Sg(Gen Aco	c)_a(8	\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0	1	2
2	25	4	8
3	50	26	52
4	75	3	6
5	100	16	32


## Percent of 1Sg(Gen|Acc) ending in a(\$|,)



Percent Matching Reality

[1]	"[24]Sg(Gen	$ Acc)_{}$	_o(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	4	8
2	50.00000	34	68
3	58.33333	1	2
4	83.33333	1	2
5	100.00000	10	20


## Percent of [24]Sg(Gen|Acc) ending in o(\$|,)



Percent Matching Reality

[1]	"3Sg(Gen Aco	c)_[e-	-](\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	1	2
2	50.00000	18	36
3	83.33333	5	10
4	100.00000	26	52


## Percent of 3Sg(Gen|Acc) ending in [e-](\$|,)



Percent Matching Reality

[1]	"Pl(Gen Acc)	_s(\$ ,)	11
I	Percent_Match	freq P	ercent_Trials
1	0.000000	12	24
2	7.692308	1	2
3	15.384615	2	4
4	19.230769	1	2
5	30.769231	1	2
6	34.615385	1	2
7	38.461538	1	2
8	46.153846	1	2
9	50.000000	2	4
10	53.846154	2	4
11	57.692308	2	4
12	61.538462	2	4
13	65.384615	1	2
14	73.076923	1	2
15	88.461538	1	2
16	92.307692	3	6
17	100.000000	16	32


## Percent of PI(Gen|Acc) ending in s(\$|,)



#### Percent Matching Reality

[1] "[mf].Pl(Gen Acc)_s(\$ ,)"				
I	Percent_Match	freq	Percent_Trials	
1	0	12	24	
2	10	2	4	
3	20	2	4	
4	40	1	2	
5	45	2	4	
6	50	3	6	
7	55	1	2	
8	60	4	8	
9	70	2	4	
10	75	1	2	
11	90	3	6	
12	95	1	2	
13	100	16	32	


## Percent of [mf].Pl(Gen|Acc) ending in s(\$|,)



Percent Matching Reality

[1] "[:	124]P1(Gen	Acc)	_s(\$ ,)"
Perd	cent_Match	${\tt freq}$	Percent_Trials
1	0.00	16	32
2	6.25	1	2
3	25.00	3	6
4	37.50	1	2
5	43.75	1	2
6	50.00	5	10
7	62.50	2	4
8	81.25	1	2
9	87.50	4	8
10	100.00	16	32


## Percent of [124]PI(Gen|Acc) ending in s(\$|,)



Percent Matching Reality

[1]	"1Pl(Gen Aco	c)_s(9	\$ ,)"
Pe	ercent_Match	freq	${\tt Percent\_Trials}$
1	0	22	44
2	25	1	2
3	50	8	16
4	75	1	2
5	100	18	36


## Percent of 1PI(Gen|Acc) ending in s(\$|,)



Percent Matching Reality

[1	] "[24]Pl(Gen	Acc)	_s(\$ ,)"
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.000000	18	36
2	8.333333	1	2
3	33.333333	1	2
4	50.000000	6	12
5	66.666667	1	2
6	83.333333	2	4
7	91.666667	2	4
8	100.000000	19	38


## Percent of [24]PI(Gen|Acc) ending in s(\$|,)



Percent Matching Reality

[1]	"n.Pl(Gen Ad	cc)_s	(\$ ,)"
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	18	36
2	33.33333	3	6
3	50.00000	6	12
4	66.66667	4	8
5	100.00000	19	38


## Percent of n.PI(Gen|Acc) ending in s(\$|,)




Percent Matching Reality

[1]	"1Pl(Gen Aco	c)_as	(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0	29	58
2	25	4	8
3	50	6	12
4	100	11	22

#### Percent of 1PI(Gen|Acc) ending in as(\$|,)




#### Percent of [24]PI(Gen|Acc) ending in os(\$|,)



#### [1] "3Pl(Gen|Acc)\_e?s(\$|,)" Percent\_Match freq Percent\_Trials 0.00000 16.66667 33.33333 50.00000 66.66667 83.33333 100.00000


### Percent of 3PI(Gen|Acc) ending in e?s(\$|,)



Percent Matching Reality

[1]	"n.Pl(Gen Ac	cc)_a	(\$ ,)"
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	36	72
2	16.66667	4	8
3	33.33333	3	6
4	50.00000	2	4
5	66.66667	3	6
6	83.33333	2	4


## Percent of n.PI(Gen|Acc) ending in a(\$|,)




Percent Matching Reality

	1] "n.Pl(Gen A	cc)_as	s(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	43	86
2	16.66667	2	4
3	33.33333	2	4
4	50.00000	2	4
5	100.00000	1	2

#### Percent of n.PI(Gen|Acc) ending in as(\$|,)




#### Percent of n.PI(Gen|Acc) ending in os(\$|,)




[1] "m.Pl(Gen|Acc)\_as(\$|,)" Percent\_Match freq Percent\_Trials 

#### Percent of m.Pl(Gen|Acc) ending in as(\$|,)




## Percent of m.PI(Gen|Acc) ending in os(\$|,)



[1]	"Sg(Nom Gen)	_nots'	1
I	Percent_Match	freq	${\tt Percent\_Trials}$
1	30.76923	1	2
2	42.30769	1	2
3	46.15385	1	2
4	50.00000	9	18
5	57.69231	2	4
6	61.53846	1	2
7	65.38462	2	4
8	69.23077	1	2
9	73.07692	3	6
10	84.61538	1	2
11	92.30769	1	2
12	100.00000	27	54


# Percent of Sg(Nom|Gen) ending in nots



Percent Matching Reality

[1]	"1Sg(Nom Ger	n)_a(8	\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0	1	2
2	25	5	10
3	50	26	52
4	75	2	4
5	100	16	32


## Percent of 1Sg(Nom|Gen) ending in a(\$|,)



Percent Matching Reality

[1]	"[24]Sg(Nom	Gen)	_o(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	3	6
2	41.66667	2	4
3	50.00000	33	66
4	58.33333	1	2
5	100.00000	11	22


## Percent of [24]Sg(Nom|Gen) ending in o(\$|,)



Percent Matching Reality

[1]	"3Sg(Nom Ger	ı)_[e-	-](\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	1	2
3	50.00000	17	34
4	66.66667	2	4
5	83.33333	3	6
6	100.00000	26	52


# Percent of 3Sg(Nom|Gen) ending in [e-](\$|,)



Percent I	vlatching	Realit
-----------	-----------	--------

[1]	"Pl(Nom Gen)	s(\$1	,)"
]	Percent_Match	freq	Percent_Trials
1	0.00000	13	26
2	15.38462	2	4
3	30.76923	1	2
4	34.61538	2	4
5	38.46154	1	2
6	53.84615	1	2
7	61.53846	1	2
8	65.38462	1	2
9	69.23077	1	2
10	73.07692	1	2
11	76.92308	1	2
12	88.46154	2	4
13	92.30769	4	8
14	100.00000	19	38


## Percent of PI(Nom|Gen) ending in s(\$|,)



Percent Matching Reality

[1] "[mf].Pl(Nom Gen)_s(\$ ,)"				
I	Percent_Match	${\tt freq}$	Percent_Trials	
1	0	13	26	
2	20	3	6	
3	40	1	2	
4	45	1	2	
5	50	1	2	
6	60	1	2	
7	65	2	4	
8	70	1	2	
9	80	2	4	
10	90	5	10	
11	95	1	2	
12	100	19	38	


## Percent of [mf].PI(Nom|Gen) ending in s(\$|,)



Percent Matching Reality

[1] "[124]Pl(Nom Gen)_s(\$ ,)"				
P	ercent_Match	freq	Percent_Trials	
1	0.00	16	32	
2	6.25	1	2	
3	25.00	2	4	
4	43.75	2	4	
5	50.00	1	2	
6	62.50	3	6	
7	81.25	1	2	
8	87.50	5	10	
9	100.00	19	38	


## Percent of [124]PI(Nom|Gen) ending in s(\$|,)



Percent Matching Reality

[1] "1Pl(Nom Gen)_s(\$ ,)"				
Pe	ercent_Match	freq	${\tt Percent\_Trials}$	
1	0	22	44	
2	50	5	10	
3	75	1	2	
4	100	22	44	


## Percent of 1PI(Nom|Gen) ending in s(\$|,)



Percent Matching Reality

[1] "[24]Pl(Nom Gen)_s(\$ ,)"				
	Percent_Match	freq	Percent_Trials	
1	0.000000	18	36	
2	8.333333	1	2	
3	50.000000	1	2	
4	58.333333	2	4	
5	66.666667	1	2	
6	83.333333	2	4	
7	91.666667	2	4	
8	100.000000	23	46	


## Percent of [24]PI(Nom|Gen) ending in s(\$|,)



Percent Matching Reality

[1] "n.Pl(Nom Gen)_s(\$ ,)"			
	Percent_Match	freq	Percent_Trials
1	0.00000	18	36
2	33.33333	2	4
3	50.00000	1	2
4	66.66667	3	6
5	83.33333	3	6
6	100.00000	23	46


## Percent of n.PI(Nom|Gen) ending in s(\$|,)




[1] "1P1(Nom|Gen)\_as(\$|,)"

		_	· ·
	Percent_Match	freq	Percent_Trials
1	. 0	27	54
2	25	1	2
3	50	9	18
4	. 75	1	2
5	100	12	24

#### Percent of 1PI(Nom|Gen) ending in as(\$|,)




#### Percent of [24]PI(Nom|Gen) ending in os(\$|,)




[1]	"3P1(Nom Ger	ı)_e?s	s(\$ ,)"
F	Percent_Match	${\tt freq}$	Percent_Trials
1	0.00000	13	26
2	33.33333	3	6
3	66.66667	4	8
4	83.33333	2	4
5	100.00000	28	56

# Percent of 3PI(Nom|Gen) ending in e?s(\$|,)



[1] "n.Pl(Nom Gen)_a(\$ ,)"				
I	Percent_Match	freq	Percent_Trials	
1	0.00000	39	78	
2	16.66667	3	6	
3	33.33333	2	4	
4	50.00000	2	4	
5	66.66667	2	4	
6	83.33333	2	4	


## Percent of n.PI(Nom|Gen) ending in a(\$|,)




[1	[]	"n.Pl	(Nom Ge	en)_as	s(\$ ,)"
	Pe	ercent	_Match	freq	Percent
		•			

	Percent_Match	rreq	rercent_iriais
1	0.00000	40	80
2	16.66667	5	10
3	33.33333	2	4
4	50.00000	1	2
5	100.00000	2	4

#### Percent of n.PI(Nom|Gen) ending in as(\$|,)




#### Percent of n.PI(Nom|Gen) ending in os(\$|,)




[1] "m.Pl(Nom|Gen)\_as(\$|,)" Percent\_Match freq Percent\_Trials 

#### Percent of m.PI(Nom|Gen) ending in as(\$|,)




## Percent of m.PI(Nom|Gen) ending in os(\$|,)



[1] "Sg_nots"		


	<b>U</b> -		
	Percent_Match	freq	Percent_Trials
1	51.28205	1	2
2	61.53846	1	2
3	64.10256	1	2
4	66.66667	9	18
5	71.79487	2	4
6	74.35897	1	2
7	76.92308	2	4
8	79.48718	1	2
9	82.05128	3	6
10	89.74359	1	2
11	94.87179	1	2
12	100.00000	27	54

# Percent of Sg ending in nots



[	1] "1Sg_a(\$ ,)'	•	
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	4	8
3	50.00000	8	16
4	66.66667	20	40
5	83.33333	1	2
6	100.00000	16	32


## Percent of 1Sg ending in a(\$|,)



Percent Matching Reality

[1]	"[24]Sg_o(\$	,)"	
P	ercent_Match	${\tt freq}$	Percent_Trials
1	44.4444	3	6
2	50.00000	1	2
3	61.11111	1	2
4	66.66667	33	66
5	72.22222	1	2
6	88.88889	1	2
7	100.00000	10	20


## Percent of [24]Sg ending in o(\$|,)



[	1] "3Sg_[e-](\$	,)"	
	Percent_Match	freq	Percent_Trials
1	22.22222	1	2
2	55.55556	1	2
3	66.66667	17	34
4	77.77778	2	4
5	88.88889	3	6

100.00000


#### Percent of 3Sg ending in [e-](\$|,)



	Percent_Match	freq	Percent_Trials
1	0.000000	12	24
2	5.128205	1	2
3	20.512821	2	4
4	23.076923	1	2
5	30.769231	1	2
6	33.333333	1	2
7	41.025641	1	2
8	51.282051	1	2
9	53.846154	1	2
10	56.410256	1	2
11	58 974359	1	2

[1] "Pl\_s(\$|,)"


## Percent of PI ending in s(\$|,)



Percent Matching Reality

[1]	"[mf].Pl_s(\$	,)"	
]	Percent_Match	${\tt freq}$	Percent_Trials
1	0.000000	12	24
2	6.666667	1	2
3	13.333333	1	2
4	26.666667	2	4
5	40.000000	1	2
6	43.333333	1	2
7	53.333333	2	4
8	56.666667	2	4
9	60.000000	2	4
10	66.666667	2	4
11	70.000000	1	2
12	73.333333	1	2
13	76.666667	1	2
14	80.000000	1	2
15	86.666667	3	6
16	93.333333	1	2
17	100.000000	16	32


## Percent of [mf].Pl ending in s(\$|,)



Percent Matching Reality

[1]	"[124]Pl_s(\$	,)"	
P	Percent_Match	freq	Percent_Trials
1	0.000000	16	32
2	4.166667	1	2
3	25.000000	2	4
4	29.166667	2	4
5	41.666667	1	2
6	45.833333	1	2
7	58.333333	1	2
8	62.500000	2	4
9	66.666667	3	6
10	75.000000	1	2
11	83.333333	4	8
12	100.000000	16	32


## Percent of [124]PI ending in s(\$|,)



Percent Matching Reality

	1] "1Pl_s(\$ ,)	"	
	Percent_Match	freq	Percent_Trials
1	0.00000	22	44
2	33.33333	5	10
3	66.66667	5	10
4	100.00000	18	36


## Percent of 1PI ending in s(\$|,)



Percent Matching Reality

[1] "[24]Pl_s(\$ ,)"				
	Pe	ercent_Match	freq	Percent_Trials
	1	0.000000	18	36
	2	5.55556	1	2
	3	33.333333	1	2
	4	38.888889	2	4
	5	61.111111	1	2
	6	66.666667	4	8
	7	83.333333	2	4
	8	88.88889	2	4
	9	100.000000	19	38


## Percent of [24]PI ending in s(\$|,)



Percent Matching Reality

[:	[1] "n.Pl_s(\$ ,)"			
	${\tt Percent\_Match}$	${\tt freq}$	${\tt Percent\_Trials}$	
1	0.00000	18	36	
2	33.33333	2	4	
3	44.44444	2	4	
4	55.55556	3	6	
5	66.66667	6	12	
6	100.00000	19	38	


## Percent of n.PI ending in s(\$|,)




Percent Matching Reality

[1]	"1Pl_as(\$ ,)	) ''	
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	27	54
2	33.33333	6	12
3	50.00000	3	6
4	66.66667	3	6
5	100.00000	11	22

#### Percent of 1PI ending in as(\$|,)




#### Percent of [24]PI ending in os(\$|,)



#### [1] "3Pl\_e?s(\$|,)" Percent\_Match freq Percent\_Trials 0.00000 22.22222 44.4444 55.55556 66.66667 77.77778 88.88889 100.00000


#### Percent of 3PI ending in e?s(\$|,)



Percent Matching Reality

[1]	"n.Pl_a(\$ ,)	) "	
P	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	36	72
2	11.11111	2	4
3	22.22222	2	4
4	33.33333	3	6
5	44.4444	1	2
6	55.55556	2	4
7	66.66667	2	4
8	77.77778	2	4


## Percent of n.PI ending in a(\$|,)




Percent Matching Reality

[1]	"n.Pl_as(\$	,)"	
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	40	80
2	11.11111	3	6
3	22.22222	2	4
4	44.44444	2	4
5	55.55556	1	2
6	66.66667	1	2
7	100.00000	1	2

#### Percent of n.Pl ending in as(\$|,)




#### Percent of n.Pl ending in os(\$|,)




```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
       0.000000
1
                  29
2
       6.66667
                    3
                                   6
3
      13.333333
                                   12
                    6
4
      20.000000
                                   20
                   10
5
      53.333333
                                   2
                    1
6
     100.000000
                                   2
                    1
```

#### Percent of m.Pl ending in as(\$|,)



#### Percent of m.Pl ending in os(\$|,)



```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            50
6
            50
                           100
2
            49
                            98
       a
4
            41
                            82
8
            23
                            46
3
             7
                            14
      as
5
             7
                            14
      es
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
1
6
       0
            50
                           100
2
            49
                            98
                            84
4
       е
            42
8
            25
                            50
       s
3
             7
                            14
      as
5
             7
                            14
      es
7
      os
             2
                             4
[1] "SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
1
            50
4
                           100
       0
2
            49
                            98
       a
                            82
3
       е
            41
5
             4
                             8
       s
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
5
           50
                          100
       0
2
       a
           49
                           98
3
           42
                           84
       е
6
            8
                           16
       s
            2
                            4
4
      es
[1] "1SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           49
                           98
       a
            1
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           49
1
           15
                           30
                            2
3
            1
[1] "2SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       o 50
[1] "All Endings Included"
 Suffix freq Percent Trials
2
           50
       0
                           10
[1] "3SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
1
2
           41
       е
                           82
3
       s
            4
                            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
2
           42
                           84
       е
4
       s
            5
                           10
3
            1
                            2
      es
[1] "4SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           50
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
       0
            6
                           12
1
                            2
2
       е
            1
[1] "5SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           24
                           48
1
3
            3
                            6
       е
       a
            2
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
           43
1
3
           20
                           40
6
            5
                           10
       s
2
            2
                            4
4
            1
                            2
      es
                            2
       0
[1] "mSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       0
           50
           45
                           90
1
2
           41
                           82
       е
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           50
                          100
       0
           47
                           94
1
2
                           82
           41
       a
3
           41
                           82
6
            5
                           10
      es
            1
                            2
[1] "fSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       a
           49
1
           46
                           92
3
       е
           40
                           80
                            2
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           49
5
           47
                           94
                           92
1
           46
3
                           84
       е
           42
                           12
6
            6
       S
      es
            2
[1] "nSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
3
                          100
           50
       0
            4
                            8
       е
            4
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                          100
1
                          100
3
           50
2
            4
                            8
       е
            4
                            8
[1] "SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
6
       o 50
```

```
49
                            98
1
2
           49
                            98
       a
4
           41
                            82
8
           22
                            44
       s
3
            7
      as
                            14
5
      es
             7
                            14
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
                           100
1
                           100
6
       0
           50
2
           49
                            98
       a
4
           42
                            84
       е
8
           25
                            50
       s
3
            7
                            14
      as
5
             7
      es
                            14
      os
             2
                             4
[1] "1SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           49
5
            10
                            20
1
            7
                            14
             7
3
      as
                            14
4
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           49
                            36
1
           18
6
           11
                            22
       s
3
            7
      as
                            14
4
       е
             3
                             6
5
             1
                             2
      es
[1] "2SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
           50
1
           22
                            44
6
            12
                            24
       s
2
            2
                             4
       е
3
             2
      es
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
       0
           25
                            50
1
6
           13
                            26
       s
2
            2
                             4
3
             2
                             4
      es
             2
5
                             4
      os
[1] "3SgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       - 48
```

```
41
                            82
5
            18
                            36
4
            7
                            14
      es
2
            2
                             4
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           48
3
           42
                            84
       е
5
       s
           19
                            38
4
            7
                            14
      es
2
       a
             3
                             6
[1] "4SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
1
            19
                            38
6
            14
                            28
3
            3
                             6
      es
2
            2
                             4
       е
             2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           50
                           100
       0
1
           22
                            44
6
           14
                            28
2
       е
            3
                             6
3
      es
             3
                             6
5
                             4
      os
[1] "5SgAcc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           16
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           36
3
           22
                           44
6
       S
           17
                           34
                            10
4
      es
            5
2
             4
                             8
       a
                             2
5
             1
[1] "mSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           50
       0
3
           41
                            82
1
           35
                            70
7
           18
                            36
4
            7
                            14
      es
6
             2
                             4
      os
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
       o 50
                           100
```

```
42
                             84
2
            42
                             84
       a
4
            41
                             82
       е
8
            22
                             44
       S
3
             7
      as
                             14
5
             7
                             14
      es
      os
             2
                              4
[1] "fSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            49
4
            40
                             80
1
            34
                             68
6
                             34
            17
       s
3
             7
                             14
      as
5
      es
             6
                             12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            49
                             92
6
            46
       0
            43
                             86
1
4
       е
            42
                             84
8
            23
                             46
       S
             7
3
      as
                             14
5
             6
                             12
      es
7
      os
             2
                             4
[1] "nSgAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            50
       0
            49
1
                             98
7
            20
                             40
3
             5
                             10
4
                             8
             4
      es
2
             2
                              4
       a
             2
6
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
            50
1
            49
                             98
7
            21
                             42
       s
3
             5
                             10
4
             5
                             10
      es
2
             2
                              4
       a
                              4
             2
      os
[1] "SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            50
                           100
       0
1
            49
                             98
2
            49
                             98
       a
8
            23
                             46
       S
4
       е
             9
                             18
3
             7
                             14
      as
```

```
7
                            14
      es
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
            50
1
            49
                            98
2
            49
                            98
       a
8
            25
                            50
       s
4
       е
            10
                            20
3
             7
                            14
      as
5
      es
             7
                            14
7
             2
                             4
      os
[1] "1SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
            49
5
            10
                            20
       s
             7
                            14
1
3
             7
                            14
      as
             1
4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            49
       a
1
            19
                            38
6
            11
                            22
3
      as
             7
                            14
4
       е
             2
                             4
5
             1
                             2
      es
[1] "2SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
            50
1
            22
                            44
6
                            24
            12
       s
2
                             4
3
             2
                             4
      es
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            50
                           100
1
            24
                            48
6
            13
                            26
       s
2
             2
                             4
       е
3
             2
                             4
      es
      os
[1] "3SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            49
1
5
            19
                            38
       s
3
                            18
             9
             7
4
                            14
      es
2
             2
       a
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
1
            49
                            40
5
            20
3
            9
                            18
             7
4
      es
                            14
2
             3
                             6
       a
[1] "4SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            50
                           100
1
            19
                            38
6
            14
                            28
       s
3
             3
                             6
      es
             2
2
                             4
       е
5
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
       0
                            42
1
            21
                            28
6
            14
3
                             6
      es
            3
2
       е
             2
                             4
             2
                             4
      os
[1] "5SgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            24
4
             5
                            10
       s
2
             2
                             4
       a
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
            39
1
6
            17
                            34
       s
3
            5
                            10
4
            5
                            10
      es
2
             4
                             8
       0
             1
                             2
[1] "mSgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
5
       0
                           100
1
            45
                            90
7
            18
                            36
       s
3
             9
                            18
       е
4
             7
      es
                            14
6
             2
                             4
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            50
       0
                            94
1
            47
2
            41
                            82
       a
8
            22
                            44
```

```
10
                            20
       е
3
             7
                             14
      as
5
             7
                             14
      es
7
      os
             2
                             4
[1] "fSgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            49
       a
1
            44
                             88
6
            19
                             38
       s
                            18
3
             7
                             14
      as
5
             6
                             12
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            49
6
            47
                             94
       0
                            92
            46
1
8
            23
                            46
       s
4
             9
                             18
3
             7
      as
                             14
5
      es
                             12
7
             2
                              4
      os
[1] "nSgNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            50
1
            47
                             94
7
                             42
            21
       s
4
             4
                             8
      es
2
             2
       a
                              4
3
       е
             2
                              4
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            50
1
            47
                            94
7
       S
            22
                            44
             5
                             10
4
      es
2
             2
                              4
       a
             2
3
                              4
       е
6
             2
                              4
      os
[1] "SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
1
6
            50
                           100
       0
2
            49
                            98
4
            41
                            82
       е
8
            23
                             46
3
             7
                             14
      as
             7
5
                             14
      es
7
             2
      os
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
            50
1
            50
                           100
6
2
            49
                            98
       a
4
       е
            42
                            84
8
            25
                            50
       s
3
      as
             7
                            14
             7
                            14
5
      es
7
      os
             2
                             4
[1] "1SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            49
5
            10
                            20
       s
1
            7
                            14
3
             7
      as
                            14
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
            49
       a
                            38
1
            19
6
       s
            11
                            22
3
            7
                            14
      as
4
       е
             3
                             6
             1
                             2
5
      es
[1] "2SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            50
1
            22
                            44
6
            12
                            24
       s
2
       е
             2
                             4
3
             2
                             4
5
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       0
            50
1
            25
                            50
6
                            26
       s
            13
2
            2
                             4
       е
3
      es
             2
                             4
             2
                             4
5
      os
[1] "3SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
1
3
            41
                            82
       е
                            38
5
            19
4
            7
                            14
      es
             2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
                           100
1
3
       е
            42
                            84
```

```
5
            20
                            40
       s
4
             7
                            14
      es
2
             3
                             6
       a
[1] "4SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
            50
1
            19
                            38
6
       s
            14
                            28
3
             3
                             6
      es
2
             2
       е
                             4
5
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            50
            22
1
                            44
6
            14
                            28
       s
2
             3
                             6
3
             3
                             6
      es
             2
5
                             4
      os
[1] "5SgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            32
1
5
             5
                            10
3
       е
             3
                             6
2
       a
             2
                             4
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
            43
1
3
       е
            22
                            44
6
            17
                            34
       s
4
             5
                            10
      es
2
             4
                             8
       a
             1
                             2
5
       0
[1] "mSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
5
                           100
            46
                            92
1
3
            41
                            82
       е
7
       s
            18
                            36
4
             7
                            14
      es
             2
      os
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            50
                           100
       0
1
            48
                            96
2
            42
                            84
       a
4
                            82
            41
8
            22
                            44
       s
3
             7
                            14
      as
```

```
7
                           14
      es
7
            2
                            4
      os
[1] "fSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           49
1
           46
                           92
4
           40
                           80
       е
6
       s
           19
                            38
3
            7
                           14
      as
5
      es
                           12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           49
       a
1
           47
                           94
6
           47
                           94
       0
4
           42
                           84
       е
8
           23
                           46
3
            7
                            14
      as
5
            6
                            12
      es
7
      os
            2
[1] "nSgNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
1
5
       0
           50
                          100
7
       s
           21
                           42
3
            5
                           10
       е
             4
4
                            8
      es
2
             2
                            4
       a
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
5
           50
                          100
       0
7
           22
                           44
       s
3
            5
                           10
4
      es
            5
                            10
2
             2
       a
                            4
6
                            4
      os
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       0
1
           49
2
           49
                           98
       a
8
           32
                            64
       s
3
           23
                            46
      as
5
           14
                            28
      es
4
            6
                            12
            1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
   o 50
                          100
```

```
49
                            98
2
           49
                            98
       a
8
           35
                            70
3
           29
                            58
      as
5
                            28
      es
           14
4
             6
                            12
       е
      os
                             2
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           50
1
           49
                            98
2
           49
                            98
       a
3
             5
                            10
5
       s
             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           50
       0
1
           49
                            98
2
           49
                            98
       a
6
            8
                            16
3
       е
             5
                            10
4
             1
                             2
      es
[1] "1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           49
3
      as
           22
                            44
6
           13
                            26
       s
1
             9
                            18
5
             3
      es
                             6
4
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           49
3
           25
                            50
      as
6
           20
                            40
1
            19
                            38
5
             4
                             8
      es
4
             3
                             6
       е
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           49
       a
5
            10
                            20
       s
1
             7
                            14
             7
3
                            14
      as
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           49
       a
                            38
1
           19
6
                            22
       s
           11
3
            7
                            14
      as
```

```
6
      е
5
                            2
      es
            1
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
      a 49
[1] "All Endings Included"
  Suffix freq Percent_Trials
           49
       a
1
           15
                           30
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       0
           28
1
                           56
8
           28
                           56
       s
2
                           28
       a
           14
3
            7
                           14
      as
5
                            6
      es
            3
4
       е
            2
                            4
      os
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
6
       0
1
           31
                           62
8
       s
           28
                           56
2
           14
                           28
       a
3
            8
                           16
      as
5
            3
                            6
      es
            2
4
       е
                            4
7
      os
            2
                            4
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
       0
1
           22
                           44
6
           12
                           24
       s
2
            2
       е
                            4
3
            2
                            4
      es
            2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           50
       0
1
           25
                           50
                           26
6
           13
       s
2
            2
                            4
       е
3
            2
                            4
      es
5
            2
      os
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       o 50
1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
       0
           50
                            8
1
[1] "3"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
4
           41
       е
                           82
6
       s
           31
                           62
5
           22
                           44
      es
2
       a
            9
                           18
3
            8
                           16
      as
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           50
           42
4
       е
                           84
6
           34
                           68
       S
5
           22
                           44
      es
3
                           22
      as
           11
                           20
2
           10
       a
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
1
3
           41
                           82
5
       s
           19
                           38
4
      es
            7
                           14
            2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
1
                          100
3
       е
           42
                           84
5
           20
                           40
            7
4
                           14
      es
            3
                            6
       a
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           49
            5
                           10
2
       e
            4
       s
                            8
[1] "All Endings Included"
 Suffix freq Percent_Trials
           49
1
            5
2
                           10
       е
3
            5
                           10
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
6
           50
       0
           27
                           54
8
       s
                           52
1
           26
5
            4
                            8
      es
2
            2
                            4
       a
```

```
3
      as
4
             2
                             4
       е
            2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           50
1
           29
                           58
8
                           58
           29
       s
5
      es
            5
                            10
2
            3
                            6
       a
4
       е
             3
                             6
3
             2
                             4
      as
7
                             4
      os
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
                          100
           19
                            38
1
6
           14
                            28
       S
3
            3
                            6
      es
             2
                             4
2
       е
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           50
       0
1
           22
                           44
6
       s
           14
                            28
2
            3
                            6
       е
            3
                             6
3
      es
5
             2
      os
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       0
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       0
           50
                          100
1
                            8
[1] "5"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           32
6
           25
                            50
       S
5
           12
                            24
      es
            9
                            18
       е
2
             3
                            6
       a
             3
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
           43
7
           32
                            64
       s
4
           22
                            44
5
           17
      es
                           34
2
            8
                            16
       a
```

```
14
      as
6
            1
                            2
       0
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           32
            5
                           10
5
       s
3
            3
                            6
       е
2
            2
       a
                            4
            1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
           43
1
           22
3
                           44
       е
6
       s
           17
                           34
           5
4
      es
                           10
2
            4
                            8
       a
                            2
5
            1
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           38
5
            5
                           10
       s
            3
3
       е
                            6
2
            2
                            4
       a
      es
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           39
1
6
            5
                           10
       s
3
            3
                            6
       е
2
       a
            2
                            4
4
            1
                            2
      es
5
                            2
            1
       0
[1] "m"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       0
           50
                          100
1
           47
                           94
4
                           82
           41
       е
           32
                           64
8
5
           22
                           44
      es
2
       a
           14
                           28
3
      as
            3
                            6
            2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       0
           50
                          100
1
           48
                           96
2
           43
                           86
       a
4
           41
                           82
       е
8
           36
                           72
       s
3
           22
                           44
      as
5
      es
           22
                           44
```

```
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           50
       0
1
           46
                            92
3
           41
                            82
       е
7
                            36
            18
       s
4
      es
            7
                            14
6
             2
                             4
      os
2
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           50
       0
1
           48
                            96
2
           42
                            84
       a
4
           41
                            82
       е
8
           22
                            44
3
                            14
            7
      as
            7
5
                            14
      es
             2
                             4
7
      os
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           50
       0
1
            44
                            88
2
       е
             5
                            10
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
5
                           100
1
            46
                            92
2
           37
                            74
3
            5
                            10
       е
             5
6
                            10
4
             1
                             2
      es
[1] "f135Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           49
                            98
           46
                            92
1
4
           41
                            82
       е
6
       s
           19
                            38
3
             7
                            14
      as
             6
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           49
           46
                            92
1
4
           42
                            84
       е
6
                            42
           21
       s
3
            7
                            14
      as
5
             6
                            12
      es
[1] "m24Sg"
```

os

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
                           100
4
1
            22
                            44
                            28
6
       s
            14
3
             3
                             6
      es
2
             2
                             4
       е
             2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
            50
            22
                            44
1
6
            14
                            28
       s
2
             3
                             6
3
      es
             3
                             6
             2
5
      os
                             4
[1] "n24Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
4
       0
1
            22
                            44
6
       s
            12
                            24
2
             2
                             4
       е
             2
3
      es
                             4
             2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            50
       0
            22
                            44
1
6
            15
                            30
       s
2
             2
                             4
3
      es
             2
                             4
5
                             4
      os
[1] "m234Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       0
            50
1
            46
                            92
3
                            82
       е
            41
7
            18
                            36
       s
             7
                            14
      es
6
             2
                             4
      os
2
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            50
                           100
       0
1
            46
                            92
                            82
3
            41
7
            18
                            36
       s
             7
                            14
4
      es
             2
6
                             4
      os
                             2
2
             1
       a
[1] "m2345Sg"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
5
       0
           50
           46
                          92
1
3
           41
                          82
       е
7
           18
                          36
4
            7
                          14
      es
      os
            2
2
            1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           50
           47
                          94
1
3
           41
                          82
       е
7
                          38
           19
4
            7
                          14
      es
2
       a
            3
                           6
6
      os
            2
                           4
[1] "m1Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                         Percent_Trials
              freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           42
1
           19
                          38
6
       s
           11
                          22
3
            7
                          14
      as
4
            3
                           6
       е
                           2
5
            1
      es
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           37
                          30
1
           15
[1] "m2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       0
           50
           22
                          44
1
6
           11
                          22
       S
2
            2
                           4
       е
            2
      es
            2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
4
       0
                         100
1
           22
                          44
6
           12
                          24
       s
2
           2
                           4
3
            2
      es
                           4
5
            2
                           4
      os
```

```
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           50
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           45
3
           41
                          82
       е
5
                          22
           11
4
            7
                          14
      es
            1
       a
[1] "All Endings Included"
 Suffix freq Percent_Trials
           45
3
           41
                          82
       е
5
           12
                          24
4
      es
            7
                           14
       a
            1
                           2
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           44
                          88
2
       е
            5
                           10
3
            1
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           44
2
       е
            5
                           10
3
            1
                           2
       s
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
       0
           50
1
           19
                          38
                           28
6
       s
           14
3
            3
                           6
      es
            2
       е
            2
      os
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
       0
           19
                          38
1
6
           14
                           28
       S
2
            3
                           6
3
            3
                            6
      es
            2
5
                            4
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
  o 50
```

```
[1] "All Endings Included"
 Suffix freq Percent_Trials
          50
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           43
1
3
       е
           22
                          44
6
           16
                          32
       s
4
           5
                          10
      es
2
            3
                           6
5
            1
                           2
       0
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
              freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           38
6
            5
                          10
       s
3
            3
                           6
       е
2
            2
                           4
       a
4
      es
            1
                           2
5
            1
                           2
[1] "f"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           49
       a
1
           46
                          92
4
           40
                          80
8
           30
                          60
       S
3
           22
      as
                          44
5
      es
           21
                          42
6
            1
                           2
7
      os
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           49
1
           47
                          94
6
           47
                          94
       0
4
           42
                          84
       е
           36
                          72
       S
3
           28
                          56
      as
5
           21
                          42
      es
7
            2
                           4
      os
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           49
       a
                          98
           46
1
                          92
```

```
6
           19
                            38
       s
3
            7
                           14
      as
5
      es
            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           49
       a
1
           47
6
                           94
           47
       0
4
       е
           42
8
           23
                           46
3
      as
            7
                           14
5
             6
                            12
      es
7
             2
                             4
      os
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           49
           44
                           88
1
3
            5
                           10
       е
                             2
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           49
       a
5
       0
           47
                           94
1
           45
                           90
6
       s
            6
                           12
3
            5
                            10
4
                             2
      es
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           49
5
           10
                           20
            7
1
                           14
            7
3
      as
                            14
             1
4
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           49
5
           10
                           20
1
            8
                           16
3
            7
                            14
      as
             1
                             2
       е
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           49
                            98
       a
1
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
                            98
           49
       a
1
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           46
1
           25
                           50
6
           11
                           22
       S
2
            2
                            4
       е
3
      es
            2
                            4
5
            2
                            4
      os
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   {\tt Percent\_Trials}
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           46
                           92
       0
                            8
1
            4
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           45
3
           40
                           80
       е
5
       s
           12
                           24
4
            6
                           12
      es
       a
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           45
1
3
           42
                           84
       е
5
                           26
       s
           13
4
      es
            6
                           12
            2
                            4
       a
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           44
2
       е
            5
                           10
            1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           44
                           88
2
            5
                           10
       е
            2
3
       s
[1] "f4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
           47
                           94
       0
           22
1
                           44
6
       S
           14
                           28
2
            2
                            4
```

```
es
            2
5
      os
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       0
           47
1
                            8
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           32
1
5
       s
            5
                           10
3
            3
                            6
2
            2
                            4
       a
      es
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           43
3
       е
           22
                           44
5
           17
                           34
       s
4
      es
            5
                           10
2
            4
                            8
       a
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           39
                           78
5
            5
                           10
                            6
3
            3
       е
            2
2
       a
                            4
                            2
4
            1
      es
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
1
                          100
6
           50
                          100
       0
8
           29
       s
                           58
2
           14
                           28
       a
3
           10
                           20
      as
4
            5
                           10
       е
5
            4
                            8
      es
            2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
6
           50
       0
8
           32
                           64
       s
2
       a
           14
                           28
3
                           26
      as
           13
```

```
5
                           10
       е
5
            5
                            10
      es
7
             2
                            4
      os
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
           50
5
       0
                          100
7
       s
           21
                           42
3
            5
                           10
       е
4
      es
             4
                            8
2
             2
                            4
       a
6
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
5
           50
                          100
       0
7
           22
                           44
3
                           10
            5
       е
4
            5
                            10
      es
            2
2
       a
                            4
6
      os
             2
                            4
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       0
           50
                          100
1
           46
                           92
3
       s
            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
1
           46
                           92
3
             4
                            8
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       0
           50
1
           22
                           44
6
           12
                            24
       s
2
            2
                            4
       е
3
      es
             2
            2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
       0
           22
                           44
1
6
           12
                            24
       s
2
            2
                            4
3
            2
                            4
      es
             2
5
                            4
      os
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       o 50
                          100
```

```
[1] "All Endings Included"
 Suffix freq Percent_Trials
                         100
          50
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
5
           19
       s
                          38
3
       е
           5
                          10
4
            4
                          8
      es
       a
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
1
5
       s
           20
                          40
3
       е
           5
                          10
4
      es
            5
                          10
            2
       a
                           4
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
     - 46
            4
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           46
2
       s
                           8
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                  Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                         100
       0
1
           18
                          36
                          28
6
           14
       S
2
           2
                           4
3
     es
            2
                           4
5
      os
                           4
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
                                  Percent_Trials
[1] Suffix
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
                         100
           50
1
       0
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
1
           50
6
                         100
       0
2
           49
                          98
       a
4
       е
           41
                          82
8
           25
                          50
       S
```

```
5
           20
                           40
      es
3
           16
                           32
      as
7
      os
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
1
6
           50
                          100
       0
2
           49
                           98
       a
4
       е
           42
                           84
8
           29
                           58
       s
3
      as
           20
                           40
5
           20
                           40
      es
7
                            2
      os
            1
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
                          100
2
           49
                           98
       a
                           92
1
           46
3
                           82
           41
5
       s
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       0
           50
2
           49
                           98
       a
1
           48
                           96
3
           42
                           84
       е
4
            1
                            2
      es
                            2
6
            1
       s
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
                           98
       a
                            2
1
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           49
1
           12
                           24
                            2
3
       е
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       o 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                          100
       0
            5
                           10
1
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           46
                           92
1
2
           41
                           82
3
       S
            1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
           46
1
2
           42
                           84
3
            1
                           2
      es
                            2
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       0
           50
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
            5
                          10
1
                            2
            1
       е
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           27
3
           20
                           40
       е
            2
                           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
           28
1
3
           20
                           40
       е
2
            2
                           4
                            2
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           50
       0
2
           41
                           82
           10
1
                           20
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
           50
       0
2
           41
                          82
3
           41
                          82
       е
1
           29
                           58
            1
                           2
       s
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           41
                           82
       a
1
           12
                           24
                            2
3
       е
            1
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent Trials
       0
           50
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
       0
          50
1
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           41
       е
           10
                          20
       s
           1
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           41
           12
                          24
1
3
                           2
            1
       S
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       o 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      o 50
1
       е
            1
                           2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           27
1
           20
                          40
3
       е
2
            2
                           4
       a
                           2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a
           49
3
       е
           40
                          80
           11
                          22
[1] "All Endings Included"
  Suffix freq Percent_Trials
           49
2
                          98
       a
5
           46
                          92
       0
3
           42
                          84
       е
           31
                          62
1
4
                           2
            1
      es
                           2
       s
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
2
       a
                          98
            1
                           2
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
           49
                           2
            1
```

```
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
                                  Percent_Trials
               freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           45
       0
            5
                          10
1
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           40
                          80
       е
           11
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           42
1
           12
                          24
                           2
3
           1
      es
4
            1
                           2
      S
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
                  freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       0
           46
1
            5
                          10
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
                                  Percent_Trials
[1] Suffix
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           28
1
                          40
3
       е
           20
2
            2
                           4
       a
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
3
                         100
1
           46
                          92
            4
       е
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
       0
                          92
1
           46
            4
                           8
2
       е
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
       0
[1] "All Endings Included"
 Suffix freq Percent_Trials
```

o 50

```
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           46
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
           46
2
       е
             4
                            8
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           50
                          100
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
           33
1
8
       s
           33
                            66
2
           27
                           54
       a
3
                            38
           19
      as
6
       0
           11
                            22
5
           10
                            20
      es
       е
            4
                            8
7
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           36
       s
1
           33
                            66
2
           27
                            54
       а
3
                            48
      as
           24
6
           13
                            26
       0
5
                            20
      es
           10
4
            5
                            10
       е
      os
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           33
2
           26
                           52
       a
8
           22
                            44
       S
6
                            22
           11
       0
3
            7
                            14
      as
5
            7
                            14
      es
             4
                            8
       е
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           33
1
2
           26
                            52
       a
8
       S
           25
                           50
```

```
3
                            14
      as
5
             7
                            14
      es
4
             5
                            10
       е
7
             2
                             4
      os
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           26
2
       a
5
       s
            10
                            20
1
            7
                            14
3
      as
             7
                            14
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           26
                            32
1
            16
6
            11
                            22
       s
3
            7
                            14
      as
4
                             4
       е
             2
                             2
5
      es
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           22
6
           12
                            24
       S
4
       0
           11
                            22
2
             2
                             4
       е
3
             2
                             4
      es
             2
5
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            22
                            44
6
            13
                            26
4
                            22
           11
       0
2
             2
                             4
3
             2
                             4
      es
                             4
5
      os
             2
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           27
           18
5
       S
                            36
4
            7
                            14
      es
3
             4
                             8
       е
             2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
            28
1
5
           19
                            38
       s
4
            7
                            14
      es
3
             4
                             8
       е
             3
                             6
2
       a
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
            19
1
            14
                            28
6
4
           11
                            22
       0
3
      es
            3
                             6
2
             2
                             4
       е
      os
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            19
1
6
       s
           14
                            28
4
           13
                            26
       0
3
            3
                             6
      es
             2
2
                             4
       е
5
      os
             2
                             4
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           22
5
           16
                            32
4
                            10
      es
            5
       a
            2
                             4
            2
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           25
5
       s
           17
                            34
4
            5
                            10
      es
2
             4
                             8
       a
3
             2
                             4
       е
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           32
7
           18
                            36
       s
5
                            22
           11
4
      es
            7
                            14
3
       е
             4
                             8
             2
6
      os
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           33
8
           22
                            44
       s
2
           21
                            42
       a
6
                            26
           13
       0
3
            7
                            14
      as
5
            7
                            14
      es
4
            5
                            10
       е
             2
7
                             4
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            21
1
            16
                            32
6
                            22
       s
            11
3
             7
                            14
      as
4
             2
                             4
       е
5
                             2
             1
      es
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            22
1
4
            11
                            22
       0
6
                            22
            11
       s
2
             2
                             4
       е
3
             2
      es
                             4
5
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            22
6
       s
            12
                            24
4
       0
            11
                            22
2
             2
                             4
       е
3
             2
      es
                             4
5
             2
                             4
      os
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            27
1
5
            11
                            22
       s
4
             7
      es
                            14
3
       е
             4
                             8
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            28
5
       s
            12
                            24
4
      es
             7
                            14
3
       е
             4
                             8
2
             1
                             2
       a
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            19
1
6
            14
                            28
       s
                            22
4
            11
       0
3
             3
                             6
      es
2
             2
                             4
       е
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            19
                            28
6
       s
            14
4
            13
                            26
       0
```

```
3
                            6
      es
            3
2
            2
                            4
       е
5
            2
      os
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
1
5
       s
           16
                           32
4
            5
                           10
      es
2
            3
                            6
       a
            2
3
                            4
       е
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           28
1
2
           26
                           52
       a
6
                           34
           17
3
      as
            7
                           14
5
      es
                           12
            4
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           33
2
           26
                           52
       a
8
           23
                           46
       s
6
                           22
           11
       0
3
            7
                           14
      as
5
      es
            6
                           12
4
       е
            4
                            8
7
                            4
      os
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           26
5
           10
                           20
1
            7
                           14
3
            7
                           14
      as
            1
       е
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           26
       a
5
           10
                           20
       s
            7
1
                           14
3
            7
                           14
      as
4
            1
                            2
       е
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
```

```
22
                           44
4
                           22
           11
       O
6
           11
                           22
2
            2
                            4
       е
3
            2
      es
                            4
5
      os
            2
                            4
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           27
                           54
1
5
       s
           12
4
            6
                           12
      es
3
            4
                            8
       е
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           27
1
                           24
5
           12
4
                           12
            6
      es
3
            4
                            8
2
       a
            2
                            4
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           19
                           28
6
           14
       s
4
           11
                           22
       0
2
            2
       е
                            4
3
      es
            2
                            4
5
            2
      os
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           25
                           50
1
5
           17
                           34
4
            5
                           10
      es
2
            4
                            8
       a
3
            2
                            4
       е
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           30
1
7
           20
                           40
       s
5
                           22
           11
4
            4
                            8
      es
2
            2
                            4
       a
3
            2
       е
                            4
6
            2
      os
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            30
1
7
            21
                            42
       s
5
                            24
       0
            12
4
            5
                            10
      es
2
       a
             2
                             4
3
             2
                             4
       е
6
      os
             2
                             4
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            22
1
                            24
6
            12
4
            11
                            22
       0
2
       е
             2
                             4
3
             2
                             4
      es
5
             2
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            22
6
       s
            12
                            24
4
                            22
            11
       0
2
       е
             2
                             4
3
             2
                             4
      es
5
      os
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            24
1
5
            18
                            36
       s
4
      es
             4
                             8
2
             2
                             4
       a
             2
3
       е
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            24
5
       S
            19
                            38
            5
                            10
4
      es
2
             2
                             4
       a
             2
3
                             4
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
1
6
            14
                            28
       s
4
            12
                            24
2
                             4
            2
       е
             2
3
                             4
      es
             2
5
      os
[1] "Pl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            33
                             66
2
            31
                             62
       a
1
            28
                            56
3
            24
                            48
      as
5
      es
            21
                            42
4
                             32
            16
       е
6
       0
             2
                             4
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            37
       s
                             62
2
            31
       a
3
            30
                             60
      as
                            56
1
            28
5
            21
                             42
      es
                             32
4
       е
            16
6
             2
                             4
       0
                             2
7
             1
      os
[1] "PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            32
2
            31
                             62
       a
1
            28
                            56
3
      as
            23
                            46
5
      es
            20
                             40
                             32
4
            16
       е
6
             2
                             4
       0
7
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            35
2
            31
                             62
3
            29
                            58
      as
1
            28
                            56
5
      es
            20
                            40
                             32
4
       е
            16
             2
6
                             4
       0
                             2
7
      os
             1
[1] "1PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
                             62
       a
3
            21
                             42
      as
4
             3
                             6
      es
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
                             62
            31
       a
3
            25
                            50
      as
             9
                            18
1
6
       s
             6
                             12
```

```
3
                             6
      es
4
             1
                             2
       е
[1] "2PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
       s
            24
1
            19
                            38
            14
2
                            28
       a
3
      as
             7
                            14
4
             1
                             2
      es
                             2
5
       0
             1
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
            25
            19
                            38
1
2
            14
                            28
       a
3
            7
                            14
      as
5
                             4
             2
       0
                             2
4
      es
                             2
6
      os
             1
[1] "3PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            27
       s
1
            20
                            40
5
      es
            20
                            40
4
            16
                            32
       е
2
             9
                            18
       a
             8
                            16
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            28
            20
                            40
1
5
            20
                            40
      es
4
            16
                            32
       е
2
       a
             9
                            18
3
      as
             9
                            18
[1] "4PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            24
1
                            48
7
       s
            24
                            48
4
             3
                             6
      es
2
             2
                             4
      as
5
             2
                             4
       0
3
             1
                             2
       е
6
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            26
                            52
       s
            24
                            48
1
5
             3
                             6
      es
2
             2
```

a

```
3
                             4
      as
6
             2
                             4
       0
                             2
4
             1
7
             1
                             2
      os
[1] "5PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            12
5
       s
                            22
1
            11
4
            8
                            16
      es
             3
3
      as
                             6
2
             1
                             2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            27
5
            17
                            34
      es
1
            13
                            26
3
            6
                            12
      as
4
             6
                            12
       е
2
            5
                            10
[1] "mPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            31
            27
1
                            54
                            40
5
      es
            20
4
       е
            16
                            32
2
       a
                            18
3
             3
                             6
      as
6
             2
                             4
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            33
            28
                            56
1
2
            23
                            46
       a
3
      as
            22
                            44
5
      es
            20
                            40
4
            16
                            32
       е
            2
                             4
6
       0
                             2
7
      os
             1
[1] "fPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            31
6
            23
                            46
       s
3
            21
                            42
      as
            20
5
      es
                            40
4
            16
                            32
       е
            15
                            30
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            33
                            66
       s
2
       a
            31
                            62
```

```
27
                            54
3
            26
                            52
      as
5
            20
                            40
      es
4
            16
                            32
       е
             2
                             4
6
                             2
7
      os
             1
[1] "nPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            23
                            46
            22
1
                            44
2
            14
                            28
       a
3
            10
                            20
      as
4
             2
                             4
5
      es
             1
                             2
6
       0
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            32
       s
                            52
1
            26
2
       a
            14
                            28
3
                            22
            11
      as
4
       е
             4
                             8
5
             2
                             4
      es
6
       0
             2
                             4
7
      os
             1
                             2
[1] "PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            33
       s
2
       a
            31
                            62
1
            28
                            56
3
            21
                            42
      as
5
            21
                            42
      es
4
            16
                            32
       е
6
       0
             2
                             4
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            37
2
            31
                            62
       a
1
            28
                            56
3
            28
                            56
      as
5
            21
                            42
      es
4
                            32
            16
       е
6
             2
                             4
       0
                             2
7
             1
[1] "1PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
                            62
       a
3
            20
                            40
      as
5
             9
                            18
       s
```

```
12
             6
             3
      es
                             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
            31
3
      as
            22
                            44
6
            16
                            32
       s
                            24
1
            12
5
      es
             3
                             6
4
             1
                             2
       е
[1] "2PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            28
                            56
       s
1
            21
                            42
2
                            28
       a
            14
3
             6
                            12
      as
                             2
4
       е
             1
5
                             2
             1
      es
                             2
6
             1
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            28
1
            21
                            42
2
       a
            14
                            28
3
             7
                            14
      as
6
             2
                             4
       0
                             2
4
             1
       е
5
             1
                             2
      es
                             2
7
      os
             1
[1] "3PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            31
            21
                            42
1
5
      es
            21
                            42
4
       е
            16
                            32
2
                            18
       a
             9
             6
                            12
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            34
            21
                            42
1
5
            21
                            42
      es
                            32
4
            16
       е
2
            10
                            20
       a
3
             9
                            18
[1] "4PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            26
                            52
       s
            24
                            48
1
5
             3
                             6
      es
```

```
2
       a
                              4
3
             2
                              4
      as
6
             2
       0
                              4
4
             1
                              2
       е
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            28
8
                             56
1
            24
                             48
5
             4
                              8
      es
2
       a
             3
                              6
3
             2
                              4
      as
6
             2
                              4
       0
                              2
4
             1
       е
7
      os
             1
                              2
[1] "5PlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            12
                             20
1
            10
4
             5
                             10
      es
3
      as
             2
                              4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            30
5
      es
            17
                             34
1
            15
                             30
4
             7
                             14
       е
2
             6
                             12
       a
                             12
             6
[1] "mPlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            32
            27
                             54
1
5
      es
            21
                             42
4
            16
                             32
       е
2
       a
             9
                             18
3
             2
                              4
      as
6
       0
             2
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            34
       s
            28
                             56
1
2
            24
                             48
       a
                             42
5
            21
      es
3
            18
                             36
      as
4
            16
                             32
       е
6
             2
                              4
       0
                              2
             1
      os
[1] "fPlAcc,Gen"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
2
            31
       a
                            62
            28
                            56
6
5
            21
                            42
      es
3
            20
                            40
      as
1
            17
                            34
       е
            16
                            32
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            34
                            62
2
       a
            31
1
            27
                            54
3
            25
                            50
      as
5
            21
                            42
      es
4
       е
            16
                            32
6
             2
       0
                             4
      os
             1
                             2
[1] "nPlAcc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            28
1
            23
                            46
2
            14
                            28
       a
3
             7
      as
                            14
4
             3
                             6
       е
5
      es
             2
                             4
6
       0
             1
                             2
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            32
       s
1
            26
                            52
2
            14
                            28
3
                            20
            10
      as
4
             4
                             8
5
             3
                             6
      es
             2
6
       0
                             4
7
      os
             1
                             2
[1] "PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            33
       s
                            66
2
       a
            27
                            54
3
      as
            24
                            48
1
            23
                            46
5
                            32
            16
      es
4
             1
                             2
       е
                             2
6
             1
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            37
                            74
       s
3
            30
                            60
      as
2
```

a

```
1
            23
                            46
5
            16
                            32
      es
6
            2
                             4
       0
4
             1
                             2
       е
                             2
7
      os
[1] "1PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            27
3
      as
            22
                            44
5
                            18
       s
            9
1
             6
                            12
4
             2
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
            27
       a
3
      as
            25
                            50
5
                            32
            16
       s
1
            11
                            22
                             4
4
      es
[1] "2PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            28
1
            18
                            36
                            24
2
       a
            12
3
      as
            7
                            14
4
       е
             1
                             2
5
                             2
             1
      es
6
             1
                             2
       0
7
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            28
                            36
            18
1
2
            12
                            24
       a
3
      as
            8
                            16
4
       е
             1
                             2
5
                             2
      es
             1
                             2
6
             1
       0
                             2
7
      os
             1
[1] "3PlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            31
       s
1
            17
                            34
                            30
5
            15
      es
3
            8
                            16
      as
2
             7
                            14
       a
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            34
                            68
       s
1
            17
                            34
```

```
5
           15
                            30
      es
3
            11
                            22
      as
2
            9
                            18
       a
4
             1
                             2
       е
[1] "4PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           27
8
       s
                            38
1
            19
5
            3
                             6
      es
             2
2
       a
                             4
3
             2
                             4
      as
4
             1
                             2
       е
6
                             2
             1
       0
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           29
       s
            19
                            38
1
5
            4
                             8
      es
2
            2
       a
                             4
3
      as
             2
6
             2
       0
                             2
4
       е
             1
7
             1
                             2
      os
[1] "5PlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           21
       S
                            42
1
           12
                            24
             4
4
                             8
      es
3
      as
             2
                             4
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
           32
                            30
1
           15
5
      es
           12
                            24
3
            7
                            14
      as
             3
                             6
2
       a
                             2
4
             1
[1] "mPlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           32
       s
1
           22
                            44
5
                            32
            16
      es
2
            7
                            14
       a
3
                             6
      as
             3
                             2
4
             1
       е
6
                             2
             1
       0
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
8
            35
                             70
       s
1
            23
                             46
3
                             44
      as
            22
2
            19
                             38
       a
5
                             32
      es
            16
6
             2
                             4
       0
                              2
4
             1
       е
7
                              2
             1
      os
[1] "fPlNom, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            29
                             58
       s
2
            27
                             54
       a
3
            22
                             44
      as
1
            16
                             32
5
      es
            15
                             30
4
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
                            56
3
      as
            28
2
       a
            27
                            54
            22
                             44
1
5
            16
                             32
      es
4
                             2
             1
       е
6
       0
             1
                              2
7
      os
             1
                              2
[1] "nPlNom,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            28
8
       s
1
            19
                             38
2
            11
                             22
       a
3
                             20
            10
      as
5
             2
                             4
      es
4
             1
                              2
       е
6
       0
             1
                              2
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            30
            23
                             46
1
3
            13
                             26
      as
2
                             22
            11
       a
5
             3
                              6
      es
6
             2
                              4
       0
4
             1
                              2
       е
                              2
7
             1
[1] "PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            33
                             66
       s
2
            31
                             62
       a
1
            28
                             56
```

```
3
            24
                             48
      as
5
            21
                             42
      es
4
                             32
       е
            16
6
             2
                              4
       0
                              2
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            37
8
       s
2
       a
            31
                             62
3
            30
                             60
      as
1
            28
                             56
5
            21
                             42
      es
4
            16
                             32
       е
6
             2
                              4
       0
7
             1
                              2
      os
[1] "1PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
                             62
3
            22
                             44
      as
5
       s
             9
                             18
1
             6
                             12
             3
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            31
3
      as
            25
                             50
6
            16
                             32
       s
            12
                             24
1
5
             3
                              6
      es
                              2
       е
             1
[1] "2PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            28
                             56
1
            21
                             42
2
       a
            14
                             28
3
      as
             7
                             14
                              2
4
       е
             1
5
                              2
             1
      es
                              2
6
             1
       0
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            28
       s
            21
                             42
1
2
            14
                             28
       a
3
             8
                             16
      as
6
             2
                              4
       0
                              2
4
             1
       е
5
                              2
             1
      es
                              2
             1
      os
[1] "3PlNom, Acc, Gen"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
            31
6
       s
                             62
                             42
            21
1
5
            21
                             42
      es
                             32
4
       е
            16
2
             9
                             18
       a
      as
             8
                             16
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            34
       s
1
            21
                             42
5
            21
                             42
      es
4
            16
                             32
       е
3
                             22
            11
      as
2
            10
                             20
       a
[1] "4PlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            27
                             54
1
            24
                             48
5
      es
             3
                              6
2
       a
             2
                              4
3
             2
                              4
      as
6
       0
             2
                              4
4
                              2
             1
       е
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            29
       s
1
            24
                             48
5
                              8
      es
             4
2
       a
             3
                              6
3
             2
                              4
      as
6
             2
                              4
       0
                              2
4
       е
             1
             1
                              2
7
      os
[1] "5PlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            21
                             42
        s
1
            13
                             26
4
            10
                             20
      es
3
      as
             3
                              6
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            32
                             64
       s
                             34
5
            17
       es
            15
                             30
1
3
             7
                             14
      as
4
             7
                             14
       е
2
             6
                             12
       a
[1] "mPlNom, Acc, Gen"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
8
            32
       s
                            54
1
            27
5
            21
                            42
      es
4
                            32
       е
            16
2
             9
                            18
       a
             3
3
      as
                             6
6
             2
                             4
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
       s
1
            28
                            56
2
            24
                            48
       a
3
            22
                            44
      as
5
                            42
      es
            21
4
            16
                            32
       е
6
             2
                             4
       0
7
                             2
             1
      os
[1] "fPlNom, Acc, Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
       a
6
            29
       s
                            58
            22
3
                            44
      as
5
      es
            21
                            42
1
            18
                            36
       е
            16
                            32
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
                            70
       s
2
       a
            31
                            62
3
            28
                            56
      as
            27
                            54
1
5
            21
                            42
      es
4
            16
                            32
       е
6
       0
             2
                             4
7
      os
             1
                             2
[1] "nPlNom,Acc,Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            28
       s
                            56
1
            23
                            46
2
            14
                            28
       a
3
            10
                            20
      as
4
             3
                             6
       е
5
             2
                             4
      es
                             2
6
             1
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            32
                            64
       s
            26
                            52
1
2
       a
            14
                            28
```

```
3
            13
                            26
      as
4
             4
                             8
       е
5
             3
                             6
      es
6
             2
                             4
       0
7
                             2
      os
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            32
2
            27
                            54
       a
                            46
3
      as
            23
1
            22
                            44
5
            14
                            28
      es
                             2
4
             1
6
       0
             1
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
            35
            29
3
                            58
      as
2
                            54
       a
            27
1
            22
                            44
5
            14
                            28
      es
6
       0
             2
                             4
4
                             2
             1
       е
7
      os
             1
                             2
[1] "1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
       a
            22
3
                            44
      as
5
       s
             9
                            18
1
             6
                            12
             3
                             6
4
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            31
3
      as
            25
                            50
6
                            32
       s
            16
            12
                            24
1
5
             3
                             6
      es
4
             1
                             2
       е
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            27
       a
3
            21
                            42
      as
             2
4
                             4
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            27
3
            25
                            50
      as
1
             8
                            16
```

```
12
       S
4
            2
                            4
      es
[1] "2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           28
1
           21
                            42
           14
2
                            28
       a
3
      as
            7
                            14
4
                            2
       е
             1
5
      es
             1
                             2
6
                             2
             1
       0
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           28
8
       s
1
           21
                            42
2
                            28
            14
3
                            16
            8
      as
6
            2
                            4
                            2
4
            1
      es
                             2
7
             1
                             2
      os
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
       s
           24
1
           16
                            32
2
                            22
           11
3
            7
                            14
      as
                            2
4
      es
             1
5
       0
             1
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
           25
                            32
1
           16
2
       a
           12
                           24
3
            7
                            14
      as
                            2
4
            1
      es
                             2
       0
6
                             2
      os
[1] "3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           31
       s
1
           21
                            42
                            42
5
           21
4
           16
                            32
       е
2
            9
                            18
            8
                            16
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s 34
```

```
21
                           42
5
           21
                           42
      es
                           32
4
           16
3
           11
                           22
      as
                           20
2
           10
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           27
5
       s
1
           16
                            32
                           26
4
      es
           13
3
            8
                           16
      as
            7
2
                            14
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           28
5
       s
1
           16
                           32
                           26
4
           13
3
            9
                           18
      as
2
            8
                            16
       a
[1] "4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           27
       s
           24
                            48
1
5
      es
            3
                            6
2
       a
            2
                             4
3
      as
             2
                             4
6
             2
                             4
       0
4
             1
                             2
       е
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           29
       s
1
           24
                            48
5
            4
                            8
      es
2
            3
       a
                             6
3
      as
            2
                             4
6
             2
       0
                             4
4
             1
                             2
       е
                             2
      os
             1
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
           24
       s
           19
                            38
1
4
            3
                            6
      es
2
      as
            2
                             4
3
                             2
       е
             1
                             2
5
             1
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s 26
```

```
19
                            38
5
             3
                             6
      es
3
             2
                             4
      as
6
             2
                             4
       0
2
                             2
       a
4
             1
                             2
      os
[1] "5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       s
            21
1
            13
                            26
4
            10
                            20
      es
3
             3
                             6
      as
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            32
6
       s
5
            17
                            34
      es
                            30
1
            15
3
                            14
      as
            7
4
       е
             7
                            14
2
             6
                            12
       a
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       s
            21
1
            12
                            24
4
             6
                            12
      es
3
             3
                             6
      as
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            27
       s
                            26
            13
1
4
            11
                            22
      es
3
      as
             6
                            12
2
       a
                             4
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            32
8
       s
1
            27
                            54
5
            21
                            42
      es
            16
                            32
       е
2
            9
                            18
       a
3
             3
                             6
      as
6
             2
                             4
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
                            70
            28
                            56
1
2
       a
            24
                            48
```

```
3
            22
                            44
      as
5
            21
                             42
      es
                             32
4
            16
       е
6
             2
                             4
       0
                              2
7
      os
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            31
1
            22
                             44
5
                             28
      es
            14
2
             6
                             12
       a
3
             3
                              6
      as
                              2
4
             1
       е
6
       0
             1
                              2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            33
       s
            22
                            44
1
3
            22
                            44
      as
2
       a
            18
                             36
5
            14
                             28
      es
             2
6
       0
                             4
4
                              2
             1
       е
                              2
7
      os
[1] "f135Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            31
       a
            29
6
                             58
       s
3
      as
            23
                            46
5
            21
                             42
      es
            17
                             34
1
                             32
            16
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            34
2
            31
                            62
       a
3
            28
                            56
      as
5
                            42
      es
            21
1
            20
                             40
            16
                             32
       е
[1] "m24P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            29
8
       s
                             58
            26
                             52
1
2
             9
                             18
       a
3
             3
                             6
      as
5
             3
                              6
      es
             2
6
                              4
       0
4
             1
                              2
       е
7
             1
                              2
      os
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            29
8
1
            27
                             54
2
                             18
       a
             9
3
             3
                              6
      as
5
      es
             3
                              6
6
             2
                              4
       0
4
       е
             1
                              2
             1
                              2
      os
[1] "n24P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            26
                             52
       s
1
            19
                             38
2
                             28
       a
            14
3
             7
                             14
      as
6
                              4
       0
4
                              2
             1
       е
                              2
5
      es
             1
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            28
1
            25
                             50
2
       a
            14
                             28
3
             8
                             16
      as
5
      es
             2
                              4
6
             2
                              4
       0
4
             1
                              2
       е
                              2
[1] "m234P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            32
       s
            27
                             54
1
5
      es
            21
                             42
4
            16
                             32
       е
2
       a
             9
                             18
3
             3
                              6
      as
6
       0
             2
                              4
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
       s
            28
                             56
1
5
            21
                             42
      es
                             32
4
            16
       е
2
                             18
       a
             9
3
             3
                              6
      as
6
             2
                              4
       0
                              2
             1
      os
[1] "m2345P1"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
8
       s
           32
           27
                           54
1
5
           21
                            42
      es
4
       е
           16
                            32
2
            9
                            18
       a
3
      as
             3
                             6
             2
6
                             4
       0
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           35
8
       s
           28
                            56
1
5
                            42
           21
      es
4
           16
                            32
       е
2
                            22
       a
            11
3
            4
                             8
      as
6
       0
                             4
                             2
7
             1
      os
[1] "m1P1"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           24
3
      as
           21
                            42
6
           15
                            30
       s
           12
                            24
1
5
            3
                             6
      es
                             2
       е
             1
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
      as
           21
                            42
2
                            36
       a
            18
1
            8
                            16
5
            5
                            10
4
             2
                             4
      es
[1] "m2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           27
8
       s
1
            20
                            40
2
            9
                            18
3
                             6
      as
            3
4
                             2
       е
             1
5
                             2
             1
      es
6
             1
7
      os
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
            27
8
                            42
            21
1
2
            9
                            18
       a
3
             3
      as
                             6
4
             1
                             2
       е
5
      es
6
                             2
             1
       0
7
      os
             1
                             2
[1] "m2P1Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
       s
           23
            16
                            32
1
2
             6
                            12
       a
3
      as
             3
                             6
4
             1
                             2
      es
5
       0
             1
6
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
           24
1
            16
                            32
2
       a
            7
                            14
3
                             6
             3
      as
4
      es
             1
                             2
5
             1
                             2
6
      os
[1] "m3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       s
           30
4
           21
                            42
      es
                            36
1
           18
3
           16
                            32
       е
2
      as
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       s
           33
4
           21
                            42
      es
                            38
1
           19
3
           16
                            32
       е
                             2
      as
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           23
                            46
           14
1
                            28
3
           13
                            26
      es
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           25
                            50
       s
           14
                            28
```

```
13
                            26
      es
2
            1
                             2
      as
[1] "m4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            27
1
            24
                            48
5
             3
                             6
      es
2
       a
             2
                             4
3
             2
                             4
      as
6
       0
             2
4
                             2
             1
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            27
8
       s
1
            24
                            48
5
             3
                             6
      es
2
             2
                             4
       a
             2
3
                             4
             2
6
       0
                             4
       е
7
             1
                             2
      os
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
       s
            24
1
            19
                            38
                             6
4
            3
      es
2
             2
      as
3
       е
             1
5
       0
             1
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
            24
                            38
1
            19
4
            3
                             6
      es
2
             2
      as
                             4
5
             2
                             4
       0
                             2
3
6
      os
[1] "m5P1"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            28
                            56
       s
5
            16
                            32
      es
            15
                            30
1
4
            6
                            12
2
             5
                            10
       a
3
             3
                             6
      as
```

```
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
           25
1
                           26
           13
4
      es
            7
                           14
3
            3
                            6
      as
2
       a
            2
                            4
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           31
       a
           29
6
       s
                           58
3
           22
                           44
      as
5
           21
                           42
      es
1
           18
                           36
           16
                           32
4
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           35
                           70
       s
2
       a
           31
                           62
3
           28
                           56
      as
1
           27
                           54
5
           21
                           42
      es
4
           16
                           32
       е
6
            2
                            4
       0
7
            1
                            2
      os
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           27
5
           22
                           44
3
           21
                           42
      as
1
           14
                           28
      es
           13
                           26
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           33
2
           27
       a
                           54
3
           26
                           52
      as
           22
                           44
1
5
           14
                           28
      es
                            2
4
            1
       е
6
            1
                            2
       0
7
            1
                            2
[1] "f1Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           31
       a
                           62
3
           22
      as
                           44
            9
```

s

```
12
            3
      es
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           31
3
      as
           24
                           48
5
           10
                           20
       S
1
            6
                           12
      es
            3
                            6
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           27
       a
                           42
3
           21
      as
4
            2
                            4
      es
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           27
3
           23
                           46
      as
4
      es
            2
                            4
            1
                            2
       s
[1] "f2P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
8
           25
                           50
       s
                           38
1
           19
2
            9
                           18
       а
3
            3
                            6
      as
4
                            2
       е
            1
5
                            2
      es
6
                            2
      os
            1
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
7
           23
       s
                           46
1
           15
                           30
2
            6
                           12
       a
3
            3
                            6
      as
4
            1
                            2
      es
5
                            2
       0
            1
6
                            2
[1] "f3P1"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      s 29
```

```
42
      es
           21
           17
                            34
1
3
            16
                            32
2
            1
                             2
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
           30
5
                            42
           21
      es
1
           19
                            38
4
           16
                            32
3
      as
             2
                             4
2
             1
                             2
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       s
            22
1
            14
                            28
3
            13
                            26
2
            1
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
           23
1
           14
                            28
3
      es
           13
                            26
2
            1
                             2
      as
[1] "f4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            26
                            52
            24
                            48
1
5
                             8
             4
      es
2
             2
                             4
       a
3
             2
                             4
      as
6
       0
             2
4
       е
             1
                             2
      os
             1
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            23
                            46
       s
1
            19
                            38
5
            3
                             6
3
             2
                             4
      as
2
                             2
       a
                             2
4
             1
       е
                             2
6
             1
7
                             2
      os
             1
[1] "f5P1"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            22
5
1
            13
                            26
4
      es
            12
                            24
3
             3
                             6
      as
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            32
       s
5
      es
            17
                            34
            15
                            30
1
3
            7
                            14
      as
             7
4
                            14
       е
2
       a
             5
                            10
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       s
            26
1
            13
                            26
                            22
4
            11
      es
3
             6
                            12
      as
2
       a
             1
                             2
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            28
       s
            23
1
                            46
2
            14
                            28
       а
3
            10
                            20
      as
4
            3
                             6
       е
5
             2
      es
                             4
                             2
6
             1
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            32
                            64
       s
1
            26
                            52
2
            14
                            28
       a
3
            13
                            26
      as
4
             4
                             8
       е
5
             3
                             6
      es
             2
6
                             4
       0
             1
      os
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
            23
       s
            18
                            36
1
2
       a
            11
                            22
3
                            20
      as
            10
```

```
1
      es
5
             1
                             2
       0
6
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           30
                            44
1
           22
2
                            22
           11
       a
3
      as
           11
                            22
5
            2
                             4
      es
6
       0
             2
                             4
4
             1
                             2
       е
                             2
7
             1
      os
[1] "n2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           26
                            52
            18
                            36
1
2
           14
                            28
       a
3
            7
                            14
      as
4
                             2
             1
5
      es
                             2
6
             1
                             2
       0
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
           26
1
            19
                            38
2
           14
                            28
       a
3
            8
                            16
      as
             2
6
       0
                             4
4
       е
             1
                             2
5
             1
                             2
      es
7
                             2
      os
             1
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            16
                            32
1
            15
                            30
2
                            22
           11
       a
3
                            14
      as
4
             1
                             2
       0
5
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            17
                            34
       s
                            30
1
           15
2
                            22
           11
3
            7
                            14
      as
                             2
4
             1
5
                             2
      os
             1
[1] "n3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
26
                            52
6
       s
            19
                            38
1
2
                            18
            9
3
             8
                            16
      as
4
       е
             3
                             6
5
             1
                             2
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            28
1
            19
                            38
3
           10
                            20
      as
2
                            18
             9
4
             4
                             8
                             2
5
             1
      es
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           21
       s
1
            14
                            28
3
            8
                            16
      as
2
       a
             7
                            14
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           21
       s
1
            15
3
             9
                            18
      as
2
             8
                            16
       a
4
             1
                             2
      es
[1] "n4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           27
1
           23
                            46
2
            3
                             6
       a
3
      as
             2
5
             2
                             4
      es
6
             2
       0
                             2
4
       е
             1
7
      os
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                     Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
           25
                            36
1
           18
2
            2
                             4
      as
             2
5
       0
                             4
3
             1
                             2
       е
```

```
es
6
             1
                             2
      os
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
1
           28
                            56
8
           25
                            50
       s
5
      es
           20
                            40
3
           16
                            32
      as
       е
           16
                            32
6
             2
                             4
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           31
8
           29
                            58
       s
                            56
1
           28
3
           20
                            40
      as
5
           20
                            40
      es
                            32
4
       е
           16
6
       0
            2
                             4
7
             1
                             2
      os
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
3
      as
           15
                            30
             3
                             6
4
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           31
3
           16
                            32
      as
            7
1
                            14
5
            3
                             6
      es
6
             3
                             6
       е
             1
                             2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
           21
       s
1
            19
2
           14
                            28
       a
3
             5
                            10
      as
4
                             2
             1
      es
5
             1
                             2
       0
6
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
           22
       s
                            38
1
           19
2
           14
                            28
       a
3
            5
                            10
      as
```

```
5
       0
4
             1
                             2
      es
                             2
6
             1
      os
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
      es
            20
1
            19
                            38
6
       s
            17
                            34
                            32
4
            16
       е
2
       a
             9
                            18
3
             5
                            10
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
            20
                            38
1
            19
6
            19
                            38
       s
                            32
4
            16
2
            9
                            18
       a
             5
3
                            10
      as
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            23
                            38
7
            19
       s
4
      es
             3
                             6
5
       0
             2
                             4
2
      as
             1
                             2
3
                             2
             1
       е
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            24
                            48
1
8
            21
                            42
       s
5
             3
                             6
      es
6
             2
                             4
       0
                             2
2
             1
3
      as
             1
                             2
4
                             2
       е
                             2
      os
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
      es
            16
                            32
6
            12
                            24
       s
             9
                            18
1
4
             4
                             8
       е
2
             2
                             4
             2
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
            17
5
      es
            12
                            24
1
6
       s
            12
                            24
```

```
12
       е
             6
2
             5
                            10
       a
3
             4
                             8
      as
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            26
8
            23
       s
                            46
5
      es
            20
                            40
4
            16
                            32
       е
2
       a
             9
                            18
6
             2
                             4
       0
3
             1
                             2
      as
7
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
            27
1
                            50
8
            25
       s
2
            23
                            46
       a
5
            20
                            40
      es
3
      as
            16
                            32
4
       е
            16
                            32
6
             2
                             4
       0
                             2
      os
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            23
       a
3
      as
            14
                            28
1
             7
                            14
5
                             6
             3
      es
             2
6
                             4
             1
                             2
4
       е
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
            20
                            40
1
            18
                            36
2
             9
                            18
       a
3
             1
                             2
      as
4
                             2
      es
             1
             1
                             2
       0
6
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
            21
       s
                            42
1
            19
                            38
2
             9
                            18
       a
3
             1
                             2
      as
4
                             2
      es
             1
5
             1
                             2
       0
```

```
2
      os
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      es
           20
3
           16
                            32
5
                            18
       s
             5
1
                            10
      as
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           20
      es
3
           16
                            32
       е
5
            9
                            18
       s
1
             6
                            12
                             2
2
      as
             1
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
1
7
       s
            19
                            38
4
      es
            3
                             6
5
            2
                             4
       0
2
      as
             1
                             2
3
                             2
             1
       е
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           23
7
           19
                            38
       s
                             6
4
      es
            3
5
       0
             2
                             4
2
                             2
      as
3
                             2
       е
             1
6
      os
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      es
           16
                            32
6
       s
           12
                            24
1
           10
                            20
            5
                            10
       е
2
             4
                             8
       a
3
                             6
      as
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           31
                            62
       a
5
      es
           20
                            40
                            32
4
       е
           16
3
                            30
      as
           15
```

```
18
       s
            4
                            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           31
1
           26
                           52
8
           24
                           48
       S
                           40
5
           20
      es
3
      as
           18
                           36
4
           16
                           32
       е
6
       0
            2
                            4
7
            1
                            2
      os
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
3
      as
           15
                           30
4
            3
                            6
      es
1
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           31
3
           15
                           30
      as
            3
4
      es
                            6
1
                            2
            1
5
       s
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
           20
                           40
           17
                           34
1
2
                           18
       a
            9
3
                            2
            1
      as
4
      es
            1
                            2
5
       0
            1
                            2
                            2
6
      os
            1
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
      es
           20
3
           16
                           32
5
            9
                           18
       s
1
            4
                            8
            1
      as
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           20
      es
                           32
3
           16
       е
5
            9
                           18
       s
1
            6
                           12
2
                            2
      as
            1
```

```
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
                  freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
7
                           38
           19
       s
4
      es
            3
                            6
5
            2
                            4
       0
2
      as
            1
3
                            2
            1
       е
6
            1
                            2
      os
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           17
      es
                           24
1
           12
6
       s
           12
                           24
4
            6
                           12
       е
2
       a
            4
                            8
3
            4
                            8
      as
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           22
1
8
           18
                           36
       s
2
                           28
       a
           14
3
      as
            6
                           12
4
            2
                            4
       е
5
                            2
            1
      es
                            2
6
       0
            1
7
      os
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           27
8
       s
1
           26
                           52
2
           14
                           28
       a
3
                           12
      as
            6
4
            4
                            8
       е
5
            2
                            4
      es
6
            2
                            4
       0
7
                            2
            1
      os
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           17
           14
                           28
2
       а
6
           13
                           26
       s
3
      as
            5
                           10
4
            1
                            2
       0
```

```
5 os
[1] "All Endings Included"
  Suffix freq Percent_Trials
           17
1
2
                           28
       a
           14
6
           14
                           28
3
      as
                           10
4
            2
                            4
       0
5
      os
            1
                            2
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           18
1
6
           16
                           32
2
            9
                           18
       a
3
      as
            5
                           10
            2
                            4
       е
            1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           18
6
       s
           18
                           36
2
            9
                           18
       a
3
      as
            5
                           10
4
                            6
            3
      es
                            2
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           22
                           44
1
8
                           42
           21
       s
6
                            4
       0
2
                            2
            1
3
      as
            1
                            2
4
       е
            1
                            2
5
      es
                            2
      os
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           33
       s
1
           20
                           40
3
                           38
           19
      as
2
           17
                           34
       a
5
            9
                           18
      es
4
                            2
       е
            1
6
                            2
            1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
      s 36
```

```
3
            24
                            48
      as
1
            21
                            42
2
            18
                            36
5
            9
                            18
      es
                             2
4
       е
6
             1
                             2
                             2
      os
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
      as
            19
2
            17
                            34
       a
5
             9
                            18
       s
             6
                            12
1
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            20
      as
2
                            36
       a
            18
5
                            30
            15
            10
                            20
1
      es
                             2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            27
1
            15
                            30
2
            7
                            14
       a
3
             2
                             4
      as
             1
                             2
       е
5
                             2
      es
             1
6
       0
             1
                             2
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            27
                            30
1
            15
2
            9
                            18
       a
3
             4
                             8
      as
4
             1
                             2
       е
                             2
5
      es
             1
6
                             2
       0
             1
7
      os
                             2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            31
                            62
            16
                            32
1
5
            7
                            14
      es
2
             5
                            10
       a
3
             3
                             6
      as
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
6
            33
                            66
1
            16
                            32
5
            7
                            14
      es
2
             6
                            12
       a
3
                            12
      as
             6
4
             1
                             2
       е
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
            26
                            52
            15
                            30
1
5
            3
                             6
      es
2
             2
                             4
       a
3
             2
                             4
      as
4
       е
             1
                             2
6
       0
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            27
                            32
1
            16
5
      es
            4
                             8
2
             2
                             4
       a
3
             2
      as
                             4
4
             1
                             2
       е
6
       0
             1
                             2
7
      os
             1
                             2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
6
       s
1
            10
                            20
5
            5
                            10
3
             2
                             4
      as
                             2
2
             1
       a
4
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            30
       s
            14
                            28
1
5
                            12
            6
      es
3
             5
                            10
      as
2
       a
             3
                             6
4
             1
                             2
       е
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
            32
1
            18
                            36
5
            9
                            18
      es
2
             4
                             8
       a
             2
3
                             4
      as
4
             1
                             2
       е
6
             1
                             2
```

```
os
[1] "All Endings Included"
 Suffix freq Percent_Trials
8
       s
           34
                           42
1
           21
3
           14
                           28
      as
2
           13
                           26
       a
5
            9
                           18
      es
4
       е
            1
                            2
6
                            2
       0
            1
7
      os
            1
                            2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
           15
3
                           28
      as
           14
2
                           26
           13
                           20
1
           10
      es
            1
                            2
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           26
                           52
1
           14
                           28
2
            4
                            8
       a
3
            2
                            4
      as
            1
                            2
       е
5
      es
            1
6
       0
            1
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
8
       s
           27
1
           15
                           30
2
            5
                           10
       a
3
            2
      as
                            4
4
                            2
            1
       е
5
      es
            1
                            2
6
                            2
       0
            1
7
                            2
      os
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
5
       s
           27
                           54
                           30
1
           15
4
            7
                           14
      es
                            2
2
            1
      as
            1
       е
[1] "All Endings Included"
 Suffix freq Percent_Trials
       s 30
```

```
15
                            30
4
            7
                            14
      es
                             2
2
             1
      as
3
             1
                             2
       е
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           26
8
       s
1
            15
                            30
5
            3
                             6
      es
2
       a
             2
                             4
3
             2
                             4
      as
4
             1
                             2
       е
6
                             2
             1
7
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            26
8
       s
                            32
1
            16
5
                             6
            3
      es
2
             2
       a
                             4
3
      as
             2
4
                             2
             1
       е
6
                             2
7
             1
                             2
      os
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            25
                            50
1
            14
                            28
5
            5
                            10
      es
2
             3
                             6
3
             2
                             4
      as
                             2
4
       е
             1
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           28
3
           19
                            38
      as
2
       a
           17
                            34
1
           16
                            32
      es
            7
                            14
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           34
       s
           23
3
                            46
      as
           19
                            38
1
2
                            36
           18
5
            9
                            18
      es
4
             1
                             2
       е
```

```
0
                           2
7
      os
            1
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
      as
           19
2
      a
           17
5
           9
                          18
       s
1
            6
                          12
            1
      es
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           20
     as
                          36
2
           18
5
           9
                          18
       s
1
            6
                          12
            1
                           2
      es
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
             freq Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       s
           25
1
           14
                          28
2
       a
            5
                          10
3
            2
                           4
      as
4
            1
                           2
       е
                           2
5
            1
      es
6
                           2
       0
            1
7
                           2
            1
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
5
           27
       S
                          30
1
           15
4
      es
           7
                          14
2
      as
            1
                           2
            1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       S
           27
                          54
1
           15
                          30
5
           7
                          14
      es
3
            2
                           4
      as
2
                           2
            1
       a
                           2
       е
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
                 freq
[1] Suffix
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      s 25
```

```
15
                            30
5
            4
                            8
      es
2
            2
                            4
       a
3
            2
                             4
      as
                             2
4
       е
6
             1
                             2
      os
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
                    freq
[1] Suffix
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           30
       S
1
           14
                            28
5
                            12
      es
            6
3
            5
                            10
      as
2
             2
                            4
       a
4
                             2
       е
             1
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           28
                            32
1
            16
2
            7
                            14
       a
3
      as
            3
                            6
5
      es
            2
                             4
4
             1
                             2
       е
6
                             2
             1
             1
      os
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           30
       s
           18
                            36
1
2
            7
                            14
       a
3
            7
                            14
      as
5
      es
            3
                            6
4
       е
             1
                             2
6
                             2
       0
                             2
             1
      os
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       s
           25
1
           13
                            26
2
            7
                            14
       a
3
            2
                             4
      as
                             2
4
             1
       е
5
                             2
      es
             1
                             2
6
      os
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       S
           25
```

```
1
            14
                             28
2
             7
                             14
       а
3
      as
             4
                             8
4
                             2
       е
             1
5
      es
             1
                             2
6
                             2
             1
                             2
      os
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            26
                             28
1
            14
2
                             10
             5
       a
3
             3
      as
                             6
4
                             2
       е
             1
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            26
       S
                            28
1
            14
2
             5
                             10
       a
3
             5
                             10
      as
4
                             2
             1
       е
5
                             2
      es
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       s
            26
1
            15
                             30
2
             2
                             4
       a
3
             2
                             4
      as
5
             2
                             4
      es
4
                             2
       е
             1
6
       0
             1
                             2
7
             1
                             2
      os
```

- [1] "mSg and nSg fully match 100% of the time"  $\,$
- [1] "mPl and nPl fully match 78% of the time"
- [1] "nPl and fSg fully match 2% of the time"
- [1] "Endings that overlap are c("-", "-") in trials 8"
- [1] "nPl and fPl fully match 6% of the time"
- [1] "Endings that overlap are c("-", "-"), c("as", "as"), c("as", "as") in trials 8,14,46"
- [1] "mPl and fSg fully match 2% of the time"

- [1] "Endings that overlap are c("-", "-") in trials 8"
- [1] "mPl and fPl fully match 6% of the time"
- [1] "Endings that overlap are c("-", "-"), c("as", "as"), c("as", "as") in trials 8,14,46"
- [1] "mSg and nSg at least partially match 100% of the time"
- [1] "mPl and nPl at least partially match 100% of the time"
- [1] "fSg and nPl at least partially match 26% of the time"
- [1] "Endings that overlap are a,a,-,a,a,a,a,a,a,a,a,a in trials 4,6,8,13,23,26,28,29,33,38,41,47,49"
- [1] "fPl and nPl at least partially match 38% of the time"
- [1] "fSg and mPl at least partially match 16% of the time"
- [1] "Endings that overlap are -,a,a,a,a,a,a in trials 8,13,23,28,33,38,41,49"
- [1] "fPl and mPl at least partially match 20% of the time"
- [1] "Endings that overlap are -,a,as,a,a,a,a,a,a in trials 8,13,14,23,28,33,38,41,46,49"
- [1] "fPl, mPl, and nPl at least partially match 20% of the time"
- [1] "Endings that overlap are -,a,as,a,a,a,a,a,a in trials 8,13,14,23,28,33,38,41,46,49"
- [1] "26 percent of trials contain nPl ending in -as. Those trials are 6,14,17,18,19,26,35,36,42,46,47,4

[1] "56 percent of trials contain fPl (135) ending in -as. Those trials are 1,2,7,9,10,12,14,17,18,19,2

- [1] "6 percent of trials contain mPl (234) ending in -as. Those trials are 14,46,49"
- [1] "8 percent of trials contain mPl (2345) ending in -as. Those trials are 14,26,46,49"
- [1] "O percent of trials contain fPl (135) ending in -os. Those trials are "
- [1] "2 percent of trials contain nPl ending in -os. Those trials are 2"
- [1] "2 percent of trials contain mPl (234) ending in -os. Those trials are 2"
- [1] "2 percent of trials contain mP1 (2345) ending in -os. Those trials are 2"
- [1] "80 percent of trials contain fPl ending in -s. Those trials are 1,2,5,6,7,9,10,12,13,14,15,17,18,1

- [1] "68 percent of trials contain nPl ending in -s. Those trials are 1,2,5,6,7,10,12,13,14,15,17,18,19,
- [1] "78 percent of trials contain mPl ending in -s. Those trials are 1,2,5,6,7,9,10,12,13,14,15,17,18,1
- [1] "62 percent of trials contain fPl (135) ending in -a. Those trials are 1,3,4,5,6,7,9,11,13,15,16,20
- [1] "28 percent of trials contain nPl ending in -a. Those trials are 4,6,13,23,26,28,29,33,38,41,46,47,
- [1] "18 percent of trials contain mPl (234) ending in -a. Those trials are 13,23,28,33,38,41,46,49,50"
- [1] "22 percent of trials contain mPl (2345) ending in -a. Those trials are 13,23,28,29,33,38,40,41,46,
- [1] "O percent of trials contain fPl (1) ending in -e. Those trials are "
- [1] "32 percent of trials contain fPl (135) ending in -e. Those trials are 3,4,6,7,9,13,16,20,21,26,27,
- [1] "8 percent of trials contain nPl (3) ending in -e. Those trials are 16,20,21,27"
- [1] "2 percent of trials contain nPl (24) ending in -e. Those trials are 16"
- [1] "8 percent of trials contain nPl ending in -e. Those trials are 16,20,21,27"
- [1] "32 percent of trials contain mPl (3) ending in -e. Those trials are 3,4,6,7,9,13,16,20,21,26,27,28
- [1] "2 percent of trials contain mPl (24) ending in -e. Those trials are 16"
- [1] "32 percent of trials contain mPl (234) ending in -e. Those trials are 3,4,6,7,9,13,16,20,21,26,27,
- [1] "32 percent of trials contain mPl (2345) ending in -e. Those trials are 3,4,6,7,9,13,16,20,21,26,27
- [1] "98 percent of trials contain fSg (1) ending in -a. Those trials are 1,2,3,4,5,6,7,9,10,11,12,13,14
- [1] "8 percent of trials contain fSg (5) ending in -a. Those trials are 9,38,40,46"
- [1] "4 percent of trials contain fSg (3) ending in -a. Those trials are 9,38"
- [1] "4 percent of trials contain nSg ending in -a. Those trials are 4,6,13,23,26,28,29,33,38,41,46,47,4
- [1] "2 percent of trials contain mSg (234) ending in -a. Those trials are 38"
- [1] "6 percent of trials contain mSg (2345) ending in -a. Those trials are 38,40,46"
- [1] "O percent of trials contain fSg (1) ending in -o. Those trials are "
- [1] "100 percent of trials contain nSg ending in -o. Those trials are 9,40"
- [1] "100 percent of trials contain mSg (24) ending in -o. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,1

- [1] "100 percent of trials contain mSg (2345) ending in -o. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12
- [1] "2 percent of trials contain fSg (1) ending in -e. Those trials are 49"
- [1] "84 percent of trials contain fSg (135) ending in -e. Those trials are 1,2,3,4,6,7,9,12,13,14,15,16
- [1] "10 percent of trials contain nSg (3) ending in -e. Those trials are 16,20,21,27,49"
- [1] "4 percent of trials contain nSg (24) ending in -e. Those trials are 16,49"
- [1] "10 percent of trials contain nSg ending in -e. Those trials are 16,20,21,27,49"
- [1] "82 percent of trials contain mSg (3) ending in -e. Those trials are 1,2,3,4,6,7,9,12,13,15,16,17,1
- [1] "6 percent of trials contain mSg (24) ending in -e. Those trials are 1,16,49"
- [1] "82 percent of trials contain mSg (234) ending in -e. Those trials are 1,2,3,4,6,7,9,12,13,15,16,17
- [1] "82 percent of trials contain mSg (2345) ending in -e. Those trials are 1,2,3,4,6,7,9,12,13,15,16,1
- [1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 2"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 54"
- [1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 68"
- [1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 12"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 24"
- [1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 22"
- [1] "Max Endings only"
- [1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 2"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 14"
- [1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 48"
- [1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 0"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 6"
- [1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 4"