## Aggregate Data

## Tyler Lau

July 18, 2016

- [1] "Common Sound Change, Token Freq F, Number of cases being considered: 5"
- [1] "Only considering max suffixes: FALSE"
- [1] "Dropping suffixes that appear 10 or less times"

[1] "Sg"  Suffix freq Percent_Trials  1
1 - 14 28 2 e 13 26 5 s 7 14 6 u 7 14 3 i 6 12 4 is 3 6 [1] "SgNom,Acc" Suffix freq Percent_Trials 1 - 18 36 5 u 16 32 2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
2 e 13 26 5 s 7 14 6 u 7 14 3 i 6 12 4 is 3 6 [1] "SgNom,Acc" Suffix freq Percent_Trials 1 - 18 36 5 u 16 32 2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18
5 s 7 14 6 u 7 14 3 i 6 12 4 is 3 6 [1] "SgNom,Acc" Suffix freq Percent_Trials 1 - 18 36 5 u 16 32 2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials
6 u 7 14 3 i 6 12 4 is 3 6 [1] "SgNom,Acc"  Suffix freq Percent_Trials 1 - 18 36 5 u 16 32 2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc"  Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc"  Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc"  Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc"  Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
3 i 6 12 4 is 3 6 [1] "SgNom,Acc" Suffix freq Percent_Trials 1 - 18 36 5 u 16 32 2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
4 is 3 6 [1] "SgNom, Acc" Suffix freq Percent_Trials 1 - 18 36 5 u 16 32 2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom, Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom, Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom, Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
[1] "SgNom,Acc"  Suffix freq Percent_Trials  1 - 18 36  5 u 16 32  2 e 7 14  6 um 5 10  3 em 2 4  4 i 2 4  [1] "1SgNom,Acc"  Suffix freq Percent_Trials  1 a 47 94  2 am 3 6  [1] "2SgNom,Acc"  Suffix freq Percent_Trials  2 u 38 76  3 um 10 20  1 - 2 4  [1] "3SgNom,Acc"  Suffix freq Percent_Trials  2 u 38 76  3 um 10 20  1 - 2 4  [1] "3SgNom,Acc"  Suffix freq Percent_Trials
Suffix freq Percent_Trials  1
1 - 18 36 5 u 16 32 2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
5 u 16 32 2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
2 e 7 14 6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
6 um 5 10 3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
3 em 2 4 4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
4 i 2 4 [1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
[1] "1SgNom,Acc" Suffix freq Percent_Trials 1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
Suffix freq Percent_Trials  1 a 47 94  2 am 3 6  [1] "2SgNom,Acc"  Suffix freq Percent_Trials  2 u 38 76  3 um 10 20  1 - 2 4  [1] "3SgNom,Acc"  Suffix freq Percent_Trials  1 - 26 52  2 e 18 36
1 a 47 94 2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
2 am 3 6 [1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
[1] "2SgNom,Acc" Suffix freq Percent_Trials 2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
Suffix freq Percent_Trials  2
2 u 38 76 3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
3 um 10 20 1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
1 - 2 4 [1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
[1] "3SgNom,Acc" Suffix freq Percent_Trials 1 - 26 52 2 e 18 36
Suffix freq Percent_Trials 1
Suffix freq Percent_Trials 1
1 - 26 52 2 e 18 36
2 e 18 36
3 em 4 8
4 i 2 4
[1] "4SgNom,Acc"
Suffix freq Percent_Trials
2 u 39 78
3 um 10 20
1 - 1 2
[1] "5SgNom, Acc"
Suffix freq Percent_Trials
1 - 23 46
3 e 19 38
5 i 3 6

```
a
4
          1
                       2
     em
6
     is
          1
                       2
7
      s
          1
                       2
[1] "mSgNom, Acc"
 Suffix freq Percent_Trials
     u 38
4
        9
                      18
     um
          2
1
     -
                       4
        1
                       2
     е
[1] "fSgNom, Acc"
 Suffix freq Percent_Trials
3
    e 18
         17
                      34
1
2
        11
                      22
      a
5
        2
     i
                       4
4
     em
          1
                       2
6
          1
     S
[1] "nSgNom, Acc"
Suffix freq Percent_Trials
     u 36
2
                      72
3
    um
        9
                      18
    - 5
                      10
1
[1] "SgAcc, Abl"
 Suffix freq Percent_Trials
     е
         23
5
      u
         13
                      26
1
        10
                      20
3
        2
                       4
     i
                       2
4
          1
     m
6
    um
          1
[1] "1SgAcc,Abl"
 Suffix freq Percent_Trials
    a 48
                       2
1
          1
3
          1
                       2
     am
[1] "2SgAcc,Abl"
 Suffix freq Percent_Trials
3
     u 31
                      22
1
         11
4
        7
                      14
    um
     ō
                       2
        1
[1] "3SgAcc, Abl"
 Suffix freq Percent_Trials
     е
         39
1
         6
                      12
4
      i
          2
                       4
5
          2
                       4
    em
[1] "4SgAcc,Abl"
 Suffix freq Percent_Trials
3
     u 32
4
     um 9
                      18
1
          8
                      16
```

```
2 ō 1
[1] "5SgAcc, Abl"
 Suffix freq Percent_Trials
3
    е
         29
         12
                       24
1
5
      i
        3
                       6
2
          2
      a
4
          1
                        2
     em
6
     is
          1
                        2
7
          1
                        2
     m
8
      s
          1
[1] "mSgAcc,Abl"
 Suffix freq Percent_Trials
         29
5 u
2
      е
          9
                       18
1
          7
                       14
6
          3
                        6
     um
                        2
3
          1
      m
4
      ō
          1
[1] "fSgAcc,Abl"
 Suffix freq Percent_Trials
  e 31
2
        9
                       18
      a
1
          5
                       10
5
          2
                       4
      i
          2
6
      m
                        4
4
     em
          1
                        2
[1] "nSgAcc, Abl"
 Suffix freq Percent_Trials
5
      u
         29
      _
         12
                       24
1
        5
6
     um
                       10
2
          2
                       4
      е
3
                        2
          1
      m
          1
     ō
[1] "SgNom, Acc, Abl"
 Suffix freq Percent_Trials
     u
         19
2
         15
                       30
      е
1
         12
                       24
3
      i
        2
                       4
   um
        2
[1] "1SgNom, Acc, Abl"
 Suffix freq Percent_Trials
    a 50
[1] "2SgNom, Acc, Abl"
 Suffix freq Percent_Trials
  u
         34
3
     um 10
                       20
         6
                       12
[1] "3SgNom, Acc, Abl"
 Suffix freq Percent_Trials
2
         28
     е
1
     _
         20
                       40
```

```
i
[1] "4SgNom, Acc, Abl"
  Suffix freq Percent_Trials
       u
           35
3
           10
                           20
      um
1
            4
                            8
            1
                            2
      us
[1] "5SgNom, Acc, Abl"
  Suffix freq Percent_Trials
3
       е
           24
           17
1
                           34
4
       i
            3
                            6
6
            3
                            6
       s
2
            2
                            4
       a
5
      is
            1
[1] "mSgNom, Acc, Abl"
  Suffix freq Percent_Trials
           31
       u
2
            7
       е
                           14
5
            6
                           12
      um
1
            5
                           10
       ō
            1
                            2
[1] "fSgNom, Acc, Abl"
 Suffix freq Percent_Trials
2
           23
       a
3
       е
           18
                           36
            7
1
                           14
       i
            2
                            4
[1] "nSgNom, Acc, Abl"
  Suffix freq Percent_Trials
3
           29
       u
1
           15
                           30
4
            5
                           10
      um
2
       ō
            1
                            2
[1] "SgGen, Dat"
 Suffix freq Percent_Trials
1
           16
                           32
7
       s
            9
                           18
2
            7
                           14
       е
5
            7
                           14
       i
                           10
8
       u
            5
6
            3
                            6
      is
3
      em
            1
                            2
4
      es
            1
                            2
      um
            1
[1] "1SgGen, Dat"
  Suffix freq Percent_Trials
2
       a
           33
1
            8
                           16
3
            5
                           10
      as
5
            3
                            6
      is
                            2
            1
       i
[1] "2SgGen, Dat"
  Suffix freq Percent_Trials
```

```
1
           17
                           34
5
           11
                           22
       s
6
           8
                           16
3
       i
            7
                           14
4
            3
                            6
      is
7
                            6
      um
            3
                            2
       е
[1] "3SgGen,Dat"
  Suffix freq Percent_Trials
2
       е
           16
           15
                           30
1
5
       i
                           12
            6
4
      es
            4
                            8
7
            4
                            8
      S
6
      is
            3
                            6
3
            2
      em
[1] "4SgGen,Dat"
  Suffix freq Percent_Trials
7
       u
           13
           12
                           24
1
6
           11
                           22
       s
3
       i
           6
                           12
8
            4
                           8
      um
            2
5
      is
                            4
2
                            2
            1
       е
      im
[1] "5SgGen,Dat"
  Suffix freq Percent_Trials
3
           17
       е
           15
                           30
1
5
       i
           6
                           12
7
       s
            6
                           12
4
      es
            3
                            6
6
            2
                            4
      is
                            2
            1
       a
[1] "mSgGen,Dat"
  Suffix freq Percent_Trials
1
           12
6
       s
           11
                           22
7
            8
                           16
       u
4
       i
            7
                           14
2
            5
                           10
       е
5
      is
            3
                            6
8
      um
            3
                            6
            1
      em
[1] "fSgGen,Dat"
  Suffix freq Percent_Trials
           12
1
4
           11
                           22
       е
2
            8
                           16
       a
7
       i
            6
                           12
9
            5
                           10
       s
8
      is
            3
                           6
3
            2
      as
                            4
```

```
6 es 2
5
  em 1
                 2
[1] "nSgGen,Dat"
Suffix freq Percent_Trials
1 - 17 34
5 s 11
                22
6
   u 9
3
   i 7
                14
 is 3
4
                6
  um 2
7
                 4
2
   е
       1
[1] "Nom"
 Suffix freq Percent_Trials
6 s 15
   e 14
2
                28
   - 11
                22
1
3
  es 4
                8
4
  i 3
7
   u 2
                 4
5 is 1
[1] "NomSg"
Suffix freq Percent_Trials
1 -
       23
4
      15
                30
    u
   e 8
2
                16
3
   i 3
                6
5 um 1
                 2
[1] "1"
Suffix freq Percent_Trials
2 a 31
4
   as 14
                28
1
  - 2
                 4
3 aes 2
5 es 1
[1] "1Sg"
Suffix freq Percent_Trials
2 a 45 90
1
   - 3
                 6
3
   i 1
                 2
4 is 1
[1] "1SgNom"
Suffix freq Percent_Trials
1 a 50 100
[1] "2"
 {\tt Suffix\ freq\ Percent\_Trials}
1 - 19
5
   s 17
                34
   u 7
6
                14
3
   i 3
                6
4
 is 3
                 6
2
       1
   е
[1] "2Sg"
Suffix freq Percent_Trials
5 u 22
```

```
1 - 13
                26
4
    s 7
                14
6
  um 4
                8
2
   i
       2
                4
3
   is
                 4
[1] "2SgNom"
Suffix freq Percent_Trials
2 u 39
      9
3
   um
                18
   - 2
1
                4
[1] "3"
Suffix freq Percent_Trials
2 e 15
   - 11
                22
1
6
  s 11
                22
3 es 7
                14
4 i 5 5 is 1
                10
                2
[1] "3Sg"
Suffix freq Percent_Trials
2 e 23
                46
1
   - 17
                34
4
   i 4
                8
   s 3
6
                 6
5 is 2
                 4
3 em 1
[1] "3SgNom"
Suffix freq Percent_Trials
1 - 27
2
   e 19
                38
3
   i 4
                8
[1] "4"
Suffix freq Percent_Trials
5 s 17
    - 13
                26
1
  u 11
6
                22
3
   i 3
                6
4 is 2
                4
7
  um
       2
                 4
2
 е
       1
                 2
8
  us
[1] "4Sg"
Suffix freq Percent_Trials
5 u 24 48
    - 7
1
                14
4
   s 7
                14
6
   um 7
                14
2
  i 2
                4
3 is
       2
                 4
7
   us 1
[1] "4SgNom"
Suffix freq Percent_Trials
2 u 39
   um 9
3
                18
```

```
4
                         2
     us
[1] "5"
 Suffix freq Percent_Trials
      е
          17
                         22
9
      s
          11
1
         8
                         16
7
           6
                         12
      i
5
     es
           4
                         8
                         2
2
           1
     a
                         2
3
     as
           1
6
     ēs
           1
                         2
8
     is
[1] "5Sg"
 {\tt Suffix\ freq\ Percent\_Trials}
          25
      е
1
          13
                         26
4
         4
                         8
6
           4
                         8
      s
2
           2
      a
                         4
           2
5
     is
[1] "5SgNom"
 Suffix freq Percent_Trials
          21
                         36
3
          18
      е
                         8
4
      i
         4
6
      S
           4
                         8
2
      a
           2
                         4
5
           1
                          2
     is
[1] "m"
 Suffix freq Percent_Trials
6
      s
          16
                         32
2
          11
                         22
1
      - 10
                         20
4
      i
          6
                         12
5
         3
                         6
     is
3
           2
     es
                         4
7
      u
           2
[1] "mSg"
 Suffix freq Percent_Trials
          13
6
         13
                         26
      u
2
      е
          8
                         16
5
         7
                         14
      s
3
      i
           6
                         12
4
     is
           2
                         4
     um
           1
[1] "mSgNom"
 Suffix freq Percent_Trials
      u 39
3
           9
                         18
     um
           2
1
[1] "f135Sg"
 Suffix freq Percent_Trials
```

```
a 18
                     36
3
         15
                     30
     е
1
         10
                     20
4
     i
       3
                      6
5
         3
                      6
    is
6
     s
          1
                      2
[1] "m24Sg"
 Suffix freq Percent_Trials
6
     u
         25
         8
1
                     16
5
        7
                     14
     s
7
   um 5
                     10
    i 2
3
                      4
         2
4
   is
                      4
2
     е
          1
[1] "n24Sg"
 Suffix freq Percent_Trials
   u
         22
1
         13
                     26
5
       7
                     14
     s
   um 3
7
                      6
    i 2
3
4
    is
         2
2
         1
     е
[1] "m234Sg"
 Suffix freq Percent_Trials
     u 14
1
         13
                     26
2
     e 7
                     14
5
     s 7
                     14
3
                     12
     i 6
4
    is
         2
                      4
    um
         1
[1] "m2345Sg"
 Suffix freq Percent_Trials
6
     u
         14
         13
                     26
1
2
     е
       7
                     14
5
        7
                     14
     s
3
     i 6
                     12
4
    is
         2
                      4
7
    um
          1
                      2
[1] "m1Sg"
 Suffix freq Percent_Trials
     a
         36
1
         10
                     20
3
        1
                      2
    am
4
                      2
    e 1
5
     i
         1
                      2
6
    is
         1
[1] "m1SgNom"
Suffix freq Percent_Trials
2 a 39
     - 9
1
                     18
```

```
3 am 1
4 e 1
4
    е
[1] "m2Sg"
 Suffix freq Percent_Trials
  u 22 44
6
                    26
1
        13
5
                   14
    s 7
7
                    6
    um 3
3
    i 2
                    4
4
    is
         2
                    4
2
    е
         1
[1] "m2SgNom"
 Suffix freq Percent_Trials
2 u 39
3
    um
        9
                    18
  _
         2
1
                    4
[1] "m3Sg"
 Suffix freq Percent_Trials
   е
        29
       14
                    28
1
4
    i 3
                    6
5 is 2
3
    em
         1
                    2
6
    S
         1
[1] "m3SgNom"
 Suffix freq Percent_Trials
1
        28
2
     e 18
                    36
3
     i
         4
                    8
[1] "m4Sg"
Suffix freq Percent_Trials
6 u
        25
1
     - 7
                    14
5
    s 7
                   14
7
   um 5
                    10
3
    i 2
                    4
4
         2
    is
2
    е
         1
8
    us
         1
[1] "m4SgNom"
 Suffix freq Percent_Trials
2
     u 39 78
3
    um
         9
                   18
1
        1
                    2
    us
         1
[1] "m5Sg"
 Suffix freq Percent_Trials
        26
3 е
1
     - 13
                    26
4
     i 4
                    8
6
     s 3
                    6
2
     a 2
5
         2
    is
[1] "m5SgNom"
```

```
Suffix freq Percent_Trials
          21
1
                        42
                        34
3
          17
5
      i
          4
                         8
8
           3
                         6
      s
2
           2
      a
                         4
4
     es
6
     is
                         2
           1
7
      m
                         2
[1] "f"
 Suffix freq Percent_Trials
5
      е
          11
2
      a
          10
                        20
           8
1
                        16
4
           5
                        10
     as
9
           5
     s
                        10
6
     es
           4
                         8
7
     i
           4
                         8
8
           2
                         4
     is
                         2
3
    aes
[1] "fSg"
 Suffix freq Percent_Trials
2
      a
          18
                        36
3
          14
                        28
      е
          10
                        20
1
4
      i
         4
                         8
5
     is
           3
                         6
6
      s
           1
[1] "fSgNom"
 Suffix freq Percent_Trials
          20
1
3
      е
          18
                        36
2
         8
                        16
      a
4
         3
                         6
      i
                         2
5
           1
      s
[1] "f1Sg"
 Suffix freq Percent_Trials
      a 46
2
                        92
1
           3
                         6
3
         1
                         2
     is
[1] "f1SgNom"
 Suffix freq Percent_Trials
    a 50
[1] "f2Sg"
 Suffix freq Percent_Trials
          19
6
      u
                        28
1
          14
5
         8
                        16
2
      e 3
                         6
7
           3
                         6
     um
3
      i
           2
                         4
           1
4
     is
[1] "f2SgNom"
 Suffix freq Percent_Trials
```

```
3 u 33
                  66
1
       12
                  24
4
       4
                  8
   um
2
    s
        1
                   2
[1] "f3Sg"
Suffix freq Percent_Trials
       30
2 e
1
       13
                  26
3
    i 3
                   6
    is 2
4
                   4
5
        2
    S
[1] "f3SgNom"
 Suffix freq Percent_Trials
1 -
       24
2
    е
        21
                  42
3
    i 4
                   8
   s 1
4
                   2
[1] "f4Sg"
 Suffix freq Percent_Trials
6
   u 17
        15
                  30
1
5
    s
      8
                  16
7
   um 4
                  8
   i 3
3
                   6
   e 1
2
                   2
  is 1
4
    us
8
        1
[1] "f4SgNom"
 Suffix freq Percent_Trials
3 u 35
    - 8
1
                  16
4
   um 5
                  10
2
   s 1
                  2
5
        1
                   2
   us
[1] "f5Sg"
Suffix freq Percent_Trials
        25
3 е
1
        13
                  26
4
    i 4
                  8
6
    s 4
                   8
2
   a 2
        2
5
  is
[1] "f5SgNom"
 Suffix freq Percent_Trials
        21
3
       18
                  36
     е
      4
4
   i
                   8
6
   s 4
                   8
2
        2
                   4
   a
  is
5
        1
[1] "n"
Suffix freq Percent_Trials
6 s
       17
1
       15
                  30
```

```
4 i 6
               12
2
   e 4
                 8
5
  is 3
                 6
7
   u
       3
                 6
3
   es
                 4
[1] "nSg"
 Suffix freq Percent_Trials
       18
1
6
    u
       12
                24
   s 8
5
                16
                12
3
   i 6
 is 3
4
                6
 um 2
7
                 4
   е
[1] "nSgNom"
Suffix freq Percent_Trials
2 u 39
                78
   um 9
                18
3
1 -
       2
                4
[1] "n2Sg"
Suffix freq Percent_Trials
6 u 22
1
       13
                26
5
   s 7
                14
7 um 3
                6
3 i 2
4 is
       2
                 4
2
   е
       1
[1] "n2SgNom"
 Suffix freq Percent_Trials
2 u 39
                78
3
   um 9
                18
1
   - 2
[1] "n3Sg"
Suffix freq Percent_Trials
1 - 29
2
                30
   e 15
3
   i 3
                6
5
   s 2
                 4
  is 1
[1] "n3SgNom"
Suffix freq Percent_Trials
1 - 38 76
2 e 8
                16
   i 3
3
                 6
4 s
                 2
       1
[1] "n4Sg"
 Suffix freq Percent_Trials
6
       26
 u
       7
1
                14
5
    s 7
                14
7
   um 4
                8
3
   i 3
                 6
4
   is
       2
                 4
```

```
2 e 1
[1] "n4SgNom"
Suffix freq Percent_Trials
3 u 39 78
  um 9
4
                18
1
      1
                2
    i
[1] "Acc"
Suffix freq Percent_Trials
2 e 18
    - 9
1
7
   s 9
                18
 em 7
3
                14
  i 2
4
                4
   m 2
6
       2
8
   u
5 is 1
[1] "AccSg"
Suffix freq Percent_Trials
 um 16 32
8
3
   em
       13
                26
7
   u 8
                16
1
   - 4
                8
2
   e 4
                 8
6
   m 3
                 6
4 i 1
5 im 1
   i 1
[1] "1SgAcc"
Suffix freq Percent_Trials
2 am 30
1 a 20
[1] "2SgAcc"
Suffix freq Percent_Trials
3 um 35 70
2 u 14
                28
   m 1
                2
1
[1] "3SgAcc"
Suffix freq Percent_Trials
3 em 27 54
  e 12
                24
2
1
   - 6
                12
6
   m 3
                6
 i -
im 1
4
                 2
[1] "4SgAcc"
Suffix freq Percent_Trials
2 um 34
   u 16
                32
1
[1] "5SgAcc"
Suffix freq Percent_Trials
5 em 16
                32
4
   e 15
                30
1
   - 6
                12
8 m 6
                12
```

```
6
  i 3
                     6
2
       1
                     2
     a
3
                     2
    am 1
7
    is
         1
                     2
9
     S
[1] "mSgAcc"
 Suffix freq Percent_Trials
    um
        34
3
        14
     u
                    28
       1
                    2
1
    em
                     2
2
     m
         1
[1] "m1SgAcc"
 Suffix freq Percent_Trials
3 am 25
2
   a 17
                    34
5
       4
                    8
     m
1
         2
                     4
         2
4
   em
[1] "m2SgAcc"
Suffix freq Percent_Trials
3 um 34
                    68
                    30
2
   u 15
1
     m 1
                     2
[1] "m3SgAcc"
 Suffix freq Percent_Trials
  em 26
2
     e 12
                    24
1
        6
                    12
6
   m 4
                     8
4
    i 1
                     2
5
    im 1
[1] "m4SgAcc"
Suffix freq Percent_Trials
2 um 34
    u 16
                    32
[1] "m5SgAcc"
 Suffix freq Percent_Trials
5
    em
        17
4
        14
                    28
     е
8
     m 7
                    14
1
     - 6
                    12
6
    i 3
                    6
2
     a
       1
                     2
3
    am
         1
                     2
7
    is
[1] "fSgAcc"
 Suffix freq Percent_Trials
5
    em
        16
3
        12
                    24
    am
                    24
4
     e 12
2
     a 4
                     8
       3
1
                     6
7
     m 2
6
     i
         1
```

```
[1] "f1SgAcc"
Suffix freq Percent_Trials
2 am 30 60
1
   a 20
                 40
[1] "f2SgAcc"
Suffix freq Percent_Trials
4 um 25 50
3 u 13
                  26
1
    - 9
                  18
  m 3
                 6
2
[1] "f3SgAcc"
Suffix freq Percent_Trials
3 em 26
   e 15
2
                  30
1
   - 4
                  8
6
    m 3
                  6
4
   i 1
                  2
5
  im 1
[1] "f4SgAcc"
Suffix freq Percent_Trials
4 um 28 56
3
  u 14
                  28
1
    - 7
                 14
    m 1
2
                 2
[1] "f5SgAcc"
Suffix freq Percent_Trials
 em 16 32
4
    e 15
                  30
1
    - 6
                 12
8
   m 6
                 12
6
   i 3
                  6
   a 1
2
                  2
3 am 1
                  2
7 is 1
                  2
   s 1
[1] "nSgAcc"
Suffix freq Percent_Trials
3 um 35
                 70
  u 14
2
                  28
   m 1
                 2
1
[1] "n2SgAcc"
Suffix freq Percent_Trials
3 um 35 70
  u 14
2
                  28
1
    m 1
[1] "n3SgAcc"
Suffix freq Percent_Trials
1 - 19
3
   em 14
                  28
   m 10
6
                  20
2
   e 5
                 10
4
   i 1
                 2
5
   im 1
                  2
[1] "n4SgAcc"
```

```
Suffix freq Percent_Trials
3 um
       33
                 32
2
       16
   u
1
   - 1
                 2
[1] "Gen"
Suffix freq Percent_Trials
6 s 15
1
       14
                 28
   i 7
4
                 14
2
   e 6
                 12
3 es 4
                 8
5 is 3
                 6
7
   u 1
                 2
[1] "GenSg"
 Suffix freq Percent_Trials
1 - 19
6
    s
       11
                 22
   i 7
                14
4
2
                12
   e 6
5 is 3
                 6
3 es
       2
                 4
7
   u
       2
[1] "1SgGen"
Suffix freq Percent_Trials
2 a 28
3
  as 10
                 20
   - 7
1
                 14
5
 is 3
                 6
4 i 1
                 2
   S
       1
[1] "2SgGen"
Suffix freq Percent_Trials
1 - 16
5
    s 12
                 24
6 u 9
                 18
3
   i 7
                 14
4 is 3
                 6
7
  um
       2
                 4
2
   е
[1] "3SgGen"
 Suffix freq Percent_Trials
  - 14
                 28
1
  e 13
s 10
2
                 26
6
                 20
4
   i 7
                 14
3
   es 3
                 6
5
   is
      3
[1] "4SgGen"
 Suffix freq Percent_Trials
6
 u 13
5
    s 12
                 24
                 22
1
    - 11
3
   i 7
                 14
7 um 3
                 6
```

```
is 2
2
          1
                      2
    е
8
    us
          1
[1] "5SgGen"
 Suffix freq Percent_Trials
1
         15
3
         12
     е
7
         10
                      20
     s
        6
5
     i
                      12
4
     es
        3
                      6
6
     is
          3
                      6
2
          1
                       2
     a
[1] "mSgGen"
 {\tt Suffix\ freq\ Percent\_Trials}
1
         13
5
         11
                      22
     s
        9
6
     u
                      18
3
        7
    i
                     14
2
        5
                      10
     е
4
          3
                      6
     is
7
          2
     um
[1] "m1SgGen"
 Suffix freq Percent_Trials
         25
     a
                      22
1
         11
3
                     12
    as
        6
   is 3
6
                      6
7
     s
          3
                      6
4
          1
                      2
   es
5
     i
          1
[1] "m2SgGen"
 Suffix freq Percent_Trials
1
         17
5
        11
                      22
     s
6
                      18
        9
    u
3
    i 7
                      14
4
    is 3
                      6
7
    um
          2
                      4
2
     е
          1
[1] "m3SgGen"
 Suffix freq Percent_Trials
    - 14
                      28
1
   е
2
        13
                      26
6
    s 10
                      20
4
    i 7
                      14
3
          3
                      6
     es
5
    is
          3
[1] "m4SgGen"
 {\tt Suffix\ freq\ Percent\_Trials}
6
     u 13
5
         12
                      24
     S
1
                      22
        11
3
     i 7
                      14
7
     um 3
                      6
```

```
4 is 2
2
          1
                        2
     е
8
     us
          1
[1] "m5SgGen"
 Suffix freq Percent_Trials
1
          15
3
          10
                       20
      е
7
          10
                       20
      s
         7
5
     i
                       14
4
          4
                        8
     es
6
     is
           3
                        6
2
           1
                        2
      a
[1] "fSgGen"
 {\tt Suffix\ freq\ Percent\_Trials}
1
          15
3
          11
                       22
      е
7
      s
          10
                       20
5
        6
                       12
     i
4
        3
                        6
     es
          3
6
     is
                        6
           2
2
      a
[1] "f1SgGen"
 Suffix freq Percent_Trials
          28
      a
                       20
3
     as
          10
                       14
1
    - 7
5
     is
        3
                        6
4
     i
          1
                        2
6
           1
      S
[1] "f2SgGen"
 Suffix freq Percent_Trials
1
          15
5
          12
                       24
6
      u 8
                       16
         7
3
      i
                       14
2
          3
                        6
      е
4
          3
     is
                        6
7
     um
          2
[1] "f3SgGen"
 Suffix freq Percent_Trials
          14
2
        14
                       28
      е
6
      s
        10
                       20
4
      i
        6
                       12
          3
3
     es
                        6
5
          3
                        6
     is
[1] "f4SgGen"
 Suffix freq Percent_Trials
1
          16
5
      s
          13
                       26
6
      u 9
                       18
3
      i 6
                       12
4
     is 2
                       4
7
           2
     um
                        4
```

```
2 e 1
8
   us
        1
                  2
[1] "f5SgGen"
 Suffix freq Percent_Trials
  - 15
   e 12
                 24
3
7
                 22
   s 11
5
   i 6
                 12
  es 3
4
                 6
6 is 2
                  4
2
   a
        1
[1] "nSgGen"
 Suffix freq Percent_Trials
1 - 16
5
   s
       12
                 24
6
   u 9
                 18
3
   i 7
                 14
4
  is 3
                 6
7
        2
                  4
  um
2
                  2
    е
        1
[1] "n2SgGen"
 Suffix freq Percent_Trials
       16
1
5
       12
                 24
    s
   u 9
6
                 18
   i 7
3
                 14
4 is 3
                 6
7 um
        2
                  4
        1
2
    е
[1] "n3SgGen"
Suffix freq Percent_Trials
1 - 21
6
   s 11
                 22
4
   i 7
                 14
2
    e 6
                 12
 is 3
5
                 6
        2
    es
[1] "n4SgGen"
 Suffix freq Percent_Trials
6 u 14
                 28
5
   s 12
                 24
   - 11
1
                 22
3 i 7
7 um 3
                 14
                 6
        2
   is
2
        1
   е
[1] "Dat"
 Suffix freq Percent_Trials
       13
1
8
    s
       13
                 26
2
    e 10
                 20
5
    i 6
                 12
4
    es 3
                 6
6
    is 3
                  6
```

```
3 em 1
7
   m 1
[1] "DatSg"
 Suffix freq Percent_Trials
   - 13
2
       10
                 20
    е
3
       6
                 12
    em
 i
s
5
                 12
      6
8
       4
4
   es
      3
6
   is 3
10 um
7 m
      3
                 6
      1
                 2
9
    u
[1] "1SgDat"
Suffix freq Percent_Trials
2 a 25
3
   am 8
                16
1
   - 7
               14
4 as 5
                10
6 is 3
                6
                2
5
   i 1
7
   m
       1
[1] "2SgDat"
 Suffix freq Percent_Trials
1
   - 14 28
7
    s
      9
                18
9
  um 7
                14
  i 6
3
                12
8
   u 6
                12
5 is 3
                6
  m 3
6
                6
2
   e 1
                 2
4
  im
       1
[1] "3SgDat"
Suffix freq Percent_Trials
2 e 18 36
3
   em 9
                18
  - 8
1
                16
5
   i 6
                12
4 es 4
                8
  is 3
6
                6
  m
7
                 2
    s
       1
[1] "4SgDat"
 Suffix freq Percent_Trials
8
    u 11
                22
       10
                20
1
7
   s 9
                18
9
   um 9
                18
4
    i 6
                12
6
   is 2
                4
   e 1
2
                2
3
   em 1
```

```
5 im 1
[1] "5SgDat"
 Suffix freq Percent_Trials
3
      е
          18
          8
1
                        16
6
           6
                        12
      i
9
           5
                        10
      s
4
           4
                         8
     em
5
     es
           3
                         6
8
     m
           3
                         6
7
           2
     is
                         4
2
           1
     am
[1] "mSgDat"
  {\tt Suffix\ freq\ Percent\_Trials}
1
           10
8
            9
                         18
10
      um
            7
                         14
                         12
4
      i
            6
9
          6
                         12
      u
2
          5
                         10
      е
6
          3
                          6
      is
3
      em
          2
                         4
5
      im
                          2
            1
7
      m
            1
[1] "m1SgDat"
 Suffix freq Percent_Trials
      a
          18
1
          11
                        22
3
          10
                        20
     am
4
     as
          3
                         6
8
     is
           3
                         6
9
    s
           2
                         4
5
           1
                         2
6
                         2
           1
     em
7
           1
      i
[1] "m2SgDat"
 Suffix freq Percent_Trials
1
          13
                        26
7
      s
          9
                        18
8
           7
                        14
      u
9
     um 7
                        14
3
      i
           6
                        12
5
     is
           3
                         6
6
           3
                         6
      m
2
           1
                         2
      е
           1
                         2
     im
[1] "m3SgDat"
 Suffix freq Percent_Trials
2
      е
          18
3
                        18
          9
     em
1
           8
                        16
5
      i
        6
                        12
4
           4
                        8
     es
6
     is
           3
                         6
```

```
7 m 1
8
     s
         1
[1] "m4SgDat"
 Suffix freq Percent_Trials
   u 11
        10
                    20
1
7
    s 9
                   18
9
    um 9
                   18
    i 6
4
                    12
6
    is 2
                    4
                    2
2
    e 1
3
    em
         1
                    2
5
    im
         1
[1] "m5SgDat"
  {\tt Suffix\ freq\ Percent\_Trials}
   e 17
3
1
         9
                     18
6
                    12
4
        4
                     8
     em
        3
5
                     6
     es
8
        3
    is
9
    m
        3
10
     s
        3
                     6
2
     am
7
     im
[1] "fSgDat"
  Suffix freq Percent_Trials
5
   e 15
1
         9
                    18
8
     i
                    12
3
                     8
     am
  em
6
        4
7
        3
9
        3
    is
        2
10
                     4
11
        2
                     4
    s
2
     a
     as
[1] "f1SgDat"
 Suffix freq Percent_Trials
  a 25 50
3
    am 8
                   16
1
        7
                    14
4 as 5
                   10
6
   is 3
                    6
5
    i
         1
                    2
     m
         1
[1] "f2SgDat"
 {\tt Suffix\ freq\ Percent\_Trials}
    - 13
1
7
     s 10
                    20
9
    um 7
                   14
3
    i 6
                   12
8
     u 5
                    10
```

```
е 3
                       6
5
        3
                       6
     is
6
          2
    m
                       4
4
     im
          1
                       2
[1] "f3SgDat"
 Suffix freq Percent_Trials
         18
     е
3
          9
                      18
     em
1
          7
                      14
     _
5
     i
        6
                      12
                      8
4
     es 4
6
     is
          3
                       6
          2
8
     s
                       4
          1
7
      m
[1] "f4SgDat"
  Suffix freq Percent_Trials
1
          13
                       26
8
          9
                       18
9
         8
                       16
      u
10
         7
                       14
     um
4
                       12
      i
         6
6
     is
         2
                       4
2
     е
                        2
         1
3
                        2
     em
           1
5
      im
         1
                        2
7
                        2
     m
           1
11
     us
         1
                        2
[1] "f5SgDat"
 Suffix freq Percent_Trials
3
      е
         18
         8
1
                      16
6
     i
        6
                      12
9
     s 5
                      10
4
          4
                       8
     em
5
          3
     es
                       6
8
          3
                       6
     m
          2
7
     is
                       4
2
     am
          1
[1] "nSgDat"
 Suffix freq Percent_Trials
         14
7
          9
                      18
      s
9
     um
          7
                      14
3
    i 6
                      12
8
     u 6
                      12
5
     is
          3
                       6
6
     m
          3
                       6
2
                       2
      е
          1
     im
[1] "n2SgDat"
 Suffix freq Percent_Trials
    - 14
1
                      28
7
      s 9
                      18
9
     um 7
                      14
```

```
3
   i 6
                  12
8
    u 6
                   12
5
    is 3
                  6
6
     m 3
                   6
2
        1
                    2
4
    im
        1
                    2
[1] "n3SgDat"
 Suffix freq Percent_Trials
1
        14
2
    е
        10
                   20
3
    em 6
                  12
5
    i 6
                   12
   m 4
7
                   8
   s 4
8
                   8
4
   es
        3
                    6
        3
6
    is
                    6
[1] "n4SgDat"
 Suffix freq Percent_Trials
1
        12
7
       9
                   18
     s
    u 9
8
                   18
9
    um 9
                  18
3
    i 6
                  12
5
        2
    is
                   4
   e 1
2
                   2
4
    im
        1
6
    m
        1
[1] "Abl"
 Suffix freq Percent_Trials
2 e
        21
    _
        12
                   24
1
   s 10
6
                   20
4
   i 3
                  6
3
  es 2
                   4
5
    is
        1
7
        1
    u
[1] "AblSg"
Suffix freq Percent_Trials
2 e 23
1
    - 13
                   26
   u 12
4
                   24
    i 2
                   4
[1] "1SgAbl"
Suffix freq Percent_Trials
2 a 49
1 - 1
                   2
[1] "2SgAbl"
 Suffix freq Percent_Trials
4 u 30
    - 13
1
                   26
3 ō 4
5 um 2
                   8
                   4
2 o
        1
                    2
[1] "3SgAbl"
```

```
Suffix freq Percent_Trials
2 e 41
   - 7
1
                14
3 i 2
                4
[1] "4SgAbl"
Suffix freq Percent_Trials
3 u 35 70
1
   - 8
                16
2 ō 3
                 6
4 um 3
5 us 1
                 6
[1] "5SgAbl"
Suffix freq Percent_Trials
3 e 30
1
   - 11
                 22
4 i 3 6 s 3
                6
                6
2 a 2
5 is 1
   a 2
[1] "mSgAbl"
Suffix freq Percent_Trials
4 u 29 58
2
   e 9
                18
    - 8
1
                16
3 ō 2 5 um 2
                4
[1] "m1SgAbl"
Suffix freq Percent_Trials
2 a 40 80
1
   - 8
                16
3 am 1
4 e 1
                2
[1] "m2SgAbl"
Suffix freq Percent_Trials
4 u 30 60
1 - 13
3 ō 3
                 26
                6
   o 2
2
                4
5 um 2
[1] "m3SgAbl"
Suffix freq Percent_Trials
2 e 40 80
1
    - 8
                16
3
   i 2
[1] "m4SgAbl"
Suffix freq Percent_Trials
3 u 35 70
   - 8
1
                16
2
  ō 3
                6
4 um 3
                 6
   us 1
[1] "m5SgAbl"
Suffix freq Percent_Trials
3 e 31
```

```
- 10
                        20
4
         3
                        6
      i
6
         3
                         6
2
           2
                         4
      a
5
     is
[1] "fSgAbl"
 Suffix freq Percent_Trials
          30
      е
2
      a
          11
                        22
      - 7
1
                        14
      i
          2
4
                         4
[1] "f1SgAbl"
 Suffix freq Percent_Trials
2 a 49
1
      - 1
                        2
[1] "f2SgAbl"
 Suffix freq Percent_Trials
     u 28
1
          15
                        30
2
          3
                        6
      е
6
          2
                         4
     um
3
      0
      s
           1
                         2
[1] "f3SgAbl"
 Suffix freq Percent_Trials
      e 41
1
          7
                        14
      i
3
           2
                        4
[1] "f4SgAbl"
 Suffix freq Percent_Trials
          27
5
      u
1
          17
                        34
6
         2
                        4
     um
2
                         2
      е
          1
3
                         2
           1
4
           1
                         2
      s
           1
     us
[1] "f5SgAbl"
 Suffix freq Percent_Trials
          30
3
      е
                        60
                        22
1
         11
4
     i
        3
                        6
6
      s
           3
                         6
2
           2
                         4
      a
     is
           1
[1] "nSgAbl"
 Suffix freq Percent_Trials
4
      u
          30
      - 13
                        26
1
3
      ō
          4
                        8
5
           2
                         4
     um
           1
      0
[1] "n2SgAbl"
 Suffix freq Percent_Trials
```

```
u 30
                   60
1
        13
                   26
3
       4
                   8
5
   um 2
                    4
2
        1
                    2
    0
[1] "n3SgAbl"
 Suffix freq Percent_Trials
        24
1
2
        22
     е
                   44
     i 2
3
                   4
        2
4
     s
[1] "n4SgAbl"
Suffix freq Percent_Trials
3 u 37
1
   - 8
                   16
4
    um 3
                    6
2
   ō 2
                    4
[1] "Pl"
Suffix freq Percent_Trials
6 s 15
        13
                   26
1
3
    es
       7
                  14
2
   e 6
                  12
    i 6
4
                   12
       2
5
    is
                   4
    u 1
[1] "PlNom, Acc"
Suffix freq Percent_Trials
7 s 15
1
        14
                   28
2
    e 7
                   14
  es 5
3
                   10
4
   ēs 3
                   6
5
   i 3
                    6
        2
8
    u
                    4
6
        1
                    2
    is
[1] "1PlNom, Acc"
 Suffix freq Percent_Trials
1 a 33
4
        12
                   24
    as
3
  aes 4
                   8
    ae 1
                    2
[1] "2PlNom, Acc"
 Suffix freq Percent_Trials
        24
5
        18
                   36
     S
6
    u 5
                   10
2
                   2
    es 1
3
    i 1
                    2
4
    is
        1
[1] "3PlNom,Acc"
Suffix freq Percent_Trials
2
    e 17
   - 10
1
                   20
```

```
7
     s 9
                        18
3
           7
                        14
     es
                        8
4
     ēs
           4
5
      i
           2
                         4
                         2
6
     is
           1
[1] "4PlNom, Acc"
 Suffix freq Percent_Trials
          17
1
          17
                        34
5
      s
6
         9
                        18
      u
3
           3
                         6
      i
2
                         2
          1
     es
                         2
4
     is
           1
7
                         2
           1
     um
8
     us
           1
[1] "5PlNom,Acc"
 Suffix freq Percent_Trials
      е
          17
1
          10
                        20
9
          8
                        16
      s
5
         5
                        10
     es
6
     ēs 4
                         8
7
     i
           3
                         6
2
      a
           1
                         2
3
     as
           1
                         2
     is
[1] "mPlNom,Acc"
 Suffix freq Percent_Trials
7
          18
      s
          16
1
                        32
8
         5
                        10
      u
2
     е
          4
                         8
4
     ēs
           3
                         6
5
     i
           2
                         4
3
                         2
     es
           1
6
     is
           1
[1] "fPlNom, Acc"
 Suffix freq Percent_Trials
4
      e 12
2
         9
                        18
      a
9
           8
                        16
      s
           5
1
                        10
3
     as
           5
                        10
5
     es
           4
                         8
6
     ēs
7
     i
           2
                         4
           1
[1] "nPlNom, Acc"
 {\tt Suffix\ freq\ Percent\_Trials}
          23
1
6
      s 17
                        34
7
      u 5
                        10
4
      i 2
                         4
2
                         2
      е
           1
```

```
es 1
5
      is
            1
                           2
[1] "PlAcc, Abl"
  Suffix freq Percent_Trials
           15
                          24
7
           12
       S
2
                          20
      е
           10
3
           6
                          12
      es
5
      i
            3
                           6
4
      ēs
            2
                           4
                           2
6
      is
            1
8
            1
      u
[1] "1PlAcc,Abl"
  Suffix freq Percent_Trials
2
      a
           33
5
           12
                          24
      as
4
     aes
            3
                           6
                           2
            1
3
            1
     ae
[1] "2PlAcc, Abl"
  Suffix freq Percent_Trials
           21
6
           19
                          38
       s
7
           4
                           8
      u
2
            2
                           4
      е
3
      es
            2
4
      i
            1
                           2
5
      is
[1] "3PlAcc, Abl"
  {\tt Suffix\ freq\ Percent\_Trials}
2
           23
      е
3
      es
           10
                          20
1
     _
           6
                          12
7
            5
                          10
      s
            3
4
                           6
      ēs
5
      i
            2
                           4
            1
      is
[1] "4PlAcc, Abl"
  Suffix freq Percent_Trials
           19
1
                          38
6
           18
                          36
       s
7
           6
                          12
      u
4
      i
            3
                           6
2
      е
          1
                           2
                           2
3
      es
            1
5
                           2
      is
            1
      us
            1
[1] "5PlAcc, Abl"
  {\tt Suffix\ freq\ Percent\_Trials}
      е
           21
9
            8
                          16
       s
            7
1
                          14
5
      es 5
                          10
6
      ēs
            3
                           6
```

```
i
            3
                            6
2
            1
                            2
       a
3
            1
                            2
      as
8
      is
            1
                            2
[1] "mPlAcc, Abl"
  Suffix freq Percent_Trials
7
       s
           18
           16
                           32
1
2
       е
            5
                           10
8
            5
                           10
       u
            2
4
      ēs
                            4
5
       i
            2
                            4
3
      es
            1
                            2
            1
6
      is
[1] "fPlAcc, Abl"
  Suffix freq Percent_Trials
4
       е
           17
                           34
            6
                           12
1
2
            6
                           12
       a
5
                           12
            6
      es
9
            5
                           10
       s
3
      as
                            8
6
      ēs
            3
                            6
7
      i
            2
                            4
      is
            1
                            2
8
[1] "nPlAcc,Abl"
  Suffix freq Percent_Trials
1
           21
                           42
6
           18
                           36
       s
7
            4
                            8
       u
2
            3
                            6
       е
3
      es
            2
                            4
4
      i
            1
5
            1
      is
[1] "PlNom, Acc, Abl"
  Suffix freq Percent_Trials
7
       s
           15
1
           14
                           28
2
            7
                           14
       е
3
                           14
            7
      es
5
                            6
      i
            3
8
            2
                            4
       u
4
      ēs
            1
                            2
      is
            1
[1] "1PlNom, Acc, Abl"
  Suffix freq Percent_Trials
1
       a
           27
                           54
3
           18
                           36
      as
2
           5
                           10
    aes
[1] "2PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1
           21
                           42
5
       s
           21
                           42
6
       u
          4
                            8
```

```
2
      es
3
      i
            1
                            2
4
      is
            1
[1] "3PlNom,Acc,Abl"
 Suffix freq Percent_Trials
2
       е
           17
3
           12
                           24
      es
7
            7
                           14
       s
1
            6
                           12
4
      ēs
            4
                            8
5
            3
                            6
       i
6
      is
            1
                            2
[1] "4PlNom,Acc,Abl"
  Suffix freq Percent_Trials
5
       s
           19
1
           16
                           32
6
       u
            7
                           14
3
            3
                            6
       i
8
      us
            2
                            4
2
                            2
            1
      es
4
                            2
      is
            1
7
      um
            1
[1] "5PlNom, Acc, Abl"
  Suffix freq Percent_Trials
4
       е
           14
                           28
           11
                           22
9
       s
            7
1
                           14
5
      es
            7
                           14
6
      ēs
                            8
            4
7
      i
            4
                            8
2
                            2
            1
       a
3
      as
            1
                            2
      is
            1
[1] "mPlNom,Acc,Abl"
 Suffix freq Percent_Trials
7
           18
       s
           14
                           28
1
2
       е
            6
                           12
8
            4
                            8
       u
3
                            6
            3
      es
4
            2
      ēs
5
       i
            2
                            4
6
      is
            1
[1] "fPlNom, Acc, Abl"
  {\tt Suffix\ freq\ Percent\_Trials}
4
           10
                           20
       е
2
       a
            8
                           16
3
            7
                           14
      as
1
            6
                           12
5
            6
                           12
      es
9
            6
                           12
       s
6
            4
                            8
      ēs
7
       i
            2
                            4
8
      is
            1
                            2
```

```
[1] "nPlNom, Acc, Abl"
  Suffix freq Percent_Trials
6
           20
1
           18
                          36
7
           4
                           8
       u
2
                           6
       е
            3
3
            2
      es
4
      i
            2
                           4
5
      is
                           2
[1] "PlGen,Dat"
  Suffix freq Percent_Trials
6
           15
      s
1
           13
                          26
2
           6
                          12
       е
3
      es
            6
                          12
4
                          12
      i
            6
5
      is
            3
                           6
                           2
7
            1
      u
[1] "1PlGen,Dat"
  Suffix freq Percent_Trials
           23
2
      a
                          46
4
      as
           14
                          28
1
            6
                          12
6
            3
                           6
      is
7
            2
                           4
      s
                           2
3
     aes
            1
5
      es
            1
                           2
[1] "2PlGen,Dat"
  Suffix freq Percent_Trials
6
       s
           18
                          32
1
           16
4
       i
           7
                          14
2
            3
                           6
5
            3
                           6
      is
            2
3
                           4
      es
7
            1
                           2
       u
[1] "3PlGen,Dat"
  Suffix freq Percent_Trials
2
           12
       е
6
           12
                          24
       s
1
           10
                          20
3
           8
                          16
      es
4
       i
            6
                          12
      is
            2
[1] "4PlGen,Dat"
  Suffix freq Percent_Trials
1
           18
                          36
6
           16
                          32
       s
4
       i
           7
                          14
5
      is
            3
                           6
2
            2
                           4
       е
3
            2
                           4
      es
7
            1
                           2
      u
                           2
8
      us
            1
```

```
[1] "5PlGen,Dat"
  Suffix freq Percent_Trials
3
           13
1
           11
                          22
7
                          22
           11
      s
4
     es
         6
                          12
5
      i 6
                          12
6
     is
            2
                           4
            1
2
      as
                           2
[1] "mPlGen,Dat"
  Suffix freq Percent_Trials
6
      s
           17
1
           14
                          28
4
           6
      i
                          12
2
       е
            5
                          10
5
                           8
      is
            4
3
      es
            3
                           6
                           2
7
            1
      u
[1] "fPlGen,Dat"
  Suffix freq Percent_Trials
           12
8
       s
                          24
4
       е
           10
                          20
1
           8
                          16
5
            6
                          12
      es
6
     i
            6
                          12
2
      a
            4
                           8
3
     as
            2
                           4
      is
                           4
[1] "nPlGen,Dat"
  Suffix freq Percent_Trials
           17
6
       s
1
           16
                          32
4
      i
           6
                          12
2
           5
                          10
       е
5
      is
            4
                           8
3
            1
                           2
     es
            1
                           2
7
      u
[1] "NomPl"
  Suffix freq Percent_Trials
           16
7
       s
                          32
           15
                          30
1
3
           7
                          14
     es
2
      е
           5
                          10
5
      i
           3
                           6
            2
4
     ēs
                           4
6
                           2
     is
            1
      u
            1
[1] "1P1"
  {\tt Suffix\ freq\ Percent\_Trials}
2
           27
      a
4
           18
                          36
      as
3
         3
                           6
    aes
1
            1
                           2
5
            1
                           2
      es
```

```
[1] "1PlNom"
  Suffix freq Percent_Trials
1
           25
3
      as
           19
                           38
2
            5
                           10
    aes
                            2
4
       s
            1
[1] "2P1"
  Suffix freq Percent_Trials
6
       s
           20
                           34
1
           17
7
                            8
       u
            4
2
            3
                            6
       е
3
      es
            2
                            4
            2
4
                            4
      i
5
      is
            2
[1] "2PlNom"
  Suffix freq Percent_Trials
           21
       S
1
           19
                           38
6
            5
                           10
       u
3
       i
            2
                            4
2
                            2
      es
            1
4
      is
            1
                            2
7
            1
      us
[1] "3P1"
  Suffix freq Percent_Trials
       е
           13
7
       s
           12
                           24
3
           10
                           20
      es
1
            9
                           18
5
       i
            4
                            8
4
      ēs
            1
                            2
      is
[1] "3PlNom"
 Suffix freq Percent_Trials
7
           13
       s
                           22
2
           11
1
           10
                           20
3
            8
                           16
      es
4
            4
                            8
      ēs
5
                            6
       i
6
            1
                            2
      is
[1] "4P1"
  Suffix freq Percent_Trials
       s
           19
1
           17
                           34
7
                           10
            5
       u
4
                            6
       i
            3
2
            2
                            4
       е
            2
8
                            4
      us
3
            1
                            2
      es
5
            1
      is
[1] "4PlNom"
  Suffix freq Percent_Trials
```

```
5
          18
                         36
      S
1
          15
                         30
6
          8
                         16
      u
3
      i
           3
                          6
8
           3
                          6
     us
2
     es
           1
                          2
                          2
4
     is
           1
7
     um
           1
[1] "5P1"
 Suffix freq Percent_Trials
      е
          14
9
          12
                         24
      S
           7
1
                         14
5
         7
                         14
     es
7
      i
           4
                          8
6
     ēs
           3
                          6
2
      a
           1
                          2
3
                          2
     as
8
     is
           1
[1] "5PlNom"
 Suffix freq Percent_Trials
9
      s
          14
4
          10
                         20
      е
1
           9
                         18
                         12
5
           6
     es
                          8
6
     ēs
           4
7
     i
           4
                          8
2
      a
           1
                          2
3
                          2
           1
     as
8
     is
[1] "mPl"
 {\tt Suffix\ freq\ Percent\_Trials}
6
      s
          17
1
          13
                         26
2
           6
                         12
      е
4
      i
         6
                         12
3
     es 4
                          8
5
     is
           3
                          6
7
      u
           1
                          2
[1] "mPlNom"
 Suffix freq Percent_Trials
7
          19
                         38
      s
1
          15
                         30
8
         5
                         10
      u
3
     es
           4
                          8
2
           2
                          4
      е
           2
4
     ēs
                          4
5
           2
      i
6
     is
           1
[1] "f135P1"
  Suffix freq Percent_Trials
5
            10
       е
                          20
1
            8
                          16
            7
4
      as
                          14
```

```
a 6
              12
6
                12
   es 6
               12
10
   s 6
7
   ēs 2
                4
    i 2
                4
8
9
   is
      2
  aes
[1] "m24P1"
 Suffix freq Percent_Trials
6 s 20 40
   - 17
1
7 u 4
4 i 3
               8
               6
   e 2
2
  es 2
3
5
  is 2
[1] "n24P1"
 Suffix freq Percent_Trials
  s 20 40
   - 17
                34
1
  u 4
               8
7
2
   e 3
3
  es 2
4
   i 2
   is 2
5
[1] "m234P1"
Suffix freq Percent_Trials
6 s 17 34
   - 13
                26
1
2
   e 6
               12
4 i 6 3 es 4
               12
               8
5 is 3
               6
7
                2
   u 1
[1] "m2345P1"
Suffix freq Percent_Trials
6 s 17 34
1
   - 13
                26
2
   e 6
               12
4 i 6
               12
3 es 4
               8
5 is 3
               6
7
   u
       1
[1] "m1Pl"
 Suffix freq Percent_Trials
2 a 24
  as 13
4
                26
   - 5
               10
1
3 aes 3
               6
 s 3
es 2
6
               6
[1] "m1PlNom"
Suffix freq Percent_Trials
2 a 23
```

```
4
  as 13
                26
3
  aes 5
                10
                8
1
   - 4
6
        4
                 8
    S
5
                  2
   es
        1
[1] "m2P1"
 Suffix freq Percent_Trials
       20
6
    S
1
       16
                 32
7
   u 4
                 8
2
   е 3
4
   i 3
                  6
  es 2
3
                  4
       2
5
   is
[1] "m2PlNom"
Suffix freq Percent_Trials
5 s
       21
                42
    - 19
                 38
1
6 u 5 3 i 2 2 es 1
                10
                 4
                 2
4
  is 1
7
   us
        1
[1] "m3P1"
 Suffix freq Percent_Trials
2
   e 17 34
7
   s 11
                 22
 es 9
3
                18
   - 6
                12
1
  ēs 3
                 6
5
   i 3
                 6
   is
6
      1
[1] "m3PlNom"
Suffix freq Percent_Trials
7 s 13 26
  e 11
2
                 22
1
   - 10
                20
3 es 8
                16
4
   ēs 4
                 8
5
   i 3
                  6
6
   is 1
[1] "m4P1"
 Suffix freq Percent_Trials
6 s 19
                 38
    - 17
1
7
   u 5
                 10
4
   i 3
                 6
   e 2
2
                 4
8
       2
                  4
  us
3
   es
        1
   is
[1] "m4PlNom"
Suffix freq Percent_Trials
5 s 18
```

```
15
                          30
6
           8
                          16
      u
3
          3
                           6
      i
8
            3
                           6
      us
2
                           2
      es
            1
4
      is
            1
                           2
      um
[1] "m5P1"
  Suffix freq Percent_Trials
       е
           16
9
           12
                          24
       s
1
            6
                          12
5
            6
                          12
     es
7
                           8
            4
      i
6
      ēs
            3
                           6
2
                           2
      a
            1
3
      as
            1
                           2
8
                           2
      is
            1
[1] "m5PlNom"
  Suffix freq Percent_Trials
9
           14
       s
                          28
            9
1
                          18
4
            9
                          18
       е
5
            7
                          14
      es
                           8
6
      ēs
            4
7
                           8
      i
2
       a
            1
                           2
3
      as
            1
                           2
8
                           2
      is
            1
[1] "fPl"
   Suffix freq Percent_Trials
5
        е
            10
1
             8
                           16
10
             7
                           14
       S
2
                           12
             6
       a
4
                           12
      as
             6
6
                           12
      es
7
       ēs
             2
                            4
8
       i
                            4
9
       is
             2
                            4
3
      aes
[1] "fPlNom"
  Suffix freq Percent_Trials
9
       s
           13
                          26
           10
                          20
4
       е
1
            9
                          18
5
            6
                          12
      es
6
                           8
      ēs
            4
7
      i
            3
                           6
2
            2
                           4
3
            2
                           4
      as
8
            1
      is
[1] "f1P1"
```

Suffix freq Percent\_Trials

```
27
                         54
      a
4
          18
                         36
     as
3
          3
                         6
    aes
1
           1
                          2
5
                          2
     es
[1] "f1PlNom"
 Suffix freq Percent_Trials
      a
          25
1
3
          20
                         40
     as
    aes 5
2
                         10
[1] "f2P1"
 Suffix freq Percent_Trials
          19
1
          19
                         38
6
      S
7
      u
           4
                         8
2
           3
                          6
     е
3
     es
           2
                          4
5
           2
     is
4
           1
      i
[1] "f2PlNom"
 Suffix freq Percent_Trials
      s
          21
1
          17
                         34
7
          5
                         10
      u
2
           2
                         4
      е
3
           2
                          4
     es
4
      i
           2
                          4
5
     is
[1] "f3P1"
 Suffix freq Percent_Trials
2
          17
      е
7
      s
          11
                         22
3
     es
         9
                         18
           6
                         12
1
           3
4
     ēs
                         6
5
      i
           3
                          6
     is
           1
[1] "f3PlNom"
 Suffix freq Percent_Trials
7
          13
      s
                         26
2
          11
                         22
      е
1
          10
                         20
3
     es
           8
                         16
4
     ēs
           4
                         8
5
      i
                          6
6
           1
                          2
     is
[1] "f4P1"
 Suffix freq Percent_Trials
6
          18
      s
                         32
1
          16
7
         5
                         10
      u
2
      e 4
                         8
4
      i 3
                          6
3
           2
     es
                          4
```

```
is 1
8
     us
           1
                         2
[1] "f4PlNom"
 Suffix freq Percent_Trials
      s
          20
                        32
1
          16
7
         6
                        12
      u
4
           3
                         6
      i
2
           2
      е
                         4
3
                         2
     es
           1
5
                         2
     is
           1
8
     us
[1] "f5P1"
 Suffix freq Percent_Trials
      е
          14
9
          12
                        24
      s
1
           7
                        14
5
         7
                        14
     es
7
      i
           4
                         8
           3
6
     ēs
                         6
2
           1
                         2
3
     as
8
     is
           1
[1] "f5PlNom"
 Suffix freq Percent_Trials
      s
          14
                        20
4
      е
          10
1
           9
                        18
5
           6
                        12
     es
6
     ēs
                         8
7
     i
           4
                         8
2
      a
           1
                         2
3
                         2
     as
8
     is
           1
[1] "nPl"
 Suffix freq Percent_Trials
6
   s
          18
1
          16
                        32
4
      i
          6
                        12
2
      e 3
                         6
3
           3
     es
5
     is
           3
                         6
7
      u
           1
[1] "nPlNom"
 Suffix freq Percent_Trials
5
          21
      S
                        42
                        38
1
          19
6
         5
                        10
3
      i
         2
                         4
2
                         2
     es
           1
     is
4
           1
                         2
           1
     us
[1] "n2P1"
 Suffix freq Percent_Trials
```

```
6
           20
                            40
1
           17
                            34
7
                             8
            4
2
            3
                             6
       е
3
             2
      es
                             4
             2
4
       i
                             4
      is
             2
[1] "n2PlNom"
  Suffix freq Percent_Trials
5
       S
           21
                            42
           19
                            38
1
6
            5
                            10
       u
3
            2
       i
                             4
2
                             2
             1
      es
      is
             1
                             2
7
             1
                             2
      us
[1] "n3P1"
  {\tt Suffix\ freq\ Percent\_Trials}
1
           16
                            26
6
           13
       s
2
            9
                            18
       е
3
      es
            8
                            16
4
       i
            3
                             6
5
      is
             1
[1] "n3PlNom"
  Suffix freq Percent_Trials
1
           17
6
       s
           15
                            30
3
            8
                            16
      es
2
            6
                            12
       е
4
       i
             3
                             6
5
      is
             1
                             2
[1] "n4P1"
  Suffix freq Percent_Trials
6
           19
       S
1
           17
                            34
7
            5
                            10
       u
4
       i
             4
                             8
2
             2
                             4
       е
3
                             2
             1
      es
5
                             2
      is
8
      us
[1] "n4PlNom"
  Suffix freq Percent_Trials
5
       S
           18
1
           15
                            30
6
                            16
            8
       u
3
                             6
       i
            3
8
             3
                             6
      us
2
                             2
      es
             1
4
             1
                             2
      is
             1
      um
[1] "AccPl"
```

 ${\tt Suffix\ freq\ Percent\_Trials}$ 

```
16
                        32
2
          12
                        24
7
          10
                        20
3
          5
                        10
     es
4
           2
     ēs
                        4
5
      i
          2
                         4
8
      u
6
     is
           1
[1] "1PlAcc"
 Suffix freq Percent_Trials
    a
          33
4
          12
                        24
     as
3
   aes
          4
                        8
                         2
2
     ae
[1] "2P1Acc"
 Suffix freq Percent_Trials
1
          25
          16
                        32
4
5
      u 7
                        14
                        2
2
      i
         1
                         2
3
     is
           1
[1] "3P1Acc"
 Suffix freq Percent_Trials
     е
          25
3
         8
                        16
     es
                        12
1
    _
          6
    ēs
4
           4
                        8
7
     s
           4
                         8
5
     i
           2
6
     is
[1] "4PlAcc"
 {\tt Suffix\ freq\ Percent\_Trials}
1
          18
3
          16
                        32
      s
                        22
4
        11
      u
         3
2
      i
                        6
5
           1
                         2
     um
6
     us
           1
[1] "5PlAcc"
 Suffix freq Percent_Trials
      е
          20
9
          8
                        16
      s
1
          7
                        14
5
        5
                        10
     es
6
     ēs
                        8
7
     i
           3
                         6
2
      a
           1
                         2
3
                         2
     as
     is
[1] "mPlAcc"
 Suffix freq Percent_Trials
1
      - 19
6
          16
                        32
      s
7
      u 7
                        14
```

```
2 e 4
3
  ēs 2
                4
4
   i 1
5
  is
       1
                2
[1] "m1PlAcc"
Suffix freq Percent_Trials
2 a 30 60
5
   as 7
               14
  - 4
1
                8
4 aes 4
                8
7 s 3
3 ae 1
                2
6
       1
   es
[1] "m2PlAcc"
 Suffix freq Percent_Trials
1 - 23 46
   s 17
4
                34
5
               16
   u 8
2
   i 1
               2
3 is 1
                2
[1] "m3PlAcc"
 Suffix freq Percent_Trials
2 e 25
3
   es 8
               16
1
  - 6
               12
4
  ēs 4
               8
  s 4
7
               8
5
   i 2
                4
  is 1
6
[1] "m4PlAcc"
Suffix freq Percent_Trials
1 - 18
3
   s 16
               32
4
   u 11
               22
2
   i 3
               6
2 i 3 5 um 1
                2
   us 1
[1] "m5PlAcc"
Suffix freq Percent_Trials
4 e 20 40
9
   s 8
               16
   - 7
               14
1
 es 5
5
               10
6
  ēs 4
               8
7
   i 3
2
   a 1
                2
  as
3
       1
                2
8
  is 1
[1] "fPlAcc"
Suffix freq Percent_Trials
4 e 19
               38
   a 7
2
               14
1
   - 5
               10
5 es 5
               10
```

```
6
   ēs 4
                    8
9
   s 4
                    8
3
   as 3
7
    i
         2
                    4
8
    is
         1
[1] "f1PlAcc"
 Suffix freq Percent_Trials
    a
        33
1
4
        12
    as
                    24
3
       4
   aes
                    8
2
         1
                    2
   ae
[1] "f2PlAcc"
 Suffix freq Percent_Trials
1 -
        20
5
   s
        17
                    34
6
   u 8
                    16
2
   e 3
                    6
3
                    2
   i 1
4
       1
   is
[1] "f3PlAcc"
Suffix freq Percent_Trials
2 e 24
3
       9
                   18
    es
1
        6
                   12
    _
4
   ēs 4
                    8
7
   s 4
                    8
5
    i
         2
                    4
    is
[1] "f4PlAcc"
 Suffix freq Percent_Trials
        20
1
4
     S
        16
                    32
   u 8
5
                   16
3
       3
                    6
   i
2
         2
                    4
    е
6
         1
                    2
    us
[1] "f5PlAcc"
 Suffix freq Percent_Trials
4
  е
        20
9
    s 8
                   16
1
    - 7
                   14
5
   es 5
                    10
   ēs 4
6
                    8
7
   i 3
                    6
2
   a 1
                    2
3
         1
    as
    is
       1
[1] "nPlAcc"
 {\tt Suffix\ freq\ Percent\_Trials}
1
        25
4
     s 16
                    32
5
     u 7
                   14
2
    i 1
                    2
3
                    2
    is 1
```

```
[1] "n2PlAcc"
 Suffix freq Percent_Trials
   - 25
4
       16
                    32
     s
5
       7
                    14
     u
2
    i 1
                     2
    is 1
[1] "n3PlAcc"
 Suffix freq Percent_Trials
        16
1
2
       16
                    32
6
     s 9
                    18
3
   es 6
                    12
    i 2
4
                     4
5
   is 1
                     2
[1] "n4PlAcc"
 Suffix freq Percent_Trials
1 -
        18
3
     s 16
                    32
4
     u 11
                    22
2
     i 3
                     6
5
   um 1
                     2
6
    us
                     2
[1] "GenPl"
 Suffix freq Percent_Trials
   s 16
1
       14
                    28
3
   es 6
                    12
4
    i 6
                    12
2
    e 5
                    10
5
   is 3
                     6
[1] "1PlGen"
 Suffix freq Percent_Trials
        20
   a
                    32
4
    as 16
1
        6
                    12
6
   is 3
                    6
7
    s 3
                     6
3
   aes
                     2
         1
5
   es
        1
[1] "2PlGen"
 Suffix freq Percent_Trials
6
 s 19
1
        14
                    28
    i
4
       6
                    12
5
    is 4
                    8
2
    е
         3
                     6
3
         2
    es
                     4
7
         2
    u
[1] "3PlGen"
 Suffix freq Percent_Trials
6
     s 13
1
        10
                    20
2
     e 10
                    20
```

```
3 es 8
              16
4
 i 6
              12
  is 3
               6
5
[1] "4PlGen"
Suffix freq Percent_Trials
6 s 18
   - 15
1
               30
4
   i 6
               12
5 is 4
                8
2
  e 2
                4
3 es 2
3
7 us
   u
       2
                4
      1
[1] "5PlGen"
 Suffix freq Percent_Trials
7 s 14
1
   - 10
               20
3
   e 10
               20
4 es 7
               14
   i 6
5
               12
6 is 2
                4
                2
2
   as 1
[1] "mPlGen"
Suffix freq Percent_Trials
6 s 18
   - 14
1
4
   i 6
               12
5 is 4
               8
2 e 3
                6
3
  es 3
                6
7
   u 2
[1] "m1PlGen"
Suffix freq Percent_Trials
2 a 18
  as 12
               24
4
  - 10
1
               20
   s 4
8
               8
  es 2
5
               4
7
  is 2
                4
  aes 1
3
                2
  i 1
6
[1] "m2PlGen"
Suffix freq Percent_Trials
6 s 19
               38
   - 14
               28
1
4
   i 6
               12
5 is 4
               8
2
  е 3
                6
3 es 2
                4
   u
       2
7
[1] "m3PlGen"
Suffix freq Percent_Trials
6 s 13
1 - 10
               20
```

```
e 10
               20
3
   es 8
               16
4
   i 6
               12
5
   is
       3
                6
[1] "m4PlGen"
 Suffix freq Percent_Trials
6 s 18 36
   - 15
1
                30
   i 6
4
               12
5
  is 4
                8
2
   e 2
  es 2
3
                4
7
   u
       2
                 4
       1
8
   us
[1] "m5PlGen"
Suffix freq Percent_Trials
7 s 14
   - 10
                20
1
3
  e 10
                20
4 es 6
               12
5 i 6
               12
  is 3
6
                6
2
   as 1
                 2
[1] "fPlGen"
 Suffix freq Percent_Trials
7
 s 13 26
   - 11
1
                22
 e 9
3
               18
4 es 7
               14
5
  i 6
               12
   as 2
2
                4
6
   is
       2
[1] "f1PlGen"
 Suffix freq Percent_Trials
 a 20 40
4
  as 16
                32
1
   - 6
               12
6
  is 3
                6
7
   s 3
                6
3
  aes 1
                 2
  es 1
5
[1] "f2PlGen"
Suffix freq Percent_Trials
6 s 20 40
   - 15
1
                30
4
   i 6
                12
2
   е 3
                6
5 is 3
                6
3 es 2
                 4
   u
7
       1
[1] "f3PlGen"
Suffix freq Percent_Trials
6 s 13
1
  - 10
                20
```

```
e 10
                20
3
   es 9
                18
4
   i 6
                12
5
   is
       2
                 4
[1] "f4PlGen"
 Suffix freq Percent_Trials
6 s
       18
1
       14
                 28
4
      6
    i
                 12
   e 4
2
                 8
3
  es 3
  is 3
5
                 6
  u
7
       1
                 2
       1
8
   us
[1] "f5PlGen"
Suffix freq Percent_Trials
7 s
       14
    - 10
                 20
1
   e 10
3
                 20
  es 7
4
                 14
5
   i 6
                12
6
  is 2
                 4
2
   as
       1
                 2
[1] "nPlGen"
 Suffix freq Percent_Trials
  s 18 36
   - 14
1
                 28
4 i 6 5 is 4
                12
                 8
2
   e 3
                 6
   es 3
3
                 6
7
   u
       2
[1] "n2PlGen"
 Suffix freq Percent_Trials
6 s 19 38
1
      14
                 28
4
   i 6
                12
5
  is 4
                 8
2
   е 3
                 6
       2
3
   es
                 4
7
       2
   u
[1] "n3PlGen"
 Suffix freq Percent_Trials
1 - 15
                 30
   s 15
6
                 30
3
   es 6
                 12
  i 6
4
                 12
2
   e 5
                 10
  is 3
                 6
[1] "n4PlGen"
Suffix freq Percent_Trials
6 s 18
1
    - 15
                 30
    i 6
4
                 12
```

```
5 is 4
                   8
2
        2
   е
                   4
3
    es 2
7
    u
        2
    us
8
[1] "DatPl"
 Suffix freq Percent_Trials
        14
1
        13
6
    s
                   26
   e 9
2
                  18
3
   es 6
                  12
4
    i 6
                   12
        2
5
    is
[1] "1PlDat"
 {\tt Suffix\ freq\ Percent\_Trials}
2 a 24
4
    as
        13
                   26
   - 6
                   12
1
   is 3
6
                   6
    s 2
7
                   4
3
       1
                   2
  aes
5
    es
[1] "2PlDat"
Suffix freq Percent_Trials
1 -
        17
   s 17
6
4
    i 7
                  14
2
   e 4
                   8
2 e 4
5 is 3
                   6
3
   es 1
                   2
7
   u 1
[1] "3PlDat"
Suffix freq Percent_Trials
 e 17
    s 10
                   20
6
3
   es 8
                  16
   - 7
1
                  14
4
    i 6
                   12
5
    is
                   4
[1] "4PlDat"
 Suffix freq Percent_Trials
   - 18
1
                   36
  s 17
6
                   34
4
    i 7
                   14
5
   is 3
                   6
2
   e 2
                   4
                   2
3
    es
        1
7
                   2
   u
        1
   us
[1] "5PlDat"
Suffix freq Percent_Trials
3 e 16
                   32
7
     s 12
                   24
   - 8
1
                   16
```

```
4 es 6
              12
5
 i 6
               12
2
               2
  as 1
6
  is 1
                2
[1] "mPlDat"
Suffix freq Percent_Trials
1 - 17
6
   s 17
                34
   i 7
4
                14
   e 4
2
                8
5 is 3
3 es 1
                 2
7
   u
       1
[1] "m1PlDat"
 Suffix freq Percent_Trials
2 a 22
1
      10
                20
4
  as 8
               16
8
   s 4
                8
  es 2
                4
5
  is 2
7
                4
3 aes 1
6
   i
       1
[1] "m2PlDat"
 Suffix freq Percent_Trials
6 s 18 36
   - 16
1
                32
4 i 7 2 e 4
               14
                8
5 is 3
  es 1
3
                2
7
   u
       1
[1] "m3PlDat"
Suffix freq Percent_Trials
2 e 17 34
6 s 10
3 es 8
                20
               16
1
   - 7
               14
4
   i 6
                12
   is 2
5
[1] "m4PlDat"
Suffix freq Percent_Trials
1 - 18 36
6
  s 17
                34
4
   i 7
               14
5 is 3
                6
2
 e 2
                4
3
                2
  es 1
7
                 2
   u 1
  us
      1
[1] "m5PlDat"
Suffix freq Percent_Trials
3 e 16
                32
7 s 11
                22
```

```
1
 - 8
                16
4
    es 6
                 12
5
                 12
   i 6
6
    is
        2
                 4
                  2
2
    as 1
[1] "fPlDat"
 Suffix freq Percent_Trials
    e 15
7
       10
    s
                 20
   - 9
1
                 18
  es 6
                 12
4
5
   i 6
                 12
  as 2
2
                 4
        2
6
   is
[1] "f1PlDat"
Suffix freq Percent_Trials
2 a
       24
                 48
   as 13
                 26
4
1
   - 6
                12
  is 3
6
                 6
   s 2
7
                  4
3
 aes 1
5
   es
        1
[1] "f2PlDat"
 Suffix freq Percent_Trials
  s 18 36
    - 17
1
                 34
4 i 6
2 e 3
                 12
                 6
5 is 3
                  6
3
        2
   es
                  4
7
   u
        1
[1] "f3PlDat"
Suffix freq Percent_Trials
2 e 17 34
   s 10
6
                 20
 s
es 8
7
3
                 16
1
   - 7
                 14
4
   i
       6
                 12
      2
5
   is
[1] "f4PlDat"
Suffix freq Percent_Trials
6 s 16
1
      15
                 30
4
   i 7
                 14
2
   e 5
                 10
5
   is 3
                 6
3
   es 2
                  4
7
        1
                  2
   u
   us
        1
[1] "f5PlDat"
Suffix freq Percent_Trials
3 e 16
                 32
7
   s 12
                 24
```

```
1
  - 8
                  16
4
       6
                   12
    es
5
                  12
   i 6
2
    as
        1
                   2
                   2
6
    is
[1] "nPlDat"
 Suffix freq Percent_Trials
       17
1
        17
                   34
6
    s
4
   i 7
                  14
2
                   8
   e 4
5
  is 3
                   6
3
    es 1
                   2
        1
7
    u
[1] "n2PlDat"
Suffix freq Percent_Trials
1 -
       17
6
       17
                  34
4
   i 7
                  14
2
   e 4
                   8
 is 3
5
                   6
3
   es 1
7
    u
        1
[1] "n3PlDat"
 Suffix freq Percent_Trials
   - 14
1
6
   s 13
                   26
  e 9
2
                  18
3 es 6
                  12
4
   i 6
                  12
   is 2
5
[1] "n4PlDat"
 Suffix freq Percent_Trials
   - 18
1
   s 18
5
                   36
3
    i 7
                  14
4
   is 3
                  6
    e 2
2
                   4
6
    u
        1
                   2
    us
        1
[1] "AblPl"
 Suffix freq Percent_Trials
1
   - 13
7
    s 12
                   24
3
                   22
   es 11
2
   e 8
                   16
5
    i 3
                   6
4
                   2
    ēs 1
6
        1
                   2
   is
        1
    u
[1] "1PlAbl"
Suffix freq Percent_Trials
2
    a
       27
4
    as 18
                   36
```

```
3 aes 4
1 - 1
[1] "2PlAbl"
 Suffix freq Percent_Trials
6 s 21 42
1
   - 18
                36
7
   u 4
                8
2
   е 3
                6
  es 2
3
                4
4 i 1
5 is 1
[1] "3PlAbl"
Suffix freq Percent_Trials
2 e 17
  es 14
3
                28
  - 6
s 6
               12
1
               12
7
4 ēs 3
               6
5 i 3
6 is 1
   i 3
                6
                 2
[1] "4PlAbl"
Suffix freq Percent_Trials
6 s 20
    - 17
                34
1
   u 5
7
               10
4
   i 3
2 e 2
3 es 1
                4
                2
5 is 1
   us 1
[1] "5PlAbl"
Suffix freq Percent_Trials
4 e 14 28
9
                22
   s 11
5 es 8
1 - 7
               16
               14
7
   i 4
                8
6
  ēs 3
                6
2
   a 1
3
  as 1
                2
   is 1
8
[1] "mPlAbl"
Suffix freq Percent_Trials
7 s 19 38
   - 16
1
  es 4
                8
3
 u 4
8
                8
2 e 3
5 i 2
                 4
  ēs 1
4
   is
[1] "m1PlAbl"
Suffix freq Percent_Trials
2 a 25
```

```
4
         12
                       24
     as
1
          5
                       10
                       8
3
          4
    aes
6
      s
          3
                        6
                        2
5
          1
     es
[1] "m2PlAbl"
 Suffix freq Percent_Trials
         21
      s
6
         18
                       36
1
7
          4
                        8
      u
2
     e 3
                        6
          2
3
                        4
     es
                        2
4
     i
          1
          1
5
     is
[1] "m3PlAbl"
Suffix freq Percent_Trials
2
     е
         17
3
         14
                       28
     es
1
    - 6
                       12
7
        6
                       12
     s
4
        3
                        6
     ēs
          3
5
     i
                        6
6
     is
          1
                        2
[1] "m4PlAbl"
 Suffix freq Percent_Trials
         20
     s
        17
1
                       34
7
     u
        5
                       10
4
    i 3
                        6
2
    e 2
                        4
3
                        2
          1
     es
5
     is
          1
                        2
     us
[1] "m5PlAbl"
 Suffix freq Percent_Trials
4
         15
     е
9
         10
                       20
      S
5
     es
        9
                       18
1
     -
          6
                       12
7
     i
          4
                        8
6
     ēs
          3
                        6
2
          1
                        2
     a
3
     as
                        2
8
     is
[1] "fPlAbl"
 Suffix freq Percent_Trials
4
      е
         14
                       28
5
          8
                       16
     es
3
          6
                       12
     as
          5
1
                       10
2
        5
                       10
      a
9
      s 5
                       10
6
     ēs
          3
                       6
7
     i
          3
                        6
```

```
8 is 1
[1] "f1PlAbl"
 Suffix freq Percent_Trials
2 a 27
4
       18
                   36
    as
3 aes 4
                   8
   - 1
                    2
[1] "f2PlAbl"
 Suffix freq Percent_Trials
7 s
        20
     - 19
                   38
1
8
   u
       4
                    8
3
   e 2
                    4
4 es 2
   as 1
2
                    2
5
    i
         1
6
    is
       1
[1] "f3PlAbl"
Suffix freq Percent_Trials
2 e 17
3
        13
                   26
   es
7
   s 7
                   14
1
    - 6
                   12
4
       3
                    6
    ēs
5
    i
        3
                    6
   is
       1
[1] "f4PlAbl"
Suffix freq Percent_Trials
6 s 18
1
     - 17
                   34
7
     u 5
                   10
   e 3
2
                    6
4
   i 3
                    6
3
    es 2
                    4
                    2
5
    is
         1
8
         1
    us
[1] "f5PlAbl"
 Suffix freq Percent_Trials
4 e 14
9
                   22
    s
        11
5
   es 8
                   16
1
    - 7
                   14
7
    i
       4
                    8
6
   ēs 3
                    6
2
   a 1
                    2
3
                    2
    as
         1
    is
       1
[1] "nPlAbl"
 Suffix freq Percent_Trials
6
   s 21
        18
                   36
1
7
     u 4
                   8
2
    e 3
                    6
3
    es 2
                    4
```

```
5
      is
            1
                             2
[1] "n2PlAbl"
  Suffix freq Percent_Trials
6
       s
           21
                            36
1
           18
7
                             8
       u
2
             3
                             6
       е
3
      es
             2
                             4
4
       i
             1
                             2
5
      is
             1
                             2
[1] "n3PlAbl"
  Suffix freq Percent_Trials
           15
1
3
      es
           13
                            26
6
                            20
       s
           10
2
            8
                            16
       е
4
             3
                             6
5
                             2
      is
             1
[1] "n4PlAbl"
  Suffix freq Percent_Trials
       s
           20
1
           17
                            34
7
                            10
       u
            5
4
       i
             3
                             6
2
       е
             2
                             4
3
      es
             1
                             2
5
      is
             1
                             2
8
             1
      us
[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
        16.00000
                     1
                                     2
1
2
                                     2
        20.00000
3
        21.33333
                                     2
                                     2
4
        22.00000
5
        22.66667
                                     2
                     1
6
        23.33333
                                     4
7
        26.00000
                                     2
                     1
8
        26.66667
                     2
                                     4
9
        27.33333
                     3
                                     6
10
        29.33333
                                     2
11
        30.00000
                     2
                                     4
                                     2
12
        30.66667
                     1
13
                                     2
        31.33333
                     1
14
        32.00000
                                     2
                     1
                                     2
15
        32.66667
                     1
16
        33.33333
                     3
                                     6
17
        34.00000
                     5
                                    10
18
        34.66667
                                     2
                     1
19
                                     6
        35.33333
                     3
20
        36.00000
                     2
                                     4
```


36.66667

37.33333

i

23	40.00000	1	2
24	41.33333	2	4
25	42.00000	1	2
26	42.66667	1	2
27	45.33333	1	2
28	46.00000	1	2
29	50.66667	2	4

# Percent of common\_system\_distrib Matching Reality




[1] "NPLtoFSG\_system\_distrib"

	_ ,	_	
	${\tt Percent\_Match}$	freq	Percent_Trials
1	16.00000	1	2
2	20.00000	1	2
3	21.33333	1	2
4	22.66667	2	4
5	24.66667	1	2
6	25.33333	1	2
7	28.66667	1	2
8	29.33333	3	6
9	30.00000	3	6
10	30.66667	3	6
11	32.00000	3	6
12	32.66667	4	8
13	33.33333	3	6
14	34.00000	1	2
15	34.66667	1	2
16	35.33333	1	2
17	36.66667	2	4
18	37.33333	4	8
19	38.66667	2	4

20	39.33333	3	6
21	40.00000	4	8
22	40.66667	1	2
23	42.00000	1	2
24	42.66667	1	2
25	47.33333	2	4

# Percent of NPLtoFSG\_system\_distrib Matching Reality




Percent Matching True System

[1] "romanian_system_distrib"					
Perc	ent_Match	freq	Percent_Trials		
1	16.00000	1	2		
2	17.33333	1	2		
3	19.33333	1	2		
4	21.33333	1	2		
5	22.00000	1	2		
6	22.66667	1	2		
7	23.33333	1	2		
8	25.33333	1	2		
9	26.00000	5	10		
10	27.33333	3	6		
11	28.00000	2	4		
12	28.66667	1	2		
13	29.33333	2	4		
14	30.00000	1	2		
15	30.66667	1	2		
16	31.33333	5	10		
17	32.00000	3	6		
18	32.66667	2	4		
19	33.33333	2	4		
20	34.00000	5	10		

21	34.66667	1	2
22	35.33333	1	2
23	36.66667	1	2
24	37.33333	1	2
25	38.00000	2	4
26	42.00000	1	2
27	42.66667	1	2
28	46.00000	1	2
29	47.33333	1	2


### Percent of romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "1_common_system_distrib"					
Pe	ercent_Match	freq	Percent_Trials		
1	43.33333	2	4		
2	46.66667	3	6		
3	50.00000	4	8		
4	53.33333	7	14		
5	56.66667	4	8		
6	60.00000	6	12		
7	63.33333	2	4		
8	66.66667	11	22		
9	73.33333	3	6		
10	76.66667	1	2		
11	80.00000	2	4		
12	86.66667	4	8		
13	90.00000	1	2		


### Percent of 1\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "1_NPLtoFSG_system_distrib"				
]	Percent_Match	freq	Percent_Trials	
1	43.33333	2	4	
2	46.66667	3	6	
3	50.00000	4	8	
4	53.33333	7	14	
5	56.66667	4	8	
6	60.00000	6	12	
7	63.33333	2	4	
8	66.66667	11	22	
9	73.33333	3	6	
10	76.66667	1	2	
11	80.00000	2	4	
12	86.66667	4	8	
13	90.00000	1	2	


### Percent of 1\_NPLtoFSG\_system\_distrib Matching Reality




Percent Matching True System

[1] "1_romanian_system_distrib"					
Per	cent_Match	freq	Percent_Trials		
1	40.00000	1	2		
2	43.33333	4	8		
3	46.66667	10	20		
4	50.00000	2	4		
5	53.33333	15	30		
6	56.66667	4	8		
7	60.00000	3	6		
8	66.66667	3	6		
9	70.00000	1	2		
10	80.00000	6	12		
11	86.66667	1	2		


#### Percent of 1\_romanian\_system\_distrib Matching Reality




#### Percent of 2\_common\_system\_distrib Matching Reality



#### Percent of 2\_NPLtoFSG\_system\_distrib Matching Reality




### Percent of 2\_romanian\_system\_distrib Matching Reality



[1]	"3_common_sys	stem_c	distrib"
]	Percent_Match	freq	Percent_Trials
1	0.00000	2	4
2	10.00000	1	2
3	16.66667	1	2
4	20.00000	1	2
5	26.66667	1	2
6	30.00000	4	8
7	40.00000	1	2
8	43.33333	2	4
9	46.66667	1	2
10	50.00000	15	30
11	56.66667	1	2
12	60.00000	3	6
13	63.33333	1	2
14	66.66667	1	2
15	70.00000	7	14
16	80.00000	8	16


### Percent of 3\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "3_NPLtoFSG_system_distrib"					
]	Percent_Match	freq	Percent_Trials		
1	0.00000	2	4		
2	13.33333	1	2		
3	16.66667	1	2		
4	23.33333	1	2		
5	30.00000	1	2		
6	40.00000	3	6		
7	46.66667	4	8		
8	50.00000	2	4		
9	53.33333	4	8		
10	56.66667	3	6		
11	60.00000	5	10		
12	63.33333	8	16		
13	66.66667	15	30		


### Percent of 3\_NPLtoFSG\_system\_distrib Matching Reality




Percent Matching True System

[1]	"3_romanian_s	system	n_distrib"
F	Percent_Match	freq	Percent_Trials
1	0.00000	2	4
2	10.00000	1	2
3	16.66667	1	2
4	20.00000	2	4
5	30.00000	4	8
6	40.00000	3	6
7	43.33333	2	4
8	46.66667	2	4
9	50.00000	18	36
10	53.33333	4	8
11	56.66667	3	6
12	63.33333	8	16


#### Percent of 3\_romanian\_system\_distrib Matching Reality




#### Percent of 4\_common\_system\_distrib Matching Reality



#### Percent of 4\_NPLtoFSG\_system\_distrib Matching Reality




# Percent of 4\_romanian\_system\_distrib Matching Reality



[:	.] "5_common_sys	stem_c	distrib"
	Percent_Match	freq	Percent_Trials
1	33.33333	16	32
2	40.00000	3	6
3	46.66667	4	8
4	50.00000	1	2
5	53.33333	8	16
6	56.66667	1	2
7	60.00000	2	4
8	63.33333	3	6
9	66.66667	7	14
10	73.33333	1	2
1:	80.00000	1	2
12	86.66667	3	6


### Percent of 5\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "5_NPLtoFSG_system_distrib"					
Perd	cent_Match	freq	Percent_Trials		
1	33.33333	16	32		
2	40.00000	3	6		
3	46.66667	4	8		
4	50.00000	1	2		
5	53.33333	8	16		
6	56.66667	1	2		
7	60.00000	2	4		
8	63.33333	3	6		
9	66.66667	7	14		
10	73.33333	1	2		
11	80.00000	1	2		
12	86.66667	3	6		


### Percent of 5\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "5_romanian_system_distrib"					
Per	cent_Match	freq	Percent_Trials		
1	33.33333	16	32		
2	40.00000	3	6		
3	46.66667	4	8		
4	50.00000	1	2		
5	53.33333	8	16		
6	56.66667	1	2		
7	60.00000	2	4		
8	63.33333	3	6		
9	66.66667	7	14		
10	73.33333	1	2		
11	80.00000	1	2		
12	86.66667	3	6		


## Percent of 5\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "m_common_system_distrib"					
Percent_Match	freq	Percent_Trials			
1 4	1	2			
2 8	3	6			
3 10	3	6			
4 12	3	6			
5 14	1	2			
6 16	2	4			
7 18	2	4			
8 20	6	12			
9 22	2	4			
10 24	5	10			
11 26	5	10			
12 28	4	8			
13 30	4	8			
14 32	2	4			
15 34	1	2			
16 36	3	6			
17 42	1	2			
18 48	2	4			


## Percent of m\_common\_system\_distrib Matching Reality



Percent Matching True System

<pre>[1] "m_NPLtoFSG_system_distrib"</pre>				
Percent_Mat	tch i	freq	Percent_	Trials
1	4	1		2
2	8	3		6
3	10	3		6
4	12	3		6
5	14	1		2
6	16	2		4
7	18	2		4
8	20	6		12
9	22	2		4
10	24	5		10
11	26	5		10
12	28	4		8
13	30	4		8
14	32	2		4
15	34	1		2
16	36	3		6
17	42	1		2
18	48	2		4


## Percent of m\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "m_romanian_system_distrib"				
	Percent_Match	freq	Percent_	Trials
1	4	1		2
2	6	1		2
3	8	4		8
4	10	2		4
5	12	2		4
6	14	2		4
7	16	4		8
8	18	3		6
9	20	4		8
10	22	7		14
11	24	3		6
12	26	7		14
13	28	1		2
14	30	1		2
15	32	1		2
16	34	4		8
17	42	1		2
18	46	1		2
19	48	1		2


## Percent of m\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "f_common_system_distrib"				
I	Percent_Match	freq	Percent_Trials	
1	4	1	2	
2	10	2	4	
3	12	4	8	
4	14	1	2	
5	18	2	4	
6	20	3	6	
7	22	4	8	
8	24	7	14	
9	26	5	10	
10	28	2	4	
11	30	7	14	
12	32	2	4	
13	34	2	4	
14	36	4	8	
15	42	1	2	
16	48	3	6	


## Percent of f\_common\_system\_distrib Matching Reality



Percent Matching True System

<pre>[1] "f_NPLtoFSG_system_distrib"</pre>					
I	Percent_Match	freq	Percent_Trials		
1	4	1	2		
2	10	2	4		
3	12	4	8		
4	14	1	2		
5	18	2	4		
6	20	3	6		
7	22	4	8		
8	24	7	14		
9	26	5	10		
10	28	2	4		
11	30	7	14		
12	32	2	4		
13	34	2	4		
14	36	4	8		
15	42	1	2		
16	48	3	6		


## Percent of f\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "f_romanian_system_distrib"				
Percent_M	atch	freq	Percent_	Trials
1	4	1		2
2	6	1		2
3	8	1		2
4	10	1		2
5	12	3		6
6	14	1		2
7	16	4		8
8	18	2		4
9	20	4		8
10	22	7		14
11	24	3		6
12	26	9		18
13	28	1		2
14	30	1		2
15	32	3		6
16	34	4		8
17	42	1		2
18	46	2		4
19	48	1		2


# Percent of f\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "n_common_system_distrib"					
1	Percent_Match	freq	Percent_Trials		
1	40	2	4		
2	42	1	2		
3	44	1	2		
4	46	5	10		
5	48	3	6		
6	50	17	34		
7	52	3	6		
8	54	9	18		
9	56	8	16		
10	58	1	2		


# Percent of n\_common\_system\_distrib Matching Reality



Percent M	latching	True	System
-----------	----------	------	--------


[1] "n_NPLtoFSG_system_distrib"						
I	Percent_Match	freq	Percent_Trials			
1	40	2	4			
2	42	1	2			
3	44	6	12			
4	46	10	20			
5	48	6	12			
6	50	3	6			
7	52	2	4			
8	56	2	4			
9	58	1	2			
10	60	17	34			

## Percent of n\_NPLtoFSG\_system\_distrib Matching Reality



[1] "n_romanian_system_distrib"				
Pe	ercent_Match	freq	Percent_Trials	
1	40	2	4	
2	42	2	4	
3	44	8	16	
4	46	19	38	
5	48	2	4	
6	50	17	34	


## Percent of n\_romanian\_system\_distrib Matching Reality



L1.	] "Nom_commor	ı_syste	m_distri	b"
	Percent_Mate	ch freq	Percent	_Trials
1	20.0000	00 3		6
2	26.6666	37 2		4

_	20.0000	U	O
2	26.66667	2	4
3	30.00000	10	20
4	33.33333	2	4
5	36.66667	12	24
6	40.00000	6	12
7	43.33333	2	4
8	46.66667	7	14
9	53.33333	1	2
10	60.00000	5	10


## Percent of Nom\_common\_system\_distrib Matching Reality



Percent Matching True System

[1	] "Nom_NPLtoFS	G_sys	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	20.00000	3	6
2	26.66667	1	2
3	30.00000	2	4
4	33.33333	11	22
5	36.66667	7	14
6	40.00000	13	26
7	43.33333	7	14
8	50.00000	1	2
9	56.66667	5	10


## Percent of Nom\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Nom_romania	an_sys	stem_distrib"
P	ercent_Match	freq	Percent_Trials
1	20.00000	3	6
2	26.66667	2	4
3	30.00000	11	22
4	33.33333	2	4
5	36.66667	17	34
6	40.00000	2	4
7	43.33333	7	14
8	50.00000	1	2
9	56.66667	5	10


## Percent of Nom\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Acc_common_	_syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	13.33333	10	20
2	16.66667	3	6
3	20.00000	6	12
4	23.33333	2	4
5	26.66667	3	6
6	30.00000	9	18
7	33.33333	4	8
8	36.66667	12	24
9	60.00000	1	2


## Percent of Acc\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Acc_NPLtoFS0	3_syst	tem_distrib"
	Percent_Match	freq	Percent_Trials
1	13.33333	1	2
2	16.66667	11	22
3	20.00000	5	10
4	23.33333	6	12
5	26.66667	4	8
6	30.00000	4	8
7	33.33333	7	14
8	36.66667	1	2
9	40.00000	10	20
10	56.66667	1	2


## Percent of Acc\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Acc_romania	an_sys	stem_distrib"
P	ercent_Match	freq	Percent_Trials
1	13.33333	10	20
2	16.66667	5	10
3	20.00000	5	10
4	23.33333	3	6
5	26.66667	5	10
6	30.00000	8	16
7	33.33333	3	6
8	36.66667	10	20
9	56.66667	1	2


## Percent of Acc\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Gen_common_s	syster	n_distrib"
P	ercent_Match	freq	Percent_Trials
1	13.33333	6	12
2	20.00000	2	4
3	23.33333	3	6
4	26.66667	5	10
5	30.00000	15	30
6	33.33333	4	8
7	36.66667	8	16
8	40.00000	1	2
9	46.66667	3	6
10	53.33333	1	2
11	60.00000	2	4


## Percent of Gen\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Gen_NPLtoFS0	3_syst	tem_distrib"
1	Percent_Match	freq	Percent_Trials
1	13.33333	6	12
2	20.00000	3	6
3	23.33333	3	6
4	26.66667	9	18
5	30.00000	4	8
6	33.33333	10	20
7	36.66667	2	4
8	40.00000	7	14
9	43.33333	3	6
10	50.00000	1	2
11	56,66667	2	4


## Percent of Gen\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Gen_romania	an_sys	stem_distrib"
P	ercent_Match	freq	Percent_Trials
1	13.33333	8	16
2	20.00000	4	8
3	23.33333	12	24
4	26.66667	7	14
5	30.00000	10	20
6	33.33333	3	6
7	36.66667	3	6
8	43.33333	1	2
9	50.00000	2	4


## Percent of Gen\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Dat_common_s	system	n_distrib"
	Percent_Match	freq	Percent_Trials
1	13.33333	9	18
2	20.00000	4	8
3	23.33333	3	6
4	26.66667	3	6
5	30.00000	9	18
6	33.33333	4	8
7	36.66667	13	26
8	40.00000	1	2
9	46.66667	2	4
10	53.33333	1	2
11	60.00000	1	2


## Percent of Dat\_common\_system\_distrib Matching Reality



Percent Matching True System

[1] "Da	t_NPLtoFS0	3_syst	tem_distrib"
Perc	ent_Match	freq	Percent_Trials
1	13.33333	6	12
2	16.66667	3	6
3	20.00000	3	6
4	23.33333	4	8
5	26.66667	6	12
6	30.00000	3	6
7	33.33333	10	20
8	36.66667	3	6
9	40.00000	8	16
10	43.33333	2	4
11	50.00000	1	2
12	56.66667	1	2


## Percent of Dat\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1	] "Dat_romania	an_sys	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	13.33333	11	22
2	20.00000	3	6
3	23.33333	7	14
4	26.66667	11	22
5	30.00000	10	20
6	33.33333	3	6
7	36.66667	3	6
8	50.00000	2	4


## Percent of Dat\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "Al	ol_common_s	syster	n_distrib"
Pero	cent_Match	freq	Percent_Trials
1	20.00000	2	4
2	23.33333	1	2
3	26.66667	1	2
4	30.00000	6	12
5	33.33333	1	2
6	36.66667	18	36
7	40.00000	3	6
8	46.66667	6	12
9	50.00000	1	2
10	53.33333	4	8
11	56.66667	1	2
12	60.00000	6	12


## Percent of Abl\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Abl_NPLtoFS0	3_syst	tem_distrib"
]	Percent_Match	freq	Percent_Trials
1	20.00000	2	4
2	26.66667	1	2
3	30.00000	2	4
4	33.33333	8	16
5	36.66667	5	10
6	40.00000	14	28
7	43.33333	5	10
8	46.66667	1	2
9	50.00000	5	10
10	53.33333	1	2
11	56.66667	6	12


## Percent of Abl\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "Abl_romanian_system_distrib"				
F	Percent_Match	freq	Percent_Trials	
1	20.00000	2	4	
2	23.33333	1	2	
3	26.66667	1	2	
4	30.00000	6	12	
5	33.33333	4	8	
6	36.66667	18	36	
7	43.33333	5	10	
8	46.66667	2	4	
9	50.00000	4	8	
10	53.33333	1	2	
11	56.66667	6	12	


# Percent of Abl\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "Sg	_common_sy	ystem_	_distrib"
Perc	ent_Match	freq	Percent_Trials
1	18.66667	1	2
2	26.66667	4	8
3	28.00000	2	4
4	29.33333	1	2
5	30.66667	4	8
6	32.00000	2	4
7	33.33333	4	8
8	34.66667	2	4
9	37.33333	3	6
10	38.66667	3	6
11	40.00000	2	4
12	41.33333	6	12
13	42.66667	1	2
14	44.00000	1	2
15	46.66667	2	4
16	49.33333	1	2
17	50.66667	1	2
18	53.33333	1	2
19	54.66667	3	6
20	57.33333	1	2
21	58.66667	1	2
22	60.00000	4	8


## Percent of Sg\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Sg_NPLtoFSG	_syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	18.66667	1	2
2	26.66667	4	8
3	28.00000	2	4
4	29.33333	1	2
5	30.66667	4	8
6	32.00000	2	4
7	33.33333	4	8
8	34.66667	2	4
9	37.33333	3	6
10	38.66667	3	6
11	40.00000	2	4
12	41.33333	6	12
13	42.66667	1	2
14	44.00000	1	2
15	46.66667	2	4
16	49.33333	1	2
17	50.66667	1	2
18	53.33333	1	2
19	54.66667	3	6
20	57.33333	1	2
21	58.66667	1	2
22	60.00000	4	8


## Percent of Sg\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1] "Sg_romanian_system_distrib"				
P	ercent_Match	${\tt freq}$	Percent_Trials	
1	18.66667	1	2	
2	21.33333	1	2	
3	25.33333	1	2	
4	26.66667	4	8	
5	28.00000	3	6	
6	29.33333	1	2	
7	30.66667	3	6	
8	32.00000	3	6	
9	33.33333	4	8	
10	34.66667	1	2	
11	36.00000	3	6	
12	37.33333	4	8	
13	38.66667	4	8	
14	41.33333	5	10	
15	45.33333	1	2	
16	49.33333	3	6	
17	50.66667	1	2	
18	52.00000	1	2	
19	53.33333	1	2	
20	54.66667	5	10	


## Percent of Sg\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1] "Pl_common_system_distrib"				
Perd	cent_Match	freq	Percent_Trials	
1	13.33333	23	46	
2	14.66667	2	4	
3	16.00000	1	2	
4	18.66667	1	2	
5	20.00000	1	2	
6	25.33333	1	2	
7	30.66667	2	4	
8	33.33333	2	4	
9	34.66667	1	2	
10	36.00000	1	2	
11	37.33333	2	4	
12	40.00000	1	2	
13	41.33333	1	2	
14	44.00000	2	4	
15	45.33333	1	2	
16	46.66667	4	8	
17	53.33333	1	2	
18	60.00000	3	6	


# Percent of PI\_common\_system\_distrib Matching Reality



Percent Matching True System

[1]	"Pl_NPLtoFSG_	_syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	13.33333	2	4
2	14.66667	3	6
3	17.33333	3	6
4	18.66667	1	2
5	20.00000	17	34
6	21.33333	1	2
7	24.00000	1	2
8	25.33333	1	2
9	26.66667	3	6
10	29.33333	1	2
11	30.66667	2	4
12	32.00000	1	2
13	36.00000	1	2
14	37.33333	2	4
15	38.66667	1	2
16	40.00000	6	12
17	46.66667	1	2
18	53.33333	3	6


## Percent of PI\_NPLtoFSG\_system\_distrib Matching Reality



Percent Matching True System

[1]	] "Pl_romanian	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	13.33333	24	48
2	14.66667	2	4
3	18.66667	2	4
4	20.00000	1	2
5	24.00000	1	2
6	25.33333	1	2
7	26.66667	1	2
8	29.33333	3	6
9	30.66667	1	2
10	34.66667	2	4
11	37.33333	2	4
12	38.66667	2	4
13	40.00000	4	8
14	46.66667	1	2
15	53.33333	3	6


# Percent of Pl\_romanian\_system\_distrib Matching Reality



Percent Matching True System

[1]	"n.Sg(Nom Ad	cc),m	.Sg(Nom Acc)"
I	Percent_Match	freq	Percent_Trials
1	50.00000	1	2
2	66.66667	13	26
3	83.33333	7	14
4	100.00000	29	58


## Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

	1] "n.Pl(Nom Ac	cc),m	.Pl(Nom Acc)"
	Percent_Match	freq	Percent_Trials
1	50.00000	1	2
2	66.66667	11	22
3	83.33333	7	14
4	100.00000	31	62

## Percent of n.PI(Nom|Acc),m.PI(Nom|Acc) Matching Each Other




16

[1]	"n.Pl(Nom Ad	cc),f	.Sg(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	24	48
2	16.66667	5	10
3	33.33333	5	10
4	50.00000	2	4
5	66 66667	4	8

83.33333 100.00000

6


# Percent of n.PI(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Nom Ad	cc),f	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	5	10
3	50.00000	1	2
4	66.66667	11	22
5	83.33333	8	16
6	100.00000	24	48


## Percent of n.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	l] "m.Pl(Nom Acc),f.Pl(Nom Acc)"					
Pe	ercent_Match	freq	Percent_Trials			
1	60	5	10			
2	80	11	22			
3	90	3	6			
4	100	31	62			


## Percent of m.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"1.*(Nom Acc	c),5.	*(Nom Acc)"	
Pe	ercent_Match	freq	Percent_Trials	5
1	0.0	40	80	)
2	12.5	1	2	2
3	25.0	2	4	Ŀ
4	37.5	1	2	)
5	50.0	4	8	3
6	100.0	2	4	Ŀ


## Percent of 1.\*(Nom|Acc),5.\*(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2.*(Nom Acc	c),4.×	*(Nom Acc)"
P	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	25.00000	1	2
3	33.33333	2	4
4	50.00000	3	6
5	75.00000	2	4
6	83.33333	1	2
7	91.66667	3	6
8	100.00000	37	74


#### Percent of 2.\*(Nom|Acc),4.\*(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2Sg(Nom Acc	c),4Sg	g(Nom Acc	:)"
Pe	ercent_Match	freq	Percent_	Trials
1	0.00000	1		2
2	50.00000	1		2
3	66.66667	4		8
4	83.33333	3		6
5	100.00000	41		82


## Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other


	1] "2P1(Nom Ac	c),4PI	L(Nom Acc)"
	Percent_Match	freq	Percent_Trials
1	0.00000	5	10
2	33.33333	2	4
3	50.00000	2	4
4	66.66667	1	2
5	100.00000	40	80

#### Percent of 2PI(Nom|Acc),4PI(Nom|Acc) Matching Each Other




[1] "n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc)"
Percent\_Match freq Percent\_Trials
1 50 2 4
2 75 1 2
3 100 47 94


#### Percent of n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc) Matching Each Oth



#### Percent of n[24]PI(Nom|Acc),m[24]PI(Nom|Acc) Matching Each Othe



#### Percent of n[24]PI(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other




[1] "n[24]Pl(Nom|Acc),f1Pl(Nom|Acc)"


Percent\_Match freq Percent\_Trials

1 0 50 100

#### Percent of n[24]PI(Nom|Acc),f1PI(Nom|Acc) Matching Each Other




#### Percent of m[24]PI(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other



[1] "m[24]Pl(Nom|Acc),f1Pl(Nom|Acc)"


```
Percent_Match freq Percent_Trials
1 0 50 100
```

#### Percent of m[24]PI(Nom|Acc),f1PI(Nom|Acc) Matching Each Other



[1] "m.Sg(Nom|Acc),m.Pl(Nom|Acc)" Percent\_Match freq Percent\_Trials 


#### Percent of m.Sg(Nom|Acc),m.Pl(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"f.Sg(Nom Ad	cc),f	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0	16	32
2	10	5	10
3	20	3	6
4	30	3	6
5	40	4	8
6	50	1	2
7	60	8	16
8	80	1	2
9	100	9	18


#### Percent of f.Sg(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other



Percent Matching Each Other

-	1] "n.Sg(Nom A	cc),n	.Pl(Nom Acc)"
	Percent_Match	freq	Percent_Trials
1	0.00000	20	40
2	16.66667	6	12
3	33.33333	17	34
4	50.00000	2	4
Ę	66.66667	1	2
6	83.33333	1	2
7	100.00000	3	6


#### Percent of n.Sg(Nom|Acc),n.Pl(Nom|Acc) Matching Each Other



Percent Matching Each Other

[:	1] "n.Sg( ),m.S	Sg( )'	ı
	Percent_Match	freq	Percent_Trials
1	53.33333	1	2
2	66.66667	7	14
3	73.33333	1	2
4	80.00000	9	18
5	86.66667	4	8
6	93.33333	2	4
7	100.00000	26	52


# Percent of n.Sg(|),m.Sg(|) Matching Each Other



Percent Matching Each Other

[1] "n.Pl( ),m.Pl( )"				
Pe	ercent_Match	${\tt freq}$	Percent_Trials	
1	66.66667	7	14	
2	73.33333	2	4	
3	80.00000	5	10	
4	86.66667	3	6	
5	93.33333	2	4	
6	100.00000	31	62	


# Percent of n.PI(|),m.PI(|) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl( ),f.Sg	g( )"	
	Percent_Match	freq	Percent_Trials
1	0.000000	6	12
2	6.666667	2	4
3	13.333333	2	4
4	20.000000	2	4
5	26.666667	4	8
6	33.333333	8	16
7	40.000000	4	8
8	46.666667	6	12
9	53.333333	3	6
10	66.666667	1	2
11	73.333333	1	2
12	80.000000	3	6
13	100.000000	8	16


# Percent of n.PI(|),f.Sg(|) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl( ),f.F	P1( )'	ı
P	ercent_Match	freq	Percent_Trials
1	46.66667	1	2
2	53.33333	4	8
3	60.00000	2	4
4	66.66667	6	12
5	73.33333	3	6
6	80.00000	5	10
7	86.66667	2	4
8	93.33333	6	12
9	100.00000	21	42


# Percent of n.PI(|),f.PI(|) Matching Each Other



Percent Matching Each Other

[1]	"m.Pl( ),f.H	21( )	1
P	ercent_Match	freq	Percent_Trials
1	68	2	4
2	72	2	4
3	76	2	4
4	80	6	12
5	84	2	4
6	88	2	4
7	92	2	4
8	96	6	12
9	100	26	52


# Percent of m.PI(|),f.PI(|) Matching Each Other



Percent Matching Each Other

[1] "1.*( )	,5.*(	)"	
Percent_	_Match	freq	Percent_Trials
1	0	34	68
2	5	1	2
3	25	1	2
4	30	3	6
5	40	2	4
6	45	2	4
7	50	3	6
8	60	1	2
9	65	1	2
10	85	1	2
11	100	1	2


# Percent of 1.\*(|),5.\*(|) Matching Each Other



Percent Matching Each Other

[1]	"2.*( ),4.*(	)"	
]	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	20.00000	1	2
3	23.33333	1	2
4	50.00000	1	2
5	53.33333	1	2
6	60.00000	2	4
7	73.33333	1	2
8	76.66667	1	2
9	83.33333	1	2
10	86.66667	1	2
11	90.00000	3	6
12	93.33333	4	8
13	96.66667	3	6
14	100.00000	29	58


# Percent of 2.\*(|),4.\*(|) Matching Each Other



Percent Matching Each Other

[1]	"2Sg( ),4Sg	( )"	
P	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	26.66667	2	4
3	33.33333	1	2
4	46.66667	1	2
5	60.00000	1	2
6	80.00000	3	6
7	86.66667	6	12
8	93.33333	2	4
9	100.00000	33	66


## Percent of 2Sg(|),4Sg(|) Matching Each Other



Percent Matching Each Other

[1]	"2P1( ),4P1(	)"	
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	13.33333	1	2
3	20.00000	1	2
4	40.00000	2	4
5	53.33333	1	2
6	60.00000	1	2
7	66.66667	1	2
8	73.33333	3	6
9	93.33333	2	4
10	100.00000	37	74


## Percent of 2PI(|),4PI(|) Matching Each Other



Percent Matching Each Other

[1]	"n[24]Sg( )	m[24]	Sg( )"
Pe	ercent_Match	${\tt freq}$	${\tt Percent\_Trials}$
1	50	1	2
2	80	3	6
3	90	3	6
4	100	43	86


# Percent of n[24]Sg(|),m[24]Sg(|) Matching Each Other



Percent Matching Each Other

[1]	"n[24]P1( )	, m [24]	P1( )"
Pe	ercent_Match	freq	Percent_Trials
1	80	1	2
2	90	2	4
3	100	47	94


## Percent of n[24]PI(|),m[24]PI(|) Matching Each Other



#### 

T	U	42	84
2	10	2	4
3	20	2	4
4	30	1	2
5	40	2	4
6	60	1	2


## Percent of n[24]PI(|),f1Sg(|) Matching Each Other



Percent Matching Each Other

[1]	"n[24]P1( )	,f1Pl	( )"
P	ercent_Match	freq	Percent_Trials
1	0	42	84
2	10	2	4
3	30	1	2
4	40	4	8
5	60	1	2


# Percent of n[24]PI(|),f1PI(|) Matching Each Other



Percent Matching Each Other

[1]	"m[24]P1( )	f1Sg,	( )"
Pe	ercent_Match	freq	Percent_Trials
1	0	42	84
2	10	2	4
3	20	2	4
4	30	1	2
5	40	2	4
6	60	1	2


## Percent of m[24]PI(|),f1Sg(|) Matching Each Other



Percent Matching Each Other

ΓT]	"M[24]PI(I)	,IIPI	CI)"
Pe	ercent_Match	freq	Percent_Trials
1	0	42	84
2	10	2	4
3	30	1	2
4	40	4	8
5	60	1	2


## Percent of m[24]PI(|),f1PI(|) Matching Each Other



Percent Matching Each Other

[1] "m.Sg	g( ),m.Pl	.( )"	
Percer	nt_Match	freq	Percent_Trials
1	0	6	12
2	4	1	2
3	8	1	2
4	12	1	2
5	16	3	6
6	20	1	2
7	28	1	2
8	32	1	2
9	40	5	10
10	44	3	6
11	48	1	2
12	56	1	2
13	60	5	10
14	64	4	8
15	68	5	10
16	76	6	12
17	80	1	2
18	84	1	2
19	100	3	6


# Percent of m.Sg(|),m.Pl(|) Matching Each Other



Percent Matching Each Other

[1] "f.Sg(	),f.Pl	( )"	
Percent	_Match :	freq	Percent_Trials
1	0	6	12
2	4	1	2
3	8	1	2
4	12	1	2
5	16	3	6
6	28	1	2
7	32	1	2
8	36	1	2
9	40	4	8
10	44	2	4
11	48	4	8
12	52	1	2
13	56	1	2
14	60	3	6
15	64	3	6
16	68	3	6
17	72	2	4
18	76	2	4
19	84	1	2
20	96	1	2
21	100	8	16


# Percent of f.Sg(|),f.Pl(|) Matching Each Other



Percent Matching Each Other

[1]	"n.Sg( ),n.Pl	L( )"	
	Percent_Match	freq	Percent_Trials
1	0.000000	7	14
2	6.666667	1	2
3	13.333333	3	6
4	20.000000	2	4
5	26.666667	1	2
6	33.333333	7	14
7	40.000000	3	6
8	46.666667	8	16
9	53.333333	3	6
10	60.000000	7	14
11	66.666667	1	2
12	73.333333	3	6
13	93.333333	1	2
14	100.000000	3	6


# Percent of n.Sg(|),n.Pl(|) Matching Each Other



Percent Matching Each Other

[	1] "n.Sg(Abl A	cc),m	.Sg(Abl Acc)"
	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	66.66667	18	36
3	83.33333	3	6
4	100.00000	28	56


## Percent of n.Sg(Abl|Acc),m.Sg(Abl|Acc) Matching Each Other



Percent Matching Each Other

[	1] "n.Pl(Abl A	cc),m	.Pl(Abl Acc)"
	Percent_Match	freq	Percent_Trials
1	50.00000	1	2
2	66.66667	14	28
3	83.33333	4	8
4	100.00000	31	62

#### Percent of n.PI(AbI|Acc),m.PI(AbI|Acc) Matching Each Other




16

[1]	"n.Pl(Abl Ac	cc),f	.Sg(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	24	48
2	16.66667	4	8
3	33.33333	7	14
4	50.00000	1	2
5	66.66667	6	12

100.00000

6


## Percent of n.Pl(Abl|Acc),f.Sg(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Abl Ad	cc),f	.Pl(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	2	4
2	50.00000	5	10
3	66.66667	14	28
4	83.33333	5	10
5	100.00000	24	48


## Percent of n.PI(Abl|Acc),f.PI(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"m.Pl(Abl Ac	cc),f	.Pl(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	60	2	4
2	70	2	4
3	80	11	22
4	90	3	6
5	100	32	64


#### Percent of m.PI(AbI|Acc),f.PI(AbI|Acc) Matching Each Other



[1] "1.\*(Abl|Acc),5.\*(Abl|Acc)"

Percent\_Match freq Percent\_Trials
1 0.0 42 84
2 37.5 1 2
3 50.0 5 10
4 100.0 2 4


## Percent of 1.\*(Abl|Acc),5.\*(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2.*(Abl Acc	c),4.×	*(Abl Acc)"
P	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	25.00000	2	4
3	33.33333	1	2
4	50.00000	2	4
5	58.33333	3	6
6	75.00000	1	2
7	83.33333	3	6
8	91.66667	4	8
9	100.00000	33	66


## Percent of 2.\*(Abl|Acc),4.\*(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2Sg(Abl Acc	c),4Sg	g(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	33.33333	2	4
3	50.00000	3	6
4	66.66667	4	8
5	83.33333	3	6
6	100.00000	37	74


## Percent of 2Sg(Abl|Acc),4Sg(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	] "2P1(Ab1 Aco	c),4P]	L(Abl Acc)"
]	Percent_Match	freq	Percent_Trials
1	0.00000	4	8
2	16.66667	2	4
3	50.00000	1	2
4	66.66667	3	6
5	83.33333	1	2
6	100.00000	39	78


## Percent of 2PI(AbI|Acc),4PI(AbI|Acc) Matching Each Other



Percent Matching Each Other


[1]	"n[24]Sg(Ab]	L Acc)	m[24]Sg(Abl Acc)"
P	ercent_Match	freq	Percent_Trials
1	50	2	4
2	75	2	4
3	100	46	92

#### Percent of n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc) Matching Each Othe




```
[1] "n[24]Pl(Abl|Acc),m[24]Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1          75          2          4
2          100     48          96
```


#### Percent of n[24]PI(AbI|Acc),m[24]PI(AbI|Acc) Matching Each Other




## Percent of n[24]PI(AbI|Acc),f1Sg(AbI|Acc) Matching Each Other




### Percent of n[24]PI(AbI|Acc),f1PI(AbI|Acc) Matching Each Other



### Percent of m[24]PI(AbI|Acc),f1Sg(AbI|Acc) Matching Each Other




### Percent of m[24]PI(AbI|Acc),f1PI(AbI|Acc) Matching Each Other



[1] "m.Sg(Abl|Acc),m.Pl(Abl|Acc)" Percent\_Match freq Percent\_Trials 


## Percent of m.Sg(Abl|Acc),m.Pl(Abl|Acc) Matching Each Other



Percent Matching Each Other

<pre>[1] "f.Sg(Abl Acc),f.Pl(Abl Acc)"</pre>					
Percei	nt_Match	freq	Percent_Trials		
1	0	15	30		
2	10	6	12		
3	20	3	6		
4	30	1	2		
5	40	3	6		
6	50	4	8		
7	60	5	10		
8	70	1	2		
9	80	2	4		
10	90	1	2		
11	100	9	18		


## Percent of f.Sg(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Sg(Abl Ad	cc),n	.Pl(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	21	42
2	16.66667	6	12
3	33.33333	13	26
4	66.66667	6	12
5	83.33333	1	2
6	100.00000	3	6


## Percent of n.Sg(Abl|Acc),n.Pl(Abl|Acc) Matching Each Other



Percent Matching Each Other

[	1] "n.Sg(Nom Ad	cc Ab]	l),m.Sg(Nom Acc Abl)"
	Percent_Match	freq	Percent_Trials
1	44.44444	1	2
2	66.66667	12	24
3	77.77778	7	14
4	88.88889	2	4
5	100.00000	28	56


## Percent of n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl) Matching Each Otl



[1] "n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"

	Percent_Match	ireq	Percent_Irials
1	55.55556	1	2
2	66.66667	10	20
3	77.77778	5	10
4	88.88889	3	6
5	100.00000	31	62


## Percent of n.PI(Nom|Acc|AbI),m.PI(Nom|Acc|AbI) Matching Each Oth



[1] "n.Pl(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl)"

	Percent_Match	freq	Percent_Trials
1	0.00000	22	44
2	11.11111	2	4
3	22.22222	6	12
4	33.33333	3	6
5	44.44444	2	4
6	55.55556	1	2
7	66.66667	4	8
8	77.77778	2	4
9	100.00000	8	16


## Percent of n.PI(Nom|Acc|AbI),f.Sg(Nom|Acc|AbI) Matching Each Other



Percent Matching Each Other

[1	] "n.Pl(Nom Ad	cc Ab	L),f.Pl(Nom Acc Abl)
	Percent_Match	freq	Percent_Trials
1	33.33333	2	4
2	44.44444	4	8
3	55.55556	2	4
4	66.66667	9	18
5	77.77778	5	10
6	88.88889	5	10
7	100.00000	23	46


## Percent of n.PI(Nom|Acc|AbI),f.PI(Nom|Acc|AbI) Matching Each Othe



Percent Matching Each Other

[1	l] "m.Pl(Nom Ad	cc Ab]	L),f.Pl(Nom Acc Abl)
	${\tt Percent\_Match}$	freq	Percent_Trials
1	60.00000	1	2
2	66.66667	3	6
3	73.33333	2	4
4	80.00000	9	18
5	86.66667	2	4
6	93.33333	3	6
7	100.00000	30	60

### Percent of m.PI(Nom|Acc|AbI),f.PI(Nom|Acc|AbI) Matching Each Other




[1] "1.\*(Nom|Acc|Abl),5.\*(Nom|Acc|Abl)" Percent\_Match freq Percent\_Trials 0.000000 8.333333 16.66667 33.333333 

41.666667

50.000000

100.000000


## Percent of 1.\*(Nom|Acc|Abl),5.\*(Nom|Acc|Abl) Matching Each Other



Percent Matching Each Other


[1]	"2.*(Nom Acc	Abl),	4.*(Nom Acc Abl)
I	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	27.77778	2	4
3	33.33333	1	2
4	50.00000	1	2
5	55.55556	3	6
6	66.66667	1	2
7	83.33333	2	4
8	88.88889	3	6
9	94.44444	3	6
10	100.00000	33	66

## Percent of 2.\*(Nom|Acc|Abl),4.\*(Nom|Acc|Abl) Matching Each Other



[	1] "2Sg(Nom Aco	c Abl)	$,4{ m Sg}({ m Nom} { m Acc} { m Abl})$
	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	44.44444	2	4
3	55.55556	2	4
4	66.66667	2	4
5	77.77778	3	6
6	88.88889	4	8
7	100.00000	36	72


## Percent of 2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl) Matching Each Other



Percent Matching Each Other

[	1] "2P1(Nom Ac	c Abl)	,4P1(Nom Acc Abl)
	Percent_Match	freq	Percent_Trials
1	0.00000	3	6
2	11.11111	2	4
3	33.33333	2	4
4	55.55556	2	4
5	66.66667	1	2
6	88.88889	1	2
7	100.00000	39	78


### Percent of 2PI(Nom|Acc|AbI),4PI(Nom|Acc|AbI) Matching Each Othe




[1] "n[24]Sg(Nom|Acc|Abl),m[24]Sg(Nom|Acc|Abl)"

	Percent_Match	freq	Percent_Trials
1	50.00000	1	2
2	66.66667	2	4
3	83.33333	1	2
4	100.00000	46	92


#### ercent of n[24]Sg(Nom|Acc|Abl),m[24]Sg(Nom|Acc|Abl) Matching Each



#### 'ercent of n[24]PI(Nom|Acc|AbI),m[24]PI(Nom|Acc|AbI) Matching Each




### Percent of n[24]PI(Nom|Acc|AbI),f1Sg(Nom|Acc|AbI) Matching Each O




[1] "n[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl)"
Percent\_Match freq Percent\_Trials
1 0.00000 49 98
2 33.33333 1 2


#### Percent of n[24]PI(Nom|Acc|AbI),f1PI(Nom|Acc|AbI) Matching Each Ot



#### Percent of m[24]PI(Nom|Acc|AbI),f1Sg(Nom|Acc|AbI) Matching Each O




### Percent of m[24]PI(Nom|Acc|AbI),f1PI(Nom|Acc|AbI) Matching Each Ot



[1] "m.Sg(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"

	${\tt Percent\_Match}$	freq	Percent_Trials	
1	0.000000	15	30	
2	6.666667	2	4	
3	13.333333	4	8	
4	20.000000	1	2	
5	26.666667	1	2	
6	33.333333	2	4	
7	40.000000	3	6	
8	46.666667	3	6	
9	53.333333	2	4	
10	60.000000	10	20	
11	73.333333	3	6	
12	80.000000	1	2	
13	100.000000	3	6	


## Percent of m.Sg(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl) Matching Each Oth



Percent Matching Each Other

[1]	"f.Sg(Nom Aco	c Abl)	,f.Pl(Nom Acc Abl)"
]	Percent_Match	freq	Percent_Trials
1	0.000000	15	30
2	6.666667	1	2
3	13.333333	4	8
4	20.000000	2	4
5	26.666667	2	4
6	33.333333	1	2
7	40.000000	2	4
8	46.666667	2	4
9	53.333333	4	8
10	60.000000	3	6
11	66.666667	2	4
12	73.333333	2	4
13	86.666667	1	2
14	100.000000	9	18


## Percent of f.Sg(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Othe



Percent Matching Each Other

[1]	"n.Sg(Nom Ad	cc Ab]	l), $n.Pl(Nom Acc A$	bl)
Pe	ercent_Match	freq	Percent_Trials	
1	0.00000	19	38	
2	11.11111	3	6	
3	22.22222	5	10	
4	33.33333	11	22	
5	44.44444	2	4	
6	55.55556	5	10	
7	66.66667	1	2	
8	88.88889	1	2	
9	100.00000	3	6	


## Percent of n.Sg(Nom|Acc|Abl),n.Pl(Nom|Acc|Abl) Matching Each Oth



Percent Matching Each Other

[	1] "n.Sg,m.Sg"		
	Percent_Match	freq	Percent_Trials
1	53.33333	1	2
2	66.66667	7	14
3	73.33333	1	2
4	80.00000	9	18
5	86.66667	4	8
6	93.33333	2	4
7	100.00000	26	52


## Percent of n.Sg,m.Sg Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,m.Pl"		
Pe	ercent_Match	freq	Percent_Trials
1	66.66667	7	14
2	73.33333	2	4
3	80.00000	5	10
4	86.66667	3	6
5	93.33333	2	4
6	100.00000	31	62


## Percent of n.PI,m.PI Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,f.Sg"		
	Percent_Match	freq	Percent_Trials
1	0.000000	6	12
2	6.666667	2	4
3	13.333333	2	4
4	20.000000	2	4
5	26.666667	4	8
6	33.333333	8	16
7	40.000000	4	8
8	46.666667	6	12
9	53.333333	3	6
10	66.666667	1	2
11	73.333333	1	2
12	80.000000	3	6
13	100 000000	8	16


## Percent of n.PI,f.Sg Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,f.Pl"		
F	Percent_Match	${\tt freq}$	Percent_Trials
1	46.66667	1	2
2	53.33333	4	8
3	60.00000	2	4
4	66.66667	6	12
5	73.33333	3	6
6	80.00000	5	10
7	86.66667	2	4
8	93.33333	6	12
9	100.00000	21	42


## Percent of n.PI,f.PI Matching Each Other



Percent Matching Each Other

[1]	"m.Pl,f.Pl"		
Pe	ercent_Match	freq	Percent_Trials
1	68	2	4
2	72	2	4
3	76	2	4
4	80	6	12
5	84	2	4
6	88	2	4
7	92	2	4
8	96	6	12
9	100	26	52


# Percent of m.PI,f.PI Matching Each Other



Percent Matching	Each Other

[1]	"1.*,5.*"		
]	Percent_Match	freq	Percent_Trials
1	0	34	68
2	5	1	2
3	25	1	2
4	30	3	6
5	40	2	4
6	45	2	4
7	50	3	6
8	60	1	2
9	65	1	2
10	85	1	2
11	100	1	2


## Percent of 1.\*,5.\* Matching Each Other



Percent Matching Each Other

[1]	"2.*,4.*"		
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	1	2
2	20.00000	1	2
3	23.33333	1	2
4	50.00000	1	2
5	53.33333	1	2
6	60.00000	2	4
7	73.33333	1	2
8	76.66667	1	2
9	83.33333	1	2
10	86.66667	1	2
11	90.00000	3	6
12	93.33333	4	8
13	96.66667	3	6
14	100.00000	29	58


# Percent of 2.\*,4.\* Matching Each Other



Percent Matching Each Other

[1]	"2Sg,4Sg"		
I	Percent_Match	freq	Percent_Trials
1	0.00000	1	2
2	26.66667	2	4
3	33.33333	1	2
4	46.66667	1	2
5	60.00000	1	2
6	80.00000	3	6
7	86.66667	6	12
8	93.33333	2	4
9	100.00000	33	66


## Percent of 2Sg,4Sg Matching Each Other



Percent Matching Each Other

[1]	"2P1,4P1"		
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	1	2
2	13.33333	1	2
3	20.00000	1	2
4	40.00000	2	4
5	53.33333	1	2
6	60.00000	1	2
7	66.66667	1	2
8	73.33333	3	6
9	93.33333	2	4
10	100.00000	37	74


## Percent of 2PI,4PI Matching Each Other



Percent Matching Each Other

[1] "n[24]Sg,m[24]Sg"				
Pe	ercent_Match	freq	Percent_Trials	
1	50	1	2	
2	80	3	6	
3	90	3	6	
4	100	43	86	

# Percent of n[24]Sg,m[24]Sg Matching Each Other




[1] "n[24]Pl,m[24]Pl"

Percent\_Match freq Percent\_Trials
1 80 1 2


2 90 2 4 3 100 47 94

## Percent of n[24]PI,m[24]PI Matching Each Other



	[1]	"n[24]Pl,f18	Sg"	
	Pe	ercent_Match	freq	Percent_Trials
	1	0	42	84
	2	10	2	4
	3	20	2	4
	4	30	1	2
,	5	40	2	4
	6	60	1	2

## Percent of n[24]PI,f1Sg Matching Each Other




Percent Matching Each Other

[1]	"n[	[24]	P1	,f1	Pl"
-----	-----	------	----	-----	-----

	Percent_Match	freq	Percent_Trials
1	0	42	84
2	10	2	4
3	30	1	2
4	40	4	8
5	60	1	2


# Percent of n[24]PI,f1PI Matching Each Other



Percent Matching Each Other

[1] "m[24]Pl,f1Sg"			
	Percent_Match	freq	Percent_Trials
1	0	42	84
2	10	2	4
3	20	2	4
4	30	1	2
5	40	2	4
6	60	1	2

## Percent of m[24]PI,f1Sg Matching Each Other




Percent Matching Each Other

Г1]	"m	[24]	Pl	,f1Pl"
-----	----	------	----	--------


	Percent_Match	freq	Percent_Trials
1	0	42	84
2	10	2	4
3	30	1	2
4	40	4	8
5	60	1	2

# Percent of m[24]PI,f1PI Matching Each Other



[1] "m.Sg,m.P	1"		
Percent_Ma	tch	freq	Percent_Trials
1	0	6	12
2	4	1	2
3	8	1	2
4	12	1	2
5	16	3	6
6	20	1	2
7	28	1	2
8	32	1	2
9	40	5	10
10	44	3	6
11	48	1	2
12	56	1	2
13	60	5	10
14	64	4	8
15	68	5	10
16	76	6	12
17	80	1	2
18	84	1	2
19	100	3	6


### Percent of m.Sg,m.Pl Matching Each Other



Percent Matching Each Other

[1] "f.Sg,f.Pl"		
Percent_Match	freq	Percent_Trials
1 0	6	12
2 4	1	2
3 8	1	2
4 12	1	2
5 16	3	6
6 28	1	2
7 32	1	2
8 36	1	2
9 40	4	8
10 44	2	4
11 48	4	8
12 52	1	2
13 56	1	2
14 60	3	6
15 64	3	6
16 68	3	6
17 72	2	4
18 76	2	4
19 84	1	2
20 96	1	2
21 100	8	16


# Percent of f.Sg,f.Pl Matching Each Other



Percent Matching Each Other

[1]	"n.Sg,n.Pl"		
]	Percent_Match	freq	Percent_Trials
1	0.000000	7	14
2	6.666667	1	2
3	13.333333	3	6
4	20.000000	2	4
5	26.666667	1	2
6	33.333333	7	14
7	40.000000	3	6
8	46.666667	8	16
9	53.333333	3	6
10	60.000000	7	14
11	66.666667	1	2
12	73.333333	3	6
13	93.333333	1	2
14	100.000000	3	6


# Percent of n.Sg,n.Pl Matching Each Other



Percent Matching Each Other

[1]	"Nom, Acc"		
	Percent_Match	freq	Percent_Trials
1	0.00000	4	8
2	19.23077	2	4
3	23.07692	1	2
4	26.92308	1	2
5	30.76923	2	4
6	34.61538	2	4
7	38.46154	1	2
8	42.30769	1	2
9	50.00000	10	20
10	53.84615	2	4
11	57.69231	1	2
12	61.53846	2	4
13	65.38462	1	2
14	69.23077	1	2
15	73.07692	2	4
16	84.61538	2	4
17	88.46154	1	2
18	92.30769	1	2
19	100.00000	13	26


### **Percent of Nom,Acc Matching Each Other**



Percent Matching Each Other

[1]	"Acc,Abl"		
]	Percent_Match	freq	Percent_Trials
1	0.00000	4	8
2	19.23077	1	2
3	23.07692	1	2
4	30.76923	1	2
5	38.46154	2	4
6	42.30769	3	6
7	50.00000	11	22
8	53.84615	4	8
9	57.69231	4	8
10	65.38462	1	2
11	73.07692	2	4
12	76.92308	2	4
13	80.76923	1	2
14	84.61538	3	6
15	88.46154	1	2
16	92.30769	1	2
17	100.00000	8	16


## **Percent of Acc, Abl Matching Each Other**



Percent Matching Each Other

[1]	"Nom, Acc, Abl'	'	
I	Percent_Match	freq	Percent_Trials
1	0.00000	4	8
2	19.23077	2	4
3	23.07692	1	2
4	26.92308	1	2
5	30.76923	2	4
6	34.61538	3	6
7	38.46154	2	4
8	42.30769	1	2
9	46.15385	1	2
10	50.00000	12	24
11	53.84615	3	6
12	57.69231	2	4
13	61.53846	1	2
14	73.07692	2	4
15	76.92308	2	4
16	80.76923	1	2
17	84.61538	2	4
18	88.46154	1	2
19	100.00000	7	14


### Percent of Nom,Acc,Abl Matching Each Other



Percent Matching Each Other

[1]	"Gen,Dat"		
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.000000	1	2
2	7.692308	1	2
3	19.230769	1	2
4	26.923077	1	2
5	30.769231	2	4
6	42.307692	1	2
7	50.000000	4	8
8	61.538462	2	4
9	65.384615	1	2
10	69.230769	3	6
11	73.076923	1	2
12	76.923077	1	2
13	80.769231	3	6
14	84.615385	1	2
15	88.461538	1	2
16	96.153846	4	8
17	100.000000	22	44


### **Percent of Gen, Dat Matching Each Other**



Percent Matching Each Other

[1]	[1] "Nom,Acc,Gen,Dat,Abl"			
	Percent_Match	${\tt freq}$	Percent_Trials	
1	0.00000	6	12	
2	11.53846	1	2	
3	15.38462	1	2	
4	19.23077	2	4	
5	23.07692	1	2	
6	26.92308	1	2	
7	30.76923	3	6	
8	34.61538	4	8	
9	38.46154	3	6	
10	42.30769	2	4	
11	46.15385	2	4	
12	50.00000	12	24	
13	53.84615	3	6	
14	57.69231	1	2	
15	61.53846	1	2	
16	69.23077	1	2	
17	76.92308	2	4	
18	80.76923	1	2	
19	84.61538	2	4	
20	100.00000	1	2	


### Percent of Nom,Acc,Gen,Dat,Abl Matching Each Other



Percent Matching Each Other


[1]	"nPlmPl_excl	lusive	e"
Р	ercent_Match	freq	Percent_Trials
1	0.000000	37	74
2	6.666667	4	8
3	13.333333	2	4
4	26.666667	2	4
5	33.333333	1	2
6	40.000000	1	2
7	46.666667	2	4
8	53.333333	1	2

#### Percent of nPImPI\_exclusive Matching Each Other



[1] "nPlfPl\_exclusive"
Percent\_Match freq Percent\_Trials


#### Percent of nPlfPl\_exclusive Matching Each Other



[1] "Sg(Nom|Acc)\_nots"


	${\tt Percent\_Match}$	freq	Percent_Trials
1	80.76923	1	2
2	84.61538	1	2
3	88.46154	1	2
4	92.30769	3	6
5	96.15385	1	2
6	100.00000	43	86

#### Percent of Sg(Nom|Acc) ending in nots




[1] "1Sg(Nom|Acc)\_a(\$|,)" Percent\_Match freq Percent\_Trials 

#### Percent of 1Sg(Nom|Acc) ending in a(\$|,)




### Percent of [24]Sg(Nom|Acc) ending in o(\$|,)



#### [1] "3Sg(Nom|Acc)\_[e-](\$|,)" Percent\_Match freq Percent\_Trials 0.00000 33.33333 50.00000 66.66667 100.00000


### Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)



Percent Matching Reality


[1]	"Pl(Nom Acc)	s(\$ ,	,)"
]	Percent_Match	freq	Percent_Trials
1	0.000000	21	42
2	3.846154	1	2
3	7.692308	1	2
4	26.923077	1	2
5	46.153846	2	4
6	50.000000	5	10
7	69.230769	3	6
8	73.076923	1	2
9	76.923077	2	4
10	84.615385	2	4
11	100.000000	11	22

## Percent of PI(Nom|Acc) ending in s(\$|,)



[1]	"[mf].Pl(Nom	Acc)	_s(\$ ,)"
	Percent_Match	freq	${\tt Percent\_Trials}$
1	0	21	42
2	5	1	2
3	10	1	2
4	25	1	2
5	50	4	8
6	60	4	8
7	70	3	6
8	75	1	2
9	80	3	6
10	100	11	22


## Percent of [mf].PI(Nom|Acc) ending in s(\$|,)



Percent Matching Reality

[1]	"[124]Pl(Nom	Acc)_	s(\$ ,)"
]	Percent_Match	freq	Percent_Trials
1	0.00	21	42
2	6.25	1	2
3	12.50	1	2
4	25.00	3	6
5	37.50	1	2
6	50.00	5	10
7	62.50	1	2
8	75.00	3	6
9	81.25	1	2
10	87.50	2	4
11	100.00	11	22


## Percent of [124]PI(Nom|Acc) ending in s(\$|,)



Percent Matching Reality

[1]	"1Pl(Nom Aco	c)_s(8	\$ ,)"
Pe	ercent_Match	freq	${\tt Percent\_Trials}$
1	0	25	50
2	25	1	2
3	50	9	18
4	100	15	30


## Percent of 1PI(Nom|Acc) ending in s(\$|,)



Percent Matching Reality

[1]	"[24]Pl(Nom	Acc)	_s(\$ ,)"
Pe	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	26	52
2	50.00000	7	14
3	91.66667	1	2
4	100.00000	16	32


## Percent of [24]PI(Nom|Acc) ending in s(\$|,)



Percent Matching Reality

[1]	[1] "n.Pl(Nom Acc)_s(\$ ,)"		
Pe	ercent_Match	${\tt freq}$	${\tt Percent\_Trials}$
1	0.00000	25	50
2	16.66667	1	2
3	33.33333	1	2
4	50.00000	4	8
5	66.66667	3	6
6	83.33333	2	4
7	100.00000	14	28


## Percent of n.PI(Nom|Acc) ending in s(\$|,)



Percent Matching Reality


[1]	"1Pl(Nom Acc	c)_as	(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0	30	60
2	25	2	4
3	50	11	22
4	100	7	14

#### Percent of 1PI(Nom|Acc) ending in as(\$|,)




[1] "[24]Pl(Nom|Acc)\_os(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

#### Percent of [24]PI(Nom|Acc) ending in os(\$|,)




```
[1] "3Pl(Nom|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
        0.00000
                  24
1
2
       50.00000
                    6
                                   12
3
       66.66667
                    5
                                   10
4
       83.33333
                                   2
                    1
5
      100.00000
                                   28
```

#### Percent of 3PI(Nom|Acc) ending in e?s(\$|,)




#### Percent of n.PI(Nom|Acc) ending in a(\$|,)




[1] "n.Pl(Nom|Acc)\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100


#### Percent of n.PI(Nom|Acc) ending in as(\$|,)



#### Percent of n.PI(Nom|Acc) ending in os(\$|,)




#### Percent of m.PI(Nom|Acc) ending in as(\$|,)




```
[1] "m.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1      0     50     100
```

#### Percent of m.PI(Nom|Acc) ending in os(\$|,)




#### [1] "Sg(Abl|Acc)\_nots" Percent\_Match freq Percent\_Trials 80.76923 84.61538 88.46154 92.30769 96.15385 100.00000

#### Percent of Sg(Abl|Acc) ending in nots



[1] "1Sg(Abl|Acc)\_a(\$|,)" Percent\_Match freq Percent\_Trials 


## Percent of 1Sg(Abl|Acc) ending in a(\$|,)



Percent Matching Reality


[1]	"[24]Sg(Abl	Acc)	_o(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	48	96
2	16.66667	1	2
3	25.00000	1	2

## Percent of [24]Sg(Abl|Acc) ending in o(\$|,)



[:	l] "3Sg(Abl Aco	c)_[e-	-](\$ ,)"
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	2	4
2	50.00000	25	50
3	66.66667	5	10
4	100.00000	18	36


## Percent of 3Sg(Abl|Acc) ending in [e-](\$|,)



Percent Matching Reality

[1]	"Pl(Abl Acc)	s(\$	,)"
	Percent_Match	${\tt freq}$	Percent_Trials
1	0.000000	21	42
2	3.846154	1	2
3	7.692308	1	2
4	19.230769	1	2
5	23.076923	1	2
6	46.153846	1	2
7	50.000000	5	10
8	53.846154	1	2
9	61.538462	1	2
10	69.230769	1	2
11	73.076923	1	2
12	76.923077	3	6
13	84.615385	1	2
14	100.000000	11	22


## Percent of PI(AbI|Acc) ending in s(\$|,)



Percent Matching Reality

[1] "[mf].Pl(Abl Acc)_s(\$ ,)"			
Perce	ent_Match	freq	Percent_Trials
1	0	21	42
2	5	1	2
3	10	1	2
4	15	1	2
5	30	1	2
6	40	1	2
7	50	4	8
8	60	3	6
9	70	3	6
10	75	1	2
11	80	2	4
12	100	11	22


## Percent of [mf].PI(Abl|Acc) ending in s(\$|,)



## Percent Matching Reality

[1]	"[124]Pl(Abl	Acc)	_s(\$ ,)"
I	Percent_Match	freq	Percent_Trials
1	0.00	21	42
2	6.25	1	2
3	12.50	2	4
4	25.00	2	4
5	31.25	1	2
6	37.50	1	2
7	50.00	4	8
8	62.50	1	2
9	75.00	4	8
10	81.25	1	2
11	87.50	1	2
12	100.00	11	22


## Percent of [124]PI(Abl|Acc) ending in s(\$|,)



Percent Matching Reality

[1] "1P1(Ab1 Acc)_s(\$ ,)"				
Pe	ercent_Match	freq	${\tt Percent\_Trials}$	
1	0	27	54	
2	25	1	2	
3	50	8	16	
4	100	14	28	


## Percent of 1PI(AbI|Acc) ending in s(\$|,)



Percent Matching Reality

[:	l] "[24]P1(Ab1	Acc)	_s(\$ ,)"
	${\tt Percent\_Match}$	${\tt freq}$	Percent_Trials
1	0.00000	26	52
2	41.66667	1	2
3	50.00000	6	12
4	91.66667	1	2
5	100.00000	16	32


## Percent of [24]PI(AbI|Acc) ending in s(\$|,)



Percent Matching Reality

[1] "n.Pl(Abl Acc)_s(\$ ,)"			
P	ercent_Match	${\tt freq}$	Percent_Trials
1	0.00000	25	50
2	16.66667	1	2
3	33.33333	1	2
4	50.00000	4	8
5	66.66667	3	6
6	83.33333	2	4
7	100.00000	14	28


# Percent of n.PI(Abl|Acc) ending in s(\$|,)




Percent Matching Reality

[1] "1P1(Ab1 Acc)_as(\$ ,)"				
P	ercent_Match	freq	Percent_Trials	
1	0	32	64	
2	25	1	2	
3	50	10	20	
4	100	7	14	

### Percent of 1PI(AbI|Acc) ending in as(\$|,)




### Percent of [24]PI(AbI|Acc) ending in os(\$|,)




```
[1] "3Pl(Abl|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
        0.00000
                  24
1
2
       33.33333
                    2
                                   4
3
       50.00000
                    6
                                   12
4
       66.66667
                   3
                                   6
                                   2
5
       83.33333
                   1
6
      100.00000
                                   28
                   14
```

#### Percent of 3PI(AbI|Acc) ending in e?s(\$|,)




[1] "n.Pl(Abl|Acc)\_a(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

#### Percent of n.PI(Abl|Acc) ending in a(\$|,)




```
[1] "n.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1      0     50     100
```

### Percent of n.PI(Abl|Acc) ending in as(\$|,)




### Percent of n.PI(Abl|Acc) ending in os(\$|,)




[1] "m.Pl(Abl|Acc)\_as(\$|,)"
Percent\_Match freq Percent\_Trials
1 0 38 76
2 10 5 10
3 20 6 12
4 40 1 2

### Percent of m.PI(AbI|Acc) ending in as(\$|,)




[1] "m.Pl(Abl|Acc)\_os(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

### Percent of m.PI(AbI|Acc) ending in os(\$|,)



[1	] "Sg(Nom Acc	Abl) <sub>-</sub>	_nots"
	${\tt Percent\_Match}$	freq	${\tt Percent\_Trials}$
1	76.92308	1	2
2	84.61538	2	4
3	89.74359	2	4
4	92.30769	1	2
5	97.43590	1	2
6	100.00000	43	86


### Percent of Sg(Nom|Acc|Abl) ending in nots



Percent Matching Reality


[1] "1Sg(Nom Acc Abl)_a(\$ ,)"				
Pe	ercent_Match	freq	Percent_Trials	
1	33.33333	7	14	
2	50.00000	4	8	
3	66.66667	22	44	
4	83.33333	1	2	
5	100.00000	16	32	

# Percent of 1Sg(Nom|Acc|Abl) ending in a(\$|,)




[1	] "[24]Sg(Nom	Acc	Abl)_o(\$	"(,ا
	Percent_Match	freq	Percent	Trials
1	0.00000	48		96
2	11.11111	1		2
3	16 66667	1		9

# Percent of [24]Sg(Nom|Acc|Abl) ending in o(\$|,)




[1]	"3Sg(Nom Aco	(Abl	)_[e-](\$ ,)"
P	ercent_Match	freq	Percent_Trials
1	0.00000	2	4
2	33.33333	1	2
3	55.55556	2	4
4	66.66667	24	48
5	77.77778	3	6
6	100.00000	18	36

# Percent of 3Sg(Nom|Acc|Abl) ending in [e-](\$|,)




[1] "Pl(Nom Acc Abl)_s(\$ ,)"				
I	Percent_Match	freq	Percent_Trials	
1	0.000000	21	42	
2	5.128205	1	2	
3	7.692308	1	2	
4	30.769231	2	4	
5	46.153846	1	2	
6	51.282051	1	2	
7	64.102564	1	2	
8	66.666667	5	10	
9	79.487179	2	4	
10	82.051282	1	2	
11	84.615385	3	6	
12	100.000000	11	22	

# Percent of PI(Nom|Acc|AbI) ending in s(\$|,)




[1] "[mf].Pl(Nom Acc Abl)_s(\$ ,)"				
	Percent_Match	freq	Percent_Trials	
1	0.000000	21	42	
2	6.666667	1	2	
3	10.000000	1	2	
4	26.666667	1	2	
5	40.000000	1	2	
6	53.333333	1	2	
7	60.000000	2	4	
8	66.666667	5	10	
9	76.666667	1	2	
10	80.000000	4	8	
11	86.666667	1	2	
12	100.000000	11	22	

# Percent of [mf].PI(Nom|Acc|AbI) ending in s(\$|,)



[1] "[124]Pl(Nom Acc Abl)_s(\$ ,)"				
	Percent_Match	freq	Percent_Trials	
1	0.000000	21	42	
2	8.333333	1	2	
3	12.500000	1	2	
4	16.666667	1	2	
5	25.000000	2	4	
6	45.833333	2	4	
7	66.666667	4	8	
8	75.000000	4	8	
9	83.333333	1	2	
10	87.500000	1	2	
11	91.666667	1	2	
12	100.000000	11	22	


# Percent of [124]PI(Nom|Acc|AbI) ending in s(\$|,)



Percent Matching Reality

[1]	"1Pl(Nom Aco	: Abl)	)_s(\$ ,)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	25	50
2	33.33333	3	6
3	50.00000	1	2
4	66.66667	7	14
5	100.00000	14	28


# Percent of 1PI(Nom|Acc|AbI) ending in s(\$|,)



Percent Matching Reality

[1] "[24]Pl(Nom Acc Abl)_s(\$ ,)"				
	Percent_Match	freq	Percent_Trials	
1	0.00000	26	52	
2	50.00000	1	2	
3	61.11111	1	2	
4	66.66667	5	10	
5	94.44444	1	2	
6	100.00000	16	32	


# Percent of [24]PI(Nom|Acc|Abl) ending in s(\$|,)



Percent Matching Reality


[1] "n.Pl(Nom Acc Abl)_s(\$ ,)"				
ercent_Match	freq	Percent_Trials		
0.00000	25	50		
22.22222	1	2		
44.4444	1	2		
66.66667	5	10		
77.77778	2	4		
88.88889	2	4		
100.00000	14	28		
	ercent_Match 0.00000 22.22222 44.4444 66.66667 77.77778 88.88889	ercent_Match freq 0.00000 25 22.22222 1 44.44444 1 66.66667 5 77.77778 2 88.88889 2		

### Percent of n.PI(Nom|Acc|Abl) ending in s(\$|,)



[	1] "1Pl(Nom Aco	c Abl)	_as(\$ ,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	30	60
2	16.66667	1	2
3	33.33333	2	4
4	50.00000	5	10
5	66.66667	5	10
6	100.00000	7	14


### Percent of 1PI(Nom|Acc|AbI) ending in as(\$|,)



[1] "[24]Pl(Nom|Acc|Abl)\_os(\$|,)"


Percent\_Match freq Percent\_Trials
1 0 50 100

### Percent of [24]PI(Nom|Acc|AbI) ending in os(\$|,)




```
[1] "3P1(Nom|Acc|Abl)_e?s($|,)"
  Percent_Match freq Percent_Trials
        0.00000
                   24
1
2
       44.4444
                    1
                                    2
3
       55.55556
                                    2
                    1
4
       66.66667
                    7
                                   14
5
       77.77778
                                    4
                                    2
6
       88.88889
                    1
7
      100.00000
                                   28
```


### Percent of 3PI(Nom|Acc|AbI) ending in e?s(\$|,)




#### Percent of n.PI(Nom|Acc|Abl) ending in a(\$|,)



### Percent of n.PI(Nom|Acc|Abl) ending in as(\$|,)




### Percent of n.PI(Nom|Acc|Abl) ending in os(\$|,)




[1] "m.Pl(Nom|Acc|Abl)\_as(\$|,)" Percent\_Match freq Percent\_Trials 0.000000 2 6.666667 2 1 3 13.333333 5 10 4 20.000000 6 12 40.000000 2 1

### Percent of m.PI(Nom|Acc|AbI) ending in as(\$|,)




### Percent of m.PI(Nom|Acc|AbI) ending in os(\$|,)



```
[1] "1Sg(Gen|Dat)_e($|,)"
  Percent_Match freq Percent_Trials
1
                  49
2
             25
                                   2
                   1
```


### Percent of 1Sg(Gen|Dat) ending in e(\$|,)



[1] "Pl(Gen|Dat)\_s(\$|,)"

	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.000000	22	44
2	7.692308	3	6
3	23.076923	1	2
4	50.000000	1	2
5	53.846154	1	2
6	69.230769	2	4
7	84.615385	2	4
8	92.307692	1	2
9	100.000000	17	34


# Percent of PI(Gen|Dat) ending in s(\$|,)



Percent Matching Reality

[1]	[1] "[124]Pl(Gen Dat)_s(\$ ,)"					
Pe	ercent_Match	freq	${\tt Percent\_Trials}$			
1	0.00	22	44			
2	12.50	3	6			
3	37.50	1	2			
4	50.00	1	2			
5	56.25	1	2			
6	75.00	3	6			
7	81.25	1	2			
8	87.50	1	2			
9	100.00	17	34			


# Percent of [124]PI(Gen|Dat) ending in s(\$|,)



Percent Matching Reality


[1]	"Sg_nots"		
	${\tt Percent\_Match}$	${\tt freq}$	Percent_Trials
1	53.84615	1	2
2	56.92308	1	2
3	60.00000	7	14
4	67.69231	1	2
5	69.23077	1	2
6	70.76923	1	2
7	73.84615	1	2
8	80.00000	2	4
9	89.23077	1	2
10	90.76923	1	2
11	93.84615	1	2
12	96.92308	1	2
13	98.46154	1	2
14	100.00000	30	60

# Percent of Sg ending in nots



[1]	"1Sg_a(\$ ,)'	•	
Pe	ercent_Match	freq	Percent_Trials
1	20	3	6
2	30	4	8
3	40	7	14
4	50	3	6
5	60	17	34
6	70	1	2
7	80	4	8
8	90	1	2
9	100	10	20


# Percent of 1Sg ending in a(\$|,)



### Percent Matching Reality


[1] "[24]Sg_o(\$ ,)"				
I	Percent_Match	freq	Percent_Trials	
1	0.000000	48	96	
2	6.666667	1	2	
3	10.000000	1	2	

# Percent of [24]Sg ending in o(\$|,)



[1]	"3Sg_[e-](\$	,)"	
	${\tt Percent\_Match}$	freq	Percent_Trials
1	0.00000	2	4
2	20.00000	1	2
3	33.33333	1	2
4	40.00000	7	14
5	46.66667	2	4
6	53.33333	2	4
7	60.00000	16	32
8	66.66667	1	2
9	80.00000	1	2
10	86.66667	2	4
11	100.00000	15	30


# Percent of 3Sg ending in [e-](\$|,)



Percent Matching Reality

[1]	"Pl_s(\$ ,)"		
]	Percent_Match	freq	Percent_Trials
1	0.000000	20	40
2	6.153846	1	2
3	7.692308	1	2
4	18.461538	1	2
5	27.692308	2	4
6	33.846154	1	2
7	40.000000	1	2
8	60.000000	1	2
9	61.538462	1	2
10	66.153846	1	2
11	75.384615	1	2
12	80.000000	3	6
13	81.538462	1	2
14	84.615385	1	2
15	87.692308	1	2
16	89.230769	1	2
17	90.769231	1	2
18	100.000000	11	22


# Percent of PI ending in s(\$|,)



### Percent Matching Reality

[1] "[mf].Pl_s(\$ ,)"				
	${\tt Percent\_Match}$	freq	Percent_Trials	
1	0	20	40	
2	8	1	2	
3	10	1	2	
4	24	2	4	
5	36	1	2	
6	40	2	4	
7	56	1	2	
8	60	1	2	
9	62	1	2	
10	76	1	2	
11	78	1	2	
12	80	4	8	
13	84	1	2	
14	88	1	2	
15	92	1	2	
16	100	11	22	


# Percent of [mf].Pl ending in s(\$|,)



### Percent Matching Reality

[	[1] "[124]Pl_s(\$ ,)"					
	Percent_Match	freq	Percent_Trials			
1	0.0	20	40			
2	10.0	2	4			
3	12.5	1	2			
4	15.0	1	2			
5	20.0	1	2			
6	40.0	1	2			
7	42.5	1	2			
8	60.0	1	2			
9	62.5	1	2			
1	67.5	1	2			
1	1 75.0	3	6			
1:	2 80.0	2	4			
1	85.0	3	6			
1	95.0	1	2			
1	100.0	11	22			


# Percent of [124]PI ending in s(\$|,)



Percent Matching Reality

[1] "1Pl_s(\$ ,)"				
P	ercent_Match	freq	${\tt Percent\_Trials}$	
1	0	24	48	
2	40	4	8	
3	50	1	2	
4	60	5	10	
5	80	4	8	
6	100	12	24	


# Percent of 1PI ending in s(\$|,)



Percent Matching Reality

[1]	"[24]Pl_s(\$	,)"	
P	ercent_Match	freq	Percent_Trials
1	0.00000	25	50
2	40.00000	1	2
3	56.66667	1	2
4	60.00000	1	2
5	63.33333	1	2
6	70.00000	1	2
7	80.00000	3	6
8	93.33333	1	2
9	100.00000	16	32


# Percent of [24]PI ending in s(\$|,)



Percent Matching Reality

[1]	"n.Pl_s(\$ ,)	) "	
Pe	ercent_Match	${\tt freq}$	${\tt Percent\_Trials}$
1	0.00000	24	48
2	13.33333	1	2
3	40.00000	2	4
4	60.00000	2	4
5	73.33333	1	2
6	80.00000	3	6
7	86.66667	1	2
8	93.33333	2	4
9	100.00000	14	28


# Percent of n.PI ending in s(\$|,)




#### Percent Matching Reality

[1] "1Pl_as(\$ ,)"					
Pe	ercent_Match	freq	Percent_Trials		
1	0	30	60		
2	10	1	2		
3	30	1	2		
4	40	3	6		
5	50	4	8		
6	60	3	6		
7	70	1	2		
8	100	7	14		

### Percent of 1PI ending in as(\$|,)




### Percent of [24]PI ending in os(\$|,)




```
[1] "3Pl_e?s($|,)"
  Percent_Match freq Percent_Trials
        0.00000
1
                   23
2
       26.66667
                    1
                                    2
3
       40.00000
                    2
                                    4
4
       53.33333
                                    2
                    1
5
       60.00000
                                    8
                                    6
6
       80.00000
                    3
7
       86.66667
                    2
                                    4
8
      100.00000
                   14
                                   28
```

#### Percent of 3PI ending in e?s(\$|,)




[1] "n.Pl\_a(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

# Percent of n.Pl ending in a(\$|,)




[1] "n.Pl\_as(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

## Percent of n.Pl ending in as(\$|,)




# Percent of n.Pl ending in os(\$|,)




[1] "m.Pl\_as(\$|,)" Percent\_Match freq Percent\_Trials 

# Percent of m.Pl ending in as(\$|,)



[1] "m.Pl\_os(\$|,)"
 Percent\_Match freq Percent\_Trials
1 0 50 100

## Percent of m.Pl ending in os(\$|,)



```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             50
5
             43
                             86
                             86
15
        u
             43
1
             42
                             84
16
             35
                             70
       um
3
       am
             31
                             62
6
             29
                             58
       \mathtt{em}
14
        S
             16
                             32
4
             10
                             20
       as
11
             10
                             20
        m
8
        i
             8
                             16
7
              6
                             12
       es
                              8
13
       ō
              4
10
       is
             3
                              6
12
              3
                              6
        0
9
              2
                              4
       im
17
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                            100
        a
             46
                             92
1
                             86
5
             43
        е
15
        u
             43
                             86
16
       um
             35
                             70
3
             31
                             62
       am
6
             30
                             60
       em
14
             16
                             32
        S
11
                             28
             14
4
       as
             11
                             22
8
             8
                             16
       i
7
             7
                             14
       es
13
                              8
        ō
              4
10
       is
                              6
             3
12
        0
             3
                              6
9
       im
             2
                              4
17
       us
              2
                              4
[1] "SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             50
                            100
11
             40
                             80
        u
1
             39
                             78
12
                             70
             35
       um
3
             31
                             62
       am
                             58
5
             29
4
             26
                             52
        е
9
             10
                             20
        m
6
                             10
        i
             5
             2
10
                              4
        s
7
                              2
       im
              1
8
       is
                              2
```

```
us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
        a
             42
                             84
1
12
             40
                             80
        u
13
       um
             35
                             70
3
             31
                             62
       am
5
       em
             30
                             60
4
             29
                             58
        е
10
             14
                             28
        \mathbf{m}
7
                             12
        i
             6
11
             5
                             10
        s
6
                              2
       es
8
       im
                              2
                              2
9
       is
14
       us
              1
[1] "1SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
1
       a
      am
           31
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                           100
       a
3
      am
           31
                            62
1
            9
                            18
6
             6
                            12
       m
             2
5
                             4
      em
                             2
             1
       е
[1] "2SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       u
           39
                            70
           35
4
      um
1
             3
                             6
             2
       m
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           39
                            78
       u
                            70
5
      um
           35
           12
                            24
1
2
             3
                             6
       m
3
             2
                             4
       s
[1] "3SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           39
3
           29
                            58
      em
2
           26
                            52
6
                            20
           10
       m
4
       i
            4
                             8
7
            2
       S
                             4
5
             1
                             2
      im
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            40
1
3
            30
                             60
      em
2
       е
            27
                             54
6
            10
                             20
       m
4
             4
                              8
7
             2
                              4
       s
5
      im
             1
                              2
[1] "4SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            40
       u
3
            34
                             68
      um
1
             1
                              2
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            40
       u
            35
                             70
6
      um
            10
                             20
1
2
       i
             1
                              2
3
             1
                              2
       m
4
                              2
             1
                              2
      us
[1] "5SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            10
1
             4
                              8
4
        i
             3
                              6
2
       a
             1
                              2
5
             1
      is
6
             1
       s
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             24
4
         е
             23
                              46
5
                              36
             18
9
              7
                              14
        \mathbf{m}
7
        i
              5
                              10
10
                               8
        s
              4
2
              2
                               4
        a
3
                               2
       am
              1
6
              1
                               2
       es
                               2
8
       is
              1
[1] "mSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
7
            40
            35
                             70
8
      um
                             56
1
            28
3
      em
            28
                             56
2
            23
                             46
```

```
4
       i
                              8
6
             4
                              8
       m
5
             1
                              2
      im
9
             1
                              2
      us
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             42
12
             40
                              80
        u
13
       um
             35
                              70
1
             32
                              64
5
       em
             30
                              60
4
             27
                              54
3
             25
                              50
       am
                              20
10
             10
        \mathbf{m}
7
        i
              5
                              10
11
        s
              5
                              10
6
       es
              1
                               2
                               2
8
       im
9
                               2
       is
              1
                               2
14
       us
              1
[1] "fSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             50
                             100
3
             31
                              62
       am
5
       em
             27
                              54
4
        е
             26
                              52
1
             24
                              48
6
                              10
        i
              5
9
              3
                               6
        m
7
                               2
       im
              1
8
       is
              1
                               2
10
        s
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                             100
        a
11
        u
             38
                              76
1
             33
                              66
3
             31
                              62
       am
4
                              58
             29
        е
5
       em
             28
                              56
                              56
12
       um
             28
9
              8
                              16
        m
6
        i
              5
                              10
10
        s
                               8
7
                               2
       im
              1
                               2
8
       is
              1
                               2
13
       us
              1
[1] "nSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            39
                             78
8
            39
                            78
       u
9
            35
                             70
      um
```

```
3
            15
                            30
      em
2
            10
                            20
       е
6
            10
                            20
4
       i
            3
                             6
5
                             2
             1
      im
7
       s
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            40
1
8
            40
                            80
       u
                            70
9
            35
      um
3
            16
                            32
      em
2
       е
            10
                            20
6
            10
                            20
4
       i
             4
                             8
5
             1
                             2
      im
7
       s
             1
                             2
[1] "SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             50
                            100
        a
4
        е
             42
                             84
14
             37
                             74
        u
15
             35
                             70
       um
                             64
1
        _
             32
3
       am
             31
                             62
5
       em
             29
                             58
10
        m
             10
                             20
12
        ō
                               8
              4
7
        i
              3
                               6
                               6
11
        0
              3
13
        s
              3
                               6
6
                               2
8
                               2
       im
              1
                               2
9
       is
              1
16
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                            100
         a
5
             42
                             84
        е
15
             39
                             78
        u
1
             38
                             76
16
       um
             35
                             70
3
       \mathtt{am}
             31
                             62
6
                             60
       em
             30
11
                             28
             14
14
              5
                             10
        s
8
                              8
        i
13
        ō
                               8
12
                               6
              3
        0
4
                               2
       as
              1
7
                               2
       es
9
                               2
       im
              1
                               2
10
       is
```

```
us
              1
[1] "1SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
                            100
3
      am
            31
                             62
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            50
                           100
       a
3
      am
            31
                             62
1
             8
                             16
7
             6
                             12
       m
             2
6
                              4
      em
4
             1
                              2
      as
                              2
5
       е
             1
[1] "2SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
            35
      um
6
       u
            34
                             68
1
            14
                             28
5
             4
                              8
       ō
3
             2
       m
                              4
4
             2
                              4
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
       u
9
            35
                             70
      um
                             38
1
            19
6
       ō
             4
                              8
2
             3
                              6
4
             3
                              6
       {\tt m}
5
             3
       0
                              6
7
             2
                              4
       s
                              2
3
      es
             1
[1] "3SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            42
3
            29
                             58
      em
1
            28
                             56
6
            10
                             20
       \mathbf{m}
       i
             2
                              4
7
             2
                              4
       s
             1
      im
[1] "All Endings Included"
  Suffix freq Percent_Trials
            42
            30
                             60
3
      em
                             58
1
            29
6
                             20
       m
            10
4
             2
                              4
       i
```

```
S
5
      im
             1
                             2
[1] "4SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       u
            37
                            68
4
      um
            34
1
            9
                            18
2
       ō
             3
                             6
5
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
            39
       u
                            70
            35
8
      um
1
            20
                            40
5
       ō
            3
                             6
4
             2
                             4
       0
                             2
2
             1
3
                             2
             1
       m
                             2
6
             1
                             2
9
      us
             1
[1] "5SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            15
       е
1
                             8
4
       i
             3
                             6
2
             1
                             2
       a
5
      is
                             2
             1
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            31
5
            18
                            36
      em
1
            15
                            30
8
            7
                            14
       m
6
       i
            4
                             8
9
       s
             3
                             6
2
             2
       a
                             4
3
             1
                             2
      am
                             2
7
      is
             1
[1] "mSgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        е
             42
10
             37
                             74
        u
11
             35
                             70
       um
3
             28
                             56
       em
             20
                             40
1
7
              4
                              8
        m
9
                              8
        ō
              4
5
              2
                              4
        i
8
                              4
        0
              2
4
       es
```

```
6
       im
             1
12
       us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
            42
        a
4
        е
            42
                            84
14
        u
            37
                            74
                            70
15
            35
       um
5
       em
            30
                            60
1
            29
                            58
3
       am
            25
                            50
10
                            20
            10
12
        ō
             4
                             8
13
                             8
             4
7
        i
             3
                             6
11
        0
             3
                             6
6
       es
             1
                             2
                             2
8
       im
9
                             2
       is
             1
                             2
16
       us
[1] "fSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
            50
                           100
4
            41
                            82
        е
3
       am
            31
                            62
5
       em
            27
                            54
1
             9
                            18
6
       i
             3
                             6
9
             3
                             6
       m
7
                             2
       im
             1
8
       is
             1
                             2
10
             1
        s
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            50
                           100
        a
                            84
5
            42
13
        u
            35
                            70
3
            31
                            62
       am
1
       _
            29
                            58
6
            28
                            56
       em
14
       um
            28
                            56
10
        m
             8
                            16
7
       i
             4
                             8
12
             3
                             6
       S
4
                             2
       as
             1
                             2
8
       im
             1
                             2
9
       is
             1
11
                             2
        0
             1
                             2
15
             1
       us
[1] "nSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
11
       um 35
                            70
```

```
10
              34
                               68
         u
1
              32
                               64
2
              22
                               44
         е
3
              15
                               30
        em
6
                               20
         m
              10
8
         ō
               4
                                8
4
         i
               2
7
                                4
               2
         0
9
         s
               2
                                4
5
        \verb"im"
               1
[1] "All Endings Included"
   Suffix freq Percent_Trials
10
         u
              38
                               70
              35
11
        um
1
              32
                               64
2
              23
         е
                               46
3
              16
                               32
        em
6
              10
                               20
         m
8
                                8
         ō
               4
7
                                6
               3
         0
4
                                4
         i
               2
9
         s
5
        im
                                2
               1
[1] "SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
              50
                              100
14
         u
              43
                               86
4
                               84
              42
1
              40
                               80
                               70
15
              35
3
        \mathtt{am}
              31
                               62
5
              29
                               58
        em
                               20
10
              10
         \mathbf{m}
7
               5
                               10
         i
12
                                8
         ō
               4
                                8
13
11
         0
               3
                                6
6
                                2
        es
8
                                2
        im
               1
9
               1
16
        us
               1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
              50
                              100
              43
                               86
1
15
              43
                               86
         u
                               84
5
              42
16
              35
                               70
        um
3
              31
                               62
        am
6
              30
                               60
        \mathtt{em}
                               28
11
              14
8
                               12
         i
               6
14
                               10
```

```
13
12
                               6
              3
        0
7
                               4
              2
4
                               2
              1
       as
                               2
9
              1
10
       is
                               2
              1
17
       us
[1] "1SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            50
3
            31
                            62
      am
1
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
            50
3
            31
                            62
      am
            10
                            20
1
7
                            12
             6
       m
6
             2
                             4
                             2
4
      as
             1
       е
                             2
[1] "2SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       u
            41
7
      um
            35
                            70
1
            15
                            30
5
                             8
       ō
             4
3
             2
                             4
       m
             2
4
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
       u
            41
9
            35
                            70
      um
1
            20
                            40
6
       ō
             4
                             8
2
             3
       е
                             6
4
             3
                             6
       m
5
             3
       0
7
             2
       s
                             4
3
             1
                             2
      es
[1] "3SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            42
                            84
       е
            39
                            78
1
3
            29
                            58
      em
6
            10
                            20
       m
4
                             8
       i
             4
7
             3
                             6
       S
5
      im
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
            42
2
       е
            40
                            80
1
3
            30
                            60
      em
6
       m
            10
                            20
4
       i
             4
                             8
7
             3
                             6
       s
5
             1
                             2
      im
[1] "4SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            43
       u
                            86
4
      um
            34
                            68
            10
                            20
1
2
       ō
             3
                             6
5
      us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             43
8
        u
9
             35
                             70
       um
                             42
1
             21
6
        ō
              3
                              6
5
                              4
              2
        0
2
        е
              1
                              2
3
                              2
        i
              1
4
        m
              1
                              2
7
        s
              1
                              2
10
       us
                              2
[1] "5SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            23
            11
                            22
1
4
                             6
             3
       i
6
             3
                             6
2
             2
                             4
5
      is
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
             31
                             62
        е
1
             24
                             48
5
                             36
       em
             18
9
              7
                             14
        m
7
        i
              5
                             10
10
                              8
        s
2
              2
                              4
        a
3
                              2
       am
              1
                              2
6
       es
                              2
8
       is
[1] "mSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
10
             43
        u
2
             42
                             84
```

```
70
11
              35
        um
1
              33
                               66
3
                               56
              28
        em
5
              4
                                8
         i
7
                                8
         m
               4
                                8
9
         ō
8
         0
               2
4
                                2
        es
               1
                                2
6
        im
               1
12
        us
               1
[1] "All Endings Included"
   Suffix freq Percent_Trials
14
         u
              43
                               84
2
              42
         a
4
              42
                               84
         е
              37
                               74
1
15
              35
                               70
        um
5
              30
                               60
        em
3
                               50
              25
        \mathtt{am}
10
              10
                               20
         m
                               10
7
         i
              5
13
         s
                               10
12
         ō
                                8
                                6
11
         0
              3
6
               2
                                4
        es
8
        im
               1
                                2
                                2
9
        is
               1
16
        us
               1
                                2
[1] "fSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
         a
             50
                              100
4
              41
                               82
         е
3
                               62
              31
        \mathtt{am}
5
              27
                               54
        em
1
              25
                               50
6
         i
              5
                               10
9
              3
                                6
         \mathbf{m}
10
                                6
         s
               3
7
                                2
        im
               1
8
        is
               1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
              50
                              100
         a
5
         е
              42
                               84
13
                               82
              41
         u
1
              36
                               72
                               62
3
              31
6
              28
                               56
        em
14
              28
                               56
        um
10
                               16
              8
         \mathbf{m}
7
                               10
         i
              5
12
                                8
        S
               4
4
                                2
        as
```

```
8
9
                              2
       is
              1
                              2
11
              1
15
       us
                              2
[1] "nSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             41
10
1
             40
                             80
                             70
11
             35
       \tt um
2
        е
             22
                             44
3
             15
                             30
       em
6
             10
                             20
        m
8
        ō
              4
                              8
4
         i
              3
                              6
7
                              4
9
        s
              2
                              4
5
       im
[1] "All Endings Included"
   Suffix freq Percent_Trials
             43
10
        u
1
             41
                             82
11
             35
                             70
       um
2
        е
             23
                             46
3
                             32
             16
       em
6
        m
             10
                             20
4
         i
              4
                              8
8
        ō
              4
                              8
7
                              6
              3
        0
9
              2
                              4
        s
                              2
5
       im
[1] "SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             33
        a
1
             31
                             62
5
             24
                             48
13
        u
             16
                             32
12
                             30
        s
             15
                             20
4
             10
       as
3
       am
                             18
6
                             18
       em
              9
14
       um
              9
                             18
8
        i
              8
                             16
7
              6
                             12
       es
                             12
11
              6
10
       is
              3
                              6
                              2
9
       im
15
       us
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             35
                             70
2
             33
                             66
        a
5
             25
                             50
```

```
12
             16
                              32
        s
13
             16
                              32
        u
4
                              22
       as
             11
3
             10
                              20
       \mathtt{am}
6
       em
             10
                              20
14
       um
              9
                              18
8
        i
              8
                              16
7
              7
                              14
       es
11
        m
              6
                              12
10
       is
              3
                               6
15
       us
              2
                               4
9
                               2
       im
              1
[1] "1SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
       a
            33
4
      as
            10
                             20
3
             9
                             18
      am
                             16
1
             8
6
             3
                              6
      is
5
             2
                              4
       i
8
       s
             2
7
             1
       m
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             33
                              66
1
             12
                              24
4
             11
                              22
       as
3
                              20
             10
       am
11
              4
                               8
        S
9
                               6
       is
              3
8
        i
              2
                               4
5
                               2
        е
6
                               2
              1
       em
                               2
7
       es
              1
10
                               2
        m
              1
[1] "2SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             18
                              36
8
        s
             12
                              24
9
                              22
        u
             11
4
        i
              7
                              14
10
              7
                              14
       um
6
       is
              3
                               6
7
                               6
              3
        m
2
              2
                               4
        е
3
                               2
              1
5
       im
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             20
                              40
             14
8
                              28
        s
9
                              22
```

u

```
4
                             14
        i
10
              7
                             14
       um
2
                              8
        е
6
              3
                              6
       is
7
                              6
              3
3
       es
              1
                              2
                              2
5
       im
              1
[1] "3SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            24
1
            23
                            46
9
            11
                            22
       s
3
             9
                            18
      em
5
       i
             7
                            14
4
      es
             5
                            10
8
             4
                             8
       m
7
             3
                             6
      is
6
      im
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            24
1
            23
                            46
9
                            22
       s
            11
3
             9
                            18
      em
5
       i
             7
                            14
4
      es
             5
                            10
8
             4
                             8
       m
7
             3
                             6
      is
             1
                             2
      im
[1] "4SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
9
             16
        u
1
             12
                             24
8
             12
                             24
        s
10
       um
              9
                             18
4
        i
              7
                             14
6
                              4
       is
2
                              2
        е
              1
3
                              2
       em
              1
5
                              2
       im
              1
7
              1
                              2
11
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             19
                             38
9
                             32
             16
        u
8
             13
                             26
        s
10
              9
                             18
       um
4
              7
                             14
        i
2
              2
                              4
        е
6
              2
                              4
       is
7
                              4
        m
```

```
11
                              4
3
              1
                              2
       em
                              2
5
       im
              1
[1] "5SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       е
             9
             7
1
                            14
4
       i
             6
                            12
6
             4
                             8
       s
             2
3
      es
                             4
5
             2
      is
[1] "All Endings Included"
   Suffix freq Percent_Trials
             21
             18
                             36
1
11
             11
                             22
        s
7
             7
                             14
        i
5
                             12
              6
       em
6
                             10
       es
              5
9
       is
              3
                              6
10
        m
              3
                              6
2
                              2
        a
              1
3
                              2
       am
              1
8
       im
              1
                              2
[1] "mSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             25
1
2
        е
             23
                             46
                             32
10
             16
        u
9
        s
             14
                             28
3
              9
                             18
                             18
11
              9
       um
5
              7
                             14
        i
4
                             12
       es
              6
7
       is
              3
                              6
8
        m
              3
                              6
6
       im
                              2
              1
12
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             31
2
             29
                             58
        a
5
             24
                             48
        е
13
                             32
             16
        u
12
             15
                             30
        s
                             20
3
             10
6
             10
                             20
       em
14
              9
                             18
7
              7
                             14
       es
              7
8
        i
                             14
4
                             12
       as
              6
11
              5
                             10
        m
```

```
10
       is
             3
9
       im
              1
                              2
                              2
15
       us
              1
[1] "fSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             33
        a
5
             24
                             48
1
             20
                             40
                             22
11
             11
        s
4
       as
             10
                             20
3
             9
                             18
       am
6
             9
                             18
       em
8
             7
       i
                             14
7
       es
             5
                             10
9
                              6
       is
              3
10
        m
              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             33
             32
                             64
1
5
        е
             25
                             50
12
             15
                             30
        s
13
                             24
        u
             12
                             22
4
             11
       as
3
       am
             9
                             18
6
       em
             9
                             18
8
        i
             8
                             16
             7
14
                             14
       um
7
             5
                             10
       es
                             10
11
             5
10
       is
              3
                              6
15
              2
                              4
       us
9
                              2
       im
              1
[1] "nSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             27
9
             14
                             28
        s
2
                             24
             12
        е
10
             10
                             20
        u
5
             7
                             14
        i
11
       um
             7
                             14
3
       em
              6
                             12
8
              6
                             12
       m
4
                              8
       es
              4
7
       is
              3
6
       im
              1
[1] "All Endings Included"
   {\tt Suffix\ freq\ Percent\_Trials}
             27
                             54
1
                             32
10
        u
             16
9
                             28
        s
             14
2
                             24
```

```
11
                             18
5
              7
                             14
        i
3
                             12
8
              6
                             12
4
                              8
       es
7
       is
              3
                              6
6
       im
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
            50
1
             43
                            86
11
            39
                             78
        u
10
                             46
            23
5
        е
            22
                             44
4
       as
             20
                             40
6
             10
                             20
       es
12
             9
                             18
       um
8
        i
             6
                             12
3
                             10
      aes
             5
7
                              8
       ēs
              4
13
       us
9
       is
              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            50
                            100
1
             44
                            88
13
        u
            41
                             82
12
                             52
            26
6
             23
                             46
        е
5
             20
                             40
       as
7
       es
             12
                             24
14
             10
                             20
       um
9
        i
             6
                             12
3
                             10
      aes
             5
8
                              8
       ēs
             4
15
             3
                              6
4
       am
              2
                              4
10
                              4
       is
11
        m
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       a
1
           39
                           78
6
                           78
           39
       u
3
           21
                            42
       е
7
            9
                            18
      um
4
             4
                            8
       i
             2
5
                             4
      us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
```

a 50

```
42
                            84
10
            40
                            80
        u
4
            22
                            44
        е
11
            10
                            20
       um
6
                            12
             6
9
        s
             5
                            10
3
       am
5
                             2
       es
             1
7
       is
                             2
8
             1
                             2
        m
                             2
12
       us
[1] "1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
            50
5
            31
                            62
       am
6
       as
            21
                            42
            12
                            24
1
                            14
11
       S
             7
4
             5
                            10
      aes
9
                             8
       is
             4
7
       es
8
        i
             2
3
10
             1
        m
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            50
5
            31
                            62
       am
6
            21
                            42
       as
                            32
1
            16
13
        s
             7
                            14
12
                            12
4
                            10
             5
      aes
11
                             8
             4
8
                             6
       em
             3
9
       es
             2
                             4
10
       i
             2
3
7
        е
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       a
3
      am
           31
                           62
4
                           20
           10
      as
1
            8
                           16
6
            3
                            6
      is
5
            2
                            4
       i
            2
8
                            4
       s
            1
       m
[1] "All Endings Included"
   Suffix freq Percent_Trials
        a 50
                           100
```

```
3
            31
                            62
       am
1
            16
                            32
                            22
4
            11
       as
10
             6
                            12
        m
                             8
11
        s
             4
6
             3
                             6
       em
9
       is
             3
8
                             4
        i
             2
5
        е
             1
                             2
7
                             2
       es
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                          100
            9
                           18
1
3
            2
                            4
      am
                            2
4
[1] "2"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
            41
11
                            70
12
            35
       um
1
        _
            28
                            56
10
        s
            23
                            46
4
        i
             7
                            14
2
                             8
             4
        е
6
       is
9
                             8
       ō
             4
3
       es
             3
                             6
7
             3
                             6
        m
8
                             4
             2
        0
                             2
5
       im
13
       us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
12
            42
        u
14
            35
                            70
       um
            30
                            60
1
            23
                            46
11
        s
5
        i
             7
                            14
3
             4
                             8
        е
7
                             8
       is
8
                             8
        m
             4
10
        ō
             4
                             8
                             6
4
             3
9
                             6
        0
             3
2
                             2
       as
             1
6
                             2
       im
             1
                             2
13
       ue
15
                             2
       us
[1] "2Sg"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
11
             41
12
             35
                              70
       um
             23
1
                              46
10
             13
                              26
        s
4
        i
              7
                              14
9
                               8
        ō
              4
6
       is
              3
7
              3
                               6
        \mathbf{m}
2
        е
              2
                               4
8
              2
                               4
        0
3
                               2
       es
              1
5
              1
       im
[1] "All Endings Included"
   Suffix freq Percent_Trials
11
        u
             41
                              70
12
             35
       um
             26
                              52
1
10
             14
                              28
        s
4
        i
              7
                              14
2
        е
                               8
7
                               8
        \mathbf{m}
9
        ō
                               8
6
                               6
       is
              3
8
        0
              3
                               6
3
       es
              1
                               2
5
       im
                               2
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       u
            39
3
             9
                             18
      um
             3
                              6
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       u
            39
1
            12
                            24
4
            10
                             20
      um
                             4
2
             2
[1] "3"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             43
        е
1
             39
                              78
3
             29
                              58
       em
4
             18
                              36
       es
10
             16
                              32
9
                              20
        m
             10
6
        i
              8
                              16
5
                               8
       ēs
              4
                               8
8
       is
              4
7
       im
              2
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
             43
        е
             40
                             80
1
3
             30
                             60
       em
4
                             36
       es
             18
10
             16
                             32
        s
9
        m
             10
                             20
6
                             16
        i
             8
5
       ēs
              4
                              8
8
       is
              4
                              8
7
       im
              2
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           43
           39
                            78
1
3
           29
                            58
      em
                            22
9
       s
           11
8
                            20
       m
           10
5
       i
            8
                            16
             5
                            10
4
      es
7
      is
             3
                             6
      im
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           43
1
           40
                            80
3
           30
                            60
      em
9
                            22
           11
       s
8
           10
                            20
       m
5
                            16
       i
            8
4
      es
             5
                            10
7
      is
             3
                             6
6
             2
                             4
      im
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           39
                            78
2
           21
                            42
       е
3
            4
                             8
       i
             2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           40
2
       е
           22
                            44
3
                             8
             4
       i
4
                             4
[1] "4"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             43
11
        u
12
             34
                             68
       um
             23
                             46
1
10
             20
                             40
```

```
5
             7
                             14
        i
7
                              8
       is
9
       ō
             3
                              6
13
             3
                              6
       us
2
             2
                              4
        е
4
             2
                              4
       es
3
       em
              1
6
                              2
       im
              1
8
        m
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
12
             43
        u
                             70
13
       um
             35
                             54
             27
1
11
        S
             21
                             42
5
        i
             8
                             16
2
        е
             5
                             10
7
                              8
       is
14
                              8
              4
       us
4
             3
                              6
       es
8
                              6
        m
             3
10
        ō
             3
9
             2
                              4
        0
3
                              2
       em
             1
                              2
6
       im
              1
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             43
10
        u
11
       um
             34
                             68
             17
                             34
1
9
        s
             12
                             24
4
        i
             7
                             14
8
        ō
             3
                              6
6
             2
                              4
       is
2
                              2
        е
             1
                              2
3
       em
5
       im
              1
                              2
7
                              2
        m
              1
12
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
11
        u
             43
12
       um
             35
                             70
                             50
1
             25
10
                             26
             13
        s
             7
4
        i
                             14
7
                              6
             3
9
        ō
             3
                              6
2
             2
                              4
        е
6
             2
                              4
       is
8
             2
        0
13
              2
                              4
       us
3
       em
```

```
im
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           39
3
      um
            9
                            18
             1
1
                             2
4
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
       u
           40
5
            9
                            18
      um
1
            8
                            16
2
                             2
       i
            1
3
             1
                             2
       s
                             2
6
      us
             1
[1] "5"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5
             28
        е
                             36
1
             18
12
        s
             15
                             30
7
             10
                             20
       es
9
        i
             6
                             12
6
                              8
              4
       em
8
       ēs
                              8
10
       is
              3
                              6
11
              3
                              6
        m
                              4
2
              2
        a
3
                              2
       am
              1
4
       as
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
5
        е
             32
             26
                             52
1
13
             19
                             38
        s
6
       em
             18
                             36
7
       es
             13
                             26
9
        i
             8
                             16
12
             7
                             14
       m
8
       ēs
                              8
                              8
11
       is
              4
2
        a
              2
                              4
3
                              2
       am
              1
4
              1
                              2
       as
                              2
10
       im
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4
             26
        е
             18
                             36
1
7
        i
                             12
             6
10
                             10
        S
             5
5
                              8
       em
```

```
9
2
              2
                              4
        a
6
              2
                              4
       es
8
       is
              2
                              4
3
[1] "All Endings Included"
   Suffix freq Percent_Trials
             32
             26
1
                             52
5
                             36
             18
       \mathtt{em}
                             22
11
        s
             11
7
        i
              8
                             16
10
              7
                             14
        m
6
                             10
              5
       es
9
       is
              3
                              6
2
              2
        a
                              4
3
       am
              1
                              2
8
       im
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            20
3
            17
                            34
       е
4
                             8
       i
            4
6
             3
                             6
       s
             2
2
       a
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            22
3
            18
                            36
       е
5
       i
             4
                             8
8
             4
                             8
2
             2
                             4
       a
                             2
4
      es
6
             1
                             2
      is
                             2
7
             1
[1] "m"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4
             43
        е
15
             43
                             86
        u
1
             41
                             82
16
             35
                             70
       um
5
       em
             28
                             56
14
             24
                             48
        s
2
             22
                             44
        a
6
                             36
             18
8
              8
                             16
        i
11
              5
                             10
3
                              8
       as
              4
7
                              8
       ēs
10
                              8
       is
13
        ō
                              8
```

```
17
               3
                                6
        us
9
        im
               2
                                4
12
               2
         0
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
              46
2
         a
              43
                               86
7
                               86
              43
         е
18
         u
              43
                               86
                               70
20
              35
        um
8
        \mathtt{em}
              30
                               60
5
              25
                               50
        am
17
              25
                               50
         s
9
                               38
              19
        es
6
        as
              14
                               28
                               22
14
         \mathsf{m}
              11
11
         i
               9
                               18
4
                               10
       aes
                                8
10
        ēs
               4
                                8
13
        is
               4
                                8
16
         ō
               4
15
         0
               3
                                6
21
                                6
               3
        us
12
        im
               2
                                4
3
                                2
               1
        ae
                                2
19
        ue
               1
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
         е
              43
12
              43
                               86
         u
1
              37
                               74
13
              35
                               70
        um
3
                               56
              28
        \mathtt{em}
11
                               30
         s
              15
5
         i
              8
                               16
4
        es
               6
                               12
8
         m
               5
                               10
10
                                8
         ō
               4
7
                                6
        is
               3
                                4
6
        im
               2
9
               2
                                4
         0
14
        us
               1
[1] "All Endings Included"
   Suffix freq Percent_Trials
              43
                               86
1
2
              43
                               86
         a
5
                               86
              43
15
              43
                               86
         u
16
              35
                               70
        um
6
              30
                               60
        \mathtt{em}
3
                               50
              25
        \mathtt{am}
                               30
14
         s
              15
11
                               22
              11
```

```
8
              8
                              16
        i
7
              7
                              14
       es
4
                              12
       as
13
        ō
              4
                               8
                               6
10
       is
              3
12
              3
                               6
        0
9
       im
              2
                               4
17
                               2
       us
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            39
                             78
       u
1
            28
                             56
2
            19
                             38
       е
5
             9
                             18
      um
3
       i
             4
                              8
6
      us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             42
             39
                              78
10
        u
1
             32
                              64
4
             21
                              42
         е
11
       um
             10
                              20
6
                              10
        i
              5
9
        s
              5
                              10
3
              1
                               2
       \mathtt{am}
5
              1
                               2
       es
7
                               2
       is
              1
8
                               2
        m
              1
                               2
12
       us
[1] "f135Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             50
         a
                             100
5
             42
                              84
         е
3
       am
             31
                              62
1
             30
                              60
             27
6
       em
                              54
12
                              22
             11
        s
4
       as
             10
                              20
8
         i
              7
                              14
7
       es
              5
                              10
11
              5
                              10
        m
10
       is
              3
                               6
9
        im
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                             100
         a
5
             43
                              86
         е
3
                              62
             31
       \mathtt{am}
1
             30
                              60
6
       em
             28
                              56
4
                              22
       as
```

```
12
             11
                             22
        s
8
             7
                             14
        i
11
             6
                             12
7
       es
             5
                             10
10
             3
                              6
       is
                              2
9
       im
             1
[1] "m24Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
12
             43
                            86
        u
             35
                             70
13
       um
1
             23
                             46
11
             13
                             26
        s
5
             7
        i
                             14
10
        ō
             4
                              8
7
                              6
       is
             3
8
             3
                              6
        m
9
                              6
             3
        0
2
                              4
        е
             2
                              2
3
       em
4
                              2
       es
             1
6
       im
14
       us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
12
        u
            43
                             70
13
       um
            35
1
             24
                             48
                             26
11
             13
5
             7
                             14
        i
10
        ō
                              8
             4
7
       is
             3
                              6
8
             3
                              6
        m
9
                              6
             3
        0
2
             2
                              4
        е
3
                              2
       em
             1
                              2
4
       es
6
       im
             1
                              2
14
       us
[1] "n24Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
10
        u
            41
11
       um
            35
                             70
1
             23
                             46
9
             12
                             24
        s
             7
3
        i
                             14
8
        ō
             4
                              8
5
                              6
       is
             3
6
             3
                              6
        m
7
                              6
             3
        0
2
                              2
        е
4
       im
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
10
             43
        u
             35
11
                             70
       um
1
             23
                            46
9
                             24
        s
             12
3
        i
             7
                             14
8
        ō
             4
                              8
5
                              6
       is
             3
6
        m
             3
                              6
7
              3
                              6
        0
2
                              2
        е
             1
                              2
4
       im
[1] "m234Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             43
12
             43
                             86
        u
                            74
1
             37
13
            35
                            70
       um
3
             28
                            56
       em
                            30
11
        s
             15
5
        i
             8
                             16
4
                             12
             6
       es
8
        m
             5
                             10
10
                              8
        ō
             4
7
       is
             3
                              6
9
        0
              3
                              6
6
       im
              2
                              4
                              2
14
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        е
             43
12
             43
                            86
        u
            39
                            78
1
13
             35
                            70
       um
            30
                             60
3
       em
11
        s
             15
                             30
5
        i
             8
                             16
4
       es
             6
                             12
                             10
8
             5
        m
10
        ō
             4
                              8
7
                              6
       is
             3
9
        0
             3
                              6
6
       im
              2
                              4
                              2
14
       us
[1] "m2345Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             43
                            86
        е
12
             43
                            86
        u
            37
                            74
1
                            70
13
            35
       um
3
       em
            28
                            56
11
                             30
        s
             15
```

```
5
              8
                             16
        i
4
                             12
              6
       es
8
                             10
        m
              5
10
              4
                              8
        ō
7
       is
              3
                              6
9
              3
                              6
        0
6
       im
              2
                              4
14
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
             43
             43
                             86
14
        u
1
             40
                             80
15
             35
                             70
       um
5
             30
                             60
       em
13
        s
             15
                             30
10
              9
                             18
        \mathbf{m}
7
        i
                             16
6
                             14
              7
       es
                              8
12
        ō
              4
9
       is
              3
                              6
11
        0
              3
                              6
2
                              4
              2
        a
8
       im
              2
                              4
3
                              2
       am
              1
16
       us
                              2
[1] "m1Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             43
                             86
        a
3
             25
                             50
       \mathtt{am}
                             32
1
             16
4
                             12
       as
              6
10
        m
              6
                             12
6
       em
              3
                              6
9
                              6
       is
              3
11
              3
                              6
        s
5
        е
              1
                              2
7
                              2
       es
              1
8
         i
              1
                              2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
                                     Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
            42
                            18
1
             9
3
             1
                             2
      am
                             2
4
       е
             1
[1] "m2Sg"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
11
             41
12
             35
                             70
       um
             22
1
                             44
10
             13
                             26
        s
4
        i
             7
                             14
9
                              8
        ō
              4
6
       is
              3
7
              3
                              6
        \mathbf{m}
2
        е
              2
8
              2
                              4
        0
3
                              2
       es
              1
5
       im
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
11
        u
             41
                             70
12
             35
       um
             24
                             48
1
10
             13
                             26
        s
4
        i
             7
                             14
9
        ō
                              8
6
       is
                              6
              3
7
        m
              3
                              6
8
              3
                              6
        0
2
        е
              2
                              4
3
       es
              1
                              2
5
       im
                              2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       u
            39
3
             9
                            18
      um
             3
                             6
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       u
            39
4
      um
            10
                            20
1
             3
                             6
                             2
2
             1
       s
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            43
       е
1
            30
                            60
3
            28
                            56
      em
9
            10
                            20
       s
5
       i
            8
                            16
4
             5
                            10
      es
8
             4
                             8
       m
7
             3
                             6
      is
             1
      im
[1] "All Endings Included"
```

Suffix freq Percent\_Trials

```
43
                           86
       е
1
           31
                            62
3
           30
                            60
      em
9
           10
                            20
       s
5
            8
                            16
4
            5
                            10
      es
8
       m
                             8
7
             3
      is
                             6
6
      im
             2
                             4
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
           28
1
                            38
2
           19
       е
3
       i
            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
           29
2
           19
                            38
       е
3
            4
                             8
       i
                             2
4
       s
            1
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
10
            43
        u
11
       um
             34
                             68
1
             17
                             34
9
        s
            12
                             24
4
             7
                             14
        i
8
       ō
             3
6
       is
              2
2
       е
              1
                              2
3
                              2
5
                              2
       im
              1
                              2
7
12
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
11
             43
12
                             68
             34
       um
                             36
1
            18
10
             12
                             24
        s
4
        i
             7
                             14
9
        ō
             3
6
       is
              2
2
                              2
       е
              1
                              2
3
       em
              1
5
                              2
       im
7
                              2
        m
                              2
8
13
       us
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
39
                           78
       u
3
                            18
            9
      um
             1
                             2
1
4
             1
                             2
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
       u
           39
3
            9
                            18
      um
1
             1
                             2
4
             1
                             2
      us
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
             32
                             64
             26
                             52
1
5
                             34
             17
       em
                             20
11
             10
7
        i
             7
                             14
10
        m
             7
                             14
6
                             10
       es
             5
9
       is
              3
                              6
2
                              4
              2
        a
3
       am
              1
                              2
8
       im
              1
                              2
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           21
3
            17
                            34
       е
5
                             8
       i
            4
8
       s
            3
                             6
2
       a
            2
                             4
                             2
4
      es
6
                             2
      is
             1
                             2
7
       m
[1] "f"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             50
        a
7
             43
                             86
1
             36
                             72
5
             31
                             62
8
                             54
       em
             27
6
             21
                             42
       as
15
             21
                             42
        s
9
                             32
       es
             16
16
        u
             9
                             18
             7
                             14
11
```

```
4
              5
                              10
      aes
14
              5
                              10
        \mathbf{m}
10
                               8
       ēs
              4
13
              4
                               8
       is
17
                               4
       um
              2
3
                               2
       ae
              1
                               2
12
       im
              1
18
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
         a
             50
1
             45
                              90
7
             43
                              86
         е
17
                              82
             41
        u
5
             31
                              62
       \mathtt{am}
8
       em
             28
                              56
16
             28
                              56
        s
18
             28
                              56
       um
6
                              44
             22
       as
9
                              36
       es
             18
                              18
14
        m
              9
11
        i
              8
                              16
4
                              10
      aes
              5
10
       ēs
              4
                               8
13
                               8
              4
       is
12
       im
              2
                               4
19
       us
              2
                               4
3
       ae
              1
                               2
                               2
15
              1
         0
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             50
                             100
         a
5
             42
                              84
         е
3
             31
                              62
       am
1
             30
                              60
6
       em
             27
                              54
12
        s
             11
                              22
                              20
4
       as
             10
8
        i
              7
                              14
7
       es
              5
                              10
                              10
11
        m
              5
13
        u
              5
                              10
10
       is
              3
                               6
14
       um
              2
                               4
9
       im
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                             100
         a
5
             43
                              86
         е
             42
                              84
1
                              82
14
             41
        u
3
                              62
       am
             31
6
             28
                              56
       em
```

```
15
             28
                             56
       um
13
             15
                             30
        s
4
                             22
       as
             11
11
              9
                             18
        \mathbf{m}
8
              8
                             16
7
              5
                             10
       es
10
       is
              3
                              6
9
                              4
       im
              2
16
                              4
12
                              2
        0
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            50
1
            24
                            48
3
            21
                            42
4
       i
             4
                             8
5
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             50
                            100
8
        u
             36
                             72
1
             32
                             64
4
        е
             22
                             44
5
                             10
        i
              5
9
       um
              5
                             10
7
        S
              4
                              8
3
       am
              1
                              2
                              2
6
       is
10
       us
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            50
3
            31
                            62
      am
4
            10
                            20
      as
1
             8
                            16
6
      is
             3
                             6
5
             2
       i
                             4
             2
8
                             4
       s
       m
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            50
                           100
       a
3
      am
            31
                            62
                            22
4
            11
      as
1
             9
                            18
6
             3
                             6
      is
5
             2
                             4
       i
             2
8
                             4
       s
             1
                             2
7
       m
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

```
1 a 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
       a
                            2
1
             1
3
             1
                            2
      am
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
                    freq
[1] Suffix
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
9
             36
        u
             25
                            50
1
10
             25
                            50
       um
8
        s
             12
                            24
3
        i
             7
                            14
6
        m
             4
                             8
2
             3
                             6
        е
5
             3
                             6
       is
4
       im
             1
                             2
7
        0
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       u
           33
1
           12
                           24
            4
                            8
4
      um
2
       s
             1
                            2
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           42
       е
3
      em
           27
                           54
1
           26
                           52
9
       s
           10
                           20
5
       i
            7
                           14
4
            5
                           10
      es
7
                            6
      is
             3
8
             3
                            6
       m
             1
      im
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           43
                           86
       е
3
           27
                           54
      em
           26
                           52
1
9
           10
                           20
       s
5
       i
            7
                           14
4
            5
                           10
      es
7
      is
            3
                            6
8
             3
                            6
       m
```

```
2
      im
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           24
2
           21
                           42
       е
3
       i
            1
       S
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
2
           22
                           44
       е
3
            4
                            8
       i
                            2
            1
       s
[1] "f4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
10
        u
            38
11
       um
            28
                            56
            24
                            48
1
9
            13
                            26
        S
4
                            12
        i
             6
6
       is
             2
7
             2
                             4
12
             2
                             4
       us
                             2
2
       е
3
                             2
             1
       em
                             2
5
       im
             1
8
        0
             1
                             2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       u
           35
1
            8
                           16
4
            5
                           10
      um
2
                            2
       s
            1
5
                            2
      us
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4
            26
                            52
1
            18
                            36
7
        i
             6
                            12
10
                            12
             6
5
             4
                             8
       em
9
             3
                             6
       m
2
       a
             2
                             4
6
       es
```

```
is
              2
3
              1
       am
                              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
        е
             32
1
             25
                             50
5
             18
                             36
       em
                             22
10
        s
             11
7
        i
              7
                             14
9
              6
                             12
6
       es
              4
                              8
8
                              6
       is
              3
2
              2
                              4
        a
                              2
3
       am
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            21
                            42
3
       е
            18
                            36
4
             4
                             8
       i
6
       s
             4
                             8
2
             2
                             4
5
      is
             1
[1] "n"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             45
12
             41
                             82
        u
13
       um
             35
                             70
2
             24
                             48
        е
11
             23
                             46
        s
3
       em
             17
                             34
4
                             28
       es
             14
8
             10
                             20
5
        i
              7
                             14
7
                              8
       is
10
        ō
                              8
              4
6
       im
                              4
9
                              4
        0
              2
14
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             46
1
12
             43
                             86
        u
13
             35
                             70
       um
2
             24
                             48
        е
11
             23
                             46
        s
3
             18
                             36
       \mathtt{em}
4
                             28
       es
             14
8
        m
             10
                             20
5
              7
                             14
```

```
7
       is
                              8
10
              4
                              8
        ō
9
              3
                              6
14
       us
              3
                              6
6
       im
                              4
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             41
1
12
             41
                             82
        u
13
             35
                             70
       um
2
             23
                             46
3
             17
                             34
       em
                             28
11
             14
        S
8
             10
                             20
        \mathbf{m}
5
             7
        i
                             14
4
       es
              4
                              8
10
       ō
                              8
7
                              6
       is
              3
6
                              4
       im
              2
9
        0
              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
             43
12
                             84
1
             42
                             70
13
       um
             35
2
        е
             24
                             48
3
       em
             18
                             36
                             28
11
             14
        s
8
             10
                             20
        m
             7
5
                             14
        i
4
       es
              4
                              8
10
       ō
                              8
7
                              6
       is
              3
9
                              6
              3
6
       im
              2
                              4
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            39
       u
                            78
            38
                            76
1
6
            9
                            18
      um
2
       е
             8
                            16
3
       i
             3
                             6
       s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       u
            40
1
            39
                            78
6
            9
                            18
      um
2
            8
                            16
       е
3
       i
             4
                             8
4
             1
                             2
       s
[1] "n2Sg"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
10
             41
11
             35
                              70
       um
             22
1
                              44
9
             12
                              24
        s
3
        i
              7
                              14
8
                               8
        ō
              4
5
       is
              3
                               6
6
              3
                               6
        m \\
7
        0
              2
                               4
2
                               2
         е
              1
4
                               2
       im
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
10
             41
11
             35
                              70
       um
             23
                              46
1
9
                              24
             12
        s
3
              7
                              14
        i
8
        ō
              4
                               8
5
       is
                               6
6
                               6
              3
        \mathbf{m}
7
        0
                               6
2
                               2
         е
              1
4
       im
                               2
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       u
            39
3
             9
      um
                             18
1
             2
                              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
       u
            39
3
             9
                            18
      um
             2
                              4
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            39
2
            23
                            46
3
            17
                             34
      em
9
                            22
       s
            11
8
            10
                             20
       m
5
             7
                             14
       i
4
             4
                             8
      es
7
      is
             3
                              6
      im
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            40
1
2
            24
                            48
       е
3
            18
                             36
      em
```

```
9
                           22
       s
           11
8
           10
                           20
       m
5
                           14
       i
            7
4
            4
                            8
      es
7
            3
      is
                            6
6
      im
            2
                            4
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           38
                           76
1
2
            8
                           16
       е
3
       i
            3
                            6
4
            1
                            2
       s
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           39
2
            8
                           16
       е
3
            3
                            6
       i
4
                            2
       s
            1
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
9
        u
            43
10
       um
            34
                            68
1
            18
                            36
8
                            24
            12
        s
3
             7
                            14
        i
5
             2
       is
                             4
7
        ō
             2
                             4
2
                             2
4
                             2
       im
             1
6
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       u
           40
                           80
4
      um
            9
                           18
1
            1
                            2
                            2
       i
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            35
        a
                            70
17
            35
                            70
       um
            32
                            64
1
5
            31
                            62
       am
8
       em
            29
                            58
7
            28
                            56
```

```
16
             19
                              38
        u
15
             17
                              34
        s
9
                              26
       es
             13
6
             12
                              24
       as
                              20
14
        m
             10
11
         i
              5
                              10
4
      aes
              4
                               8
                               8
10
       ēs
              4
3
       ae
              1
                               2
                               2
12
       im
              1
                               2
13
       is
              1
18
                               2
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             35
2
             35
                              70
         a
18
             35
                              70
       um
5
             31
                              62
       am
8
                              60
             30
       em
7
             28
                              56
        е
                              44
16
        u
             22
15
        s
             17
                              34
9
             14
                              28
       es
14
        m
             14
                              28
6
             12
                              24
       as
11
        i
              7
                              14
4
      aes
              4
                               8
10
       ēs
              4
                               8
                               2
3
       ae
                               2
12
       im
              1
                               2
13
       is
              1
17
       ue
              1
                               2
19
                               2
       us
[1] "AccSg"
    "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
10
       um
             35
3
       \mathtt{am}
             31
                              62
5
             29
                              58
       em
                              40
1
             20
2
                              40
             20
        a
9
                              32
        u
             16
4
             15
                              30
         е
8
             10
                              20
         m
                               2
6
         i
              1
7
       im
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
12
             35
                              70
       um
                              62
3
             31
        am
5
             30
                              60
       em
                              46
1
             23
2
                              42
        a
             21
4
             18
                              36
```

```
36
11
        u
             18
9
                             28
             14
        m
6
                              8
        i
             4
7
                              2
       im
              1
                              2
8
       is
10
                              2
        s
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           31
2
                            62
      am
1
       a
           20
                            40
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           31
      am
2
       a
           21
                            42
5
                            12
       m
            6
1
            2
                             4
            2
                             4
4
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
      um
           35
3
           15
                            30
       u
            2
2
       m
                             4
             1
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
      um
           35
                            32
3
           16
       u
1
           10
                            20
                             6
            3
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
      em
           29
           19
                            38
1
2
           15
                            30
6
           10
                            20
       m
                             2
4
       i
            1
             1
      im
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
      em
           30
           19
                            38
1
2
           15
                            30
       е
                            20
6
           10
       \mathbf{m}
4
       i
            1
                             2
                             2
5
             1
      im
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           34
      um
                            32
1
       u
           16
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
           35
4
      um
                            34
3
           17
       u
1
            8
                            16
2
                             2
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
      em
            16
4
            13
                            26
       е
7
       m
            6
                            12
1
            5
                            10
6
       i
            3
                             6
                             2
2
             1
       a
3
      am
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
      em
            18
4
                           30
            15
       е
            7
1
                            14
            7
8
       m
                            14
6
       i
                             8
2
                             2
             1
       a
3
      am
                             2
7
                             2
      is
             1
                             2
       s
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
           35
      um
3
           28
                            56
      em
7
       u
           16
                            32
2
           12
                            24
            7
1
                            14
6
                             8
       m
             4
4
                             2
             1
      im
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
11
       um
            35
                             70
                             60
5
       em
            30
3
            25
                             50
       am
2
        a
             18
                             36
4
                             34
        е
            17
10
            16
                             32
        u
                             22
1
             11
9
             10
                             20
        m
6
        i
             3
                              6
7
                              2
       im
              1
                              2
8
       is
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           25
2
           18
                           36
       a
5
            6
                            12
1
            2
                             4
      em
            2
                             4
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      um
           35
3
           15
                            30
       u
2
            2
                             4
       m
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
      um
           35
                           70
3
           15
                            30
       u
2
                            4
            2
       m
                             2
1
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           28
2
           12
                            24
1
            6
                           12
6
            4
                            8
       \mathbf{m}
4
       i
            1
                             2
5
            1
      im
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
      em
           30
2
           12
                            24
                           12
1
            6
                            8
6
            4
       m
                             2
4
       i
            1
5
      im
            1
                             2
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      um
           34
       u
           16
                            32
[1] "All Endings Included"
  Suffix freq Percent_Trials
           34
      um
                           32
           16
       u
1
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           17
5
      em
                           34
4
           14
                            28
       е
```

```
8
                           14
       m
1
                           12
            6
6
            3
                            6
2
                            2
            1
       a
3
                            2
      am
7
      is
            1
                            2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
      am
           31
                           62
5
      em
           27
2
           20
                           40
       a
4
           15
                           30
       е
1
            4
                            8
8
            3
                            6
       m
6
       i
            1
7
            1
      im
[1] "All Endings Included"
   Suffix freq Percent_Trials
3
            31
       am
5
       em
            28
                            56
12
       um
            28
                            56
2
            21
                            42
        a
4
            18
                            36
        е
                            32
11
            16
        u
1
            14
                            28
9
             8
                            16
        \mathbf{m}
6
        i
             4
                             8
7
                             2
       im
             1
8
                             2
       is
             1
                             2
10
        S
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           31
      am
           20
1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
      am
           31
       a
           21
                           42
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
      um
           25
                           50
                           26
3
           13
       u
            9
                           18
1
            3
                            6
       m
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
      em
           27
```

```
15
                             30
       е
1
             4
                              8
6
             3
                              6
4
             1
                              2
       i
5
      im
[1] "All Endings Included"
  Suffix freq Percent_Trials
            27
3
      em
2
       е
            15
                             30
1
             4
                              8
6
             3
                              6
       \mathbf{m}
4
                              2
       i
             1
5
             1
                              2
      im
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                     freq
                                      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            28
                             28
3
       u
            14
1
             7
                             14
2
                              2
             1
       \mathbf{m}
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                     freq
                                      Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            18
                             36
      em
4
                             30
            15
1
             6
                             12
8
             6
                             12
6
                              8
       i
             4
                              2
2
       a
             1
3
                              2
             1
      am
7
      is
             1
                              2
9
       S
             1
                              2
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            35
8
      um
                             70
1
            19
                             38
3
            15
                             30
      em
7
            15
                             30
       u
                             20
6
            10
       \mathbf{m}
2
             5
                             10
       е
                              2
4
       i
             1
      im
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
            35
                             70
      um
                             40
1
            20
3
            16
                             32
      em
```

```
7
           16
                            32
       u
6
           10
                            20
       m
2
            5
                            10
4
             1
                            2
       i
                             2
5
      im
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
      um
            35
2
           15
                            30
       u
1
       m
            1
                            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           35
      um
2
       u
           15
                            30
                            2
1
       m
            1
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
           19
1
3
      em
           15
                            30
6
       m
           10
                            20
2
            5
                            10
       е
4
       i
            1
                            2
             1
5
      im
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            19
                            32
3
            16
      em
6
           10
                            20
       m
2
            5
                            10
4
       i
             1
                             2
5
                             2
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
      um
           34
                            68
                            32
2
       u
           16
            1
                            2
1
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             28
1
2
             28
                             56
        a
9
             22
                             44
        s
4
                             36
       as
             18
5
             15
                             30
10
             13
                             26
        u
6
                             18
       es
             9
7
             7
       i
                             14
8
                             10
       is
```

```
11
3
                              2
      aes
              1
12
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             31
2
        a
             29
                             58
9
             24
                             48
        s
4
       as
             18
                             36
5
             15
                             30
        е
10
        u
             14
                             28
6
                             20
             10
       es
7
        i
              7
                             14
8
       is
              5
                             10
11
              3
                              6
       um
                              2
3
      aes
12
       us
                              2
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             28
1
             27
                             54
8
             15
                             30
        s
4
             14
                             28
        е
9
                             26
             13
        u
3
       as
             10
                             20
6
        i
             7
                             14
5
       es
              4
                              8
7
                              6
       is
              3
10
              3
                              6
       um
11
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             30
1
2
             29
                             58
        a
8
             16
                             32
        s
4
        е
             15
                             30
9
             14
                             28
        u
3
                             22
       as
             11
6
             7
                             14
       i
5
       es
              5
                             10
7
                              6
       is
              3
10
       um
              3
                              6
       us
                              2
11
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            28
       a
3
            10
                            20
      as
1
            7
                            14
5
                             6
      is
             3
                             2
4
             1
       i
6
       s
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
            29
       a
                            58
                            22
            11
1
3
            11
                            22
      as
7
                             8
       s
             4
6
      is
             3
                              6
4
      es
             1
                              2
                              2
5
       i
             1
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            17
1
6
            12
                             24
       s
7
             9
                            18
       u
4
       i
             7
                             14
5
      is
             3
                             6
8
      um
             2
                              4
2
       е
             1
3
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
            19
6
            14
                            28
       S
7
       u
             9
                            18
4
             7
                             14
       i
2
       е
             4
                             8
5
      is
             3
                              6
8
             2
                              4
      um
             1
                              2
3
      es
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            21
1
                            42
2
            14
                             28
       е
                             22
6
            11
4
                            14
       i
             7
3
      es
             3
                             6
      is
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
                            28
       е
            14
6
       s
            11
                            22
4
       i
             7
                            14
3
      es
             3
                              6
                              6
5
             3
      is
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
6
            13
       u
5
            12
                            24
       s
                            22
1
            11
3
             7
                            14
       i
7
             3
                             6
      um
```

```
is
                             4
2
             1
                             2
       е
8
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            16
6
       u
            14
                            28
5
                            26
            13
       s
3
       i
             7
                            14
7
             3
                             6
      um
2
       е
             2
                             4
4
             2
                             4
      is
8
             1
                             2
      us
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            14
                            28
            10
                            20
3
7
            10
                            20
       s
5
       i
             6
                            12
             3
4
      es
                             6
6
      is
             2
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            15
3
       е
            13
                            26
7
            11
                            22
       s
5
       i
             7
                            14
4
             4
                             8
      es
6
             3
      is
                             6
2
       a
             1
                             2
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            22
1
                            28
6
       s
            14
2
       е
            13
                            26
7
                            26
       u
            13
                            14
4
       i
             7
                             8
3
      es
             4
5
             3
                             6
      is
8
      um
             3
                             6
9
      us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             27
                             54
2
                             52
             26
         a
8
             15
                             30
        s
4
             13
                             26
9
                             26
             13
        u
6
        i
              7
                             14
3
              6
                             12
       as
5
                             10
       es
              5
```

```
is
             3
                              6
10
                              6
       um
             3
11
                              2
       us
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           26
                            52
       a
                            22
1
            11
3
             6
                            12
      as
6
             3
                             6
      is
7
             3
                             6
       s
4
      es
             1
                             2
                             2
5
       i
             1
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           17
                            24
6
       s
            12
7
       u
            9
                            18
4
             7
                            14
       i
5
      is
             3
                             6
8
             2
                             4
      um
2
       е
             1
3
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           18
1
6
                            26
       s
            13
7
       u
            9
                            18
4
       i
            7
                            14
5
                             6
             3
      is
             2
8
      um
                             4
2
             1
                             2
       е
3
      es
             1
                             2
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           14
2
                            26
           13
       е
6
           10
                            20
       S
4
       i
            7
                            14
      es
             3
                             6
             3
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
           14
1
2
           13
                            26
       е
6
                            20
           10
       s
4
       i
            7
                            14
3
                             6
      es
            3
5
             3
                             6
      is
```

```
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       u
           13
5
           12
                            24
       s
                            22
1
           11
3
       i
            7
                            14
7
                            6
            3
      um
4
      is
             2
                             4
2
             1
                             2
       е
8
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           13
       u
5
       s
           12
                            24
                            22
1
            11
3
       i
            7
                            14
7
            3
                            6
      um
4
                             4
      is
            2
2
             1
                             2
8
      us
             1
                             2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           15
3
                            20
           10
       е
7
           10
                            20
       s
5
            7
       i
                            14
4
      es
            4
                            8
6
             3
                             6
      is
2
                             2
             1
       a
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           28
                            56
1
           18
                            36
           14
                            28
4
       е
8
           11
                            22
       s
3
           10
                            20
      as
6
       i
            6
                            12
5
      es
             3
                             6
             3
      is
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             29
1
             28
                             56
4
             15
                             30
        е
8
                             30
            15
        S
3
                             22
       as
            11
9
                             20
        u
             10
             7
```

```
5
7
       is
             3
                              6
10
              2
                              4
       um
11
       us
                              2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           28
       a
3
      as
            10
                            20
1
            7
                            14
      is
             3
                             6
4
             1
                             2
       i
6
             1
       s
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
       a
           29
3
            11
                            22
      as
            7
                            14
1
5
                             6
            3
      is
            2
6
                             4
       s
4
       i
             1
                             2
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           15
5
                            24
           12
       s
6
            8
                            16
       u
            7
3
       i
                            14
2
       е
            3
                             6
4
            3
                             6
      is
7
             2
      um
                             4
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           14
2
           14
                            28
       е
                            20
6
           10
       s
            6
                            12
3
             3
                             6
      es
5
      is
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
           14
1
2
           14
                            28
       е
                            20
6
           10
4
            6
                            12
       i
3
            3
                             6
      es
             3
                             6
5
      is
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            16
1
                            26
5
       s
            13
6
            9
                            18
       u
3
       i
             6
                            12
4
      is
             2
                             4
7
      um
             2
                             4
2
                             2
       е
             1
8
      us
             1
                             2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            15
3
                            26
            13
       е
7
                            22
       s
            11
5
       i
            6
                            12
4
      es
             3
                             6
6
      is
             3
                             6
2
       a
                             2
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            24
                            28
6
            14
       s
7
                            18
       u
             9
             7
4
       i
                            14
2
       е
             6
                            12
5
             3
                             6
      is
3
             2
                             4
      es
             2
      um
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            24
                            48
                            28
6
       s
            14
                            28
7
            14
       u
4
       i
            7
                            14
2
       е
             6
                            12
5
      is
             3
                             6
8
             3
                             6
      um
             2
3
      es
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            16
1
                            32
5
            12
                            24
       s
6
                            18
            9
       u
            7
3
       i
                            14
4
                             6
      is
             3
```

um

```
е
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            17
5
                            24
       s
           12
6
            9
                            18
       u
            7
3
       i
                            14
4
                             6
      is
            3
7
      um
             2
                             4
             1
                             2
       е
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           21
                            42
1
6
       s
            11
                            22
            7
4
       i
                            14
2
            6
                            12
       е
5
             3
                             6
      is
3
            2
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
6
           11
                            22
       S
            7
4
       i
                            14
2
                            12
            6
5
      is
            3
                             6
3
      es
             2
                             4
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       u
           14
                            24
5
           12
       s
1
                            22
           11
3
       i
            7
                            14
7
      um
            3
                             6
4
             2
      is
                             4
2
             1
                             2
       е
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             30
             28
1
                             56
6
             22
                             44
        е
13
             19
                             38
        s
5
             13
                             26
       as
8
                             26
       es
             13
                             22
14
        u
             11
4
             9
                             18
       am
7
             9
                             18
       em
15
       um
             9
                             18
9
                             16
        i
```

```
12
                             12
11
              4
                              8
       is
3
                              2
      aes
10
       im
                              2
       us
[1] "All Endings Included"
   Suffix freq Percent_Trials
             31
1
2
             30
        a
                             60
6
             22
                             44
        е
13
                             40
        s
             20
5
             14
                             28
       as
8
             13
                             26
       es
14
                             22
             11
        u
4
             10
                             20
       \mathtt{am}
7
                             20
             10
15
              9
                             18
       um
9
                             16
       i
12
                             12
              6
        m
                              8
11
       is
              4
16
                              4
       us
              2
3
      aes
10
       im
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             25
        a
1
             23
                             46
5
             19
                             38
12
             11
                             22
        s
13
                             22
        u
             11
3
       \mathtt{am}
              9
                             18
6
                             18
14
                             18
              9
       um
              7
8
                             14
11
                             12
        m
              6
                             10
4
       as
7
       es
              4
                              8
10
       is
              3
                              6
       im
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             25
2
             25
                             50
        a
5
             21
                             42
        е
12
                             22
             11
        s
13
             11
                             22
        u
3
                             20
             10
6
             10
                             20
       em
14
              9
                             18
8
              7
                             14
        i
11
                             12
        m
              6
4
                             10
       as
              5
7
                              8
       es
```

```
10
       is
              3
9
       im
                               2
              1
                               2
15
       us
[1] "1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            25
3
             9
                             18
      am
1
             7
                             14
4
             5
                             10
      as
6
      is
             3
                              6
5
             2
                              4
       i
7
             1
                              2
       m
8
             1
       s
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             25
                              50
         a
             11
                              22
1
3
             10
                              20
       am
4
                              10
       as
              5
8
       is
              3
                               6
10
        s
                               6
7
        i
              2
                               4
                               2
5
        е
              1
6
                               2
              1
       em
9
        m
                               2
[1] "2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            15
7
             9
       s
                             18
8
       u
             7
                             14
9
             7
                             14
      um
3
                             12
       i
             6
5
             3
                              6
      is
6
             3
                              6
       m
             2
2
       е
                              4
      im
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            16
7
            10
                             20
       s
8
       u
             7
                             14
9
             7
                             14
      um
3
       i
             6
                             12
2
             4
                              8
       е
5
             3
                              6
      is
6
             3
                              6
       \mathbf{m}
4
             1
                              2
      im
[1] "3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            18
       е
1
            14
                             28
```

```
3
                            18
      em
5
             6
                            12
       i
9
             5
                            10
       s
4
             4
                             8
      es
8
                             8
       m
             4
7
      is
             3
                             6
      im
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            18
            15
                            30
1
3
             9
                            18
      em
5
       i
             6
                            12
9
             5
                            10
       s
4
      es
             4
                             8
8
       m
             4
                             8
7
      is
             3
                             6
                             2
6
             1
      im
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
9
        u
             11
1
             10
                             20
8
                             18
        s
              9
10
              9
                             18
       um
4
        i
              6
                             12
6
       is
              2
                               4
2
              1
                               2
3
                               2
       em
              1
5
       im
              1
                               2
7
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             14
9
                             22
             11
        u
8
              9
                             18
        s
10
       um
              9
                             18
4
        i
              6
                             12
2
              2
                               4
        е
6
                               4
       is
              2
7
        m
              2
3
                               2
       em
              1
5
       im
                               2
11
       us
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
            15
3
       е
1
             8
                            16
6
       i
             6
                            12
4
             3
                             6
      em
5
             3
                             6
      es
8
             3
                             6
       m
9
             3
                             6
```

```
is
             2
2
             1
      am
[1] "All Endings Included"
   Suffix freq Percent_Trials
3
        е
             18
1
             10
                             20
4
       em
             6
                             12
6
                             12
        i
              6
10
        s
             5
                             10
5
              3
                              6
       es
8
       is
              3
                              6
9
                              6
              3
2
                              2
       am
              1
                              2
7
       im
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             19
2
             19
                             38
        е
10
                             22
             11
3
       em
             9
                             18
9
        s
                             18
                             18
11
       um
              9
5
        i
              6
                             12
4
                              8
              4
       es
7
       is
              3
                              6
8
              3
                              6
6
       im
[1] "All Endings Included"
   Suffix freq Percent_Trials
             23
1
5
        е
             21
                             42
2
             19
                             38
        a
                             22
13
             11
        u
3
                             20
       am
             10
6
                             20
       em
             10
12
        s
             9
                             18
14
       um
             9
                             18
8
        i
              6
                             12
                             10
11
              5
7
                              8
       es
                              6
4
       as
              3
10
       is
                              6
       im
9
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           19
                            38
                            22
1
           11
3
                            20
      am
           10
4
             3
                             6
```

```
8
      is
                            6
9
            2
                            4
       s
5
                            2
            1
6
            1
                            2
      em
7
       i
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           15
7
            9
                           18
       s
            7
8
       u
                           14
9
            7
                           14
      um
3
      i
            6
                           12
5
            3
      is
                            6
6
       m
            3
                            6
2
            2
       е
                            4
      im
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           15
                           18
7
       s
            9
8
       u
            7
                           14
9
            7
                           14
      um
3
      i
            6
                           12
5
            3
                            6
      is
6
       m
            3
                            6
2
       е
            2
                            4
4
      im
            1
                            2
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           18
3
            9
                           18
            8
                           16
1
5
       i
            6
                           12
4
            4
                            8
      es
            3
6
      is
                            6
7
       m
            1
                            2
            1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           18
       е
1
            9
                           18
3
            9
                           18
      em
5
       i
                           12
4
            4
                            8
      es
7
      is
            3
                            6
                            2
6
      im
            1
8
                            2
       m
            1
                            2
9
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
        u 11
```

```
10
                            20
8
                            18
             9
        S
10
             9
                            18
       um
4
                            12
        i
             6
6
                             4
       is
             2
2
             1
                             2
        е
3
       em
5
       im
             1
        m
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
            11
9
            11
                            22
        u
8
                            18
10
             9
                            18
       um
4
       i
                            12
6
       is
             2
                             4
2
       е
3
                             2
       em
                             2
5
       im
7
        m
[1] "m5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3
        е
            17
                            18
1
             9
6
       i
                            12
             6
4
                             8
       em
5
       es
             3
8
                             6
9
                             6
             3
10
                             6
2
                             2
       am
             1
7
       im
[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
            25
5
                            36
            18
1
            13
                            26
3
             9
                            18
       am
6
                            18
       em
8
             7
                            14
       i
4
             5
                            10
       as
7
             4
                             8
9
                             6
       is
             3
11
             3
                             6
             2
        \mathbf{m}
[1] "All Endings Included"
   Suffix freq Percent_Trials
        a 25
```

```
1
            22
                            44
5
            21
                            42
        е
12
            11
                            22
3
            9
                            18
       am
6
       em
             9
                            18
13
             8
                            16
       u
8
       i
             7
                            14
14
             7
                            14
       um
4
       as
             5
                            10
11
             5
                            10
       m
7
       es
             4
                            8
10
                             6
       is
             3
9
       im
             1
                             2
                             2
15
       us
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           25
       a
3
            9
                           18
      am
            7
1
                           14
4
      as
            5
                           10
6
      is
            3
                            6
5
       i
            2
7
       m
            1
            1
8
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           25
3
            9
                           18
      am
            7
1
                           14
4
                           10
      as
            5
6
      is
            3
                            6
5
            2
                            4
       i
7
                            2
            1
       m
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           13
                           26
1
7
       s
           10
                           20
9
            7
                           14
      um
3
       i
            6
                           12
8
            5
                           10
       u
2
            3
                            6
       е
5
      is
            3
                            6
6
            2
                            4
       m
                            2
            1
      im
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      e 18
```

```
3
                           18
      em
1
            7
                           14
5
                           12
            6
4
            4
                            8
      es
6
      is
            3
                            6
8
            2
                            4
       s
       m
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           18
       е
3
      em
            9
                           18
1
            7
                           14
5
       i
            6
                           12
4
            4
                            8
      es
6
      is
            3
                            6
            2
8
       s
                            4
7
            1
                            2
       m
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
            13
                            26
8
             9
                            18
9
        u
             8
                            16
10
       um
             7
                            14
4
        i
             6
                            12
6
             2
       is
                             4
2
                             2
       е
             1
3
                             2
       em
             1
5
       im
             1
                             2
7
                             2
                             2
11
       us
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           18
1
            9
                           18
6
       i
            6
                           12
4
            5
                           10
      em
9
            5
                           10
       S
5
            3
                            6
      es
7
            3
                            6
      is
8
            3
                            6
2
      am
            1
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
            18
1
2
            10
                            20
```

```
9
              9
                              18
        s
11
              7
                              14
       um
3
                              12
       em
5
        i
              6
                              12
8
                              12
        m
              6
10
              6
                              12
        u
4
       es
              3
                               6
7
                               6
       is
              3
6
       im
[1] "All Endings Included"
   Suffix freq Percent_Trials
             19
1
2
             10
                              20
        е
10
                              20
             10
        u
9
              9
                              18
        s
11
       um
              9
                              18
3
              6
                              12
       em
5
                              12
        i
8
                              12
              6
        m
4
              3
                               6
       es
7
                               6
       is
              3
6
       im
                               2
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            14
7
       s
             9
                             18
9
      um
             7
                             14
3
             6
                             12
       i
8
             6
                             12
       u
5
                             6
      is
             3
6
       m
             3
                              6
2
             1
                              2
4
      im
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            14
7
       s
             9
                             18
8
             7
                             14
       u
                             14
9
             7
      um
                             12
3
       i
             6
5
             3
                             6
      is
6
       m
             3
                              6
2
             1
                              2
       е
                              2
      im
             1
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            14
                             28
                             20
2
            10
       е
3
             6
                             12
      em
5
             6
                             12
       i
7
             4
                             8
       m
8
             4
                             8
```

```
6
      es
             3
6
      is
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
            14
2
            10
                            20
       е
3
      em
             6
                            12
                             12
5
             6
       i
8
       m
             4
                             8
9
             4
                             8
       s
4
      es
             3
                             6
7
             3
                             6
      is
6
             1
                             2
      im
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            12
7
       s
             9
                            18
8
       u
             9
                            18
9
             9
                            18
      um
3
       i
             6
                             12
5
             2
                             4
      is
2
       е
             1
                             2
4
      \mathtt{im}
             1
                             2
6
             1
       m
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
         a
             49
5
             42
                             84
         е
             37
                             74
1
             35
                             70
13
        u
12
             22
                             44
        s
4
       as
             19
                             38
6
       es
             18
                             36
8
        i
              5
                             10
3
              4
                               8
      aes
11
        ō
                               8
                               8
14
       um
              4
7
       ēs
              3
                               6
10
              3
                               6
        0
9
       is
              2
15
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             49
                             98
         a
6
             42
                             84
         е
                             80
1
             40
14
             38
                             76
13
        S
             26
                             52
5
             20
                             40
       as
```

```
7
             19
                             38
       es
9
              5
                             10
        i
15
                             10
3
                              8
      aes
              4
12
        ō
              4
                              8
8
       ēs
              3
                              6
11
        0
              3
10
                              4
              2
       is
       us
16
              2
                              4
4
                              2
       \mathtt{am}
[1] "AblSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             49
3
        е
             42
                             84
9
             35
        u
                             70
1
             30
                             60
7
        ō
                              8
              4
                              8
10
       um
                              6
6
        0
              3
8
        s
              3
                              6
5
        i
4
                              2
       es
              1
11
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             49
5
        е
             42
                             84
                             76
12
             38
        u
1
             34
                             68
11
             5
                             10
13
       um
              5
                             10
10
        ō
                              8
7
                              6
        i
              3
9
                              6
        0
              3
3
                              2
              1
       am
                              2
4
6
       es
                              2
8
                              2
14
       us
[1] "1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           49
                            98
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           49
                            16
1
             8
                             2
3
             1
      am
4
                             2
             1
      as
                             2
5
[1] "2SgAbl"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
           30
5
       u
                            28
            14
1
4
            4
                             8
       ō
3
             2
                             4
6
            2
                             4
      um
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
           31
       u
                            38
1
           19
5
       ō
            4
                             8
2
            3
                             6
       е
4
            3
                             6
8
            3
      um
             2
6
       s
3
             1
                             2
      es
[1] "3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           42
1
           24
                            48
3
       i
            2
                             4
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           42
1
           25
                            50
            2
3
       i
                             4
            2
                             4
       s
[1] "4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       u
           35
            9
                            18
1
4
            4
                             8
      um
             3
2
       ō
                             6
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       u
           38
                           36
1
           18
7
            5
                            10
      um
4
       ō
            3
                             6
3
             2
                             4
       0
2
                             2
             1
5
             1
                             2
       s
                             2
8
             1
[1] "5SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           29
                            58
                            20
1
           10
```

i

```
6
       s
2
            2
                             4
       a
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           31
1
           12
                            24
4
            3
                             6
       i
6
       s
            3
                             6
2
             2
                             4
       a
                             2
5
      is
             1
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           42
       е
7
           35
                            70
       u
1
           20
                            40
6
                             8
            4
8
             4
                             8
      um
4
             2
       i
                             4
5
       0
             2
                             4
3
      es
             1
9
             1
      us
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
        е
             42
2
        a
             41
                             82
11
             35
                             70
        u
             26
                             52
1
9
        ō
             4
                              8
                              8
10
        s
              4
12
       um
              4
                              8
6
                              6
        i
8
                              6
              3
        0
                              2
3
       am
              1
5
                              2
       es
              1
                              2
7
       is
13
       us
                              2
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           41
       a
                            16
1
            8
3
            1
                             2
      am
                             2
4
            1
       е
[1] "m2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           30
                            60
       u
           13
                            26
1
4
       ō
            4
                             8
```

```
3
       0
             2
                             4
6
             2
                             4
      um
2
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       u
           30
1
            14
                            28
5
             4
                             8
       ō
4
       0
             3
                             6
8
             2
                             4
      um
2
       е
             1
                             2
3
                             2
             1
      es
6
             1
                             2
       S
[1] "m3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           42
                            84
       е
            8
                            16
1
            2
3
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           42
1
             8
                            16
3
       i
             2
                             4
[1] "m4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           35
       u
             9
                            18
1
             4
                             8
      um
2
       ō
             3
                             6
5
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
                            70
       u
           35
                            18
1
            9
5
      um
             4
                             8
3
       ō
             3
                             6
2
       0
                             2
6
                             2
             1
      us
[1] "m5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           31
                            62
       е
                            20
1
            10
4
                             6
       i
            3
6
             3
                             6
       s
2
             2
                             4
       a
                             2
5
      is
             1
[1] "fSgAbl"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
2
       a
           49
                          82
3
           41
       е
1
            9
                          18
       i
            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
            49
        a
4
        е
            42
                           84
9
            30
                           60
        u
1
            25
                           50
5
       i
            3
                            6
8
                            6
       S
             3
10
             3
      um
3
                            2
       as
             1
                            2
6
       is
7
                            2
       0
             1
11
       us
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      a 49
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           49
1
            1
                           2
3
            1
                           2
     as
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
      u
           28
                          56
                          30
1
           15
2
          3
                           6
6
     um
            2
                           4
3
       0
            1
                           2
       s
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           41
       е
1
            7
                          14
            2
       i
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           42
1
           8
                          16
       i
            2
3
                           4
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                  Percent_Trials
                   freq
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       u
           29
                            34
1
           17
6
            3
                            6
      um
2
             1
                             2
       е
3
                             2
       0
             1
4
       s
             1
                             2
7
             1
                             2
      us
[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           31
                            62
                            24
           12
1
4
            3
                            6
       i
6
            3
                             6
       s
            2
2
                             4
      is
                             2
[1] "nSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           30
7
       u
           30
                            60
2
           22
                            44
       е
5
       ō
            4
                            8
3
       i
            2
4
             2
       0
6
       s
             2
                             4
             2
      um
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       u
           37
                            60
1
           30
2
           23
                            46
       е
5
       ō
            4
                            8
4
            3
                             6
       0
8
      um
            3
                             6
3
             2
       i
                             4
6
             2
                             4
       s
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       u
           30
                            60
1
           13
                            26
3
             4
                            8
       ō
             2
2
                             4
            2
      um
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

u 30

```
14
                           28
3
            4
                            8
       ō
2
            3
                            6
5
            2
                            4
      um
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           24
1
2
       е
           22
                           44
3
       i
            2
                            4
            2
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
1
2
       е
           23
                           46
3
            2
       i
                            4
4
       s
            2
                            4
[1] "n4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       u
           37
1
            8
                           16
4
      um
            3
                            6
2
       ō
            2
                            4
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            34
1
            30
                            60
6
            27
                            54
        е
11
            25
                            50
        s
5
            20
       as
                            40
7
       es
            18
                            36
12
       u
            13
                            26
9
        i
             7
                            14
4
      aes
             5
                            10
10
       is
             5
                            10
8
                             8
                             6
14
       us
             3
       ae
             1
                             2
13
             1
       um
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            34
                            68
        a
1
            31
                            62
11
            29
                            58
        s
6
            27
                            54
        е
5
                            42
       as
            21
7
            20
                            40
       es
12
        u
            14
                            28
9
             8
                            16
```

```
4
                             10
      aes
10
                             10
       is
              5
8
                              8
              4
15
                              6
       us
              3
3
                              2
       ae
              1
13
       ue
                              2
              1
14
       um
[1] "PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             33
1
             28
                             56
6
             27
                             54
        е
                             46
11
             23
5
             20
                             40
       as
7
             16
                             32
12
             13
                             26
        u
                             10
4
      aes
              5
9
                             10
        i
              5
8
                              8
       ēs
              4
14
       us
              3
                              6
10
       is
3
                              2
       ae
              1
13
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             33
1
             29
                             58
6
             27
                             54
11
             26
                             52
        s
5
       as
             20
                             40
7
       es
             17
                             34
12
             14
                             28
        u
9
        i
              6
                             12
4
                             10
      aes
              5
8
                              8
       ēs
              4
15
                              6
10
       is
              2
                              4
3
                              2
       ae
                              2
13
       ue
              1
                              2
14
       um
[1] "1PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            33
       a
4
            20
                            40
      as
3
             5
                            10
     aes
                             2
2
             1
      ae
5
                             2
      es
             1
6
             1
       s
[1] "All Endings Included"
  Suffix freq Percent_Trials
                            66
2
            33
       a
5
            20
                            40
      as
```

```
5
                             10
4
     aes
1
             4
                             8
7
             4
                             8
       s
6
             2
                              4
      es
                              2
3
      ae
[1] "2PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            25
5
            22
                             44
       s
                            18
6
       u
             9
2
             2
                             4
      es
3
       i
             2
                              4
                              2
4
      is
             1
7
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            26
6
            23
                            46
       s
7
                             20
            10
2
       е
             3
                             6
3
      es
             2
4
             2
       i
                              4
5
      is
                              2
8
                              2
             1
      ue
9
      us
[1] "3PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            27
       е
            18
                             36
1
3
      es
            16
                             32
7
            15
                             30
       s
4
                             8
      ēs
             4
             3
5
                              6
       i
             1
6
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            27
       е
                            38
1
            19
3
                            32
            16
      es
7
            15
                            30
       s
4
      ēs
             4
                             8
5
       i
             3
                              6
      is
             1
                              2
[1] "4PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            18
1
5
            18
                             36
       s
6
            12
                            24
       u
3
       i
             3
                             6
8
             3
                             6
      us
2
             1
                              2
      es
```

```
is
             1
      um
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            22
                            40
6
            20
       s
                            26
7
       u
            13
4
                             8
       i
             4
9
      us
             3
                             6
2
             2
                             4
       е
                             2
3
      es
             1
5
                             2
      is
             1
8
             1
                             2
      um
[1] "5PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            10
                            20
9
             8
                            16
       s
1
             6
                            12
6
             4
                             8
      ēs
                             6
5
      es
             3
7
       i
             3
                             6
2
                             2
             1
       a
3
      as
             1
                             2
8
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       е
            20
9
            16
                            32
       s
1
            10
                            20
5
                            20
      es
            10
6
      ēs
             4
                             8
7
             4
                             8
       i
2
                             2
             1
       a
                             2
3
             1
      as
8
             1
                             2
      is
[1] "mPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             27
1
                             54
2
             26
        е
                             52
7
             22
                             44
        s
3
       es
             15
                             30
8
             13
                             26
        u
4
       ēs
              4
                              8
5
                              8
        i
              4
10
       us
              3
                              6
6
       is
              2
                              4
9
       um
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             31
                             62
        a
1
             27
                             54
6
        е
             26
                             52
```

```
11
             24
                              48
        s
7
             16
                              32
       es
5
             13
                              26
       as
12
             13
                              26
        u
9
              6
                              12
4
              5
                              10
      aes
8
       ēs
                               8
                               6
15
       us
              3
10
       is
              2
                               4
3
                               2
       ae
              1
                               2
13
       ue
              1
                               2
14
       um
              1
[1] "fPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             33
        a
6
         е
             24
                              48
5
             20
                              40
       as
11
                              30
             15
        s
7
             12
                              24
       es
                              22
1
             11
4
      aes
              5
                              10
8
                               8
       ēs
              4
                               8
9
        i
              4
3
                               2
       ae
              1
       is
              1
                               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             33
        a
1
             26
                              52
6
             25
                              50
        е
11
        s
             25
                              50
5
             20
                              40
       as
7
                              28
             14
       es
12
                              22
        u
             11
4
                              10
      aes
              5
9
        i
              5
                              10
8
       ēs
              4
                               8
10
                               4
       is
                               2
3
              1
       ae
                               2
13
       us
[1] "nPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            28
                             56
6
            22
                             44
       s
2
            16
                             32
       е
3
                             22
            11
      es
7
             8
                             16
       u
4
       i
             3
                             6
5
             1
                              2
      is
             1
8
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
29
                            58
6
            22
                             44
       s
2
                            32
            16
7
            12
                            24
       u
3
                             22
      es
            11
4
       i
             4
                             8
9
      us
             3
                             6
             2
5
      is
                             4
8
      um
             1
                             2
[1] "PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             34
        a
             28
                             56
1
6
             27
                             54
         е
11
        s
             22
                             44
5
             19
                             38
       as
7
                             36
       es
             18
12
                             24
             12
        u
4
                             10
      aes
              5
9
        i
              5
                             10
8
       ēs
                               8
10
                               4
       is
              2
                               2
3
       ae
              1
13
                               2
       um
              1
       us
              1
                               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             34
1
             29
                             58
6
             27
                             54
        е
11
        s
             26
                             52
5
             20
                             40
       as
7
                             38
       es
             19
12
                             26
        u
             13
9
                             12
        i
              6
4
      aes
                             10
8
       ēs
                               8
10
       is
              2
                               4
15
              2
                               4
       us
3
       ae
              1
                               2
                               2
13
       ue
              1
14
       um
                               2
[1] "1PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            34
                             68
       a
5
                             38
            19
      as
4
             5
                             10
     aes
                             2
1
             1
3
                             2
             1
      ae
             1
6
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
34
                             68
       a
5
            19
                             38
      as
             5
                             10
1
4
             5
                             10
     aes
7
             3
       s
                             6
6
             2
                             4
      es
                             2
3
      ae
[1] "2PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            25
6
            21
                             42
       s
7
             8
                            16
       u
2
             3
                             6
       е
3
      es
             2
                             4
4
       i
             1
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            26
                            44
7
       S
            22
8
       u
             9
                             18
3
             4
                             8
       е
4
             2
                             4
      es
2
                             2
             1
      as
5
       i
             1
                             2
6
      is
             1
                             2
9
      ue
[1] "3PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            27
3
            18
                            36
      es
            17
                            34
1
7
                             24
       s
            12
4
             4
                             8
      ēs
             3
5
       i
                             6
6
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            27
3
      es
            18
                            36
1
            17
                             34
7
            12
                             24
       s
      ēs
             4
                             8
5
       i
             3
                             6
      is
             1
                             2
[1] "4PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            20
1
            20
6
                             40
       s
7
                            22
       u
            11
4
       i
             3
                             6
```

```
4
       е
3
             1
                              2
      es
5
             1
                              2
      is
8
             1
                              2
      um
9
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
            22
1
6
       s
            20
                             40
7
            12
                             24
       u
2
       е
             4
                              8
4
       i
             4
                              8
3
             2
                              4
      es
9
             2
                              4
      us
5
      is
             1
                              2
                              2
8
      um
             1
[1] "5PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            13
       е
9
             8
                             16
       s
1
             6
                             12
5
             4
                              8
      es
             3
6
      ēs
                              6
7
       i
             3
                              6
2
       a
             1
                              2
3
      as
             1
                              2
      is
             1
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
4
            21
9
       s
            14
                             28
5
            11
                             22
      es
             8
                             16
1
6
             4
                              8
      ēs
7
             4
                              8
       i
2
                              2
       a
             1
3
      as
             1
                              2
8
      is
                              2
[1] "mPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             27
2
             27
                              54
         е
7
             22
                              44
        s
3
             18
                              36
       es
8
             12
                              24
        u
4
       ēs
              4
                               8
5
                               8
        i
6
       is
              2
                               4
                               2
       um
              1
10
       us
              1
[1] "All Endings Included"
```

Suffix freq Percent\_Trials

```
2
             32
                             64
        a
1
             27
                             54
6
                             54
        е
             27
11
             23
                             46
        s
7
       es
             18
                             36
5
             13
                             26
       as
12
        u
             12
                             24
9
                             12
        i
              6
4
      aes
              5
                             10
8
              4
                              8
       ēs
10
       is
              2
                              4
15
              2
                              4
       us
3
                              2
       ae
              1
                              2
13
              1
       ue
14
              1
                              2
       um
[1] "fPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             34
        a
             25
                             50
6
                             38
5
       as
             19
7
       es
             15
                             30
                             22
11
        s
             11
1
             10
                             20
4
                             10
              5
      aes
8
       ēs
              4
                              8
9
        i
              4
                              8
3
       ae
              1
                              2
                              2
10
       is
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             34
1
             27
                             54
6
             25
                             50
        е
                             48
11
        s
             24
             20
                             40
5
       as
7
       es
             17
                             34
12
        u
             10
                             20
4
      aes
              5
                             10
9
              5
                             10
        i
8
       ēs
              4
                              8
                              4
10
       is
              2
3
       ae
              1
                              2
13
                              2
       us
              1
[1] "nPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            27
1
6
            21
                            42
       s
2
            16
                            32
       е
3
            14
                            28
      es
7
            7
                            14
       u
4
             3
                             6
       i
5
             1
                             2
      is
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            28
1
6
            22
                            44
       S
2
                             32
       е
            16
3
            14
                            28
      es
7
       u
            11
                            22
4
                             8
       i
             4
5
      is
             2
                              4
8
             1
                              2
      um
9
      us
             1
                              2
[1] "PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             34
             29
                              58
1
6
             27
                              54
        е
                              48
11
        s
             24
5
                              40
             20
       as
7
                              36
       es
             18
12
        u
             13
                              26
4
      aes
              5
                              10
9
                              10
        i
              5
8
       ēs
              4
                               8
                               6
14
              3
       us
10
       is
              2
                               4
                               2
3
       ae
              1
13
                               2
       um
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             34
1
             30
                              60
6
             27
                              54
        е
                              54
11
             27
        s
5
                              42
       as
             21
7
             20
                              40
       es
12
        u
             14
                              28
9
        i
              6
                              12
4
                              10
      aes
              5
8
                               8
       ēs
              4
15
       us
              3
                               6
10
                               4
       is
              2
3
              1
                               2
       ae
13
                               2
       ue
              1
14
              1
                               2
       um
[1] "1PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            34
       a
                             68
5
            20
                             40
      as
4
             5
                            10
     aes
1
             1
                             2
3
                             2
      ae
             1
                              2
```

es

```
s
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            34
       a
5
      as
            20
                             40
1
             5
                             10
4
     aes
             5
                             10
7
             4
                              8
       S
6
      es
             2
                              4
3
                              2
      ae
             1
[1] "2PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
                             50
1
6
       s
            23
                             46
7
       u
             9
                             18
2
             3
                              6
       е
3
             2
      es
                              4
4
       i
             2
                              4
                              2
5
      is
8
      us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             26
7
             23
                              46
         s
8
        u
             10
                              20
3
        е
              4
                               8
4
              2
                               4
       es
5
        i
              2
2
                               2
       as
              1
                               2
6
       is
9
       ue
              1
                               2
10
                               2
       us
[1] "3PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            27
1
            19
                             38
3
                             36
      es
            18
                             30
7
            15
       s
4
      ēs
             4
                              8
5
             3
                              6
       i
6
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            27
                             54
       е
1
            20
                             40
3
            18
                             36
      es
7
            15
                             30
       s
4
             4
                              8
      ēs
5
             3
                              6
       i
                              2
6
      is
             1
[1] "4PlNom, Acc, Abl"
```

[1] "Endings occuring 10 times or less excluded"

```
Suffix freq Percent_Trials
            20
1
6
            20
                            40
       s
7
            12
                            24
       u
             3
                             6
4
9
             3
                              6
      us
2
             2
       е
3
                              2
             1
      es
5
      is
             1
                              2
8
             1
      um
[1] "All Endings Included"
  Suffix freq Percent_Trials
            22
1
            20
                             40
6
       s
7
            13
                             26
       u
2
       е
             4
                             8
4
       i
             4
                             8
9
             3
                              6
      us
3
                              4
             2
      es
                              2
5
                              2
8
      um
             1
[1] "5PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            13
       е
9
       s
            11
                            22
1
             7
                            14
5
             7
                             14
      es
6
      ēs
             4
                             8
7
       i
             4
                              8
2
                              2
       a
             1
3
      as
             1
                              2
             1
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            21
9
       s
            17
                            34
5
      es
            12
                            24
                             20
1
            10
                             8
6
             4
      ēs
7
       i
                             8
2
                              2
       a
             1
3
      as
             1
                              2
8
      is
             1
                              2
[1] "mPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             28
2
             27
                              54
        е
7
             23
                              46
3
                              36
       es
             18
                              26
8
             13
        u
4
              4
                               8
       ēs
5
        i
                               8
```

```
10
       us
6
              2
                              4
       is
9
       um
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             32
1
             28
                             56
6
             27
                             54
        е
11
        s
             24
                             48
7
             19
                             38
       es
5
       as
             13
                             26
12
             13
                             26
        u
9
        i
              6
                             12
4
                             10
              5
      aes
8
       ēs
                              8
15
       us
              3
                              6
10
       is
              2
                              4
                              2
3
       ae
              1
13
                              2
              1
       ue
                              2
14
[1] "fPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             34
        a
6
             25
                             50
        е
5
       as
             20
                             40
7
       es
             15
                             30
11
             15
                             30
        s
             12
                             24
1
4
              5
                             10
      aes
8
                              8
       ēs
              4
9
        i
              4
                              8
3
                              2
       ae
                              2
10
       is
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             34
1
             28
                             56
11
             26
                             52
        s
                             50
6
             25
        е
5
       as
             21
                             42
7
                             34
       es
             17
12
        u
             11
                             22
4
              5
                             10
      aes
9
        i
              5
                             10
8
       ēs
                              8
              4
10
       is
              2
                              4
                              2
3
13
                              2
       us
[1] "nPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            28
1
                            56
6
       s
            22
                            44
```

```
16
                             32
       е
3
            14
                             28
      es
7
             8
                             16
       u
4
       i
             3
                             6
5
                              2
      is
             1
8
      us
             1
                              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            29
            22
6
                             44
       s
2
                             32
       е
            16
3
            14
                             28
      es
7
            12
                             24
       u
4
                             8
       i
             4
9
      us
             3
                              6
5
             2
      is
                              4
8
      um
             1
                              2
[1] "PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             24
        a
1
             23
                              46
9
             21
                              42
        s
4
       as
             17
                              34
5
                              34
             17
        е
6
       es
             12
                              24
7
        i
              7
                              14
8
       is
              5
                              10
10
              2
                               4
        u
3
                               2
      aes
              1
11
       us
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             24
1
2
                              48
             24
        a
9
             24
                              48
        s
4
       as
             17
                              34
5
        е
             17
                              34
6
                              24
       es
             12
7
        i
              7
                              14
                              10
8
       is
                               4
10
        u
              2
3
      aes
              1
                               2
11
       us
              1
                               2
[1] "1PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
       a
            24
4
            17
                             34
      as
1
             6
                             12
7
             4
                             8
       s
6
             3
                             6
      is
3
                              2
     aes
             1
5
                              2
```

es

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            24
4
            17
                            34
      as
                            20
1
            10
8
             6
                            12
       s
7
      is
             3
                             6
5
             2
                             4
      es
3
     aes
             1
                             2
6
       i
             1
                             2
[1] "2PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            19
                            38
       s
1
            17
                            34
             7
4
                            14
2
             4
                             8
       е
5
                             8
      is
             4
3
             3
                             6
      es
             2
7
                             4
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            20
       S
1
            18
                            36
4
             7
                            14
       i
2
       е
             4
                             8
5
      is
             4
                             8
3
      es
             3
                             6
             2
7
                             4
       u
[1] "3PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            17
                            34
            16
                            32
1
6
                            30
       s
            15
3
            12
                            24
      es
4
       i
             6
                            12
      is
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            17
            16
                            32
1
6
            15
                            30
       S
3
            12
                            24
      es
       i
             6
                            12
             3
5
      is
                             6
[1] "4PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            19
       s
            18
                            36
1
4
       i
            7
                            14
5
             4
                             8
      is
2
             2
                             4
       е
```

```
3
             2
      es
                             4
7
             2
                             4
       u
8
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            21
1
            18
                            36
4
             7
                            14
       i
2
       е
             5
                            10
5
      is
             4
                             8
3
      es
             3
                             6
7
             2
                             4
       u
8
             1
                             2
      us
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
            11
                            22
            10
                            20
3
       е
1
             7
                            14
5
       i
             6
                            12
4
             5
                            10
      es
2
      as
             1
                             2
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            16
7
       s
            16
                            32
1
            11
                            22
4
             8
                            16
      es
5
       i
             6
                            12
6
      is
             3
                             6
2
      as
             1
                             2
[1] "mPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            20
1
6
            20
                            40
2
       е
            17
                            34
3
                            20
      es
            10
4
       i
             7
                            14
                             8
5
      is
7
             2
                             4
       u
8
      us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             23
                             46
1
2
             22
                             44
        a
9
                             40
             20
        s
5
             17
                             34
        е
4
             12
                             24
       as
6
                             24
       es
             12
7
        i
              7
                             14
8
              4
                              8
       is
10
              2
                              4
        u
```

```
3
      aes
              1
11
       us
              1
                              2
[1] "fPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            24
       a
4
      as
            17
                            34
5
                            34
            17
       е
1
            15
                            30
9
            15
                            30
       s
6
      es
            10
                            20
7
             6
                            12
       i
8
      is
             3
                             6
3
             1
     aes
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             24
        a
             22
                             44
1
9
             22
                             44
        s
4
             17
                             34
       as
5
        е
             17
                             34
6
       es
             12
                             24
7
              7
                             14
        i
8
       is
                              8
10
                              4
              2
        u
3
      aes
              1
                              2
11
       us
              1
                              2
[1] "nPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            19
6
       s
1
            18
                            36
2
             9
                            18
3
             7
                            14
      es
             7
4
                            14
5
             4
                             8
      is
             2
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            21
                            42
       s
1
            20
                            40
2
             9
                            18
       е
3
             8
                            16
      es
4
             7
                            14
       i
5
      is
             4
                             8
7
             2
                             4
       u
8
                             2
      us
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             25
        a
             23
1
                             46
                             46
10
        s
             23
4
             20
                             40
       as
```

```
5
             12
                             24
        е
6
             10
                             20
       es
11
              8
                             16
        u
3
                             10
              5
      aes
7
                              8
       ēs
              4
8
        i
              4
                              8
13
       us
              3
                              6
9
                              4
       is
              2
12
       um
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
10
             26
        s
2
             25
                             50
        a
                             48
1
             24
4
             20
                             40
       as
5
        е
             12
                             24
6
             12
                             24
       es
11
              9
                             18
        u
3
      aes
                             10
              5
8
                             10
        i
              5
7
                              8
       ēs
              4
13
       us
              3
                              6
9
                              4
       is
              2
                              2
12
[1] "1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            34
5
            20
                            40
      as
1
             6
                            12
4
     aes
             5
                            10
8
       s
             5
                            10
7
             3
                             6
      is
3
                             2
             1
      ae
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            34
5
            20
                            40
      as
                            20
1
            10
9
            7
                            14
       s
4
                            10
     aes
             5
8
      is
             3
                             6
6
             2
                             4
      es
                             2
3
             1
      ae
7
                             2
       i
             1
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            25
       a
3
            20
                            40
      as
2
                            10
             5
     aes
4
             1
                             2
      es
5
                             2
       s
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            25
4
            20
                            40
      as
3
     aes
             5
                            10
1
             4
                             8
6
       s
                             8
5
             2
                             4
      es
[1] "2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
                            50
1
6
            23
                            46
       s
7
             9
                            18
       u
4
       i
             7
                            14
2
       е
             4
                             8
5
      is
             4
                             8
3
             3
                             6
      es
8
      us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             26
7
             23
                             46
        s
8
        u
             10
                             20
5
             7
                             14
        i
3
        е
                              8
6
       is
              4
                              8
4
              3
                              6
       es
2
                              2
       as
              1
9
                              2
       ue
                              2
10
       us
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            22
       s
1
            19
                            38
6
       u
             5
                            10
2
      es
             2
                             4
3
             2
       i
                             4
4
      is
             1
                             2
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            23
       s
1
            20
                            40
7
                            12
             6
       u
2
             2
                             4
       е
3
             2
                             4
      es
4
             2
                             4
       i
                             2
5
             1
      is
             1
                             2
8
      us
[1] "3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
2
            27
                             54
       е
1
            19
                             38
3
                             36
            18
      es
7
            15
                             30
       S
5
       i
             6
                             12
4
      ēs
             4
                              8
             3
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            27
                             54
            20
                             40
1
3
            18
                             36
      es
7
            15
                             30
       s
5
                             12
       i
             6
4
      ēs
             4
                              8
             3
                              6
6
      is
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            17
1
7
            15
                             30
       s
2
       е
            12
                             24
3
            10
                             20
      es
4
             4
                              8
      ēs
5
       i
             3
                              6
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
1
7
            15
                             30
       s
2
            12
                             24
       е
3
      es
            11
                             22
4
      ēs
             4
                              8
5
             3
                              6
       i
                              2
6
      is
             1
[1] "4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            21
6
            20
                             40
       s
7
            12
                             24
       u
4
       i
             7
                             14
5
      is
             4
                              8
9
      us
             3
                              6
2
             2
       е
                              4
3
             2
                              4
      es
             1
      um
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            22
6
            21
                             42
       s
7
            13
                             26
       u
4
             8
                             16
       i
2
             5
                             10
```

```
5
                             8
      is
3
             3
                             6
      es
9
             3
                             6
      us
8
      um
             1
                             2
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            18
5
       S
1
            15
                            30
6
             8
                            16
       u
3
       i
             3
                             6
8
             3
                             6
      us
2
             1
                             2
      es
                             2
4
      is
             1
7
      um
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            20
6
       s
            18
                            36
1
7
             9
                            18
       u
4
             3
       i
                             6
9
      us
             3
                             6
2
             2
                             4
       е
3
      es
                             2
5
                             2
      is
             1
8
      um
[1] "5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            17
       е
9
            14
                            28
       s
1
            11
                            22
5
             9
                            18
      es
7
                            12
       i
             6
6
             4
                             8
      ēs
2
             1
                             2
       a
                             2
3
      as
             1
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
9
            18
                            36
5
      es
            13
                            26
1
            11
                            22
7
       i
             6
                            12
6
      ēs
             4
                             8
8
      is
             3
                             6
2
                             2
             1
3
             1
      as
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
9
            14
       s
4
       е
             9
                            18
```

```
1
             7
                            14
5
             6
                            12
      es
                             8
6
             4
      ēs
7
       i
             4
                             8
2
                             2
       a
             1
3
             1
                             2
      as
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
9
       s
            16
            10
                            20
4
       е
1
             9
                            18
             7
5
                            14
      es
6
                             8
      ēs
             4
7
       i
             4
                             8
2
                             2
       a
             1
3
             1
                             2
      as
                             2
8
             1
      is
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             28
3
             27
                             54
         е
8
             23
                             46
        s
4
                             36
             18
       es
9
        u
             13
                             26
6
        i
              7
                             14
5
       ēs
              4
                               8
7
                               8
              4
       is
11
              3
                               6
       us
                               2
2
       as
              1
10
       um
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             32
        a
1
             30
                             60
6
             27
                             54
11
        s
             24
                             48
7
             19
                             38
       es
                             26
5
             13
       as
12
        u
             13
                             26
9
                             16
        i
              8
4
      aes
              5
                             10
8
       ēs
              4
                               8
10
       is
                               8
15
                               6
       us
              3
3
              1
                               2
       ae
                               2
13
       ue
14
                               2
       um
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
7
        s
             22
1
             21
                             42
```

```
11
                            22
        е
3
            10
                            20
       es
8
             8
                            16
       u
4
                             8
       ēs
5
                             8
             4
10
       us
             3
                             6
6
       is
             2
9
       um
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            24
10
            24
                            48
1
            22
                            44
4
                            26
            13
       as
6
            12
                            24
       es
5
        е
            11
                            22
11
             8
                            16
        u
3
                            10
      aes
8
                            10
        i
             5
7
                             8
       ēs
             4
                             6
13
       us
             3
9
12
       um
[1] "f135Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
            34
6
        е
            25
                            50
5
                            40
            20
       as
1
            16
                            32
7
                            32
       es
            16
11
       S
            16
                            32
9
       i
             6
                            12
4
                            10
             5
      aes
8
                             8
       ēs
10
                             6
       is
             3
3
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            34
                            68
                            50
6
        е
            25
5
            20
                            40
       as
11
        s
            19
                            38
7
            18
                            36
       es
1
            16
                            32
9
        i
                            12
             6
4
             5
                            10
      aes
8
       ēs
             4
                             8
10
                             6
       is
             3
                             2
3
       ae
[1] "m24P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           25
```

```
6
            23
                            46
       s
7
            13
                            26
       u
4
            7
                            14
       i
2
             4
                             8
       е
5
                             8
      is
             4
3
             3
                             6
      es
9
      us
             3
                             6
8
      um
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             25
6
             23
                             46
         s
7
             13
                             26
        u
4
                             16
        i
              8
2
        е
                               8
5
                               8
       is
3
       es
              3
                               6
10
              3
                               6
       us
8
                               2
       ue
              1
                               2
9
       um
[1] "n24P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
1
            22
6
                            44
       s
7
       u
             8
                            16
4
       i
             7
                            14
2
       е
             4
                             8
5
             4
                             8
      is
3
             3
                             6
      es
             2
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
            26
1
            23
                            46
6
       s
7
            12
                            24
       u
4
       i
             7
                            14
2
       е
             4
                             8
5
             4
                             8
      is
3
                             6
             3
      es
9
      us
             3
8
             1
      um
[1] "m234P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             28
1
2
             27
        е
                             54
7
                             46
             23
        s
3
             18
                             36
       es
8
             13
                             26
        u
5
              7
                             14
        i
4
       ēs
              4
                               8
6
                               8
       is
              4
10
                               6
       us
```

```
1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             28
1
2
             27
                             54
        е
7
             23
                             46
3
             18
                             36
       es
8
                             26
        u
             13
5
        i
             8
                             16
4
                              8
       ēs
6
       is
                              8
                              6
11
              3
9
                              2
       ue
              1
                              2
10
       um
[1] "m2345P1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1
             28
2
             27
                             54
        е
7
             23
                             46
3
       es
             18
                             36
8
        u
             13
                             26
5
             7
                             14
        i
4
       ēs
                              8
6
                              8
       is
              4
10
       us
              3
                              6
9
       um
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             28
1
             27
                             54
4
        е
9
        s
             23
                             46
5
             19
                             38
                             26
10
             13
        u
7
        i
                             16
6
       ēs
             4
                              8
8
13
       us
                              6
2
        a
3
                              2
       as
                              2
11
       ue
12
       um
[1] "m1P1"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           32
                            64
5
           13
                            26
      as
                            20
1
           10
9
            6
                            12
       s
4
                            10
     aes
             5
6
             2
                             4
      es
```

```
8
      is
3
             1
                             2
      ae
                             2
7
       i
             1
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            24
       a
4
      as
            13
                            26
3
            5
                            10
     aes
1
             4
                             8
6
             4
                             8
       s
5
             2
                             4
      es
[1] "m2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            25
6
            23
                            46
       s
7
       u
            9
                            18
4
       i
             7
                            14
2
             4
                             8
       е
5
      is
             4
                             8
3
             3
                             6
      es
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            25
1
6
            23
                            46
       s
7
                            18
       u
            9
4
       i
            7
                            14
2
                             8
             4
5
             4
                             8
      is
3
             3
      es
                             6
8
             1
                             2
      ue
                             2
9
      us
             1
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       s
            22
                            38
1
            19
6
             5
                            10
       u
2
             2
                             4
      es
3
       i
             2
                             4
      is
                             2
4
             1
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            23
       s
            19
                            38
1
6
            5
                            10
       u
2
             2
      es
                             4
3
       i
             2
                             4
```

```
is
            1
7
      us
             1
                             2
[1] "m3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           27
3
      es
           18
                            36
1
           13
                            26
7
       s
           13
                            26
5
       i
            6
                            12
4
      ēs
                            8
6
      is
            3
                             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           27
3
                            36
      es
           18
1
           14
                            28
7
                            26
           13
5
                            12
       i
            6
      ēs
                            8
4
            4
                             6
6
      is
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
           13
       s
2
       е
           11
                            22
1
           10
                            20
3
            9
                            18
      es
4
             4
      ēs
                            8
5
       i
             3
                             6
6
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       S
           13
                            22
1
           11
2
           11
                            22
       е
3
      es
           10
                            20
4
      ēs
            4
                            8
5
       i
             3
                             6
                             2
6
      is
             1
[1] "m4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           21
                            42
6
       s
           20
                            40
7
                            24
           12
       u
4
       i
            7
                            14
5
      is
            4
                            8
9
            3
                             6
      us
2
             2
                             4
       е
3
             2
                             4
      es
             1
      um
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
21
                            42
6
            20
                             40
       S
7
                             24
       u
            12
4
             8
                             16
       i
5
      is
             4
                             8
9
             3
                              6
      us
2
             2
       е
3
             2
      es
                              4
8
      um
             1
                              2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
5
            18
       s
                             30
            15
1
6
             8
                             16
       u
3
       i
             3
                             6
8
             3
                              6
      us
2
                              2
      es
             1
4
      is
             1
                              2
      um
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
5
       s
1
            15
                             30
6
             8
                            16
       u
3
       i
             3
                             6
8
      us
             3
                              6
2
             1
                              2
      es
                              2
4
      is
             1
7
             1
      um
[1] "m5P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            21
9
       s
            14
                            28
                            22
1
            11
                            22
5
            11
      es
7
       i
             6
                            12
                             8
6
      ēs
             4
8
      is
             3
                              6
2
             1
                              2
       a
             1
                              2
      as
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
9
            14
1
             9
                            18
             9
                             18
       е
```

```
5
             7
                            14
      es
6
             4
                             8
      ēs
7
             4
                             8
       i
2
             1
                             2
       a
3
                             2
      as
             1
                             2
8
      is
             1
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             34
                             68
        a
             25
                             50
6
        е
1
             20
                             40
5
             20
                             40
       as
                             40
11
             20
        s
7
       es
             16
                             32
9
        i
              6
                             12
4
              5
                             10
      aes
8
                              8
       ēs
              4
10
                              6
       is
              3
                              2
3
       ae
12
        u
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             34
        a
1
             30
                             60
11
        s
             27
                             54
6
        е
             25
                             50
5
       as
             21
                             42
7
                             36
       es
             18
12
                             22
        u
             11
9
              7
        i
                             14
4
      aes
              5
                             10
8
       ēs
                              8
              4
10
                              8
       is
              4
                              2
3
              1
13
                              2
       us
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             25
                             50
        a
                             40
4
       as
             20
10
                             28
        s
             14
5
             11
                             22
        е
1
             10
                             20
6
              8
                             16
       es
3
              5
                             10
      aes
7
       ēs
              4
                              8
                              6
8
        i
              3
9
                               2
       is
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             25
                             50
        a
10
             25
                             50
        s
1
             20
                             40
```

```
20
                             40
       as
5
                             24
             12
        е
6
       es
             9
                             18
                             16
11
             8
        u
3
      aes
             5
                             10
8
        i
             5
                             10
7
       ēs
                              8
9
                              4
       is
              2
12
       us
              1
                              2
[1] "f1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           34
       a
           20
5
                            40
      as
1
            6
                            12
4
     aes
            5
                            10
8
             5
                            10
       s
7
             3
                            6
      is
3
                             2
             1
      ae
6
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           34
       a
5
           20
                            40
      as
                           12
1
            6
4
     aes
            5
                           10
8
            5
                            10
       s
7
             3
                            6
      is
                             2
3
             1
      ae
6
             1
                             2
      es
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           25
       a
3
           20
                            40
2
            5
                            10
     aes
4
      es
             1
                            2
       S
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
       a
           25
3
      as
           20
                           40
2
     aes
            5
                            10
4
             1
                            2
      es
                             2
       s
[1] "f2P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           22
7
                            42
       s
           21
8
            8
                            16
       u
```

```
5
       i
             7
                            14
3
             4
                             8
       е
6
             3
                             6
      is
4
             2
                             4
      es
2
                             2
      as
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            21
       s
1
            17
                            34
7
             5
                            10
       u
2
             2
                             4
       е
3
             2
      es
                             4
4
       i
             2
                             4
                             2
5
             1
      is
[1] "f3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            25
3
            16
                            32
      es
                            26
1
            13
7
            13
                            26
       S
5
       i
             6
                            12
4
      ēs
             4
                             8
6
      is
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            25
3
      es
            17
                            34
1
            13
                            26
7
            13
                            26
       S
5
             6
                            12
       i
4
             4
                             8
      ēs
             2
                             4
6
      is
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
       s
            13
2
                            22
       е
            11
1
            10
                            20
3
             8
                            16
      es
4
      ēs
             4
                             8
5
             3
       i
                             6
      is
             1
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
7
            13
       s
2
                            22
            11
       е
1
            10
                            20
3
                            16
      es
             8
4
             4
                             8
      ēs
```

```
i
                            6
6
            1
                             2
      is
[1] "f4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           21
6
           20
                           40
       s
7
       u
           10
                           20
4
            7
                           14
       i
2
            5
                           10
       е
3
            3
                            6
      es
5
      is
             3
                             6
                             2
8
      us
             1
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           20
                           40
       s
1
           16
                            32
7
            8
                           16
       u
4
       i
            3
                            6
2
       е
            2
                             4
3
             1
                             2
      es
5
                             2
      is
             1
8
             1
      us
[1] "f5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       е
           17
9
                           30
           15
                           22
1
           11
5
      es
           10
                           20
7
       i
            6
                           12
6
      ēs
             4
                            8
2
                             2
             1
       a
3
      as
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
       е
9
                           36
           18
       s
5
           12
                           24
      es
1
           11
                           22
7
                           12
       i
            6
6
            4
                            8
      ēs
            2
8
      is
                            4
2
                            2
             1
3
                             2
      as
             1
```

[1] "f5PlNom"

```
[1] "Endings occuring 10 times or less excluded"
                                     Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
9
       s
            16
4
       е
            10
                            20
             9
                            18
1
5
      es
             6
                            12
6
      ēs
             4
                             8
7
       i
             4
                             8
2
                             2
             1
       a
3
             1
                             2
      as
                             2
8
             1
      is
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            28
1
6
            22
                            44
       s
2
                            32
            16
3
                            28
      es
            14
7
       u
             8
                            16
4
       i
             7
                            14
5
      is
             4
                             8
             1
                             2
8
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            29
            23
6
                            46
       s
            16
2
                            32
       е
3
                            28
      es
            14
7
       u
            12
                            24
4
            7
                            14
       i
5
                             8
             4
      is
9
             3
                             6
      us
             1
                             2
8
      um
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            23
                            46
1
            22
6
                            44
       s
3
             8
      es
                            16
2
             6
                            12
       е
7
             5
                            10
       u
4
       i
             3
                             6
5
      is
                             2
             1
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
            23
1
            22
                            44
6
       s
3
             8
                            16
      es
7
       u
             8
                            16
2
             6
                            12
```

```
8
       i
9
             3
                             6
      us
5
             2
                             4
      is
8
      um
             1
                             2
[1] "n2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
1
6
       s
            22
                            44
7
             8
                            16
       u
4
       i
             7
                            14
2
             4
                             8
       е
5
             4
                             8
      is
3
             3
                             6
      es
8
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            26
6
            22
                            44
       s
7
             8
                            16
4
             7
       i
                            14
2
       е
                             8
5
      is
             4
                             8
3
      es
             3
                             6
8
             1
                             2
      us
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            22
       s
1
            19
                            38
6
             5
                            10
       u
3
       i
             2
                             4
2
                             2
4
                             2
      is
             1
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       S
            22
            19
                            38
1
             5
                            10
6
       u
3
                             4
2
                             2
      es
             1
4
      is
             1
                             2
7
             1
                             2
      us
[1] "n3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            18
2
            16
                            32
       е
6
            15
                            30
3
            14
                            28
      es
4
             6
                            12
       i
5
             3
      is
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
            18
1
2
            16
                            32
6
           15
                            30
       s
3
                            28
      es
           14
4
       i
             6
                            12
5
      is
             3
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           17
6
           15
                            30
       s
3
            8
                            16
      es
2
             6
                            12
       е
4
       i
             3
                             6
5
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           17
6
            15
                            30
       s
3
      es
            8
                            16
2
       е
             6
                            12
4
             3
                             6
       i
5
                             2
[1] "n4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
1
6
       s
           21
                            42
7
            12
                            24
       u
4
       i
            7
                            14
5
      is
             4
                             8
9
      us
             3
                             6
2
       е
             2
                             4
3
      es
             2
                             4
                             2
8
      um
             1
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            18
       s
                            36
1
            15
                            30
6
            8
                            16
3
                             6
       i
             3
8
             3
                             6
      us
2
                             2
             1
      es
                             2
4
             1
      is
      um
                             2
7
             1
[1] "AccPl"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             33
        a
1
             27
                             54
6
        е
             27
                             54
11
             17
                             34
        s
7
             13
                             26
       es
5
             12
                             24
       as
12
        u
             12
                             24
4
              4
                              8
      aes
8
       ēs
              4
                              8
9
                              8
        i
              4
3
                              2
       ae
              1
                              2
10
       is
13
                              2
       um
              1
14
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             33
        a
             28
1
                             56
6
        е
             27
                             54
11
        s
             17
                             34
7
                             28
             14
       es
12
        u
             13
                             26
                             24
5
             12
       as
9
        i
              6
                             12
4
      aes
              4
                              8
8
              4
                              8
       ēs
                              2
3
       ae
10
                              2
       is
              1
                              2
13
              1
14
       um
              1
                              2
15
                              2
       us
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       a
            33
4
      as
            12
                            24
3
             4
                             8
     aes
             1
      ae
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            33
       a
5
            12
                            24
      as
1
             4
                             8
4
             4
                             8
     aes
7
             3
                             6
       s
                             2
3
             1
6
      es
             1
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
1
5
       s
            17
                            34
```

```
2
             1
                             2
      es
3
                             2
       i
             1
4
      is
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            26
6
            17
                            34
       s
7
       u
             9
                            18
2
             3
                             6
       е
                             2
3
      es
             1
4
                             2
       i
             1
5
      is
             1
                             2
                             2
8
      ue
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            27
       е
                            32
1
            16
3
                            24
            12
      es
7
                            20
       s
            10
4
      ēs
             4
                             8
5
       i
             2
                             4
6
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            27
1
            16
                            32
3
                            26
            13
      es
7
            10
                            20
       s
4
      ēs
                             8
             4
5
       i
             2
                             4
6
      is
                             2
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            18
3
       s
            16
                            32
4
                            22
       u
            11
2
       i
             3
                             6
                             2
5
      um
             1
6
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            22
4
            16
                            32
       s
5
            12
                            24
       u
                             8
3
       i
             4
2
             2
                             4
       е
                             2
6
             1
      um
             1
                             2
      us
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

u

```
19
                            38
       е
9
            8
                            16
1
            7
                            14
5
            5
                            10
      es
6
      ēs
             4
                             8
7
       i
            3
                             6
2
       a
             1
                             2
3
                             2
      as
             1
8
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           20
       е
9
            8
                            16
       s
            7
1
                            14
5
             6
                            12
      es
6
      ēs
             4
                             8
7
       i
            3
                             6
2
                             2
             1
3
                             2
             1
      as
                             2
8
      is
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            26
1
            25
                             50
7
        s
            17
                             34
8
        u
             12
                             24
3
       es
            11
                             22
4
                              8
       ēs
5
       i
6
                              2
       is
              1
9
       um
              1
                              2
10
       us
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            31
        a
                             52
1
            26
6
        е
            26
                             52
11
             17
                             34
        s
12
                             24
             12
        u
7
       es
            11
                             22
5
                             14
       as
             7
9
        i
             6
                             12
4
                              8
      aes
8
       ēs
3
                              2
       ae
                              2
10
              1
       is
                              2
13
14
                              2
       um
              1
                              2
15
       us
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            31
2
5
            7
                            14
      as
                             8
1
             4
4
             4
                             8
     aes
7
             3
       S
3
                             2
      ae
             1
6
      es
             1
                             2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            24
1
5
                            34
            17
6
            8
                            16
       u
2
                             2
      es
             1
3
       i
             1
                             2
4
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            25
5
       s
            17
                            34
6
            8
                            16
       u
2
      es
             1
                             2
3
       i
                             2
             1
4
      is
             1
                             2
7
      ue
             1
                             2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            26
3
      es
            10
                            20
            6
                            12
1
7
                            10
             5
       s
             4
                             8
4
      ēs
5
             2
                             4
       i
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            26
                            52
3
      es
            10
                            20
             6
                            12
1
7
             5
                            10
       S
4
      ēs
             4
                             8
5
       i
             2
                             4
                             2
6
      is
             1
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            18
3
            16
                            32
       s
4
                            22
            11
       u
2
                             6
       i
            3
5
             1
                             2
      um
```

```
us
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
1
3
                            32
       s
           16
                            22
4
           11
       u
2
       i
                             8
5
                             2
             1
      um
6
      us
             1
                             2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       е
           20
9
             8
                            16
       s
             7
1
                            14
5
                            10
             5
      es
6
             4
                             8
      ēs
7
       i
             3
                             6
2
       a
             1
                             2
3
                             2
             1
      as
                             2
8
      is
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
             33
6
             24
                             48
        е
5
             12
                             24
       as
7
       es
             9
                             18
1
              6
                             12
4
                              8
      aes
                              8
8
       ēs
              4
                              8
11
        s
              4
                              4
9
        i
              2
3
       ae
10
       is
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             33
        a
                             50
6
             25
1
             24
                             48
11
             17
                             34
        s
5
             12
                             24
       as
7
             10
                             20
       es
12
             10
                             20
        u
9
        i
             5
                             10
4
                              8
      aes
8
                              8
       ēs
              4
3
                              2
              1
       ae
                              2
10
       is
13
                              2
       us
[1] "f1PlAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           33
1
                            66
4
           12
                            24
      as
3
                            8
     aes
            4
2
             1
                             2
      ae
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
       a
           33
4
           12
                            24
      as
3
     aes
                            8
2
             1
                             2
      ae
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           20
5
           17
                            34
       s
6
       u
            8
                            16
2
       е
            3
                            6
3
                             2
       i
             1
                             2
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           24
3
            9
                            18
      es
             6
                            12
1
4
      ēs
             4
                            8
7
       s
             4
                             8
5
       i
             2
                             4
6
             1
                             2
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           24
3
      es
           10
                            20
1
            6
                            12
4
             4
                            8
      ēs
7
             4
                             8
       s
             2
5
       i
                             4
6
             1
                             2
      is
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           20
1
                            32
4
           16
       s
5
                            18
       u
            9
3
       i
            3
                            6
2
             2
                             4
```

```
2
     us
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
              freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
           20
       е
9
       s
            8
                           16
1
            7
                           14
5
            6
                           12
      es
6
                            8
      ēs
            4
7
            3
                            6
       i
2
                            2
            1
       a
3
            1
                            2
      as
                            2
8
      is
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           27
1
2
       е
           16
                           32
6
           16
                           32
       s
3
            7
                           14
      es
7
            7
       u
                           14
4
            2
                            4
       i
      is
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           28
1
2
           16
                           32
       е
                           32
6
       s
           16
7
       u
           11
                           22
3
                           16
      es
            8
4
       i
            4
                            8
5
                            2
      is
            1
8
      um
            1
                            2
9
      us
            1
                            2
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           25
4
           16
                           32
       S
5
            7
                           14
       u
2
       i
            1
                            2
            1
      is
[1] "All Endings Included"
 Suffix freq Percent_Trials
           26
1
                           32
4
       s
           16
5
            7
                           14
       u
2
                            2
       i
            1
                            2
3
            1
      is
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
1
           16
                           32
           16
                           32
2
6
            9
                           18
       s
            7
3
      es
                           14
4
       i
            2
                            4
      is
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           16
1
2
       е
           16
                           32
6
            9
                           18
       s
3
            8
                           16
      es
            2
4
       i
                            4
5
      is
            1
                            2
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
               freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           18
3
           16
                           32
       s
                           22
4
       u
           11
2
       i
            3
                            6
5
      um
            1
                            2
6
      us
            1
                            2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
            20
1
2
        a
            20
                            40
9
            20
                            40
        s
4
                            32
            16
       as
5
                            20
        е
            10
6
                            18
       es
             9
7
       i
                            12
8
       is
             5
                            10
10
                             4
        u
             2
3
      aes
             1
11
       us
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
9
        s
            23
1
            21
                            42
2
            20
                            40
        a
4
            17
                            34
       as
                            20
5
            10
        е
6
                            18
       es
             9
7
             6
                            12
        i
8
                            10
       is
             5
             2
10
                             4
       u
3
                             2
      aes
             1
11
       us
```

```
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            20
4
            16
                            32
      as
1
            6
                            12
            3
6
      is
                             6
7
             3
                             6
       s
3
     aes
             1
                             2
5
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            20
       a
                            34
4
      as
            17
1
            10
                            20
                            12
8
       s
            6
7
      is
             3
                             6
5
             2
                             4
      es
3
                             2
     aes
             1
                             2
6
       i
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            19
6
       s
            14
                            28
1
4
       i
            6
                            12
5
      is
             4
                             8
2
       е
             3
                             6
3
             3
                             6
      es
             2
       u
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
6
            20
                            40
       s
            15
                            30
1
       i
4
            6
                            12
5
            4
                             8
      is
2
             3
                             6
3
      es
             3
                             6
7
             2
                             4
       u
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            15
6
            15
                            30
       s
2
            10
                            20
       е
3
            9
                            18
      es
4
       i
             6
                            12
5
      is
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
            15
1
6
            15
                            30
       s
2
            10
                            20
       е
3
```

es

```
i
                            12
5
      is
             3
                             6
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            18
1
            15
                            30
4
             6
                            12
       i
5
      is
             4
                             8
2
             2
                             4
       е
3
      es
             2
7
             2
                             4
       u
8
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            19
1
            16
                            32
                            12
4
             6
2
             4
                             8
       е
5
             4
                             8
      is
3
      es
             3
                             6
7
       u
             2
                             4
8
      us
             1
                             2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
       s
            14
3
            10
                            20
       е
             9
                            18
1
             6
                            12
      es
5
                            12
       i
             6
2
      as
             1
                             2
             1
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
            16
1
            10
                            20
3
       е
            10
                            20
             7
4
      es
                            14
5
       i
             6
                            12
6
             3
                             6
2
             1
                             2
      as
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            20
       s
1
            16
                            32
2
                            20
            10
3
             8
                            16
      es
4
       i
             6
                            12
5
             4
      is
                             8
7
             2
                             4
       u
8
             1
      us
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
9
             20
        s
1
             19
                             38
2
             18
                             36
        a
4
       as
             12
                             24
5
             10
                             20
        е
6
       es
                             18
7
                             12
        i
              6
8
       is
              4
                              8
10
              2
                              4
        u
                              2
3
      aes
              1
                              2
11
       us
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            18
                            24
4
            12
      as
                            20
1
            10
8
       s
             5
                            10
5
             2
                             4
      es
7
      is
             2
                             4
3
                             2
     aes
             1
6
       i
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            19
       s
            14
                            28
1
4
       i
             6
                            12
5
             4
                             8
      is
2
                             6
             3
       е
             3
3
                             6
      es
             2
7
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
            19
6
       s
            14
                            28
1
4
       i
             6
                            12
5
             4
                             8
      is
2
             3
                             6
       е
3
      es
             3
                             6
             2
       u
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            13
       s
                            26
1
            10
                            20
2
                            20
            10
       е
3
            8
                            16
      es
4
                            12
       i
             6
5
      is
             3
                             6
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            13
6
1
            10
                            20
2
                            20
       е
            10
3
             9
                            18
      es
4
       i
             6
                            12
5
             3
                             6
      is
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            18
                            36
       s
1
            15
                            30
4
             6
                            12
       i
5
      is
             4
                             8
2
             2
       е
                             4
3
             2
                             4
      es
7
             2
       u
8
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
            18
1
            15
                            30
4
       i
             6
                            12
5
             4
                             8
      is
2
       е
             2
                             4
3
      es
             2
                             4
7
             2
                             4
       u
                             2
8
             1
      us
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
            14
1
            10
                            20
3
            10
                            20
       е
4
      es
             6
                            12
5
       i
             6
                            12
6
      is
             3
                             6
2
                             2
      as
             1
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            20
       a
4
            16
                            32
      as
                            28
1
            14
9
            13
                            26
       s
5
            10
                            20
       е
6
                            18
             9
      es
7
             6
                            12
       i
8
                             6
      is
             3
3
             1
                             2
     aes
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
9
             22
2
             20
                             40
        a
1
                             38
             19
4
             17
                             34
       as
5
             10
                             20
        е
6
             9
                             18
       es
7
        i
             6
                             12
8
              4
                              8
       is
10
        u
              2
                              4
3
                              2
      aes
              1
11
                              2
       us
              1
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           20
                            40
                            32
4
            16
      as
            6
                            12
1
6
             3
                             6
      is
                             6
7
       s
             3
3
     aes
             1
                             2
5
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           20
4
      as
           17
                            34
1
             6
                            12
7
             4
                             8
       s
6
      is
             3
                             6
3
                             2
     aes
             1
5
      es
             1
                             2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           20
6
       s
                            30
1
            15
                            12
4
       i
            6
2
             3
                             6
       е
5
      is
             3
                             6
3
             2
                             4
      es
                             2
       u
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           13
       s
                            26
1
           10
                            20
2
                            20
           10
       е
3
            9
                            18
      es
4
                            12
       i
             6
5
      is
             2
                             4
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           13
1
            10
                            20
2
                            20
       е
           10
3
            9
                            18
      es
4
       i
             6
                            12
             2
5
      is
                             4
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
                    freq
[1] Suffix
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            18
                            28
1
            14
4
       i
            6
                            12
2
                             8
             4
3
             3
                             6
      es
5
             3
                             6
      is
             2
7
       u
                             4
8
      us
             1
                             2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
           16
           10
                            20
1
3
                            20
       е
            10
4
      es
            7
                            14
5
             6
                            12
       i
6
                             4
      is
             2
                             2
2
      as
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            19
6
       s
1
            16
                            32
3
            6
                            12
      es
4
             6
                            12
       i
2
             5
                            10
       е
5
      is
             4
                             8
             2
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
           20
            17
                            34
1
3
             6
                            12
      es
4
       i
             6
                            12
2
             5
                            10
       е
5
             4
                             8
      is
7
             2
                             4
       u
```

```
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
           19
1
           14
                           28
4
       i
            6
                           12
5
      is
            4
                            8
2
       е
            3
                            6
3
            3
                            6
      es
       u
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           19
       S
1
           14
                           28
       i
                           12
4
            6
5
      is
            4
                            8
2
            3
                            6
       е
3
                            6
            3
      es
7
            2
                            4
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           15
6
           15
                           30
       S
3
      es
            6
                           12
4
       i
            6
                           12
2
       е
            5
                           10
            3
5
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           15
6
           15
                           30
3
                           12
            6
      es
4
            6
                           12
       i
2
            5
                           10
       е
5
      is
            3
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           18
                           36
       S
1
           15
                           30
4
       i
                           12
            6
5
            4
                            8
      is
2
            2
                            4
       е
3
            2
      es
                            4
7
            2
                            4
       u
                            2
      us
            1
[1] "DatPl"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent\_Trials

us

```
24
                              48
        a
1
             22
                              44
9
             19
                              38
        s
5
             17
                              34
        е
4
       as
             13
                              26
6
             11
                              22
       es
7
        i
              7
                              14
8
                               8
       is
              4
3
      aes
              1
                               2
10
                               2
        u
              1
11
       us
              1
                               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
             24
2
        a
1
             23
                              46
9
             20
                              40
        s
5
             17
                              34
        е
4
                              28
       as
6
                              22
             11
       es
7
        i
              7
                              14
8
                               8
       is
              4
3
      aes
                               2
10
                               2
        u
              1
                               2
11
       us
[1] "1PlDat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
       a
            24
4
            13
                             26
      as
1
             6
                             12
6
                              6
      is
             3
7
       s
             3
                              6
3
             1
                              2
     aes
5
      es
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            24
4
      as
            14
                             28
1
                             20
            10
                             10
8
             5
       s
7
      is
             3
                              6
5
             2
                              4
      es
3
     aes
             1
                              2
6
       i
             1
                              2
[1] "2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            18
1
            17
                             34
4
       i
             7
                             14
2
             4
                              8
       е
5
             3
      is
                              6
3
             2
      es
                              4
7
                              2
       u
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
1
6
            18
                            36
       s
             7
                            14
4
       i
2
             4
                             8
       е
5
      is
             3
                             6
3
             2
                             4
      es
7
       u
             1
                             2
[1] "3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            17
            14
                            28
1
6
            14
                            28
       s
3
                            20
      es
            10
       i
             6
                            12
             2
5
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            17
1
            14
                            28
6
            14
                            28
       s
3
                            20
      es
            10
4
             6
                            12
       i
5
      is
                             4
[1] "4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            18
6
            17
                            34
       s
4
       i
             7
                            14
5
             3
                             6
      is
2
             2
                             4
       е
                             2
3
      es
             1
7
                             2
             1
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
                            36
1
            18
                            36
6
       s
4
             7
                            14
       i
2
       е
             5
                            10
5
      is
             3
                             6
3
             2
                             4
      es
7
                             2
             1
       u
      us
[1] "5PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            16
                            32
       е
                            22
7
            11
       S
                            16
1
             8
4
             6
                            12
      es
```

```
12
       i
            6
2
                            2
      as
            1
      is
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           16
7
       s
           12
            8
                           16
1
4
      es
            6
                           12
5
      i
            6
                           12
6
      is
            2
                            4
2
                            2
      as
            1
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
           19
1
6
           18
                           36
       s
2
           17
                           34
3
                           20
           10
      es
4
            7
       i
                           14
5
      is
            3
                            6
7
       u
8
            1
      us
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
            22
2
        a
            22
                            44
9
            18
                            36
        s
5
                            34
            17
        е
6
                            22
       es
            11
4
       as
             9
                            18
7
       i
             7
                            14
8
                             6
       is
3
                             2
      aes
             1
                             2
10
                             2
11
       us
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           22
1
           10
                           20
4
            9
                           18
      as
8
            4
                            8
       S
5
            2
                            4
      es
7
            2
                            4
      is
3
     aes
                            2
            1
                            2
6
            1
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
   s 18
```

```
17
                            34
4
             7
                             14
       i
                             8
2
             4
5
             3
                              6
      is
3
             2
      es
                              4
7
       u
             1
                              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            18
1
            17
                             34
                            14
4
       i
             7
2
             4
                             8
       е
5
      is
             3
                              6
             2
3
      es
                              4
7
       u
             1
                              2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            17
       е
                             22
6
            11
3
                            18
      es
             9
1
             7
                            14
4
       i
             6
                            12
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
            17
6
       s
            11
                            22
3
                            20
            10
      es
1
             7
                            14
       i
4
             6
                             12
5
      is
             2
                             4
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            18
1
6
       s
            17
                            34
4
       i
             7
                             14
5
             3
                             6
      is
2
             2
                              4
       е
                              2
3
      es
             1
7
                              2
       u
             1
8
      us
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
1
                             36
                             34
6
            17
       s
                             14
4
       i
             7
5
             3
                             6
      is
2
             2
                              4
3
                              2
             1
      es
7
                              2
             1
       u
8
                              2
      us
             1
[1] "m5PlDat"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           16
7
       s
           11
                            22
1
            8
                            16
4
      es
            6
                            12
5
       i
             6
                            12
6
      is
             2
                            4
2
                             2
      as
             1
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           24
5
           17
                            34
       е
4
           13
                           26
      as
                           24
1
           12
9
                            22
       s
           11
6
      es
            8
                            16
7
       i
            6
                            12
8
      is
            3
                            6
     aes
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             24
1
             21
                             42
9
                             38
             19
5
             17
                             34
        е
                             28
4
       as
             14
6
       es
             11
                             22
7
             7
                             14
       i
8
              4
                              8
       is
                              2
3
      aes
             1
                              2
10
              1
        u
11
       us
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           24
4
                            26
      as
           13
1
            6
                            12
6
      is
            3
                            6
7
             3
                             6
       s
3
                             2
     aes
             1
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
           24
           14
                            28
4
      as
1
            6
                            12
            3
                            6
6
      is
7
             3
                            6
       s
```

```
aes
                            2
5
      es
            1
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
       s
           18
1
           17
                           34
4
       i
            6
                           12
2
            3
                            6
       е
5
            3
                            6
      is
            2
3
                            4
      es
7
            1
                            2
       u
[1] "f3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           17
                           20
6
           10
3
      es
            8
                           16
1
            7
4
       i
                           12
            6
      is
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
           17
3
           10
                           20
      es
6
                           20
           10
            7
1
                           14
4
       i
            6
                           12
5
      is
            2
                            4
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
       s
           16
1
           15
                           30
4
            7
                           14
2
            5
                           10
       е
5
            3
                            6
      is
3
            2
                            4
      es
7
            1
                            2
       u
                            2
8
            1
      us
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       е
           16
                           32
7
           12
                           24
       S
```

```
8
                            16
4
             6
                            12
      es
5
             6
                            12
       i
6
             2
                             4
      is
2
                             2
      as
[1] "nPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            17
6
            17
                            34
       s
2
                            18
       е
4
             7
                            14
       i
3
             6
                            12
      es
5
             3
      is
                             6
7
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            19
6
            18
                            36
       s
2
             9
                            18
3
             7
      es
                            14
4
       i
             7
                            14
5
      is
             3
                             6
7
       u
                             2
             1
                             2
8
      us
[1] "n2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            17
6
            17
                            34
       s
4
             7
       i
                            14
2
       е
             4
                             8
5
             3
                             6
      is
3
                             2
             1
      es
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            17
6
                            34
       s
            17
                            14
4
       i
            7
2
                             8
       е
5
                             6
      is
             3
3
      es
             1
                             2
             1
                             2
       u
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            14
6
            13
                            26
       s
2
             9
                            18
3
             6
                            12
      es
4
       i
             6
                            12
5
             2
      is
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
1
            14
            13
6
                            26
2
            9
                            18
       е
3
             7
      es
                            14
4
       i
             6
                            12
5
      is
             2
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
            18
1
5
       s
            18
                            36
3
            7
       i
                            14
4
      is
             3
                             6
2
             2
       е
                             4
6
                             2
       u
             1
                             2
7
      us
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
             27
2
        a
1
             23
                             46
10
        s
             22
                             44
4
             19
                             38
       as
5
             19
                             38
        е
6
                             36
             18
       es
11
                             10
             5
        u
3
      aes
              4
                              8
8
        i
              4
                              8
7
       ēs
              3
                              6
9
                              4
       is
              2
12
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             27
             26
                             52
10
        s
             24
                             48
1
4
             20
                             40
       as
5
                             38
             19
6
             19
                             38
       es
8
             5
                             10
        i
11
              5
                             10
        u
3
                              8
              4
      aes
7
       ēs
              3
                              6
9
       is
              2
                              4
12
       us
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           27
       a
```

as

```
3
                            8
     aes
1
             1
                            2
5
             1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           27
       a
4
      as
           19
1
            5
                           10
3
     aes
            4
                            8
6
            3
                            6
       s
5
      es
             2
                            4
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
           21
                            42
           18
                            36
1
7
            4
                            8
       u
2
            3
                            6
3
            2
                            4
      es
4
                            2
       i
             1
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
           22
           19
                           38
1
8
       u
            4
                            8
3
       е
            3
                            6
4
            2
                            4
      es
2
                            2
             1
      as
5
       i
             1
                            2
                            2
6
      is
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           19
       е
3
           18
                           36
      es
1
           16
                           32
7
       s
           11
                           22
            3
                            6
4
      ēs
5
       i
            3
                            6
            1
6
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           19
       е
3
      es
           18
                           36
                           32
1
           16
7
           12
                            24
       S
4
      ēs
           3
                            6
5
            3
                            6
       i
6
      is
             1
                            2
[1] "4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
      s 20
```

```
17
                            34
7
            5
                            10
       u
                             6
4
       i
             3
2
             2
                             4
3
                             2
      es
5
      is
             1
                             2
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       S
            20
            19
                            38
1
7
            5
                            10
       u
2
             4
                             8
       е
4
       i
             3
                             6
3
      es
             2
                             4
8
             2
      us
                             4
5
      is
             1
                             2
[1] "5PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            13
       е
9
       s
            10
                            20
5
             8
                            16
      es
1
             4
                             8
7
       i
             4
                             8
6
      ēs
             3
                             6
2
       a
             1
                             2
3
      as
             1
                             2
8
             1
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       е
            15
9
            14
                            28
5
            10
                            20
      es
             7
1
                            14
7
       i
             4
                             8
             3
6
      ēs
                             6
2
       a
             1
                             2
3
                             2
      as
8
                             2
      is
             1
[1] "mPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7
       s
            22
                            44
                            42
1
            21
2
            17
                            34
       е
3
                            34
            17
      es
8
                            10
            5
       u
5
             4
                             8
       i
4
      ēs
             3
                             6
6
             2
                             4
      is
             1
      us
[1] "All Endings Included"
```

Suffix freq Percent\_Trials

```
25
                              50
        a
10
             23
                              46
        S
                              42
1
             21
5
             19
                              38
        е
6
       es
             18
                              36
4
             13
                              26
       as
8
        i
              5
                              10
11
                              10
        u
              5
3
      aes
              4
                               8
7
       ēs
              3
                               6
9
       is
              2
                               4
12
                               4
       us
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     {\tt Percent\_Trials}
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            25
                            26
4
            13
      as
                            10
1
             5
3
     aes
             4
                             8
6
             3
                              6
       S
5
      es
             2
                              4
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       s
            21
                             36
            18
1
7
             4
                             8
       u
2
             3
       е
                              6
3
      es
             2
                              4
4
             1
                              2
       i
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            22
1
            18
                            36
7
                             8
       u
             4
2
             3
                              6
       е
3
      es
             2
                              4
4
                              2
       i
             1
5
      is
             1
                              2
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            17
                             34
       е
3
                             32
            16
      es
             7
                             14
1
7
             7
                             14
       s
4
      ēs
             3
                              6
5
             3
                              6
       i
6
      is
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
       е
            19
3
            17
                            34
      es
1
             7
                            14
7
             7
       s
                            14
4
      ēs
             3
                             6
5
       i
             3
                             6
                             2
6
      is
             1
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            20
       s
                            40
            17
                            34
1
7
             5
                            10
       u
4
       i
             3
                             6
2
             2
       е
                             4
3
             1
                             2
      es
5
      is
             1
8
             1
      us
[1] "All Endings Included"
  Suffix freq Percent_Trials
       s
            20
            17
                            34
1
7
       u
             5
                            10
4
                             6
       i
             3
2
       е
             2
                             4
8
             2
                             4
      us
3
             1
                             2
      es
                             2
5
             1
      is
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            15
9
       s
            10
                            20
5
      es
             9
                            18
1
             6
                            12
7
       i
             4
                             8
6
      ēs
             3
                             6
2
                             2
       a
             1
3
             1
                             2
      as
8
             1
                             2
      is
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
             27
4
             19
                             38
       as
5
             17
                             34
6
                             28
             14
       es
1
                             16
              8
10
        s
              8
                             16
3
                              8
      aes
```

```
ēs
             3
8
                              6
        i
             3
9
       is
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             27
10
             24
        S
             22
                             44
1
4
       as
             20
                             40
5
             18
                             36
        е
6
       es
             17
                             34
8
        i
             5
                             10
11
             5
                             10
        u
3
             4
                             8
      aes
7
       ēs
             3
                              6
9
       is
                              4
12
       us
                              2
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           27
4
      as
           19
                            38
3
            4
                            8
     aes
1
                             2
5
            1
      es
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           27
       a
                            38
4
           19
      as
3
            4
                            8
     aes
                             2
1
             1
5
      es
            1
                             2
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7
       s
           20
1
           19
                           38
8
            4
                            8
       u
3
            2
                            4
       е
4
            2
                             4
      es
2
                             2
      as
             1
5
       i
             1
                             2
                             2
6
             1
      is
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           17
           14
                           28
3
      es
1
            7
                           14
7
            7
       S
                           14
4
            3
                            6
      ēs
```

```
i
            3
                             6
            1
6
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
           18
3
      es
           15
                            30
7
            8
                           16
       S
            7
1
                            14
4
      ēs
            3
                            6
5
       i
             3
                             6
6
      is
             1
                             2
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
           19
1
           17
                           34
7
                            10
       u
            5
2
       е
            3
                            6
4
       i
            3
3
             2
      es
5
      is
                             2
8
                             2
      us
             1
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       е
            14
                            28
9
           14
                            28
5
                            20
           10
      es
            7
1
                            14
7
       i
            4
                            8
6
      ēs
            3
                             6
2
       a
             1
                             2
3
                             2
      as
8
      is
                             2
             1
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           21
1
                            42
6
           21
                            42
       s
                            26
3
           13
      es
2
            9
                            18
       е
7
             4
                            8
       u
4
             3
                             6
       i
             1
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
           22
1
                            44
6
       s
           22
                            44
```

```
3
            14
                            28
      es
2
                            18
             9
       е
7
             5
                            10
       u
4
             4
                             8
       i
5
             2
                             4
8
      us
             1
                             2
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            21
                            42
                            36
1
            18
7
             4
                             8
       u
2
             3
                             6
       е
3
             2
                             4
      es
4
       i
             1
                             2
5
      is
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       s
            21
                            36
            18
1
7
             4
                             8
       u
2
       е
             3
                             6
3
             2
                             4
      es
4
       i
                             2
5
             1
                             2
      is
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            15
1
3
            13
                            26
      es
6
                            20
       s
            10
2
       е
             9
                            18
4
       i
             3
                             6
5
                             2
             1
      is
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            15
3
      es
            14
                            28
6
                            20
       s
            10
                            18
2
             9
       е
4
             3
                             6
5
                             2
      is
             1
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            20
                            40
       s
1
            17
                            34
7
             5
                            10
       u
4
             3
       i
                             6
2
             2
                             4
       е
3
             1
                             2
      es
```

- 5 is 1
- [1] "mSg and nSg fully match 92% of the time"
- [1] "mPl and nPl fully match 96% of the time"
- [1] "nPl and fSg fully match 4% of the time"
- [1] "Endings that overlap are  $c(\pi, \pi)$ , \"is\"), $c(\pi, \pi)$  in trials 17,28"
- [1] "nPl and fPl fully match 2% of the time"
- [1] "Endings that overlap are c("-", "-") in trials 28"
- [1] "mPl and fSg fully match 4% of the time"
- [1] "Endings that overlap are  $c(\pi, \pi), c(\pi, \pi), c(\pi, \pi)$  in trials 17,28"
- [1] "mPl and fPl fully match 2% of the time"
- [1] "Endings that overlap are c("-", "-") in trials 28"
- [1] "mSg and nSg at least partially match 100% of the time"
- [1] "mPl and nPl at least partially match 100% of the time"
- [1] "fSg and nPl at least partially match 4% of the time"
- [1] "Endings that overlap are is,- in trials 17,28"
- [1] "fPl and nPl at least partially match 2% of the time"
- [1] "Endings that overlap are in trials 28"
- [1] "fSg and mPl at least partially match 4% of the time"
- [1] "Endings that overlap are is,- in trials 17,28"
- [1] "fPl and mPl at least partially match 2% of the time"
- [1] "Endings that overlap are in trials 28"
- [1] "fPl, mPl, and nPl at least partially match 2% of the time"
- [1] "Endings that overlap are in trials 28"
- [1] "40 percent of trials contain fPl (135) ending in -as. Those trials are 1,3,4,5,9,11,12,15,21,23,25

- [1] "O percent of trials contain nPl ending in -as. Those trials are "
- [1] "O percent of trials contain mPl (234) ending in -as. Those trials are "
- [1] "2 percent of trials contain mPl (2345) ending in -as. Those trials are 3"
- [1] "O percent of trials contain fPl (135) ending in -os. Those trials are "
- [1] "O percent of trials contain nPl ending in -os. Those trials are "  $\,$
- [1] "O percent of trials contain mPl (234) ending in -os. Those trials are "
- [1] "O percent of trials contain mPl (2345) ending in -os. Those trials are "
- [1] "62 percent of trials contain fPl ending in -s. Those trials are 1,3,4,5,6,7,8,9,11,12,13,15,17,18,
- [1] "54 percent of trials contain nPl ending in -s. Those trials are 1,3,4,5,7,8,9,11,12,13,17,18,21,22
- [1] "58 percent of trials contain mPl ending in -s. Those trials are 1,3,4,5,6,7,8,9,11,12,13,17,18,21,
- [1] "68 percent of trials contain fPl (135) ending in -a. Those trials are 1,2,6,7,8,9,10,11,13,14,15,1
- [1] "O percent of trials contain nPl ending in -a. Those trials are "
- [1] "O percent of trials contain mPl (234) ending in -a. Those trials are "
- [1] "2 percent of trials contain mPl (2345) ending in -a. Those trials are 7"
- [1] "2 percent of trials contain fPl (1) ending in -e. Those trials are 17"
- [1] "50 percent of trials contain fPl (135) ending in -e. Those trials are 1,6,7,9,10,13,14,15,16,17,18
- [1] "32 percent of trials contain nPl (3) ending in -e. Those trials are 1,6,7,8,9,14,16,17,18,23,24,31
- [1] "8 percent of trials contain nPl (24) ending in -e. Those trials are 1,6,16,49"
- [1] "32 percent of trials contain nPl ending in -e. Those trials are 1,6,7,8,9,14,16,17,18,23,24,31,33,
- [1] "54 percent of trials contain mPl (3) ending in -e. Those trials are 1,6,7,8,9,10,13,14,15,16,17,18
- [1] "10 percent of trials contain mPl (24) ending in -e. Those trials are 1,6,16,41,49"
- [1] "56 percent of trials contain mPl (234) ending in -e. Those trials are 1,6,7,8,9,10,13,14,15,16,17,
- [1] "56 percent of trials contain mPl (2345) ending in -e. Those trials are 1,6,7,8,9,10,13,14,15,16,17
- [1] "100 percent of trials contain fSg (1) ending in -a. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,13

- [1] "4 percent of trials contain fSg (5) ending in -a. Those trials are 3,7"
- [1] "O percent of trials contain fSg (3) ending in -a. Those trials are "
- [1] "O percent of trials contain nSg ending in -a. Those trials are "
- [1] "O percent of trials contain mSg (234) ending in -a. Those trials are "
- [1] "4 percent of trials contain mSg (2345) ending in -a. Those trials are 3,7"
- [1] "O percent of trials contain fSg (1) ending in -o. Those trials are "
- [1] "6 percent of trials contain nSg ending in -o. Those trials are "
- [1] "6 percent of trials contain mSg (24) ending in -o. Those trials are 17,30,31"
- [1] "6 percent of trials contain mSg (2345) ending in -o. Those trials are 17,30,31"
- [1] "O percent of trials contain fSg (1) ending in -e. Those trials are "
- [1] "86 percent of trials contain fSg (135) ending in -e. Those trials are 1,3,4,5,6,7,8,9,10,11,12,13,
- [1] "48 percent of trials contain nSg (3) ending in -e. Those trials are 1,3,4,6,7,8,9,14,16,17,18,21,2
- [1] "2 percent of trials contain nSg (24) ending in -e. Those trials are 49"
- [1] "48 percent of trials contain nSg ending in -e. Those trials are 1,3,4,6,7,8,9,14,16,17,18,21,23,24
- [1] "86 percent of trials contain mSg (3) ending in -e. Those trials are 1,3,4,5,6,7,8,9,10,11,12,13,14
- [1] "4 percent of trials contain mSg (24) ending in -e. Those trials are 1,49"
- [1] "86 percent of trials contain mSg (234) ending in -e. Those trials are 1,3,4,5,6,7,8,9,10,11,12,13,
- [1] "86 percent of trials contain mSg (2345) ending in -e. Those trials are 1,3,4,5,6,7,8,9,10,11,12,13
- [1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 0"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 38"
- [1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 54"
- [1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 0"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 0"
- [1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 0"  $\,$

- [1] "Max Endings only"
- [1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 0"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 12"
- [1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 44"
- [1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 0"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 0"  $\,$
- [1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 0"  $\,$