Aggregate Data

Tyler Lau

July 18, 2016

- [1] "No Sound Change, Token Freq T, Number of cases being considered: 5"
- [1] "Only considering max suffixes: FALSE"
- [1] "Dropping suffixes that appear 10 or less times"

-	_	11 0	
Г	l] "Sg"	ı	
L	_		Percent_Trials
2	Sullia	_	62
3	i		20
1	_	- 7	14
4	υ	_	4
_	l] "SgN	_	-
	_		Percent_Trials
3	U		96
1	_	- 1	2
2	E		2
	l] "1Se		
_	_		Percent_Trials
1	8		100
Γ1	l] "2Sg		
-	-		Percent_Trials
1	υ	_	100
[1	L] "3Sg	Nom, A	cc"
	-		Percent_Trials
1	-	- 44	- 88
2	€	5	10
3	i	. 1	2
[1	l] "4Sg	Nom, A	cc"
	Suffix	freq	Percent_Trials
1	υ	ı 50	100
[1	l] "5Sg	gNom, A	cc"
	Suffix	freq	Percent_Trials
1	-	- 35	70
2	€		30
[1	l] "mSg		
	Suffix	freq	Percent_Trials
1	υ		100
[1	l] "fSg	•	
	Suffix	-	Percent_Trials
2	a	45	90
3	E	_	8
1	-	- 1	2
L1	l] "nSg		
			Percent_Trials
1	u 		100
L1	l] "SgA	Acc, Ab	L"

Suffix	freq	Percent_Trials
1 e	48	96
2 u	2	4
[1] "1Sg	Acc Al	יי דר
•		
		Percent_Trials
1 a	50	100
[1] "2Sg	Acc,Al	ol"
Suffix	freq	Percent_Trials
1 0	33	66
3 u	16	32
2 oi	1	2
[1] "3Sg		
_		
	_	Percent_Trials
2 e	49	98
1 -	1	2
[1] "4Sg	Acc,Al	ol"
Suffix	freq	Percent_Trials
2 o	27	54
4 u	21	42
1 -	1	
	_	2
3 oi	1	2
[1] "5Sg	Acc,Al	ol"
Suffix	freq	Percent_Trials
2 е	49	98
1 -	1	2
[1] "mSg	Acc Al	
_		Percent_Trials
	-	_
1 e	46	92
2 u	4	8
[1] "fSg		
Suffix	freq	Percent_Trials
2 е	47	94
1 a	3	6
[1] "nSg		
_		Percent_Trials
	-	Percent_IIIais
1 -		20
_	18	36
2 e	17	36 34
2 e 4 u		
	17	34
4 u 3 o	17 8 7	34 16 14
4 u 3 o [1] "SgNo	17 8 7 om,Aco	34 16 14 c,Abl"
4 u 3 o [1] "SgNo	17 8 7 om,Acc freq	34 16 14 c,Abl" Percent_Trials
4 u 3 o [1] "SgNo Suffix 2 e	17 8 7 om,Acc freq 27	34 16 14 c,Abl" Percent_Trials 54
4 u 3 o [1] "SgNo Suffix 2 e 3 u	17 8 7 om,Acc freq 27 22	34 16 14 c,Abl" Percent_Trials 54 44
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 -	17 8 7 om,Acc freq 27 22 1	34 16 14 c,Abl" Percent_Trials 54 44
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1Sgl	17 8 7 0m,Acc freq 27 22 1 Nom,Ac	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl"
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1Sgl	17 8 7 0m,Acc freq 27 22 1 Nom,Ac	34 16 14 c,Abl" Percent_Trials 54 44
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1Sgl	17 8 7 0m,Acc freq 27 22 1 Nom,Ac	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl"
4 u 3 o [1] "SgN Suffix 2 e 3 u 1 - [1] "1SgN Suffix 1 a	17 8 7 om,Acc freq 27 22 1 Nom,Ac freq 50	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl" Percent_Trials
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1Sglo Suffix 1 a [1] "2Sglo	17 8 7 om,Acc freq 27 22 1 Nom,Ac freq 50 Nom,Ac	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl" Percent_Trials 100 cc,Abl"
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1Sglo Suffix 1 a [1] "2Sglo Suffix	17 8 7 om,Acc freq 27 22 1 Nom,Ac freq 50 Nom,Ac	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1SgNo Suffix 1 a [1] "2SgNo Suffix 1 u	17 8 7 om,Acc freq 27 22 1 Nom,Ac freq 50 Nom,Ac freq 50	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1SgNo Suffix 1 a [1] "2SgNo Suffix 1 u [1] "3SgNo [1] "3S	17 8 7 om,Acc freq 27 22 1 Nom,Ac freq 50 Nom,Ac freq 50 Nom,Ac	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1SgNo Suffix 1 a [1] "2SgNo Suffix 1 u [1] "3SgNo Suffix	17 8 7 om,Acc freq 27 22 1 Nom,Ac freq 50 Nom,Ac freq 50 Nom,Ac freq freq freq freq	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials
4 u 3 o [1] "SgNo Suffix 2 e 3 u 1 - [1] "1SgNo Suffix 1 a [1] "2SgNo Suffix 1 u [1] "3SgNo [1] "3S	17 8 7 om,Acc freq 27 22 1 Nom,Ac freq 50 Nom,Ac freq 50 Nom,Ac	34 16 14 c,Abl" Percent_Trials 54 44 2 cc,Abl" Percent_Trials 100 cc,Abl" Percent_Trials

[1]	"4SoN	om A	cc,Abl"
			Percent_Trials
1	u	47	94
2	ui	3	6
[1]			cc,Abl"
	_		Percent_Trials
2	e e	47	94
3	i	2	4
1	_	1	2
[1]	- UmCaN	_	
	_		cc, Abl"
_		_	Percent_Trials
2	u	43	86
1	e	7	14
	_		cc,Abl"
		_	Percent_Trials
1	a	46	92
2	е	4	8
	_		cc,Abl"
S	uffix		Percent_Trials
1	u	50	100
	"SgGe		
S	uffix	freq	Percent_Trials
2	е	24	48
3 1	i	18	36
1	-	7	14
4	u	1	2
[1]	"1SgG	en,Da	at"
S	ffi.	_	ъ . ш
	ullix	ireq	Percent_Irials
	a a	ireq 43	Percent_Trials 86
2			
	a	43	86
2 3 1	a e -	43 6 1	86 12 2
2 3 1 [1]	a e - "2SgG	43 6 1 en,Da	86 12 2 at"
2 3 1 [1]	a e - "2SgG uffix	43 6 1 en,Da	86 12 2 at" Percent_Trials
2 3 1 [1] S	a e - "2SgG uffix e	43 6 1 en,Da freq 23	86 12 2 at" Percent_Trials 46
2 3 1 [1] S	a e - "2SgG uffix	43 6 1 en,Da freq 23 14	86 12 2 at" Percent_Trials 46 28
2 3 1 [1] S 2 3 1	a e - "2SgG uffix e i -	43 6 1 en,Da freq 23 14 12	86 12 2 at" Percent_Trials 46 28 24
2 3 1 [1] S 2 3 1 4	a e - "2SgG uffix e i - u	43 6 1 en,Da freq 23 14 12	86 12 2 at" Percent_Trials 46 28 24 2
2 3 1 [1] S 2 3 1 4 [1]	a e - "2SgG uffix e i - u "3SgG	43 6 1 en,Da freq 23 14 12 1 en,Da	86 12 2 at" Percent_Trials 46 28 24 2
2 3 1 [1] S 2 3 1 4 [1] S	a e - "2SgG uffix e i - u "3SgG uffix	43 6 1 en,Da freq 23 14 12 1 en,Da freq	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials
2 3 1 [1] S 2 3 1 4 [1] S	a e - "2SgG uffix e i - u "3SgG uffix e	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56
2 3 1 [1] S 2 3 1 4 [1] S 2 3	a e - "2SgG uffix e i - u "3SgG uffix	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1	a e - "2SgG uffix e i - u "3SgG uffix e i -	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1]	a e - "2SgG uffix e i - u "3SgG uffix e i - u	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1]	a e - "2SgG uffix e i - u "3SgG uffix e i - "4SgG uffix	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1] S	a e - "2SgG uffix e i - u "3SgG uffix e i - "4SgG uffix	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1] S	a e - "2SgG uffix e i - u "3SgG uffix e i - "4SgG uffix	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15 14	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1] S	a e - "2SgG uffix e i - u "3SgG uffix e i - "4SgG uffix	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15 14 11	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28 22
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1] S 2 3 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	a e - "2SgG uffix e i "3SgG uffix e i - "4SgG uffix e i - "4SgG uffix e i i e i	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15 14	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28 22 16
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1] S 2 3 4 1 5 5 5 7 8 8 8 8 9 8 9 8 9 8 8 9 8 8 9 8 8 9 8 9 8 8 9 8 8 9 8 8 9 8 8 8 8 8 9 8 8 8 8 9 8	a e - "2SgG uffix e i "3SgG uffix e i - "4SgG uffix e i - "4SgG uffix e i i e i	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15 14 11	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28 22
2 3 1 [1] S 2 3 1 [1] S 2 3 1 [1] 5 2 3 4 1 [1]	a e - "2SgG uffix e i "3SgG uffix e i - "4SgG uffix e i u - ui "5SgG	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15 14 11 8 2 en,Da	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28 22 16 4 at"
2 3 1 [1] S 2 3 1 [1] S 2 3 1 [1] 5 2 3 4 1 [1]	a e - "2SgG uffix e i "3SgG uffix e i - "4SgG uffix e i u - ui "5SgG	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15 14 11 8 2 en,Da	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28 22 16 4
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1] S 2 3 1 [1] S 2 3 2 3 2 3 2 3 2 3 4 1 5 2 3 2 3 4 4 1 5 2 3 2 3 4 4 5 2 3 5 2 3 4 4 5 2 3 3 2 3 4 3 2 3 3 2 3 3 2 3 3 2 3 3 2 3 3 2 3 3 2 3	a e - "2SgG uffix e i "3SgG uffix e i - "4SgG uffix e i u - ui "5SgG	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15 14 11 8 2 en,Da	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28 22 16 4 at"
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1] S 2 3 4 1 5 [1] S 2 3 4 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1	a e - "2SgG uffix e i - u "3SgG uffix e i - "4SgG uffix e i u - ui "5SgG uffix u - ui "5SgG uffix	43 6 1 en,Da freq 23 14 12 1 en,Da freq 28 17 5 en,Da freq 15 14 11 8 2 en,Da freq	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28 22 16 4 at" Percent_Trials
2 3 1 [1] S 2 3 1 4 [1] S 2 3 1 [1] S 2 3 1 [1] S 2 3 2 3 2 3 2 3 2 3 4 1 5 2 3 2 3 4 4 1 5 2 3 2 3 4 4 5 2 3 5 2 3 4 4 5 2 3 3 2 3 4 3 2 3 3 2 3 3 2 3 3 2 3 3 2 3 3 2 3 3 2 3	a e - "2SgG uffix e i - u "3SgG uffix e i - "4SgG uffix e i u - ui "5SgG uffix e di u - ui "5SgG uffix e	43 6 1 en,Da freq 23 14 12 1 en,Da freq 15 14 11 8 2 en,Da freq 30	86 12 2 at" Percent_Trials 46 28 24 2 at" Percent_Trials 56 34 10 at" Percent_Trials 30 28 22 16 4 at" Percent_Trials 60

```
[1] "mSgGen,Dat"
 Suffix freq Percent_Trials
   e 23
3
     i
        18
                    36
1
        8
                    16
4
       1
                     2
     u
[1] "fSgGen,Dat"
 Suffix freq Percent_Trials
3
  е
        23
2
     a 13
                    26
     i 12
                    24
4
        2
                    4
1
[1] "nSgGen,Dat"
Suffix freq Percent_Trials
     е
        22
3
        17
                    34
     i
1
        10
                    20
                    2
4
     u 1
[1] "Nom"
Suffix freq Percent_Trials
1 -
        25
    i 19
4
                    38
2
    a 4
                     8
3
                     2
    е
         1
5
   ui
         1
                     2
[1] "NomSg"
Suffix freq Percent_Trials
1 - 44
4
         4
                     8
   u
2
    e 1
                     2
3
       1
                     2
[1] "1"
Suffix freq Percent_Trials
1 a 41
2
        8
                    16
     е
       1
3
                     2
     i
[1] "1Sg"
Suffix freq Percent_Trials
1 a 50
[1] "1SgNom"
 Suffix freq Percent_Trials
1 a 50 100
[1] "2"
 Suffix freq Percent_Trials
     i
        17
        15
                    30
1
3
        14
                    28
     е
       3
5
                     6
     u
2
        1
                     2
    a
[1] "2Sg"
Suffix freq Percent_Trials
4 u 24
2
     e 11
                    22
3
     i 8
                    16
```

```
1 - 7 14
[1] "2SgNom"
Suffix freq Percent_Trials
1 u 50 100
[1] "3"
Suffix freq Percent_Trials
2 e 24 48
3 i 19
1 - 7
                 38
                 14
[1] "3Sg"
Suffix freq Percent_Trials
2 e 39 78
3 i 7
1 - 4
                 14
[1] "3SgNom"
Suffix freq Percent_Trials
1 - 44
                 88
2 e 4
3 i 2
                 8
[1] "4"
Suffix freq Percent_Trials
4 i 16
2
   e 11
                 22
    - 10
                 20
1
5
   u 10
                 20
6 ui 2
3 eu 1
[1] "4Sg"
Suffix freq Percent_Trials
4 u 28
2 e 10
3 i 7
                 20
                 14
1 - 3
5 ui 2
   - 3
                 6
                  4
[1] "4SgNom"
Suffix freq Percent_Trials
1 u 47 94
2 ui 3
[1] "5"
Suffix freq Percent_Trials
3 e 26 52
4
   i 19
                 38
1 - 4
2 a 1
                 8
[1] "5Sg"
Suffix freq Percent_Trials
2 e 45 90
3 i 3
1 - 2
                 6
[1] "5SgNom"
Suffix freq Percent_Trials
1 - 35 70
   e 11
2
                 22
3 i 4
                 8
```

```
[1] "m"
Suffix freq Percent_Trials
2 e 19 38
3
   i 19
                  38
1 - 11
4 u 1
                   22
                  2
[1] "mSg"
Suffix freq Percent_Trials
2 e 30 60
3
   i 11
                   22
1 - 5
4 u 4
                  10
                  8
[1] "mSgNom"
Suffix freq Percent_Trials
3 u 47
1 - 2
2 i 1
                   4
                   2
[1] "f135Sg"
Suffix freq Percent_Trials
1 a 37 74
2 e 12
3 i 1
                   24
                  2
[1] "m24Sg"
Suffix freq Percent_Trials
4 u 28
2
   e 10
3 i 8 1 - 3 5 ui 1
                  16
                   6
[1] "n24Sg"
Suffix freq Percent_Trials
4 u 29
   e 10
                   20
3 i 8
1 - 3
                  16
                  6
[1] "m234Sg"
Suffix freq Percent_Trials
2 e 30
   i 11
3
                   22
1 - 5
4 u 4
                  10
[1] "m2345Sg"
Suffix freq Percent_Trials
2 e 30 60
3 i 11
1 - 5
4 u 4
                   22
                   10
[1] "m1Sg"
Suffix freq Percent_Trials
1 a 50
[1] "m1SgNom"
Suffix freq Percent_Trials
2 a 49 98
1 - 1
                  2
```

```
[1] "m2Sg"
 Suffix freq Percent_Trials
4 u 18 36
e 15
3 i 9
                  30
                  18
                  16
[1] "m2SgNom"
Suffix freq Percent_Trials
1 u 50 100
[1] "m3Sg"
Suffix freq Percent_Trials
2 e 48 96
1
3
       1
                 2
    i 1
[1] "m3SgNom"
Suffix freq Percent_Trials
1 - 44
2
   e 4
                  8
3 i 2
[1] "m4Sg"
Suffix freq Percent_Trials
4 u 27 54
2
   e 10
                  20
   i 8
3
                  16
1 - 3
5 ui 2
                 6
[1] "m4SgNom"
Suffix freq Percent_Trials
1 u 47
2 ui 3
[1] "m5Sg"
Suffix freq Percent_Trials
2 e 45
3 i 3
1 - 2
                  6
                   4
[1] "m5SgNom"
Suffix freq Percent_Trials
1 - 36
2 e 10
3 i 4
                  20
                 8
[1] "f"
Suffix freq Percent_Trials
1 a 33 66
2 e 11
3 i 6
                  22
[1] "fSg"
Suffix freq Percent_Trials
1 a 37
2
   e 11
                  22
3 i 2
                  4
[1] "fSgNom"
Suffix freq Percent Trials
1 - 35
2 a 9
                  18
```

```
3 e 4
4 i 2
[1] "f1Sg"
Suffix freq Percent_Trials
1 a 50 100
[1] "f1SgNom"
Suffix freq Percent_Trials
1 a 50 100
[1] "f2Sg"
Suffix freq Percent_Trials
4 u 18
   - 12
1
                   24
1 - 12
2 e 11
3 i 9
                   22
[1] "f2SgNom"
Suffix freq Percent_Trials
2 u 49
   - 1
                  2
1
[1] "f3Sg"
Suffix freq Percent_Trials
2 e 47 94
1 - 2
3 i 1
                    2
[1] "f3SgNom"
Suffix freq Percent_Trials
1 - 44 88
2 e 4
3 i 2
                  8
[1] "f4Sg"
 Suffix freq Percent_Trials
4 u 26 52
2 e 11
3 i 8
1 - 4
5 ui 1
                   22
                  16
                  8
[1] "f4SgNom"
Suffix freq Percent_Trials
1 u 47 94
2 ui 3 6
[1] "f5Sg"
Suffix freq Percent_Trials
2 e 45 90
3 i 3
1 - 2
                  6
[1] "f5SgNom"
Suffix freq Percent_Trials
1 - 35 70
2 e 11
3 i 4
                   22
[1] "n"
Suffix freq Percent_Trials
1 - 17 34
4
   i 17
                   34
3 e 12
                   24
```

```
5 u 3
2 a 1
[1] "nSg"
Suffix freq Percent_Trials
2 e 21 42
1 - 12
                  24
3
   i 11
                 22
   u 6
4
                 12
[1] "nSgNom"
Suffix freq Percent_Trials
1 u 50 100
[1] "n2Sg"
Suffix freq Percent_Trials
4 u 17
2 e 16
                  32
3 i 9
1 - 8
                  18
                  16
[1] "n2SgNom"
Suffix freq Percent_Trials
1 u 50 100
[1] "n3Sg"
Suffix freq Percent_Trials
2 e 26 52
    - 21
1 - 21
3 i 3
                  42
                  6
[1] "n3SgNom"
Suffix freq Percent_Trials
1 - 48 96
2 e 1
3 i 1
                 2
[1] "n4Sg"
Suffix freq Percent_Trials
4 u 26 52
2
                  22
   e 11
2 e 11
3 i 8
1 - 3
5 ui 2
                 16
                 6
[1] "n4SgNom"
Suffix freq Percent_Trials
1 u 47 94
   ui 3
[1] "Acc"
Suffix freq Percent_Trials
3 e 26 52
4 i 13
1 - 6
                 12
2 a 4
5 u 1
                 8
[1] "AccSg"
Suffix freq Percent_Trials
3 u 30 60
2 e 19
1 - 1
                  38
                  2
[1] "1SgAcc"
```

Suffix fi	ceq	Percent_Trials
	50	100
		100
[1] "2SgAco		
Suffix fi	ceq	Percent_Trials
1 u	50	100
[1] "3SgAco		
_		
Suffix fi	ceq	Percent_Trials
2 е	49	98
1 -	1	2
-		2
[1] "4SgAco		
Suffix fr	ceq	Percent_Trials
	50	100
		200
[1] "5SgAco		
Suffix fi	ceq	Percent_Trials
2 е	49	98
1 -	1	2
-		2
[1] "mSgAco		
Suffix fr	ceq	Percent_Trials
1 u	50	100
		200
[1] "m1SgAc		
Suffix fi	ceq	Percent_Trials
1 a	50	100
[1] "m2SgAc		
_		
Suffix fi	ceq	Percent_Trials
1 u	50	100
[1] "m3SgAo	cc"	
		Percent_Trials
2 e		96
2 e 1 -	48 2	96
2 e 1 - [1] "m4SgAo	48 2 cc"	96 4
2 e 1 - [1] "m4SgAo Suffix fr	48 2 cc" ceq	96 4 Percent_Trials
2 e 1 - [1] "m4SgAo Suffix fi 1 u	48 2 cc" ceq 50	96 4
2 e 1 - [1] "m4SgAo Suffix fi 1 u	48 2 cc" ceq 50	96 4 Percent_Trials
2 e 1 - [1] "m4SgAo Suffix fr 1 u [1] "m5SgAo	48 2 cc" ceq 50 cc"	96 4 Percent_Trials 100
2 e 1 - [1] "m4SgAo Suffix fi 1 u [1] "m5SgAo Suffix fi	48 2 cc" ceq 50 cc"	96 4 Percent_Trials 100 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fi 1 u [1] "m5SgAc Suffix fi 2 e	48 2 cc" ceq 50 cc" ceq 49	96 4 Percent_Trials 100 Percent_Trials 98
2 e 1 - [1] "m4SgAo Suffix fi 1 u [1] "m5SgAo Suffix fi	48 2 cc" ceq 50 cc"	96 4 Percent_Trials 100 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fi 1 u [1] "m5SgAc Suffix fi 2 e 1 -	48 2 cc" 50 cc" ceq 49	96 4 Percent_Trials 100 Percent_Trials 98
2 e 1 - [1] "m4SgAc Suffix fi 1 u [1] "m5SgAc Suffix fi 2 e 1 - [1] "fSgAcc	48 2 cc" ceq 50 cc" ceq 49 1	96 4 Percent_Trials 100 Percent_Trials 98 2
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr	48 2 cc" ceq 50 cc" ceq 49 1 c"	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e	48 2 cc" ceq 50 cc" ceq 49 1	96 4 Percent_Trials 100 Percent_Trials 98 2
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr	48 2 cc" ceq 50 cc" ceq 49 1 c"	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e 1 -	48 2 cc" ceq 50 cc" ceq 49 1 ceq 49 1	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e 1 - [1] "fSgAcc [1] "fISgAcc	48 2 cc" ceq 50 cc" ceq 49 1 ceq 49 1 cc"	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAc Suffix fr 2 e 1 - [1] "fSgAc Suffix fr	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAc Suffix fr 2 e 1 - [1] "fSgAc Suffix fr 1 a	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 50	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAc Suffix fr 2 e 1 - [1] "fSgAc Suffix fr	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 50	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 1 a [1] "f2SgAc	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 50 cc" ceq 50 cc" ceq 50 cc"	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 100
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e 1 - [1] "f1SgAcc Suffix fr 1 a [1] "f2SgAc Suffix fr	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 50 cc" ceq 650 cc" ceq 650 cc" ceq	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e 1 - [1] "f1SgAcc Suffix fr 1 a [1] "f2SgAc Suffix fr 2 u	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 49 1 cc" ceq 48	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 100 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e 1 - [1] "f1SgAcc Suffix fr 1 a [1] "f2SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 50 cc" ceq 650 cc" ceq 650 cc" ceq	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e 1 - [1] "f1SgAcc Suffix fr 1 a [1] "f2SgAc Suffix fr 2 u	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 49 1 cc" ceq 48 2	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 100 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fn 1 u [1] "m5SgAc Suffix fn 2 e 1 - [1] "fSgAcc Suffix fn 2 e 1 - [1] "f1SgAc Suffix fn 1 a [1] "f2SgAc Suffix fn 1 a [1] "f2SgAc Suffix fn 1 a [1] "f3SgAc Suffix fn 2 u 1 - [1] "f3SgAc	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 50 cc" ceq 48 2 cc"	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 96 4
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 2 e 1 - [1] "f1SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 2 u 1 - [1] "f3SgAc Suffix fr	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 50 cc" ceq 48 2 cc" ceq	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 4 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 1 a [1] "f1SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 2 e 1 - [1] "f3SgAc Suffix fr 2 u 1 - [1] "f3SgAc	48 2 cc" ceq 50 cc" ceq 49 1 ceq 50 cc" ceq 48 2 cc" 49	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 96 4 Percent_Trials 98
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 1 a [1] "f1SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 2 e 1 - [1] "f3SgAc Suffix fr 2 u 1 - [1] "f3SgAc Suffix fr 2 u 1 - [1] "f3SgAc	48 2 cc" ceq 50 cc" ceq 49 1 ceq 50 cc" ceq 48 2 cc" q49 1	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 4 Percent_Trials
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 1 a [1] "f1SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 2 e 1 - [1] "f3SgAc Suffix fr 2 u 1 - [1] "f3SgAc Suffix fr 2 u 1 - [1] "f3SgAc	48 2 cc" ceq 50 cc" ceq 49 1 ceq 50 cc" ceq 48 2 cc" q49 1	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 96 4 Percent_Trials 98
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 1 a [1] "f1SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 2 u 1 - [1] "f3SgAc Suffix fr 2 u 1 - [1] "f4SgAc Suffix fr 1 a [1] "f4SgAc Suffix fr 1 a [1] "f4SgAc Suffix fr 2 u 1 - [1] "f4SgAc	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 49 1 cc" ceq 49 1 cc"	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 96 4 Percent_Trials 98 2
2 e 1 - [1] "m4SgAc Suffix fr 1 u [1] "m5SgAc Suffix fr 2 e 1 - [1] "fSgAcc Suffix fr 1 a [1] "f1SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 1 a [1] "f2SgAc Suffix fr 2 u 1 - [1] "f3SgAc Suffix fr 2 u 1 - [1] "f4SgAc Suffix fr 1 a [1] "f4SgAc Suffix fr 1 a [1] "f4SgAc Suffix fr 2 u 1 - [1] "f4SgAc	48 2 cc" ceq 50 cc" ceq 49 1 cc" ceq 49 1 cc" ceq 49 1 cc"	96 4 Percent_Trials 100 Percent_Trials 98 2 Percent_Trials 98 2 Percent_Trials 100 Percent_Trials 96 4 Percent_Trials 98

```
[1] "f5SgAcc"
Suffix freq Percent_Trials
2 e 49 98
   - 1
1
                  2
[1] "nSgAcc"
Suffix freq Percent_Trials
1 u 50 100
[1] "n2SgAcc"
Suffix freq Percent_Trials
1 u 50
[1] "n3SgAcc"
Suffix freq Percent_Trials
1 - 32 64
2 e 18 36
[1] "n4SgAcc"
Suffix freq Percent_Trials
1 u 50 100
[1] "Gen"
Suffix freq Percent_Trials
3 i 23 46
2 e 16
1 - 10
                  32
                  20
4 u 1
                  2
[1] "GenSg"
Suffix freq Percent_Trials
3 i 24 48
2
   e 19
                   38
2 e 19
1 - 6
4 u 1
                  12
[1] "1SgGen"
Suffix freq Percent_Trials
2 a 35 70
3
   e 11
                   22
4 i 3
1 - 1
                  6
                    2
[1] "2SgGen"
Suffix freq Percent_Trials
2 e 21
3 i 17 1 - 11 4 u 1
                   34
                   22
[1] "3SgGen"
Suffix freq Percent_Trials
3 i 25 50
2 e 21
1 - 4
                  8
[1] "4SgGen"
Suffix freq Percent_Trials
2 e 15
3 i 15
4 u 11
                   30
                  22
1
   - 7
                  14
5 ui 2
                  4
[1] "5SgGen"
```

```
Suffix freq Percent_Trials
3 i 23
2
   e 21
                  42
1 - 6
                 12
[1] "mSgGen"
Suffix freq Percent_Trials
2 e 21 42
3 i 20
                 40
    - 8
                 16
1
1 - 8
4 u 1
                 2
[1] "m1SgGen"
Suffix freq Percent_Trials
2 a 32 64
3 e 12
                  24
1
   - 3
                 6
4 i 3
                  6
[1] "m2SgGen"
Suffix freq Percent_Trials
2 e 21 42
3 i 17 1 - 11 4
                  34
                  22
   u 1
                 2
[1] "m3SgGen"
Suffix freq Percent_Trials
3 i 25 50
2 e 21
1 - 4
                 42
                  8
[1] "m4SgGen"
Suffix freq Percent_Trials
2 e 15
3 i 15
4 u 11
                  30
                  22
1 - 7
5 ui 2
   - 7
                 14
                 4
[1] "m5SgGen"
Suffix freq Percent_Trials
2 e 24 48
3 i 22
1 - 4
                  44
                 8
[1] "fSgGen"
Suffix freq Percent_Trials
4 i 23 46
3 e 17
2 a 6
                  34
                 12
   - 4
[1] "f1SgGen"
Suffix freq Percent_Trials
2 a 35 70
3
   e 11
                  22
4 i 3
1 - 1
                  6
[1] "f2SgGen"
Suffix freq Percent_Trials
2 e 19
```

```
3 i 16
                32
1
    - 14
                 28
                 2
   u 1
[1] "f3SgGen"
Suffix freq Percent_Trials
3 i 25
    e 20
                 40
    - 5
1
                 10
[1] "f4SgGen"
Suffix freq Percent_Trials
3 i 16
2
    e 14
                 28
4
   u 10
                 20
1
      8
                 16
    _
5 ui
      2
                 4
[1] "f5SgGen"
Suffix freq Percent_Trials
3 i 23 46
2 e 21
1 - 6
                 42
                 12
[1] "nSgGen"
Suffix freq Percent_Trials
2 e 21
                 42
    i 17
3
                 34
1
    - 11
                 22
   u 1
                 2
[1] "n2SgGen"
Suffix freq Percent_Trials
2 e 21 42
3
   i 17
                 34
    - 11
1
                 22
4 u 1
                 2
[1] "n3SgGen"
Suffix freq Percent_Trials
3 i 22 44
2 e 20
                 40
    - 8
                 16
[1] "n4SgGen"
Suffix freq Percent_Trials
2 e 16
                 32
    i 14
                 28
3
4
    u 10
                 20
1
       8
                 16
5
   ui
      2
[1] "Dat"
Suffix freq Percent_Trials
3 e 21
                 42
                 32
4
    i 16
1
    - 11
                 22
  a 1
                  2
2
5
        1
   u
[1] "DatSg"
Suffix freq Percent_Trials
2 e 28
```

```
3 i 12
                 24
1 - 9
4 u 1
                 18
                 2
[1] "1SgDat"
Suffix freq Percent_Trials
2 a 43
3
   e 6
                 12
   - 1
                 2
1
[1] "2SgDat"
Suffix freq Percent_Trials
2 e 23
    - 10
1
                 20
3 i 10
                 20
   u 7
[1] "3SgDat"
Suffix freq Percent_Trials
2 e 37
                 74
   i 11
                 22
3
1 - 2
                 4
[1] "4SgDat"
Suffix freq Percent_Trials
4 u 16
2
    e 14
                 28
3
    i 10
                 20
1
   - 9
                 18
5 ui 1
[1] "5SgDat"
Suffix freq Percent_Trials
2 e 33
  i 13
- 4
3
                 26
                 8
1
[1] "mSgDat"
Suffix freq Percent_Trials
2 e 28
    i 11
                 22
3
3
1
                 12
    - 6
    u 5
[1] "m1SgDat"
Suffix freq Percent_Trials
2 a 44
                 88
3
   e 5
                 10
1 - 1
                 2
[1] "m2SgDat"
Suffix freq Percent_Trials
2 e 23
    - 11
                 22
1
3 i 11
4 u 5
                 22
    u 5
                 10
[1] "m3SgDat"
Suffix freq Percent_Trials
2 e 37 74
3 i 11
1 - 2
                 22
                 4
[1] "m4SgDat"
```

```
Suffix freq Percent_Trials
4 u 16
   e 14
                  28
3
   i 10
                 20
1 - 1
5 ui 1
       9
                 18
                 2
[1] "m5SgDat"
Suffix freq Percent_Trials
2 e 34 68
3 i 13
1 - 3
                  26
                 6
[1] "fSgDat"
Suffix freq Percent_Trials
3 e 32
4 i 11
                  22
   - 4
                  8
1
2 a 3
                  6
[1] "f1SgDat"
Suffix freq Percent_Trials
2 a 43 86
3 e 6
                 12
   - 1
                 2
[1] "f2SgDat"
Suffix freq Percent_Trials
2 e 18
   - 15
1
3 i 12
4 u 5
                 24
[1] "f3SgDat"
Suffix freq Percent_Trials
2 e 35 70
3 i 12
1 - 3
                  24
[1] "f4SgDat"
Suffix freq Percent_Trials
4 u 16 32
2
   e 14
                 28
3
   i 10
                 20
   - 9
1
                 18
5 ui 1
                 2
[1] "f5SgDat"
Suffix freq Percent_Trials
2 e 33 66
3 i 13
1 - 4
                  26
[1] "nSgDat"
Suffix freq Percent_Trials
2 e 22 44
   i 11
3
                  22
1 - 10
4 u 7
                  20
[1] "n2SgDat"
Suffix freq Percent_Trials
2 e 23
```

```
1 - 10
                 20
3
      10
                 20
    i
   u 7
4
[1] "n3SgDat"
Suffix freq Percent_Trials
2 e 25
   i 14
3
    - 11
                 22
1
[1] "n4SgDat"
Suffix freq Percent_Trials
2 e 16
4
    u 15
                 30
3
   i 10
                 20
    - 8
1
                 16
5 ui 1
                 2
[1] "Abl"
Suffix freq Percent_Trials
3 e 23
   i 17
6
                 34
   - 5
1
                 10
5
  eu 3
                 6
2 a 1
4 ebui 1
[1] "AblSg"
Suffix freq Percent_Trials
1 e 34 68
2 o 15
3 u 1
                 30
                 2
[1] "1SgAbl"
Suffix freq Percent_Trials
1 a 50
[1] "2SgAbl"
Suffix freq Percent_Trials
1 o 47 94
3 u 2
2 oi 1
                 4
                  2
[1] "3SgAbl"
Suffix freq Percent_Trials
1 e 50 100
[1] "4SgAbl"
 Suffix freq Percent_Trials
2 o 33 66
4
   u 12
                 24
4 u 12
5 ui 3
                  6
1
   - 1
3 oi 1
[1] "5SgAbl"
 Suffix freq Percent_Trials
1 e 48
   i 2
                 4
[1] "mSgAbl"
Suffix freq Percent_Trials
2 o 33
1 e 14
                 28
```

```
4 u 2
3 oi 1
[1] "m1SgAbl"
Suffix freq Percent_Trials
2 a 44 88
3 ao 5
1 - 1
                 10
[1] "m2SgAbl"
Suffix freq Percent_Trials
1 o 47 94
3 u 2
2 oi 1
                  2
[1] "m3SgAbl"
Suffix freq Percent_Trials
1 e 50
[1] "m4SgAbl"
Suffix freq Percent_Trials
2 o 33 66
   u 12
                  24
5 ui 3
                  6
1 - 1
3 oi 1
                 2
[1] "m5SgAbl"
Suffix freq Percent Trials
1 e 45 90
2 eo 3
                 6
3 i 2
                  4
[1] "fSgAbl"
Suffix freq Percent_Trials
2 e 48 96
1 a 2
[1] "f1SgAbl"
Suffix freq Percent_Trials
1 a 50 100
[1] "f2SgAbl"
Suffix freq Percent_Trials
2 o 32 64
  - 9
u 8
1
                 18
4 u 8
3 oi 1
                 16
                 2
[1] "f3SgAbl"
Suffix freq Percent_Trials
1 e 50 100
[1] "f4SgAbl"
 Suffix freq Percent_Trials
2 o 27
                 54
4
   u 14
                  28
1
   - 6
                 12
5 ui 2
3 oi 1
                 4
                  2
[1] "f5SgAbl"
Suffix freq Percent_Trials
1 e 48 96
2 i 2
                 4
```

```
[1] "nSgAbl"
 Suffix freq Percent_Trials
  o 47
1
3
           2
                         4
      u
2
                         2
     oi
[1] "n2SgAbl"
 Suffix freq Percent_Trials
      o 47
1
3
      u
           2
                         4
     oi
2
         1
                         2
[1] "n3SgAbl"
Suffix freq Percent_Trials
    e 27
          20
                        40
1
3
      i
         3
                         6
[1] "n4SgAbl"
Suffix freq Percent_Trials
          33
 0
4
      u 12
                        24
5
          3
                         6
     ui
           1
                         2
1
3
     oi
           1
                         2
[1] "Pl"
 Suffix freq Percent_Trials
          20
  i
5
3
      е
          14
                        28
1
         12
                        24
2
      a
          2
                         4
           2
     eu
[1] "PlNom, Acc"
 Suffix freq Percent_Trials
4
      i
          24
1
          15
                        30
2
         9
                        18
      a
          2
                         4
     е
[1] "1PlNom, Acc"
 Suffix freq Percent_Trials
1
      a 34
                        68
2
          14
                        28
      е
         2
      i
                        4
[1] "2PlNom, Acc"
 Suffix freq Percent_Trials
1
          24
4
      i
          14
                        28
2
      a 10
                        20
         2
                         4
      е
[1] "3PlNom,Acc"
 Suffix freq Percent_Trials
          30
      i
                        22
1
          11
3
           8
                        16
      е
           1
                         2
      a
[1] "4PlNom, Acc"
 Suffix freq Percent_Trials
```

```
20
                        40
3
          15
                         30
      i
4
         7
                         14
2
           6
                         12
      е
           2
     ui
                          4
[1] "5PlNom, Acc"
 Suffix freq Percent_Trials
      i
          27
1
          12
                         24
3
           8
                         16
      е
           3
2
      a
                          6
[1] "mPlNom, Acc"
 Suffix freq Percent_Trials
   i
          24
1
          22
                         44
3
         3
                          6
      е
      a
           1
                          2
[1] "fPlNom, Acc"
 Suffix freq Percent_Trials
    i 28
          18
                         36
2
      a
1
           2
                         4
           2
                          4
      е
[1] "nPlNom,Acc"
 Suffix freq Percent_Trials
          18
4
      i
          17
                         34
2
      a
         12
                         24
           3
                          6
3
      е
[1] "PlAcc, Abl"
 Suffix freq Percent_Trials
6
  i
          22
3
          16
                         32
1
          7
                        14
2
           2
                         4
      a
5
           2
                          4
     eu
   ebui
           1
[1] "1PlAcc, Abl"
 Suffix freq Percent_Trials
2
      a
          34
                         68
4
        13
                         26
      е
1
          1
                         2
3
   bui
                          2
     eu
           1
[1] "2PlAcc, Abl"
 Suffix freq Percent_Trials
1
          24
                         48
4
          14
                         28
      i
3
         9
                         18
      е
           3
                         6
      a
[1] "3PlAcc,Abl"
 Suffix freq Percent_Trials
2
          23
                         46
      е
5
      i
          20
                         40
```

```
6
   eu 3
1
         2
                      4
3 ebui
         2
[1] "4PlAcc, Abl"
 Suffix freq Percent_Trials
1 -
         20
     i
4
       15
                     30
5
        7
                     14
     u
2
     е
         6
                     12
3
         1
                      2
    eu
6
    ui
         1
                      2
[1] "5PlAcc, Abl"
 Suffix freq Percent_Trials
         26
3
  е
6
     i
         16
                     32
                      8
1
         4
2
         2
                      4
     a
                      2
4 ebui
5
    eu
         1
[1] "mPlAcc, Abl"
 Suffix freq Percent_Trials
4 i 24
2
         13
                     26
     е
1
         11
                     22
        2
3
                     4
     eu
[1] "fPlAcc, Abl"
 Suffix freq Percent_Trials
6
  i 20
2
        15
                     30
     a
     e 10
3
                     20
        2
1
                      4
5
     eu
         2
                      4
4 ebui
        1
[1] "nPlAcc,Abl"
Suffix freq Percent_Trials
  i 19
4
3
     e 13
                     26
1
         12
                     24
     a 6
[1] "PlNom, Acc, Abl"
 Suffix freq Percent_Trials
         26
    i
                     52
1
         12
                     24
2
         8
                     16
     a
         4
     е
[1] "1PlNom, Acc, Abl"
 Suffix freq Percent_Trials
         34
1 a
2
        13
                     26
     е
     i
        3
                      6
[1] "2PlNom, Acc, Abl"
 Suffix freq Percent_Trials
1 -
         23
     i 17
4
                     34
```

```
a 7
                          14
3
            3
                           6
       е
[1] "3PlNom, Acc, Abl"
  Suffix freq Percent_Trials
      i
           33
                          22
2
       е
           11
[1] "4PlNom, Acc, Abl"
  Suffix freq Percent_Trials
           19
1
3
       i
           17
                          34
4
           7
                          14
       u
2
            5
                          10
       е
            2
      ui
[1] "5PlNom,Acc,Abl"
  Suffix freq Percent_Trials
       i
           31
                          62
            9
1
                          18
3
            8
                          16
       е
2
            2
                           4
       a
[1] "mPlNom,Acc,Abl"
  Suffix freq Percent_Trials
4
       i
           26
                          52
           17
                          34
1
2
            6
                          12
      eu
                           2
[1] "fPlNom,Acc,Abl"
 Suffix freq Percent_Trials
2
           21
      a
5
       i
           20
                          40
3
           6
                          12
       е
1
            2
                           4
            1
[1] "nPlNom,Acc,Abl"
 Suffix freq Percent_Trials
4
           19
      i
                          32
1
           16
2
       a
           11
                          22
           4
                           8
       е
[1] "PlGen,Dat"
  Suffix freq Percent_Trials
       i
           17
5
3
       е
           15
                          30
1
           13
                          26
4
            3
                           6
      eu
2
                           2
            1
       a
       u
            1
[1] "1PlGen,Dat"
  Suffix freq Percent_Trials
           33
      a
5
           10
                          20
       е
7
          2
       i
                           4
1
            1
                           2
3
            1
                           2
      au
```

```
bui 1
6
  eu
          1
                       2
8
          1
    u
[1] "2PlGen,Dat"
 Suffix freq Percent_Trials
   - 17
1
4
     i 17
                      34
3
      e 12
                      24
5
      u
          3
                       6
2
      a
          1
                       2
[1] "3PlGen,Dat"
Suffix freq Percent_Trials
5
   i 19
                      32
2
         16
      е
1
         10
                      20
4
                       6
     eu
         3
3
  ebui
          1
                       2
6
          1
     u
[1] "4PlGen,Dat"
 Suffix freq Percent_Trials
         18
4
  i
                      36
2
      е
         17
                      34
1
         10
                      20
3
         3
     eu
                       6
5
      u
          2
                       4
[1] "5PlGen,Dat"
 Suffix freq Percent_Trials
6
  i 17
                      34
3
         16
                      32
      е
1
         11
                      22
5
        3
                       6
     eu
2
     a
          1
                       2
4
  ebui
          1
                       2
7
                       2
          1
     u
[1] "mPlGen,Dat"
 Suffix freq Percent_Trials
2 e 17
4
      i
         17
                      34
1
         12
                      24
3
        3
                       6
     eu
        1
5
     u
[1] "fPlGen,Dat"
 Suffix freq Percent_Trials
5 i 18
                      36
3
      е
         13
                      26
2
         12
                      24
      a
1
         3
                       6
4
          3
                       6
     eu
        1
                       2
     u
[1] "nPlGen,Dat"
 Suffix freq Percent_Trials
4
     i 17
1
         15
                      30
3
      e 13
                      26
```

```
5 u 3
2 a 2
[1] "NomPl"
Suffix freq Percent_Trials
4 i 28 56
1
    - 16
                 32
2
   a 5
                10
3
   e 1
                2
[1] "1P1"
Suffix freq Percent_Trials
2 a 32
   e 15
3
                 30
      1
1
                2
4 i 1 5 u 1
                2
[1] "1PlNom"
Suffix freq Percent_Trials
1 a 33
2 e 14
3 i 3
                 28
                 6
[1] "2P1"
Suffix freq Percent_Trials
4 i 18
    - 17
                 34
1
3
   e 11
                 22
2 a 2
5 u 2
[1] "2PlNom"
Suffix freq Percent_Trials
1 - 21
   i 17
4
                 34
   a 10
2
                 20
3 e 1
5 ui 1
   e 1
                2
[1] "3P1"
Suffix freq Percent_Trials
4 i 24 48
   e 16
2
                 32
1
   - 7
                14
  eu 3
3
[1] "3PlNom"
Suffix freq Percent_Trials
4 i 34 68
1
    - 12
                 24
3
   e 3
2 a 1
[1] "4P1"
 Suffix freq Percent_Trials
4 i 18
1
    - 14
                 28
2
    e 9
                18
5
   u 6
                12
   eu 2
3
                4
6
   ui 1
                 2
```

```
[1] "4PlNom"
 Suffix freq Percent_Trials
1 - 18 36
   i 18
3
                36
4 u 7
                14
               10
2
   e 5
  ui 2
[1] "5P1"
Suffix freq Percent_Trials
5 i 21 42
   e 16
3
                32
  - 9
1
               18
4 eu 3
                6
   a 1
                 2
[1] "5PlNom"
Suffix freq Percent_Trials
4 i 32
    - 14
                28
1
2 a 3
3 e 1
                6
                 2
[1] "mPl"
Suffix freq Percent_Trials
4 i 20
                40
    e 16
2
                32
1
                22
   - 11
3 eu 2
                4
5
   u 1
                 2
[1] "mPlNom"
Suffix freq Percent_Trials
4 i 25
   - 19
1
                38
3
   e 4
                8
2
   a 1
                 2
5 ui 1
[1] "f135P1"
Suffix freq Percent_Trials
2 a 23 46
5
   i 19
                38
3
   e 4
                8
   - 2
1
                4
   eu 2
4
[1] "m24P1"
Suffix freq Percent_Trials
4 i 18
   - 15
1
                30
    e 13
2
                26
5
   u 3
                6
5 u 3
3 eu 1
[1] "n24P1"
Suffix freq Percent_Trials
4 i 17
                34
    - 16
                32
1
3
   e 10
                20
2
 a 4
                8
```

```
5 u 3
[1] "m234P1"
Suffix freq Percent_Trials
4 i 20
   e 16
2
                 32
                 22
1
    - 11
3
  eu 2
                 4
   u 1
                  2
5
[1] "m2345P1"
Suffix freq Percent_Trials
4 i 20
   e 16
2
                 32
1
    - 11
                 22
3 eu 2
                 4
5
   u
       1
                  2
[1] "m1Pl"
Suffix freq Percent_Trials
2 a 32
   e 13
3
                 26
    - 2
1
                 4
    i 2
4
                  4
    u 1
[1] "m1PlNom"
Suffix freq Percent_Trials
2 a 32
   e 14
                 28
3
4 i 3
                 6
1
       1
                  2
[1] "m2P1"
 Suffix freq Percent_Trials
5 i 19
1
       14
                 28
3
   e 14
                 28
2
   a 1
                 2
                  2
4
  eu
      1
        1
6
    u
[1] "m2PlNom"
Suffix freq Percent_Trials
1 - 24
   i 19
                 38
4
2
   a 4
                 8
    e 2
3
                  4
  ui
5
       1
[1] "m3P1"
 Suffix freq Percent_Trials
4 i 23
                 46
2
    e 17
                 34
   - 7
                 14
1
  eu 3
                 6
[1] "m3PlNom"
Suffix freq Percent_Trials
4 i 34
1
    - 12
                 24
3 e 3
                 6
```

```
2 a 1
[1] "m4Pl"
 Suffix freq Percent_Trials
4 i 18
    - 14
                 28
1
2
    e 9
                 18
5
    u 6
                 12
3
        2
   eu
                  4
6
   ui
        1
                  2
[1] "m4PlNom"
 Suffix freq Percent_Trials
1 - 18
  i 18
u 7
3
                 36
4
                 14
   e 5
2
                 10
5 ui
        2
                  4
[1] "m5Pl"
 Suffix freq Percent_Trials
5 i
       21
   e 18
                 36
3
      7
1
                 14
4
  eu 3
                 6
2
        1
                  2
    a
[1] "m5PlNom"
 Suffix freq Percent_Trials
4 i 31 62
1
    - 13
                 26
 a 3
2
                  6
    e 3
                  6
3
[1] "fPl"
Suffix freq Percent_Trials
2 a 23
5
   i 19
                 38
3
   e 4
                 8
        2
1
                  4
  eu
4
        2
[1] "fPlNom"
 Suffix freq Percent_Trials
4 i 32
       10
                 20
1
2
   a 7
                 14
      1
3
                  2
    е
[1] "f1P1"
Suffix freq Percent_Trials
2 a 33
3
    e 14
                  28
                  2
1
    - 1
4
                  2
   i 1
   u 1
[1] "f1PlNom"
Suffix freq Percent_Trials
1 a 33
2
    e 14
                 28
3
   i 3
                 6
```

```
[1] "f2P1"
 Suffix freq Percent_Trials
5 i 19
1
       17
                  34
3
                  22
   e 11
   a 1
2
                  2
4
   eu 1
6
   u 1
                   2
[1] "f2PlNom"
Suffix freq Percent_Trials
1 -
       23
4
   i 20
                  40
2
   a 3
                   6
3
   е 3
                   6
5
   ui 1
                   2
[1] "f3P1"
Suffix freq Percent_Trials
4 i 24
   e 17
2
                  34
1
      6
                  12
        3
3
   eu
                   6
[1] "f3PlNom"
 Suffix freq Percent_Trials
4 i 35
       12
1
                  24
3 e 2
2 a 1
                  4
                   2
[1] "f4P1"
 Suffix freq Percent_Trials
4 i 18
    _
       15
1
                  30
    e 8
2
                  16
5
   u 6
                  12
3 eu 2
                  4
                   2
   ui
        1
[1] "f4PlNom"
Suffix freq Percent_Trials
1
   - 19
3
    i
       18
                  36
4
    u 6
                  12
2
   e 5
                  10
5
  ui
        2
                  4
[1] "f5P1"
Suffix freq Percent_Trials
5 i 21
3
    e 16
                  32
1
    - 9
                  18
4
   eu 3
                  6
      1
                   2
   a
[1] "f5PlNom"
Suffix freq Percent_Trials
4 i 32
                  64
1
     - 14
                  28
2
    a 3
                  6
```

```
3 e 1 2
[1] "nPl"
Suffix freq Percent_Trials
4 i 18
    - 16
                 32
1
   e 11
                 22
3
2
   a 3
5
   u 2
                 4
[1] "nPlNom"
Suffix freq Percent_Trials
1 - 21
4
   i 17
                 34
  a 10
2
                 20
   e 1
                 2
3
5 ui 1
[1] "n2P1"
Suffix freq Percent_Trials
4 i 18
   - 16
                 32
1
3
   e 10
                 20
    a 4
2
                 8
    u 2
[1] "n2PlNom"
Suffix freq Percent_Trials
1 - 21
   i 16
                 32
2
   a 10
                 20
 e ui 1
3
                 4
5
                 2
[1] "n3P1"
Suffix freq Percent_Trials
5 i 18
1
   - 16
                 32
3
   e 9
                18
2
    a 4
                 8
4
  eu 2
                 4
      1
    u
[1] "n3PlNom"
Suffix freq Percent_Trials
4 i 23
                 46
   - 13
                 26
1
2 a 11
                 22
3
   е 3
[1] "n4Pl"
 Suffix freq Percent_Trials
4 i 18
                 36
    - 16
1
                 32
   e 8
2
                 16
5
   u 5
                 10
  eu 2
3
                 4
                 2
   ui
[1] "n4PlNom"
Suffix freq Percent_Trials
1 - 20
```

```
3 i 18
                36
   u 6
                 12
2
   e 4
                 8
5
   ui
        2
                  4
[1] "AccPl"
Suffix freq Percent_Trials
4 i 24 48
2
   a 10
                  20
1
    - 9
                  18
1 - 9
3 e 7
[1] "1PlAcc"
Suffix freq Percent_Trials
1 a 32
2 e 14
3 i 4
                  28
                 8
[1] "2PlAcc"
Suffix freq Percent_Trials
1 - 20
   a 15
                  30
2
4 i 12
                 24
   е 3
                 6
3
[1] "3P1Acc"
Suffix freq Percent_Trials
3 i 27
2
   e 20
                  40
1 - 3
[1] "4PlAcc"
Suffix freq Percent_Trials
1 - 20
3
   i 15
                  30
4
   u 9
                  18
2 e 4
5 ui 2
                 8
[1] "5PlAcc"
Suffix freq Percent_Trials
4 i 28
   e 16
                 32
3
1
    - 4
                 8
2 a 2
                  4
[1] "mPlAcc"
Suffix freq Percent_Trials
3 i 22 44
1
    - 20
                  40
   e 8
                 16
[1] "m1PlAcc"
Suffix freq Percent_Trials
2 a 31
                  62
   e 14
                  28
3
4 i 4
1 - 1
                  8
                  2
[1] "m2PlAcc"
Suffix freq Percent_Trials
1 - 29
4 i 15
                  30
```

```
2 a 3
3 e 3
                 6
[1] "m3PlAcc"
Suffix freq Percent_Trials
3 i 27 54
2 e 19
                  38
   - 4
[1] "m4PlAcc"
Suffix freq Percent_Trials
1 - 20
3
    i 15
                  30
4 u 9
2 e 4
5 ui 2
                 18
                  8
[1] "m5PlAcc"
Suffix freq Percent_Trials
4 i 26
   e 18
                  36
3
1 - 3
2 a 3
                 6
                  6
[1] "fPlAcc"
Suffix freq Percent_Trials
4 i 28
   e 15
3
                  30
  a 5
2
                 10
   - 2
[1] "f1PlAcc"
Suffix freq Percent_Trials
1 a 32
2
   e 14
                  28
3 i 4
                 8
[1] "f2PlAcc"
Suffix freq Percent_Trials
1 - 26
4 i 16 3 e 5
                  32
                 10
   a 3
[1] "f3PlAcc"
Suffix freq Percent_Trials
3 i 29 58
   e 19
                  38
1 - 2
                 4
[1] "f4PlAcc"
Suffix freq Percent_Trials
1 - 18
4
   i 15
                  30
5
   u 9
                  18
   e 5
3
                  10
6 ui 2
                  4
      1
2
                  2
    a
[1] "f5PlAcc"
Suffix freq Percent Trials
4 i 28
   e 16
3
                  32
```

```
2
      a
           2
[1] "nPlAcc"
 Suffix freq Percent_Trials
          20
2
          15
                         30
      a
         12
      i
                         24
      e 3
                          6
[1] "n2PlAcc"
 Suffix freq Percent_Trials
          20
2
         15
                         30
      a
         12
4
                         24
           3
      е
[1] "n3PlAcc"
 Suffix freq Percent_Trials
      i
          19
         14
                         28
2
      a
1
          9
                         18
           8
3
                         16
      е
[1] "n4PlAcc"
 Suffix freq Percent_Trials
          22
                         44
1
      i
3
          14
                         28
         9
4
                         18
      u
           3
2
      е
                          6
5
     ui
           2
                          4
[1] "GenPl"
 Suffix freq Percent_Trials
5
    i
          19
2
          15
                         30
1
          11
                         22
4
         2
                         4
     eu
6
           2
      u
                          4
  ebui
[1] "1PlGen"
 Suffix freq Percent_Trials
2
      a
          33
5
           9
                         18
      е
7
           3
                          6
      i
                          2
3
                          2
     au
           1
4
    bui
           1
                          2
6
    eu
           1
                          2
      u
[1] "2PlGen"
 Suffix freq Percent_Trials
1
          17
4
      i 17
                         34
3
         12
                         24
5
           3
                          6
      u
           1
      a
[1] "3PlGen"
 Suffix freq Percent_Trials
```

```
5
         20
                       40
2
         16
                       32
         9
                       18
1
4
        3
                        6
     eu
3
          1
                        2
  ebui
6
      u
          1
                        2
[1] "4PlGen"
 Suffix freq Percent_Trials
4
     i
         20
2
      е
         16
                       32
        9
                       18
1
3
          2
                       4
     eu
          2
6
     u
                        4
5
     iu
[1] "5PlGen"
 Suffix freq Percent_Trials
6
 i
         19
         14
                       28
3
1
        11
                       22
5
   eu 3
                        6
2
        1
                        2
      a
4 ebui
7
          1
     u
[1] "mPlGen"
 Suffix freq Percent_Trials
   i
         20
2
      e 16
                       32
1
         10
                       20
3
        3
                        6
   eu
5
          1
      u
[1] "m1PlGen"
 {\tt Suffix\ freq\ Percent\_Trials}
         30
5
      e 10
                       20
         3
                        6
1
        3
7
     i
                        6
3
                        2
    au 1
4
  bui
          1
                        2
6
     eu
          1
8
     u
[1] "m2PlGen"
 Suffix freq Percent_Trials
  i
         20
2
      e 16
                       32
                       22
1
         11
5
          2
                        4
      u
     eu
          1
[1] "m3PlGen"
 {\tt Suffix\ freq\ Percent\_Trials}
5
    i
         20
2
         16
                       32
      е
1
         9
                       18
4
     eu 3
                       6
3 ebui
          1
                        2
```

```
6 u 1
[1] "m4PlGen"
 Suffix freq Percent_Trials
      i
          20
2
          16
                         32
1
           9
                         18
3
         2
     eu
                          4
6
           2
                          4
      u
5
     iu
                          2
[1] "m5PlGen"
 Suffix freq Percent_Trials
6
      i
          19
                         32
3
      е
          16
                         18
1
           9
5
     eu
           3
                          6
2
                          2
      a
           1
4
   ebui
           1
                          2
                          2
7
      u
[1] "fPlGen"
 Suffix freq Percent_Trials
6
      i
          19
                         38
3
          12
                         24
1
           8
                         16
2
           6
      a
                         12
5
           3
                          6
     eu
                          2
4
  ebui
           1
7
      u
            1
                          2
[1] "f1PlGen"
 Suffix freq Percent_Trials
2
      a
          33
           9
                          18
5
      е
7
      i
           3
                          6
1
         1
                          2
3
                          2
           1
     au
                          2
4
    bui
6
    eu
                          2
            1
      u
[1] "f2PlGen"
 Suffix freq Percent_Trials
          20
4
      i
                         40
2
          14
                         28
      е
1
          13
                         26
5
      u
           2
                          4
3
     eu
           1
                          2
[1] "f3PlGen"
 Suffix freq Percent_Trials
5
      i
          20
                         40
2
          16
                         32
1
          9
                         18
4
           3
                          6
     eu
3
  ebui
           1
                          2
            1
      u
[1] "f4PlGen"
 Suffix freq Percent_Trials
```

```
4
           20
                            40
2
           16
                            32
1
            9
                            18
3
            3
                             6
      eu
             2
5
                             4
[1] "f5PlGen"
  Suffix freq Percent_Trials
6
       i
           19
3
           14
                            28
       е
                            22
1
           11
5
                             6
      eu
            3
2
                             2
            1
       a
4
    ebui
             1
                             2
7
                             2
       u
[1] "nPlGen"
  Suffix freq Percent_Trials
1
           17
4
       i
           17
                            34
3
           12
                            24
       е
5
            3
                             6
2
             1
                             2
       a
[1] "n2PlGen"
  Suffix freq Percent_Trials
           17
4
       i
                            34
           17
3
           12
                            24
       е
5
       u
            3
                             6
       a
             1
                             2
[1] "n3PlGen"
  Suffix freq Percent_Trials
           17
6
       i
                            28
1
           14
3
           11
                            22
2
            3
                             6
       a
            2
5
                             4
      eu
7
            2
                             4
       u
    ebui
             1
[1] "n4PlGen"
  Suffix freq Percent_Trials
4
           19
       i
                            38
2
           16
                            32
                            20
1
           10
3
      eu
            3
                             6
5
       u
             2
                             4
[1] "DatPl"
  Suffix freq Percent_Trials
5
       i
           17
                            34
3
           16
                            32
       е
1
           12
                            24
                             6
4
            3
      eu
2
             1
                             2
       a
             1
       u
[1] "1PlDat"
  Suffix freq Percent_Trials
```

```
32
                           64
       a
4
           13
                           26
1
                            2
           1
3
            1
                            2
      au
5
                            2
      eu
6
       i
            1
                            2
       u
[1] "2PlDat"
  Suffix freq Percent_Trials
       i
           17
           14
                           28
1
3
           13
                           26
       е
2
            3
                            6
            3
5
                            6
       u
[1] "3PlDat"
  Suffix freq Percent_Trials
2
       е
           21
                           42
4
           18
                           36
       i
1
            7
                           14
3
                            6
            3
      eu
5
            1
                            2
       u
[1] "4PlDat"
  Suffix freq Percent_Trials
       i
           18
2
                           34
           17
           10
                           20
1
3
      eu
            3
                            6
5
       u
            2
[1] "5PlDat"
  Suffix freq Percent_Trials
           21
3
       е
5
       i
           18
                           36
1
            6
                           12
4
            3
                            6
      eu
                            2
2
            1
       a
6
       u
            1
                            2
[1] "mPlDat"
  Suffix freq Percent_Trials
4
       i
           17
2
           16
                           32
                           26
1
           13
3
            3
                            6
      eu
5
       u
            1
[1] "m1PlDat"
  Suffix freq Percent_Trials
2
           31
                           62
       a
           13
                           26
4
       е
1
            2
                            4
3
            1
                            2
      au
                            2
5
      eu
            1
6
       i
            1
                            2
            1
       u
[1] "m2PlDat"
  Suffix freq Percent_Trials
```

```
5 i 18
                  36
3
    e 15
                  30
1
   - 13
                  26
6
   u 2
                  4
2
                   2
    a
       1
4
    eu
        1
                   2
[1] "m3PlDat"
 Suffix freq Percent_Trials
2
  e 21
    i 18
4
                  36
    - 7
                  14
1
3
   eu 3
                   6
5
        1
    u
[1] "m4PlDat"
 {\tt Suffix\ freq\ Percent\_Trials}
4 i 18
2
    e 17
                  34
   - 10
                  20
1
3
  eu 3
                  6
   u 2
5
                   4
[1] "m5PlDat"
 Suffix freq Percent_Trials
3 е
       22
5
    i 18
                  36
   - 5
                  10
1
4
                  6
   eu 3
  a 1
2
                   2
    u
[1] "fPlDat"
 Suffix freq Percent_Trials
3 e 20
5
    i 18
                  36
1
   - 4
                  8
2
   a 4
                   8
  eu 3
4
                   6
6
        1
    u
[1] "f1PlDat"
 Suffix freq Percent_Trials
 a 32
4
       13
                  26
    е
1
   - 1
                  2
3 au 1
                   2
  eu 1
5
                   2
6
   i 1
                   2
    u
[1] "f2PlDat"
 Suffix freq Percent_Trials
5 i 18
3
    e 15
                  30
                  26
1
    - 13
6
    u 2
                   4
                  2
2
    a 1
4 eu
        1
                   2
[1] "f3PlDat"
```

```
Suffix freq Percent_Trials
2
        20
    е
4
    i
       19
                  38
1
    - 7
                  14
3
       3
                   6
   eu
                   2
5
    u
        1
[1] "f4PlDat"
 Suffix freq Percent_Trials
4 i 18
2
   e 17
                  34
                  20
   - 10
1
3
  eu 3
                   6
   u 2
5
[1] "f5PlDat"
 Suffix freq Percent_Trials
3 e 21
5
   i
       18
                  36
1
   - 6
                  12
4
   eu 3
                  6
  a 1
2
                   2
        1
6
    u
                   2
[1] "nPlDat"
 Suffix freq Percent_Trials
4 i 17
                  30
1
       15
    e 12
3
                  24
2
    a 3
                   6
5
    u
       3
                   6
[1] "n2PlDat"
 Suffix freq Percent_Trials
4 i 17
1
       15
                  30
3
    e 12
                  24
2
    a 3
                  6
       3
                   6
    u
[1] "n3PlDat"
Suffix freq Percent_Trials
5 i 17
1
       15
                  30
3
   e 11
                  22
2
   a 3
                  6
4 eu 2
                   4
    u
6
        2
[1] "n4PlDat"
 Suffix freq Percent_Trials
4 i 18
                  36
2
    e 16
                   32
1
   - 11
                   22
3 eu 3
                   6
   u
        2
5
                   4
[1] "AblPl"
Suffix freq Percent_Trials
5 i 21
                  42
   e 13
2
                  26
```

```
1 - 10
              20
4
      4
               8
   eu
3 ebui 2
                4
[1] "1PlAbl"
Suffix freq Percent_Trials
2 a 29
   e 12
4
6
   i 3
                6
  - 2
1
                4
3 bui 2
                 4
5 eu 1
   u 1
7
[1] "2PlAbl"
Suffix freq Percent_Trials
5 i
       21
                28
3
    e 14
1 - 12
                24
2
                2
   a 1
4 eu 1
                 2
   u 1
                 2
6
[1] "3PlAbl"
Suffix freq Percent_Trials
5 i 23
   e 19
2
                38
4
  eu 4
                8
1
   - 2
3 ebui 2
[1] "4PlAbl"
 Suffix freq Percent_Trials
4 i 19
   - 12
1
                24
   e 10
2
                20
5
   u 4
               8
3 eu 3
                 6
   ui 2
[1] "5PlAbl"
Suffix freq Percent_Trials
6 i 21
               42
3
    e 18
                36
   - 4
               8
1
5
  eu 3
4 ebui 2
                4
2 a
7 iu
       1
                 2
       1
[1] "mPlAbl"
Suffix freq Percent_Trials
4 i 22
               44
2
   e 15
                30
1
   - 9
               18
  eu 4
3
                8
[1] "m1PlAbl"
Suffix freq Percent_Trials
2 a 31
          62
4 e 11
                22
```

```
6 i 3
                  6
3
   bui 2
                  4
1
  - 1
5
   eu
        1
                  2
7
   u
[1] "m2PlAbl"
 Suffix freq Percent_Trials
   i
       23
2
       15
                  30
    е
    - 10
1
                  20
3 eu 1
                 2
5
   u 1
                  2
[1] "m3PlAbl"
Suffix freq Percent_Trials
5 i
       24
2
    e 18
                  36
4
  eu 4
                 8
   - 2
1
                 4
3 ebui 2
[1] "m4PlAbl"
Suffix freq Percent_Trials
4 i 19
1
    - 12
                  24
2
   e 10
                  20
   u 4
5
                 8
3 eu 3
6 ui 2
[1] "m5PlAbl"
 Suffix freq Percent_Trials
6 i
       23
3
   е
       18
                  36
 eu 3
5
                  6
1
   - 2
                  4
4 ebui 2
                  4
2
        1
  a
7
        1
   iu
[1] "fPlAbl"
 Suffix freq Percent_Trials
6 i 21
3
       16
                  32
   е
2
   a 5
                 10
5
  eu 4
                  8
1
        2
                  4
  ebui
        2
[1] "f1PlAbl"
 Suffix freq Percent_Trials
2 a 29
                  58
4
    e 12
                  24
6
   i 3
                  6
    - 2
1
                  4
3
 bui 2
                  4
5 eu 1
7
   u
        1
                   2
[1] "f2PlAbl"
```


```
Suffix freq Percent_Trials
4
       23
    i
2
       15
                  30
1
    - 10
                  20
                   2
3
  eu
      1
5
    u
      1
                   2
[1] "f3PlAbl"
Suffix freq Percent_Trials
5 i 23
2
   e 19
                  38
  eu 4
                  8
4
1
      2
                   4
        2
3 ebui
[1] "f4PlAbl"
 Suffix freq Percent_Trials
4 i 21
1
       12
                  24
2
   e 8
                  16
5
   u 4
                  8
3
  eu 3
                   6
        2
6
   ui
                   4
[1] "f5PlAbl"
 Suffix freq Percent_Trials
6 i 21
3
       18
                  36
    е
1
   - 4
                  8
   eu 3
5
                   6
4 ebui 2
                   4
2 a
      1
                   2
7
   iu
[1] "nPlAbl"
 Suffix freq Percent_Trials
5 i 21 42
3
    e 13
                  26
 - 12
u 2
                  24
1
6
                   4
2
   a 1
                   2
   eu 1
[1] "n2PlAbl"
 Suffix freq Percent_Trials
5 i 21 42
    - 13
                  26
1
3
   e 13
                  26
2
   a 1
                  2
   eu 1
6
        1
   u
[1] "n3PlAbl"
 Suffix freq Percent_Trials
6
   i 18
1
       13
                  26
3
                  22
    e 11
5
    eu 3
                  6
    a 2
2
                  4
4 ebui 2
```

7	u	1	2
[1]	"n4P]	LAbl"	
Sı	ıffix	${\tt freq}$	${\tt Percent_Trials}$
4	i	18	36
1	_	13	26
2	е	10	20
5	u	4	8
3	eu	3	6
6	ui	2	4

[1] "common_system_distrib"


	Percent_Match	freq	${\tt Percent_Trials}$
1	24.66667	1	2
2	26.00000	1	2
3	27.33333	1	2
4	28.00000	1	2
5	29.33333	1	2
6	30.00000	1	2
7	30.66667	1	2
8	31.33333	1	2
9	32.00000	1	2
10	32.66667	6	12
11	33.33333	2	4
12	34.00000	2	4
13	34.66667	3	6
14	35.33333	3	6
15	36.00000	2	4
16	36.66667	6	12
17	7 37.33333	3	6
18	38.00000	6	12
19	39.33333	6	12
20	40.00000	1	2
21	40.66667	1	2

Percent of common_system_distrib Matching Reality



	Percent_Match	freq	Percent_Trials
1	24.66667	1	2
2	26.00000	1	2
3	27.33333	1	2
4	28.00000	1	2
5	29.33333	1	2
6	30.66667	2	4
7	32.00000	1	2
8	32.66667	3	6
9	33.33333	2	4
10	34.00000	2	4
11	34.66667	3	6
12	35.33333	2	4
13	36.66667	2	4
14	37.33333	1	2
15	38.66667	4	8
16	39.33333	1	2
17	40.00000	2	4
18	40.66667	2	4
19	41.33333	9	18
20	42.00000	2	4
21	42.66667	3	6
22	44.00000	3	6
23	44.66667	1	2


Percent of NPLtoFSG_system_distrib Matching Reality



Γ 1]	"romanian quatom diatrib"
ΓŢ]	"romanian_system_distrib"


	_ •	_	
	Percent_Match	freq	Percent_Trials
1	26.00000	1	2
2	27.33333	1	2
3	28.00000	1	2
4	28.66667	2	4
5	30.00000	5	10
6	30.66667	3	6
7	32.00000	4	8
8	32.66667	3	6
9	33.33333	2	4
10	34.00000	7	14
11	34.66667	4	8
12	35.33333	6	12
13	36.00000	1	2
14	36.66667	7	14
15	37.33333	1	2
16	38.00000	1	2
17	38.66667	1	2

Percent of romanian_system_distrib Matching Reality



[[1] "1_common_system_distrib"				
	Percent_Match	freq	Percent_Trials		
1	53.33333	7	14		
2	56.66667	2	4		
3	60.00000	8	16		
4	63.33333	3	6		
5	66.66667	30	60		


Percent of 1_common_system_distrib Matching Reality



[1	[1] "1_NPLtoFSG_system_distrib"			
	Percent_Match	freq	Percent_Trials	
1	53.33333	7	14	
2	56.66667	2	4	
3	60.00000	8	16	
4	63.33333	3	6	


66.66667

Percent of 1_NPLtoFSG_system_distrib Matching Reality




[1] "1_romanian_	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	46.66667	1	2
2	50.00000	3	6
3	53.33333	32	64
4	56.66667	2	4
5	60.00000	9	18
6	66.66667	3	6

Percent of 1_romanian_system_distrib Matching Reality




Percent of 2_common_system_distrib Matching Reality



l] "2_NPLtoFSG	_syste	em_distrib"
Percent_Match	freq	Percent_Trials
0.000000	3	6
6.666667	12	24
10.000000	21	42
13.333333	4	8
16.666667	9	18
26.666667	1	2
	Percent_Match 0.000000 6.666667 10.000000 13.333333 16.666667	6.666667 12 10.000000 21 13.333333 4 16.666667 9


Percent of 2_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

	1] "2_romanian _.	_syste	em_distri	lb"
	Percent_Match	freq	Percent_	Trials
1	0.000000	3		6
2	6.666667	15		30
3	10.000000	32		64


Percent of 2_romanian_system_distrib Matching Reality



[:	1] "3_com	nmon_sy	stem_	_distrib"
	Percent	_Match	freq	Percent_T
1	16.	66667	1	

	1 CI CCII C_II a CCII	1109	TCTCCHC_TTTATE
1	16.66667	1	2
2	26.66667	1	2
3	30.00000	9	18
4	33.33333	1	2
5	36.66667	4	8
6	40.00000	7	14
7	43.33333	2	4
8	50 00000	25	50


Percent of 3_common_system_distrib Matching Reality



Percent Matching True System

[1]	"3_NPLtoFSG_s	syster	n_distrib"
	Percent_Match	freq	Percent_Trials
1	16.66667	1	2
2	26.66667	1	2
3	30.00000	4	8
4	33.33333	4	8
5	36.66667	4	8
6	40.00000	6	12
7	46.66667	1	2
8	53.33333	2	4
9	56.66667	2	4
10	60.00000	4	8
11	63.33333	3	6
12	66 66667	18	36


Percent of 3_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1]	"3_romanian_	syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	16.66667	1	2
2	26.66667	1	2
3	30.00000	9	18
4	33.33333	1	2
5	36.66667	4	8
6	40.00000	7	14
7	43.33333	2	4
8	50.00000	25	50


Percent of 3_romanian_system_distrib Matching Reality



Percent Matching True System

[1]	"4_common_sy	ystem_	_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	0.000000	17	34
2	6.666667	6	12
3	10.000000	27	54


Percent of 4_common_system_distrib Matching Reality



[1] "4_NPLtoFSG_system_distrib"

Percent_Match freq Percent_Trials
1 0.000000 17 34
2 6.666667 6 12
3 10.000000 27 54


Percent of 4_NPLtoFSG_system_distrib Matching Reality



[1] "4_romanian_system_distrib"

Percent_Match freq Percent_Trials
1 0.000000 17 34
2 6.6666667 6 12
3 10.000000 27 54


Percent of 4_romanian_system_distrib Matching Reality



[1	l] "5_common_sy	stem_	_distrib"	
	Percent_Match	freq	Percent_	Trials
1	40.00000	2		4
2	46.66667	11		22

1	40.00000	2	4
2	46.66667	11	22
3	50.00000	1	2
4	53.33333	12	24
5	56.66667	3	ϵ
6	60.00000	15	30
7	63.33333	2	4
8	66.66667	4	8


Percent of 5_common_system_distrib Matching Reality



Percent Matching True System

[1]	"5_NPLtoFSG_	_syste	em_distrib"
F	Percent_Match	freq	Percent_Trials
1	40.00000	2	4
2	46.66667	11	22
3	50.00000	1	2
4	53.33333	12	24
5	56.66667	3	6
6	60.00000	15	30
7	63.33333	2	4
8	66.66667	4	8


Percent of 5_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1]	"5_romanian_	_syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	40.00000	2	4
2	46.66667	11	22
3	50.00000	1	2
4	53.33333	12	24
5	56.66667	3	6
6	60.00000	15	30
7	63.33333	2	4
8	66.66667	4	8


Percent of 5_romanian_system_distrib Matching Reality



Percent Matching True System


[1] "m_common_sy	stem_c	distrib"
	Percent_Match	freq	Percent_Trials
1	16	2	4
2	18	2	4
3	20	3	6
4	22	2	4
5	24	7	14
6	26	4	8
7	28	11	22
8	30	8	16
S	32	10	20
1	0 34	1	2

Percent of m_common_system_distrib Matching Reality




[1]	"m_NPLtoFSG_s	system	n_distrib"	
	${\tt Percent_Match}$	freq	Percent_Trial	S
1	16	2		4
2	18	2		4
3	20	3		6
4	22	2		4
5	24	7	1	4

Percent of m_NPLtoFSG_system_distrib Matching Reality



[1]	m_romanian	_syste	em_distrib"
I	Percent_Match	freq	Percent_Trials
1	18	4	8
2	20	7	14
3	22	4	8
4	24	8	16
5	26	13	26
6	28	12	24
7	30	1	2
8	32	1	2


Percent of m_romanian_system_distrib Matching Reality



[1] "f_common_system_distrib"				
	Percent_Match	freq	Percent_Trials	
1	14	1	2	
2	16	1	2	
3	18	3	6	
4	20	2	4	

2	10		2
3	18	3	6
4	20	2	4
5	22	2	4
6	24	7	14
7	26	9	18
8	28	11	22
9	30	5	10
10	32	7	14
11	34	2	4


Percent of f_common_system_distrib Matching Reality



Percent	iviatching	irue	Syste


[1] "f_NPLtoFSG_system_distrib"					
Percent_	Match f	req F	ercent_Trials		
1	14	1	2		
2	16	1	2		
3	18	3	6		
4	20	2	4		
5	22	2	4		
6	24	7	14		
7	26	9	18		
8	28	11	22		
9	30	5	10		
10	32	7	14		
11	34	2	4		

Percent of f_NPLtoFSG_system_distrib Matching Reality



[1]	"f_romanian	_syste	em_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	16	1	2
2	18	4	8
3	20	7	14
4	22	6	12
5	24	12	24
6	26	9	18
7	28	8	16
8	30	2	4
9	32	1	2


Percent of f_romanian_system_distrib Matching Reality



r oreent matering mae cy


[1] "n_common_system_distrib"				
Pe	ercent_Match	freq	Percent_Trials	
1	44	1	2	
2	46	2	4	
3	48	3	6	
4	50	12	24	
5	52	14	28	
6	54	18	36	

Percent of n_common_system_distrib Matching Reality



[1]	"n_NPLtoFSG_s	syster	m_distrib"
	Percent_Match	freq	Percent_Trials
1	44	1	2
2	46	2	4
3	48	2	4
4	50	8	16
5	52	5	10
6	56	2	4
7	58	1	2
8	60	5	10
9	62	6	12
10	64	9	18
11	66	3	6
12	68	5	10
13	74	1	2


Percent of n_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System


[1] "n_romanian_system_distrib"					
Pe	ercent_Match	freq	Percent_Trials		
1	44	1	2		
2	46	2	4		
3	48	3	6		
4	50	12	24		
5	52	14	28		
6	54	18	36		

Percent of n_romanian_system_distrib Matching Reality




[1] "Nom_common_	_syste	em_distrib"
	Percent_Match	freq	Percent_Trials
1	20.00000	1	2
2	23.33333	1	2
3	26.66667	1	2
4	30.00000	36	72
5	33.33333	1	2
6	36.66667	10	20

Percent of Nom_common_system_distrib Matching Reality



[1]	"Nom_NPLtoFS	G_sys	stem_dist	trib"
Pe	ercent_Match	freq	Percent	Trials
1	20.00000	1		2
2	26.66667	1		2
3	30.00000	18		36
4	33.33333	13		26
5	36.66667	10		20
6	40.00000	5		10
7	43 33333	2		4


Percent of Nom_NPLtoFSG_system_distrib Matching Reality




Percent Matching True System

[1]	"Nom_romania	an_sys	stem_distrib"
Pe	ercent_Match	freq	Percent_Trials
1	20.00000	1	2
2	23.33333	1	2
3	26.66667	1	2
4	30.00000	36	72
5	33.33333	1	2
6	36.66667	10	20

Percent of Nom_romanian_system_distrib Matching Reality




Percent of Acc_common_system_distrib Matching Reality




[1] "Acc_NPLtoFS	GG_sys	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	33.33333	1	2
2	36.66667	19	38
3	40.00000	15	30
4	43.33333	15	30

Percent of Acc_NPLtoFSG_system_distrib Matching Reality



Percent of Acc_romanian_system_distrib Matching Reality




"Gen_common_system_distrib"

[1]

	${\tt Percent_Match}$	freq	Percent_Trials
1	13.33333	12	24
2	16.66667	2	4
3	20.00000	7	14
4	23.33333	2	4
5	26.66667	2	4
6	30.00000	6	12
7	33.33333	3	6
8	36.66667	16	32


Percent of Gen_common_system_distrib Matching Reality



Percent Matching True System

[1]	"Gen_NPLtoF	G_sys	stem_distrib"
P	ercent_Match	freq	Percent_Trials
1	13.33333	11	22
2	16.66667	2	4
3	20.00000	8	16
4	23.33333	1	2
5	26.66667	1	2
6	30.00000	2	4
7	33.33333	6	12
8	36.66667	4	8
9	40.00000	15	30


Percent of Gen_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[1]	"Gen_romania	an_sys	stem_distrib"
I	Percent_Match	freq	Percent_Trials
1	13.33333	10	20
2	16.66667	3	6
3	20.00000	10	20
4	23.33333	6	12
5	26.66667	2	4
6	30.00000	18	36
7	36.66667	1	2


Percent of Gen_romanian_system_distrib Matching Reality



Percent Matching True System

[1] "Dat_common_system_distrib"			
${\tt Percent_Match}$	freq	Percent_Trials	
13.33333	4	8	
20.00000	7	14	
30.00000	8	16	
33.33333	4	8	
36.66667	27	54	
	Percent_Match 13.33333 20.00000 30.00000 33.33333	Percent_Match freq 13.33333 4 20.00000 7 30.00000 8 33.33333 4	


Percent of Dat_common_system_distrib Matching Reality



Percent Matching True System

[1]	"Dat_NPLtoFS	G_sys	stem_distrib"
P	ercent_Match	freq	Percent_Trials
1	13.33333	4	8
2	20.00000	6	12
3	26.66667	1	2
4	30.00000	4	8
5	33.33333	6	12
6	36.66667	6	12
7	40.00000	22	44
8	43.33333	1	2


Percent of Dat_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System

[:	l] "Dat_romania	an_sys	stem_dist	trib"
	Percent_Match	freq	Percent	Trials
1	13.33333	7		14
2	20.00000	4		8
3	23.33333	5		10
4	26.66667	4		8
5	30.00000	29		58
6	36.66667	1		2


Percent of Dat_romanian_system_distrib Matching Reality



Percent Matching True System

[1]	"Abl_common_	syste	em_distrib"
P	ercent_Match	freq	Percent_Trials
1	30.00000	1	2
2	36.66667	6	12
3	40.00000	2	4
4	43.33333	7	14
5	46.66667	2	4
6	50.00000	1	2
7	53.33333	7	14
8	56.66667	24	48


Percent of Abl_common_system_distrib Matching Reality



Percent Matching True System

[1]	"Abl_NPLtoFS	G_sys	stem_distrib"
P	ercent_Match	freq	Percent_Trials
1	30.00000	1	2
2	36.66667	5	10
3	40.00000	2	4
4	43.33333	3	6
5	46.66667	7	14
6	53.33333	4	8
7	56.66667	13	26
8	60.00000	15	30


Percent of Abl_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System


[1] "Abl_romania	an_sys	stem_distrib"
	Percent_Match	freq	Percent_Trials
1	30.00000	1	2
2	36.66667	6	12
3	40.00000	2	4
4	43.33333	7	14
5	46.66667	2	4
6	50.00000	1	2
7	53.33333	7	14
8	56.66667	24	48

Percent of Abl_romanian_system_distrib Matching Reality



[1]	"Sg_common_sy	stem_	_distrib"
]	Percent_Match	freq	Percent_Trials
1	36.00000	1	2
2	38.66667	1	2
3	41.33333	1	2
4	42.66667	1	2
5	45.33333	1	2
6	46.66667	1	2
7	48.00000	1	2
8	49.33333	1	2
9	50.66667	1	2
10	52.00000	6	12
11	53.33333	2	4
12	54.66667	2	4
13	56.00000	3	6
14	57.33333	3	6
15	58.66667	2	4
16	60.00000	6	12
17	61.33333	3	6
18	62.66667	6	12
19	65.33333	6	12
20	66.66667	1	2
21	68.00000	1	2


Percent of Sg_common_system_distrib Matching Reality



Percent Matching True System

[1] "Sg_NPLtoFSG_system_distrib"			
F	Percent_Match	freq	Percent_Trials
1	36.00000	1	2
2	38.66667	1	2
3	41.33333	1	2
4	42.66667	1	2
5	45.33333	1	2
6	46.66667	1	2
7	48.00000	1	2
8	49.33333	1	2
9	50.66667	1	2
10	52.00000	6	12
11	53.33333	2	4
12	54.66667	2	4
13	56.00000	3	6
14	57.33333	3	6
15	58.66667	2	4
16	60.00000	6	12
17	61.33333	3	6
18	62.66667	6	12
19	65.33333	6	12
20	66.66667	1	2
21	68.00000	1	2


Percent of Sg_NPLtoFSG_system_distrib Matching Reality



Percent Matching True System


[1] "Sg_romanian_system_distrib"				
	Percent_Match	freq	Percent_Trials	
1	38.66667	1	2	
2	41.33333	1	2	
3	42.66667	1	2	
4	44.00000	2	4	
5	46.66667	5	10	
6	48.00000	3	6	
7	50.66667	4	8	
8	52.00000	3	6	
9	53.33333	2	4	
10	54.66667	7	14	
11	56.00000	4	8	
12	57.33333	6	12	
13	58.66667	1	2	
14	60.00000	7	14	
15	61.33333	1	2	
16	62.66667	1	2	
17	64.00000	1	2	

Percent of Sg_romanian_system_distrib Matching Reality



[1] "Pl_common_system_distrib"
 Percent_Match freq Percent_Trials
1 13.33333 50 100


Percent of PI_common_system_distrib Matching Reality



[1] "Pl_NPLtoFSG_system_distrib"


	Percent_Match	freq	${\tt Percent_Trials}$
1	13.33333	16	32
2	14.66667	2	4
3	17.33333	5	10
4	18.66667	5	10
5	20.00000	11	22
6	21.33333	1	2
7	22.66667	9	18
8	26.66667	1	2

Percent of PI_NPLtoFSG_system_distrib Matching Reality



[1] "Pl_romanian_system_distrib"
 Percent_Match freq Percent_Trials
1 13.33333 50 100


Percent of PI_romanian_system_distrib Matching Reality



[1] "n.Sg(Nom|Acc),m.Sg(Nom|Acc)"


Percent_Match freq Percent_Trials
1 66.66667 4 8
2 83.33333 26 52
3 100.00000 20 40

Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other



[1] "n.Pl(Nom Ac	cc),m	.Pl(Nom Acc)"
	Percent_Match	freq	Percent_Trials
1	33.33333	9	18
2	50.00000	2	4
3	66.66667	10	20
4	83.33333	6	12
5	100.00000	23	46


Percent of n.PI(Nom|Acc),m.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]] "n.Pl(Nom Ad	cc),f	.Sg(Nom Acc)"
]	Percent_Match	freq	Percent_Trials
1	0.00000	26	52
2	16.66667	14	28
3	33.33333	6	12
4	50.00000	3	6
5	66.66667	1	2


Percent of n.PI(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Nom Ad	cc),f	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	1	2
2	16.66667	1	2
3	33.33333	6	12
4	50.00000	4	8
5	66.66667	11	22
6	83.33333	6	12
7	100.00000	21	42


Percent of n.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"m.Pl(Nom Ad	cc),f	.Pl(Nom Acc)"
P	ercent_Match	freq	Percent_Trials
1	50	1	2
2	60	1	2
3	80	3	6
4	90	7	14
5	100	38	76


Percent of m.PI(Nom|Acc),f.PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1] "1.*(Nom Acc), $5.*$ (Nom Acc)"				
Pe	ercent_Match	freq	Percent_Trials	
1	0.0	39	78	
2	12.5	1	2	
3	25.0	6	12	
4	50.0	4	8	


Percent of 1.*(Nom|Acc),5.*(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2.*(Nom Acc	c),4.×	*(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	25.00000	1	2
2	33.33333	1	2
3	50.00000	12	24
4	58.33333	2	4
5	66.66667	2	4
6	75.00000	4	8
7	83.33333	3	6
8	91.66667	3	6
9	100.00000	22	44


Percent of 2.*(Nom|Acc),4.*(Nom|Acc) Matching Each Other



Percent Matching Each Other

[[1]	"2Sg(Nom Aco	c),4Sg	g(Nom Acc)"
	Pe	ercent_Match	freq	Percent_Trials
1	L	50.00000	3	6
2	2	66.66667	1	2
3	3	83.33333	1	2
4	ŀ	100.00000	45	90


Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other




Percent Matching Each Other

[1]	"2P1(Nom Acc	c),4P]	L(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	13	26
2	16.66667	1	2
3	33.33333	3	6
4	50.00000	4	8
5	66.66667	3	6
6	83.33333	3	6
7	100.00000	23	46

Percent of 2PI(Nom|Acc),4PI(Nom|Acc) Matching Each Other




Percent of n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc) Matching Each Oth




[1] "n[24]Pl(Nom|Acc),m[24]Pl(Nom|Acc)"

Percent of n[24]PI(Nom|Acc),m[24]PI(Nom|Acc) Matching Each Othe




Percent of n[24]PI(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n[24]Pl(Non	n Acc)	,f1Pl(Nom Acc)"
P	ercent_Match	freq	Percent_Trials
1	0	32	64
2	25	6	12
3	50	11	22
4	100	1	2


Percent of n[24]PI(Nom|Acc),f1PI(Nom|Acc) Matching Each Other




Percent Matching Each Other

[1]] "m[24]P1(Non	n Acc)	f1Sg(Nom Acc)"
I	Percent_Match	freq	Percent_Trials
1	0	46	92
2	25	1	2
3	50	3	6

Percent of m[24]PI(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other




Percent of m[24]PI(Nom|Acc),f1PI(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"m.Sg(Nom Ad	cc),m	.Pl(Nom Acc)"
P	ercent_Match	freq	Percent_Trials
1	0	11	22
2	10	2	4
3	20	8	16
4	30	4	8
5	40	12	24
6	50	6	12
7	60	7	14


Percent of m.Sg(Nom|Acc),m.Pl(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"f.Sg(Nom Ad	cc),f	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0	11	22
2	10	3	6
3	20	7	14
4	30	5	10
5	40	11	22
6	50	2	4
7	60	11	22


Percent of f.Sg(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Sg(Nom Ac	cc),n	.Pl(Nom Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	26	52
2	16.66667	10	20
3	33.33333	11	22
4	50.00000	2	4
5	66.66667	1	2


Percent of n.Sg(Nom|Acc),n.Pl(Nom|Acc) Matching Each Other



Percent Matching Each Other

[1] "n.Sg(),m.Sg()"				
	Pe	ercent_Match	freq	Percent_Trials
	1	60.00000	1	2
	2	66.66667	2	4
	3	73.33333	4	8
	4	80.00000	7	14
	5	86.66667	11	22
	6	93.33333	8	16
	7	100.00000	17	34


Percent of n.Sg(|),m.Sg(|) Matching Each Other



Percent Matching Each Other

[1] "n.Pl(),m.Pl()"			
	Percent_Match	freq	Percent_Trials
1	33.33333	3	6
2	40.00000	2	4
3	46.66667	1	2
4	60.00000	2	4
5	66.66667	3	6
6	73.33333	6	12
7	80.00000	4	8
8	86.66667	7	14
9	93.33333	3	6
10	100.00000	19	38


Percent of n.PI(|),m.PI(|) Matching Each Other



Percent Matching Each Other

[1] "n.Pl(),f.Sg()"			
	Percent_Match	freq	Percent_Trials
1	0.000000	3	6
2	6.666667	5	10
3	13.333333	6	12
4	20.000000	6	12
5	26.666667	7	14
6	33.333333	5	10
7	40.000000	6	12
8	46.666667	9	18
9	60.000000	2	4
10	66.666667	1	2


Percent of n.PI(|),f.Sg(|) Matching Each Other



Percent Matching Each Other

[1]			
	Percent_Match	freq	Percent_Trials
1	33.33333	3	6
2	40.00000	2	4
3	46.66667	2	4
4	60.00000	3	6
5	66.66667	5	10
6	73.33333	5	10
7	80.00000	3	6
8	86.66667	5	10
9	93.33333	3	6
10	100.00000	19	38


Percent of n.PI(|),f.PI(|) Matching Each Other



Percent Matching Each Other


[1]	"m.Pl(),f.H	י()וי	1
Pe	ercent_Match	freq	Percent_Trials
1	80	1	2
2	84	2	4
3	88	6	12
4	92	4	8
5	96	9	18
6	100	28	56

Percent of m.PI(|),f.PI(|) Matching Each Other



[1] "1.*(),5.*	()"	
	Percent_Match	freq	Percent_Trials
1	0	30	60
2	5	4	8
3	10	7	14
4	20	6	12
5	30	1	2
6	50	1	2
7	60	1	2


Percent of 1.*(|),5.*(|) Matching Each Other



Percent Matching Each Other

[1]	"2.*(),4.*()"	
P	ercent_Match	${\tt freq}$	Percent_Trials
1	13.33333	1	2
2	30.00000	1	2
3	33.33333	1	2
4	36.66667	1	2
5	40.00000	2	4
6	43.33333	2	4
7	46.66667	2	4
8	50.00000	3	6
9	56.66667	1	2
10	63.33333	2	4
11	70.00000	2	4
12	73.33333	2	4
13	80.00000	3	6
14	83.33333	1	2
15	86.66667	3	6
16	90.00000	4	8
17	93.33333	5	10
18	96.66667	1	2
19	100.00000	13	26


Percent of 2.*(|),4.*(|) Matching Each Other



Percent Matching Each Other

[1]	"2Sg(),4Sg()"	
	Percent_Match	freq	Percent_Trials
1	20.00000	2	4
2	26.66667	1	2
3	40.00000	2	4
4	46.66667	3	6
5	60.00000	6	12
6	73.33333	4	8
7	80.00000	2	4
8	86.66667	6	12
9	93.33333	3	6
10	100.00000	21	42


Percent of 2Sg(|),4Sg(|) Matching Each Other



Percent Matching Each Other

[1]	"2P1(),4P1()"	
1	Percent_Match	${\tt freq}$	Percent_Trials
1	0.000000	2	4
2	6.666667	1	2
3	20.000000	1	2
4	26.666667	1	2
5	33.333333	2	4
6	40.000000	8	16
7	46.666667	1	2
8	60.000000	1	2
9	66.666667	1	2
10	73.333333	4	8
11	80.000000	4	8
12	86.666667	1	2
13	93.333333	2	4
14	100.000000	21	42


Percent of 2PI(|),4PI(|) Matching Each Other



Percent Matching Each Other


	[1]	"n[24]Sg()	, m [24]	Sg()"	
	Pe	ercent_Match	freq	Percent	_Trials
	1	80	3		6
2	2	90	3		6
3	3	100	44		88

Percent of n[24]Sg(|),m[24]Sg(|) Matching Each Other



[1] "n[24]Pl(|),m[24]Pl(|)" Percent_Match freq Percent_Trials


Percent of n[24]PI(|),m[24]PI(|) Matching Each Other



Percent Matching Each Other

[1]	"n[24]Pl()	,f1Sg	()"
Pe	ercent_Match	freq	Percent_Trials
1	0	30	60
2	10	6	12
3	20	13	26
4	50	1	2


Percent of n[24]PI(|),f1Sg(|) Matching Each Other



Percent Matching Each Other

[1]	"n[24]P1()	f1Pl,	()"
P	ercent_Match	freq	Percent_Trials
1	0	25	50
2	10	7	14
3	20	10	20
4	30	3	6
5	40	2	4
6	50	3	6


Percent of n[24]PI(|),f1PI(|) Matching Each Other



Percent Matching Each Other

[1]	"m[24]P1()	f1Sg	()"
Pe	ercent_Match	freq	Percent_Trials
1	0	40	80
2	10	3	6
3	20	5	10
4	30	2	4


Percent of m[24]PI(|),f1Sg(|) Matching Each Other



Percent Matching Each Other

	[1] "m[24]Pl(),f1Pl()"			
	Pe	rcent_Match	freq	${\tt Percent_Trials}$
	1	0	35	70
	2	10	5	10
;	3	20	4	8
•	4	30	1	2
į	5	40	3	6
(6	50	1	2
•	7	60	1	2


Percent of m[24]PI(|),f1PI(|) Matching Each Other



Percent Matching Each Other

[1] "m.Sg()			
Percent_Ma	atch f	req	Percent_Trials
1	4	1	2
2	8	2	4
3	12	1	2
4	16	1	2
5	20	4	8
6	24	1	2
7	28	5	10
8	32	3	6
9	36	2	4
10	40	6	12
11	44	3	6
12	48	2	4
13	52	4	8
14	56	4	8
15	60	5	10
16	64	2	4
17	68	1	2
18	72	1	2
19	76	2	4


Percent of m.Sg(|),m.Pl(|) Matching Each Other



Percent Matching Each Other

[1] "f.Sg(),f.Pl()"			
Percent_Ma	atch	freq	Percent_Trials
1	0	1	2
2	8	2	4
3	12	1	2
4	16	1	2
5	20	3	6
6	24	1	2
7	28	5	10
8	32	2	4
9	36	2	4
10	40	5	10
11	44	3	6
12	48	2	4
13	52	5	10
14	56	5	10
15	60	4	8
16	64	4	8
17	68	1	2
18	84	3	6


Percent of f.Sg(|),f.Pl(|) Matching Each Other



Percent Matching Each Other

[1]	"n.Sg(),n.Pl	L()"	
	Percent_Match	freq	Percent_Trials
1	0.000000	3	6
2	6.666667	5	10
3	13.333333	5	10
4	20.000000	11	22
5	26.666667	5	10
6	33.333333	3	6
7	40.000000	5	10
8	46.666667	5	10
9	53.333333	3	6
10	60.000000	4	8
11	66.666667	1	2


Percent of n.Sg(|),n.Pl(|) Matching Each Other



Percent Matching Each Other

[1] "n.Sg(Abl A	cc),m	$. \operatorname{Sg}(\mathtt{Abl} A)$	lcc)"
	Percent_Match	freq	Percent	Trials
1	66.66667	23		46
2	83.33333	7		14
3	100.00000	20		40


Percent of n.Sg(Abl|Acc),m.Sg(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Abl Ad	cc),m	.Pl(Abl Acc)"
Р	ercent_Match	freq	Percent_Trials
1	33.33333	4	8
2	50.00000	7	14
3	66.66667	12	24
4	83.33333	5	10
5	100.00000	22	44


Percent of n.PI(AbI|Acc),m.PI(AbI|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Abl Ad	cc),f	.Sg(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.00000	24	48
2	16.66667	15	30
3	33.33333	9	18
4	50.00000	1	2
5	66.66667	1	2


Percent of n.Pl(Abl|Acc),f.Sg(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"n.Pl(Abl Ad	cc),f	.Pl(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	16.66667	1	2
2	33.33333	6	12
3	50.00000	7	14
4	66.66667	9	18
5	83.33333	6	12
6	100.00000	21	42


Percent of n.PI(Abl|Acc),f.PI(Abl|Acc) Matching Each Other



Percent Matching Each Other


[1]	"m.Pl(Abl Ac	cc),f	.Pl(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	70	2	4
2	80	6	12
3	90	9	18
4	100	33	66

Percent of m.PI(AbI|Acc),f.PI(AbI|Acc) Matching Each Other



[1]	"1.*(Abl Acc	c),5.×	*(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0.0	38	76
2	12.5	2	4
3	25.0	8	16
4	37.5	1	2
5	50.0	1	2


Percent of 1.*(Abl|Acc),5.*(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2.*(Abl Acc)	,4.*	(Abl Acc)"
	Percent_Match	freq	Percent_Trials
1	16.66667	1	2
2	25.00000	1	2
3	33.33333	3	6
4	41.66667	2	4
5	50.00000	3	6
6	58.33333	4	8
7	66.66667	4	8
8	75.00000	4	8
9	83.33333	8	16
10	91.66667	4	8
11	100.00000	16	32


Percent of 2.*(Abl|Acc),4.*(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"2Sg(Abl Acc	c),4Sg	g(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	33.33333	1	2
2	50.00000	5	10
3	66.66667	8	16
4	83.33333	7	14
5	100.00000	29	58


Percent of 2Sg(Abl|Acc),4Sg(Abl|Acc) Matching Each Other



Percent Matching Each Other


	[1] "2Pl(Abl Ac	cc),4P	l(Abl Acc)"
	Percent_Match	n freq	Percent_Trials
-	0.00000	7	14
2	16.66667	7 3	6
3	33.33333	3 3	6
4	50.00000	6	12
Ę	66.66667	7 5	10
6	83.33333	3 4	8
7	100.00000	22	44

Percent of 2PI(AbI|Acc),4PI(AbI|Acc) Matching Each Other




[1] "n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc)"
Percent_Match freq Percent_Trials
1 100 50 100

Percent of n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc) Matching Each Othe




[1] "n[24]Pl(Abl|Acc),m[24]Pl(Abl|Acc)"

Percent of n[24]PI(AbI|Acc),m[24]PI(AbI|Acc) Matching Each Other




Percent of n[24]PI(AbI|Acc),f1Sg(AbI|Acc) Matching Each Other




Percent Matching Each Other

[1]	"n[24]P1(Ab]	L Acc)),f1Pl(Al	ol Acc)'
Pe	ercent_Match	freq	Percent	Trials
1	0	28		56
2	25	18		36
3	50	4		8


Percent of n[24]PI(AbI|Acc),f1PI(AbI|Acc) Matching Each Other



Percent of m[24]PI(Abl|Acc),f1Sg(Abl|Acc) Matching Each Other




Percent of m[24]PI(AbI|Acc),f1PI(AbI|Acc) Matching Each Other



[1] "m.Sg(Abl|Acc),m.Pl(Abl|Acc)" Percent_Match freq Percent_Trials


Percent of m.Sg(Abl|Acc),m.Pl(Abl|Acc) Matching Each Other



Percent Matching Each Other

[1]	"f.Sg(Abl Ad	cc),f	.Pl(Abl Acc)"
Pe	ercent_Match	freq	Percent_Trials
1	0	12	24
2	10	1	2
3	20	5	10
4	30	10	20
5	40	9	18
6	50	3	6
7	60	7	14
8	80	3	6


Percent of f.Sg(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other



Percent Matching Each Other

[[1]	"n.Sg(Abl Ac	cc),n	.Pl(Abl Acc)"
	Pe	ercent_Match	freq	Percent_Trials
1	L	0.00000	19	38
2	2	16.66667	20	40
3	3	33.33333	8	16
4	Į	50.00000	3	6

Percent of n.Sg(Abl|Acc),n.Pl(Abl|Acc) Matching Each Other




Percent Matching Each Other

[1	l] "n.Sg(Nom Ad	cc Ab]	l),m.Sg(Nom Acc Abl)"
	${\tt Percent_Match}$	freq	Percent_Trials
1	66.66667	4	8
2	77.77778	19	38

2	77.77778	19	38
3	88.88889	7	14
4	100.00000	20	40


Percent of n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl) Matching Each Otl



[1] "n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"

	Percent_Match	freq	Percent_Trials
1	33.33333	3	6
2	44.44444	4	8
3	55.55556	5	10
4	66.66667	4	8
5	77.77778	10	20
6	88.88889	3	6
7	100.00000	21	42


Percent of n.PI(Nom|Acc|AbI),m.PI(Nom|Acc|AbI) Matching Each Oth



Percent Matching Each Other

[1] "n.Pl(Nom Ad	cc Ab]	L),f.Sg(Nom Acc Abl)"
	Percent_Match	freq	Percent_Trials
1	0.00000	20	40
2	11.11111	14	28
3	22.22222	5	10
4	33.33333	9	18
5	55.55556	1	2
6	66.66667	1	2


Percent of n.PI(Nom|Acc|AbI),f.Sg(Nom|Acc|AbI) Matching Each Other



· ·

[1] "n.Pl(Nom Ad	cc Ab]	l),f.Pl(Nom Acc Abl)'
	Percent_Match	freq	Percent_Trials
1	22.22222	1	2
2	33.33333	4	8
3	44.44444	5	10
4	55.55556	3	6
5	66.66667	5	10
6	77.77778	8	16
7	88.88889	4	8
8	100.00000	20	40


Percent of n.PI(Nom|Acc|AbI),f.PI(Nom|Acc|AbI) Matching Each Othe



Percent Matching Each Other


[1]	"m.Pl(Nom Ac	cc Ab]	l),f.Pl(Nom Acc Abl)
P	ercent_Match	freq	Percent_Trials
1	66.66667	1	2
2	73.33333	1	2
3	80.00000	2	4
4	86.66667	6	12
5	93.33333	8	16
6	100 00000	32	64

Percent of m.PI(Nom|Acc|AbI),f.PI(Nom|Acc|AbI) Matching Each Other



[:	1] "1.*(Nom Aco	c Abl)	,5.*(Nom Acc Abl)
	${\tt Percent_Match}$	freq	Percent_Trials
1	0.000000	36	72
2	8.333333	2	4
3	16.666667	6	12
4	33.333333	5	10
5	50.000000	1	2


Percent of 1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl) Matching Each Other



Percent Matching Each Other

[1]	"2.*(Nom Acc	Abl),4	.*(Nom Acc Abl)"
]	Percent_Match :	freq P	ercent_Trials
1	16.66667	1	2
2	22.22222	1	2
3	38.88889	3	6
4	44.44444	1	2
5	50.00000	3	6
6	55.55556	4	8
7	61.11111	1	2
8	66.66667	3	6
9	72.22222	2	4
10	77.77778	4	8
11	83.33333	3	6
12	88.88889	6	12
13	94.44444	2	4
14	100.00000	16	32


Percent of 2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl) Matching Each Other



Percent Matching Each Other

[1]	"2Sg(Nom Aco	(Abl	,4Sg(Nom Acc Abl)"
P	ercent_Match	freq	Percent_Trials
1	33.33333	3	6
2	44.44444	1	2
3	66.66667	2	4
4	77.77778	8	16
5	88.88889	7	14
6	100.00000	29	58


Percent of 2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl) Matching Each Other




Percent Matching Each Other

[1]	"2P1(Nom Acc	Abl),	4P1(Nom Acc Abl)
I	Percent_Match	freq	Percent_Trials
1	0.00000	7	14
2	11.11111	3	6
3	22.22222	2	4
4	33.33333	1	2
5	44.44444	2	4
6	55.55556	3	6
7	66.66667	6	12
8	77.77778	2	4
9	88.88889	2	4
10	100.00000	22	44

Percent of 2PI(Nom|Acc|AbI),4PI(Nom|Acc|AbI) Matching Each Othe




ercent of n[24]Sg(Nom|Acc|Abl),m[24]Sg(Nom|Acc|Abl) Matching Each



[1] "n[24]Pl(Nom|Acc|Abl),m[24]Pl(Nom|Acc|Abl)"

	Percent_Match	freq	Percent_Trials
1	50.00000	4	8
2	66.66667	8	16
3	83.33333	7	14
4	100.00000	31	62


Percent of n[24]PI(Nom|Acc|AbI),m[24]PI(Nom|Acc|AbI) Matching Each



[1] "n[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl)"

	Percent_Match	freq	Percent_Trials
1	0.00000	35	70
2	16.66667	5	10
3	33.33333	9	18
4	50.00000	1	2

Percent of n[24]PI(Nom|Acc|AbI),f1Sg(Nom|Acc|AbI) Matching Each Ot




Percent Matching Each Other

[1]	"n[24]Pl(Nom Acc	Abl),f1Pl(Nom Acc Abl)"	
-----	------------------	-------------------------	--

	Percent_Match	ireq	Percent_Irials
1	0.00000	28	56
2	16.66667	12	24
3	33.33333	7	14
4	50.00000	2	4
5	66.66667	1	2

Percent of n[24]PI(Nom|Acc|AbI),f1PI(Nom|Acc|AbI) Matching Each Ot




Percent Matching Each Other

[1] "m[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl)"

	Percent_Match	rreq	Percent_IIIais
1	0.00000	46	92
2	16.66667	1	2
3	33 33333	3	6


Percent of m[24]PI(Nom|Acc|AbI),f1Sg(Nom|Acc|AbI) Matching Each O



[1] "m[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl)"

	Percent_Match	ireq	Percent_Trials
1	0.00000	38	76
2	16.66667	7	14
3	33.33333	3	6
4	50.00000	1	2
5	66.66667	1	2


Percent of m[24]PI(Nom|Acc|AbI),f1PI(Nom|Acc|AbI) Matching Each Ot



Percent Matching Each Other

[1]	"m.Sg(Nom Acc	c Abl)	,m.Pl(No	om Acc Abl)
	Percent_Match	freq	Percent_	Trials
1	0.000000	9		18
2	6.666667	2		4
3	13.333333	3		6
4	20.000000	4		8
5	26.666667	1		2
6	33.333333	10		20
7	40.000000	8		16
8	46.666667	8		16
9	53.333333	2		4
10	60.000000	3		6


Percent of m.Sg(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl) Matching Each Oth



Percent Matching Each Other

[1]	"f.Sg(Nom Acc	(Abl),	f.Pl(Nom Acc Abl)
	Percent_Match	freq P	ercent_Trials
1	0.000000	10	20
2	6.666667	1	2
3	13.333333	3	6
4	20.000000	3	6
5	26.666667	3	6
6	33.333333	9	18
7	40.000000	7	14
8	46.666667	7	14
9	53.333333	1	2
10	60.000000	3	6
11	73.333333	3	6

Percent of f.Sg(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Othe



Percent Matching Each Other


[1	l] "n.Sg(Nom Ad	cc Ab]	L),n.Pl(Nom Acc Abl)"
	Percent_Match	freq	Percent_Trials
1	0.00000	17	34
2	11.11111	15	30
3	22.22222	7	14
4	33.33333	8	16

5

6

2


Percent of n.Sg(Nom|Acc|Abl),n.Pl(Nom|Acc|Abl) Matching Each Oth



Percent Matching Each Other

[1] "n.Sg,m.Sg"		
	Percent_Match	freq	Percent_Trials
1	60.00000	1	2
2	66.66667	2	4
3	73.33333	4	8
4	80.00000	7	14
5	86.66667	11	22
6	93.33333	8	16
7	100.00000	17	34


Percent of n.Sg,m.Sg Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,m.Pl"		
	Percent_Match	freq	Percent_Trials
1	33.33333	3	6
2	40.00000	2	4
3	46.66667	1	2
4	60.00000	2	4
5	66.66667	3	6
6	73.33333	6	12
7	80.00000	4	8
8	86.66667	7	14
9	93.33333	3	6
10	100.00000	19	38


Percent of n.PI,m.PI Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,f.Sg"		
	Percent_Match	freq	Percent_Trials
1	0.000000	3	6
2	6.666667	5	10
3	13.333333	6	12
4	20.000000	6	12
5	26.666667	7	14
6	33.333333	5	10
7	40.000000	6	12
8	46.666667	9	18
9	60.000000	2	4
10	66.666667	1	2


Percent of n.PI,f.Sg Matching Each Other



Percent Matching Each Other

[1]	"n.Pl,f.Pl"		
]	Percent_Match	freq	Percent_Trials
1	33.33333	3	6
2	40.00000	2	4
3	46.66667	2	4
4	60.00000	3	6
5	66.66667	5	10
6	73.33333	5	10
7	80.00000	3	6
8	86.66667	5	10
9	93.33333	3	6
10	100.00000	19	38


Percent of n.PI,f.PI Matching Each Other



Percent Matching Each Other


[1	l] "m.Pl,f.Pl"		
	${\tt Percent_Match}$	freq	Percent_Trials
1	80	1	2
2	84	2	4
3	88	6	12
4	92	4	8
5	96	9	18
6	100	28	56

Percent of m.PI,f.PI Matching Each Other



	[1]	"1.*,5.*"		
	Pe	ercent_Match	freq	Percent_Trials
	1	0	30	60
	2	5	4	8
	3	10	7	14
4	4	20	6	12
Į	5	30	1	2
(6	50	1	2
•	7	60	1	2


Percent of 1.*,5.* Matching Each Other



Percent Matching Each Other

[1]	"2.*,4.*"		
	Percent_Match	${\tt freq}$	Percent_Trials
1	13.33333	1	2
2	30.00000	1	2
3	33.33333	1	2
4	36.66667	1	2
5	40.00000	2	4
6	43.33333	2	4
7	46.66667	2	4
8	50.00000	3	6
9	56.66667	1	2
10	63.33333	2	4
11	70.00000	2	4
12	73.33333	2	4
13	80.00000	3	6
14	83.33333	1	2
15	86.66667	3	6
16	90.00000	4	8
17	93.33333	5	10
18	96.66667	1	2
19	100.00000	13	26


Percent of 2.*,4.* Matching Each Other



Percent Matching Each Other

[1]	"2Sg,4Sg"		
	Percent_Match	freq	Percent_Trials
1	20.00000	2	4
2	26.66667	1	2
3	40.00000	2	4
4	46.66667	3	6
5	60.00000	6	12
6	73.33333	4	8
7	80.00000	2	4
8	86.66667	6	12
9	93.33333	3	6
10	100.00000	21	42


Percent of 2Sg,4Sg Matching Each Other



Percent Matching Each Other

Г17	"2P1,4P1"		
	•	fred	Percent Trials
1	0.000000	2	4
2	6.666667	1	2
3	20.000000	1	2
4	26.666667	_	2
5	33.333333		4
6	40.000000	8	16
7	46.666667	_	2
8	60.000000	_	2
9	66.666667	1	2
10	73.333333	_	8
11	80.000000		8
12	86.666667	1	2
13	93.333333	2	4
14	100.000000	21	42


Percent of 2PI,4PI Matching Each Other



Percent Matching Each Other

	[1]	"n[24]Sg,m[2	24] Sg'	1
	Pe	ercent_Match	freq	Percent_Trials
	1	80	3	6
:	2	90	3	6
	3	100	44	88


Percent of n[24]Sg,m[24]Sg Matching Each Other



[1] "n[24]Pl,m[24]Pl"

	${\tt Percent_Match}$	freq	Percent_Trials
1	50	4	8
2	60	3	6
3	70	1	2
4	80	7	14
5	90	6	12
6	100	29	58


Percent of n[24]PI,m[24]PI Matching Each Other



Percent Matching Each Other

	[1] '	'n[24]P1,f18	Sg"	
	Per	cent_Match	freq	Percent_Trials
-	L	0	30	60
2	2	10	6	12
3	3	20	13	26
4	1	50	1	2

Percent of n[24]PI,f1Sg Matching Each Other




Percent Matching Each Other

[1]	"n[24]Pl,f1Pl"
-----	----------------

	Percent_Match	ireq	Percent_Trials
1	. 0	25	50
2	10	7	14
3	20	10	20
4	30	3	6
5	40	2	4
6	50	3	6


Percent of n[24]PI,f1PI Matching Each Other



Percent Matching Each Other

[1] "m[24]Pl,f1	Sg"	
	Percent_Match	freq	Percent_Trials
1	0	40	80
2	10	3	6
3	20	5	10
4	30	2	4

Percent of m[24]PI,f1Sg Matching Each Other




Percent Matching Each Other

[1]	[1] "m[24]Pl,f1Pl"				
Pe	ercent	_Match	freq	Percent	Trials
1		0	35		70

1	0	35	70
2	10	5	10
3	20	4	8
4	30	1	2
5	40	3	6
6	50	1	2
7	60	1	2


Percent of m[24]PI,f1PI Matching Each Other



Percent Matching Each Other

[1] "m.Sg,m.Pl"				
Percent_Match	freq	Percent_Trials		
1 4	: 1	2		
2 8	2	4		
3 12	1	2		
4 16	1	2		
5 20	4	8		
6 24	. 1	2		
7 28	5	10		
8 32	3	6		
9 36	2	4		
10 40	6	12		
11 44	: 3	6		
12 48	2	4		
13 52	4	8		
14 56	4	8		
15 60	5	10		
16 64	. 2	4		
17 68	1	2		
18 72	1	2		
19 76	2	4		


Percent of m.Sg,m.Pl Matching Each Other



Percent Matching Each Other

[1] "f.Sg,f.Pl"		
Percent_Match	freq	Percent_Trials
1 0	1	2
2 8	2	4
3 12	1	2
4 16	1	2
5 20	3	6
6 24	. 1	2
7 28	5	10
8 32	2	4
9 36	2	4
10 40	5	10
11 44	: 3	6
12 48	2	4
13 52	5	10
14 56	5	10
15 60	4	8
16 64	. 4	8
17 68	1	2
18 84	: 3	6


Percent of f.Sg,f.Pl Matching Each Other



Percent Matching Each Other

[1]	"n.Sg,n.Pl"		
	Percent_Match	${\tt freq}$	Percent_Trials
1	0.000000	3	6
2	6.666667	5	10
3	13.333333	5	10
4	20.000000	11	22
5	26.666667	5	10
6	33.333333	3	6
7	40.000000	5	10
8	46.666667	5	10
9	53.333333	3	6
10	60.000000	4	8
11	66.666667	1	2


Percent of n.Sg,n.Pl Matching Each Other



Percent Matching Each Other

[1]	"Nom,Acc"		
]	Percent_Match	freq	Percent_Trials
1	50.00000	3	6
2	57.69231	1	2
3	61.53846	7	14
4	65.38462	3	6
5	69.23077	9	18
6	73.07692	2	4
7	76.92308	6	12
8	80.76923	6	12
9	84.61538	8	16
10	88.46154	2	4
11	100.00000	3	6


Percent of Nom,Acc Matching Each Other



Percent Matching Each Other

[1]	"Acc,Abl"		
I	Percent_Match	freq	Percent_Trials
1	19.23077	1	2
2	23.07692	2	4
3	26.92308	2	4
4	34.61538	3	6
5	38.46154	2	4
6	42.30769	1	2
7	46.15385	5	10
8	50.00000	3	6
9	53.84615	5	10
10	57.69231	6	12
11	61.53846	3	6
12	65.38462	2	4
13	69.23077	4	8
14	73.07692	3	6
15	76.92308	6	12
16	92.30769	1	2
17	100.00000	1	2


Percent of Acc, Abl Matching Each Other



Percent Matching Each Other

[1]	"Nom, Acc, Abl'	1	
]	Percent_Match	${\tt freq}$	Percent_Trials
1	3.846154	2	4
2	7.692308	3	6
3	15.384615	2	4
4	23.076923	3	6
5	26.923077	3	6
6	30.769231	5	10
7	34.615385	3	6
8	38.461538	5	10
9	42.307692	4	8
10	46.153846	4	8
11	50.000000	4	8
12	53.846154	3	6
13	57.692308	2	4
14	61.538462	3	6
15	65.384615	2	4
16	84.615385	1	2
17	92.307692	1	2


Percent of Nom,Acc,Abl Matching Each Other



Percent Matching Each Other

[1]	"Gen,Dat"		
	Percent_Match	freq	Percent_Trials
1	15.38462	1	2
2	26.92308	1	2
3	42.30769	1	2
4	46.15385	1	2
5	57.69231	3	6
6	61.53846	1	2
7	65.38462	2	4
8	69.23077	4	8
9	73.07692	3	6
10	76.92308	3	6
11	80.76923	2	4
12	84.61538	2	4
13	88.46154	4	8
14	92.30769	2	4
15	96.15385	6	12
16	100.00000	14	28


Percent of Gen, Dat Matching Each Other



Percent Matching Each Other

[1] "Nom,Acc,Gen,Dat,Abl"						
Percent_Match freq Percent_Trials						
1	0.000000	3	6			
2	3.846154	1	2			
3	7.692308	6	12			
4	11.538462	1	2			
5	15.384615	6	12			
6	19.230769	2	4			
7	23.076923	2	4			
8	26.923077	5	10			
9	30.769231	4	8			
10	34.615385	1	2			
11	38.461538	4	8			
12	42.307692	5	10			
13	46.153846	1	2			
14	50.000000	6	12			
15	57.692308	3	6			


Percent of Nom,Acc,Gen,Dat,Abl Matching Each Other



Percent Matching Each Other

[1] "nPlmPl_exclusive"						
	Percent_Match	freq	Percent_Trials			
1	0.000000	39	78			
2	6.666667	7	14			
3	13.333333	1	2			
4	20.000000	3	6			


Percent of nPImPI_exclusive Matching Each Other



Percent Matching Each Other


[1] "nPlfPl_exclusive"						
		Percent_Match	freq	Percent_Trials		
	1	0.000000	46	92		
	2	6.666667	3	6		
	3	13.333333	1	2		

Percent of nPlfPl_exclusive Matching Each Other




[1] "Sg(Nom|Acc)_nots"
 Percent_Match freq Percent_Trials
1 100 50 100

Percent of Sg(Nom|Acc) ending in nots



[1] "1Sg(Nom|Acc)_a(\$|,)"


Percent of 1Sg(Nom|Acc) ending in a(\$|,)




[1] "[24]Sg(Nom|Acc)_o(\$|,)"

Percent_Match freq Percent_Trials
1 0 50 100

Percent of [24]Sg(Nom|Acc) ending in o(\$|,)




Percent of 3Sg(Nom|Acc) ending in [e-](\$|,)




[1] "Pl(Nom|Acc)_s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of PI(Nom|Acc) ending in s(\$|,)



Percent of [mf].PI(Nom|Acc) ending in s(\$|,)




[1] "[124]Pl(Nom|Acc)_s(\$|,)"

Percent_Match freq Percent_Trials


1 0 50 100

Percent of [124]PI(Nom|Acc) ending in s(\$|,)




```
[1] "1Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1      0     50     100
```

Percent of 1PI(Nom|Acc) ending in s(\$|,)




Percent of [24]PI(Nom|Acc) ending in s(\$|,)




[1] "n.Pl(Nom|Acc)_s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of n.PI(Nom|Acc) ending in s(\$|,)




[1] "1P1(Nom|Acc)_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of 1PI(Nom|Acc) ending in as(\$|,)




Percent of [24]PI(Nom|Acc) ending in os(\$|,)




[1] "3Pl(Nom|Acc)_e?s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of 3PI(Nom|Acc) ending in e?s(\$|,)




	1] "n.Pl(Nom A	cc)_a	(\$,)"
	Percent_Match	freq	Percent_Trials
1	0.00000	32	64
2	16.66667	3	6
3	33.33333	6	12
4	50.00000	1	2
5	66.66667	8	16

Percent of n.PI(Nom|Acc) ending in a(\$|,)




[1] "n.Pl(Nom|Acc)_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100


Percent of n.PI(Nom|Acc) ending in as(\$|,)



Percent of n.PI(Nom|Acc) ending in os(\$|,)




Percent of m.PI(Nom|Acc) ending in as(\$|,)




[1] "m.Pl(Nom|Acc)_os(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of m.PI(Nom|Acc) ending in os(\$|,)




[1] "Sg(Abl|Acc)_nots"
 Percent_Match freq Percent_Trials
1 100 50 100

Percent of Sg(Abl|Acc) ending in nots



Percent of 1Sg(Abl|Acc) ending in a(\$|,)




[1] "[24]Sg(Abl Acc)_o(\$,)"					
	Percent_Match	freq	${\tt Percent_Trials}$		
1	0.00000	3	6		
2	16.66667	13	26		
3	25.00000	1	2		
4	33.33333	1	2		

41.66667


50.00000

Percent of [24]Sg(Abl|Acc) ending in o(\$|,)




[1] "3Sg(Abl|Acc)_[e-](\$|,)"
 Percent_Match freq Percent_Trials
1 83.33333 3 6
2 100.00000 47 94

Percent of 3Sg(Abl|Acc) ending in [e-](\$|,)




[1] "Pl(Abl|Acc)_s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of PI(AbI|Acc) ending in s(\$|,)



[1] "[mf].Pl(Abl|Acc)_s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100


Percent of [mf].PI(AbI|Acc) ending in s(\$|,)



```
[1] "[124]Pl(Abl|Acc)_s($|,)"


Percent_Match freq Percent_Trials
1 0 50 100
```

Percent of [124]PI(AbI|Acc) ending in s(\$|,)




[1] "1Pl(Abl|Acc)_s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of 1PI(AbI|Acc) ending in s(\$|,)




Percent of [24]PI(AbI|Acc) ending in s(\$|,)




[1] "n.Pl(Abl|Acc)_s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of n.PI(Abl|Acc) ending in s(\$|,)



Percent of 1PI(AbI|Acc) ending in as(\$|,)




[1] "[24]Pl(Abl|Acc)_os(\$|,)"

Percent_Match freq Percent_Trials


1 0 50 100

Percent of [24]PI(AbI|Acc) ending in os(\$|,)




```
[1] "3Pl(Abl|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1      0     50     100
```

Percent of 3PI(AbI|Acc) ending in e?s(\$|,)




```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
        0.00000
                  32
1
2
       16.66667
                   6
                                  12
3
       33.33333
                                  22
                  11
4
       66.66667
                                   2
                   1
```

Percent of n.PI(Abl|Acc) ending in a(\$|,)




[1] "n.Pl(Abl|Acc)_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of n.PI(Abl|Acc) ending in as(\$|,)




[1] "n.Pl(Abl|Acc)_os(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100


Percent of n.PI(Abl|Acc) ending in os(\$|,)




Percent of m.PI(AbI|Acc) ending in as(\$|,)



Percent of m.PI(Abl|Acc) ending in os(\$|,)




Percent of Sg(Nom|Acc|Abl) ending in nots




[1] "1Sg(Nom|Acc|Abl)_a(\$|,)" Percent_Match freq Percent_Trials 1 66.66667 1 2 2 83.33333 5 10 3 100.00000 44 88

Percent of 1Sg(Nom|Acc|Abl) ending in a(\$|,)




[1] "[24]Sg(Nom|Acc|Abl)_o(\$|,)" Percent_Match freq Percent_Trials 0.00000 11.11111 16.66667 22.2222 27.77778 33.33333

Percent of [24]Sg(Nom|Acc|Abl) ending in o(\$|,)




[1] "3Sg(Nom Acc Abl)_[e-](\$,)"					
	Percent_Match	freq	Percent_Trials		
1	55.55556	1	2		
2	77.77778	1	2		
3	88.88889	2	4		
4	100.00000	46	92		

Percent of 3Sg(Nom|Acc|Abl) ending in [e-](\$|,)



```
[1] "Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1      0     50     100
```


Percent of PI(Nom|Acc|AbI) ending in s(\$|,)



[1] "[mf].Pl(Nom|Acc|Abl)_s(\$|,)"

Percent_Match freq Percent_Trials
1 0 50 100


Percent of [mf].Pl(Nom|Acc|Abl) ending in s(\$|,)



[1] "[124]Pl(Nom|Acc|Abl)_s(\$|,)"


Percent_Match freq Percent_Trials
1 0 50 100

Percent of [124]PI(Nom|Acc|Abl) ending in s(\$|,)



[1] "1Pl(Nom|Acc|Abl)_s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100


Percent of 1PI(Nom|Acc|AbI) ending in s(\$|,)




[1] "[24]Pl(Nom|Acc|Abl)_s(\$|,)"

Percent_Match freq Percent_Trials
1 0 50 100

Percent of [24]PI(Nom|Acc|Abl) ending in s(\$|,)




Percent of n.PI(Nom|Acc|Abl) ending in s(\$|,)



[1] "1Pl(Nom|Acc|Abl)_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100


Percent of 1PI(Nom|Acc|AbI) ending in as(\$|,)



[1] "[24]Pl(Nom|Acc|Abl)_os(\$|,)"


Percent_Match freq Percent_Trials
1 0 50 100

Percent of [24]PI(Nom|Acc|AbI) ending in os(\$|,)




[1] "3Pl(Nom|Acc|Abl)_e?s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of 3PI(Nom|Acc|AbI) ending in e?s(\$|,)




[1] "n.Pl(Nom Acc Abl)_a(\$,)"					
	Percent_Match	freq	Percent_Trials		
1	0.00000	32	64		
2	11.11111	3	6		
3	22.22222	5	10		
4	33.33333	2	4		
5	44.44444	7	14		
6	66.66667	1	2		


Percent of n.PI(Nom|Acc|Abl) ending in a(\$|,)



Percent of n.PI(Nom|Acc|Abl) ending in as(\$|,)




Percent of n.PI(Nom|Acc|Abl) ending in os(\$|,)




[1] "m.Pl(Nom|Acc|Abl)_as(\$|,)"

Percent_Match freq Percent_Trials
1 0 50 100

Percent of m.PI(Nom|Acc|AbI) ending in as(\$|,)




Percent of m.PI(Nom|Acc|AbI) ending in os(\$|,)



```
[1] "1Sg(Gen|Dat)_e($|,)"
  Percent_Match freq Percent_Trials
                   36
1
2
              25
                    1
                                    2
3
              50
                    9
                                   18
4
              75
                                    2
                    1
                                    6
5
             100
                    3
```


Percent of 1Sg(Gen|Dat) ending in e(\$|,)




[1] "Pl(Gen|Dat)_s(\$|,)"

Percent_Match freq Percent_Trials
1 0 50 100


Percent of PI(Gen|Dat) ending in s(\$|,)



Percent of [124]PI(Gen|Dat) ending in s(\$|,)




Percent of Sg ending in nots



[1] "1Sg_a(\$|,)" ${\tt Percent_Match\ freq\ Percent_Trials}$


Percent of 1Sg ending in a(\$|,)



[1]	"[24]	Sg_o(\$,)"
Pe	ercent_	Match	fre


	Percent_Match	ireq	Percent_Irials
1	0.000000	3	6
2	6.666667	13	26
3	10.000000	1	2
4	13.333333	1	2
5	16.666667	6	12
6	20.000000	26	52

Percent of [24]Sg ending in o(\$|,)




[1	.] "3Sg_[e-](\$,)"	
	Percent_Match	${\tt freq}$	${\tt Percent_Trials}$
1	33.33333	1	2
2	53.33333	1	2
3	60.00000	9	18
4	66.66667	1	2
5	73.33333	4	8
6	80.00000	7	14
7	86.66667	2	4
8	100.00000	25	50


Percent of 3Sg ending in [e-](\$|,)



Percent of PI ending in s(\$|,)




Percent of [mf].Pl ending in s(\$|,)




[1] "[124]Pl_s(\$|,)"

Percent_Match freq Percent_Trials
1 0 50 100


Percent of [124]PI ending in s(\$|,)



Percent of 1PI ending in s(\$|,)




Percent of [24]PI ending in s(\$|,)



[1] "n.Pl_s(\$|,)"


Percent_Match freq Percent_Trials
1 0 50 100

Percent of n.Pl ending in s(\$|,)




[1] "1Pl_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of 1PI ending in as(\$|,)




Percent of [24]PI ending in os(\$|,)




[1] "3P1_e?s(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of 3PI ending in e?s(\$|,)




	[1]	"n.Pl_a(\$,)) "	
				Percent_Trials
	1	0.000000	32	64
	2	6.666667	2	4
	3	13.333333	5	10
	4	20.000000	1	2
,	5	26.666667	7	14
	6	33.333333	2	4
	7	66.666667	1	2

Percent of n.Pl ending in a(\$|,)




[1] "n.Pl_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of n.Pl ending in as(\$|,)




Percent of n.Pl ending in os(\$|,)




[1] "m.Pl_as(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of m.Pl ending in as(\$|,)



[1] "m.Pl_os(\$|,)"
 Percent_Match freq Percent_Trials
1 0 50 100

Percent of m.Pl ending in os(\$|,)



```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           50
       a
3
           50
                          100
7
           50
                          100
       11
           49
                           94
5
           47
       0
4
       i
           26
                           52
8
            3
                            6
      ui
      οi
            1
[1] "All Endings Included"
   Suffix freq Percent_Trials
            50
1
2
            50
                           100
        a
4
            50
                           100
9
            50
                           100
        u
7
        0
            47
                            94
6
        i
            27
                            54
3
            5
                            10
5
       ео
             3
                             6
10
       ui
                             6
                             2
8
       οi
             1
[1] "SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       a
           50
5
           50
                          100
       u
1
           49
                           98
3
           49
                           98
       е
6
      ui
            3
                            6
       i
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                          100
2
           50
                          100
       a
5
       u
           50
                          100
3
       е
           49
                           98
4
       i
            4
                            8
                            6
      ui
[1] "1SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
1
       a
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                          100
       a
                            2
1
            1
[1] "2SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
          50
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
```

```
100
       u
           50
            2
                            4
1
[1] "3SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
1
2
           49
                           98
       е
3
            2
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
2
           49
                           98
       е
3
            2
                            4
       i
[1] "4SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
                          100
1
       u
2
            3
      ui
                            6
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
       u
           50
      ui
            3
                            6
[1] "5SgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           11
                           22
1
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           49
       е
                           72
1
           36
3
       i
            4
                            8
[1] "mSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
           50
       u
2
           49
                           98
1
           44
                           88
5
      ui
            3
                            6
       i
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
       a
5
           50
                          100
       u
3
           49
                           98
       е
           45
                           90
1
4
       i
            4
                            8
6
      ui
            3
                            6
[1] "fSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           50
       a
                          100
3
       е
           49
                           98
           44
                           88
1
```

```
i
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
       a
5
           50
                           100
3
           49
                            98
           44
                            88
4
       i
             4
                             8
6
      ui
             3
                             6
[1] "nSgNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           50
       u
                            98
1
           49
2
           19
                            38
       е
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
4
           50
                           100
       u
2
       е
           19
                            38
      ui
            3
                             6
3
                             2
       i
             1
[1] "SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           50
3
           50
                           100
       е
7
           50
                           100
       u
5
           47
                            94
       0
1
           32
                            64
4
       i
             3
                             6
8
             3
                             6
      ui
6
      oi
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
4
        е
             50
                            100
9
        u
             50
                            100
7
             47
                             94
        0
1
             36
                             72
3
             5
                             10
       ao
6
        i
             5
                             10
5
                              6
       ео
              3
10
       ui
              3
                              6
                              2
8
       oi
              1
[1] "1SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
       a 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
                           100
3
             5
                            10
      ao
```

```
1
                            2
4
            1
       е
[1] "2SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
       u
           50
       0
           47
                           94
           1
      oi
[1] "All Endings Included"
 Suffix freq Percent_Trials
       u
           50
2
           47
                          94
1
           10
                           20
                            2
3
      οi
            1
[1] "3SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
       е
           32
1
                           64
       i
            3
                            6
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
       е
                          100
1
           32
                           64
            3
                            6
3
       i
[1] "4SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
           50
       u
2
           33
                           66
       0
5
      ui
            3
                            6
1
            1
                            2
      oi
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
           50
      u
2
           33
                          66
1
            6
                           12
5
     ui
            3
                            6
3
     oi
                            2
            1
[1] "5SgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           47
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                          100
       е
3
            3
                            6
      eo
            2
                            4
1
       i
            2
                            4
[1] "mSgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
   e 50
```

```
5
            50
                           100
       u
3
            47
                            94
       0
1
            3
                             6
6
             3
                             6
      ui
      οi
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             50
                            100
2
4
        е
             50
                            100
9
             50
                            100
        u
7
        0
             47
                             94
3
                             10
              5
       ao
1
                              8
              4
5
                              6
              3
       eo
10
       ui
              3
                              6
              2
6
        i
                              4
8
       οi
              1
                              2
[1] "fSgAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            50
3
            50
                           100
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            50
3
            50
                           100
7
       u
            50
                           100
5
            33
                            66
1
            12
                            24
             2
4
       i
                             4
8
      ui
             2
                             4
6
      oi
             1
                             2
[1] "nSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       u
            50
4
       0
            47
                            94
1
            32
                            64
2
            28
                            56
       е
3
            3
                             6
             1
      oi
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            50
       u
4
            47
                            94
1
            32
                            64
2
            28
                            56
3
            3
                             6
       i
7
             3
                             6
      ui
5
             1
                             2
      oi
[1] "SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
```

Suffix freq Percent_Trials

```
50
                           100
       a
3
                           100
           50
       е
7
                           100
       u
           50
           49
                            98
1
5
       0
           47
                            94
4
       i
             6
                            12
8
      ui
             3
                             6
6
      οi
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             50
2
             50
                            100
        a
4
             50
                            100
        е
9
             50
                            100
        u
7
             47
                             94
        0
6
        i
              6
                             12
3
              5
                             10
       ao
5
       eo
              3
                              6
                              6
10
       ui
              3
                              2
       οi
              1
[1] "1SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
3
             5
                            10
      ao
             2
                             4
1
             1
                             2
       е
[1] "2SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       u
           50
           47
                            94
1
                             2
2
      οi
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       u
           50
2
           47
                            94
       0
                            20
1
           10
3
                             2
      οi
            1
[1] "3SgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       е
1
           49
                            98
       i
             4
                             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
1
                           100
2
           50
       е
                             8
       i
             4
[1] "4SgNom, Acc, Abl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            50
4
                           100
2
            33
                            66
5
             3
                             6
      ui
1
             1
                             2
      οi
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            50
                           100
       u
2
       0
            33
                            66
1
             6
                            12
5
             3
                             6
      ui
                             2
3
             1
      οi
[1] "5SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
            47
3
             2
                             4
       i
                             2
             1
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            50
                           100
       е
1
            36
                            72
4
             4
                             8
       i
3
      eo
                             6
[1] "mSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            50
       е
6
            50
       u
                           100
4
            47
                            94
       0
            44
                            88
1
7
                             6
             3
      ui
             2
3
       i
                             4
                             2
5
      οi
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                            100
4
             50
                            100
        е
9
             50
                            100
        u
7
             47
                             94
        0
1
             45
                             90
3
              5
                             10
       ao
6
        i
                              8
5
                              6
              3
       eo
10
              3
                              6
       ui
8
       οi
              1
                              2
[1] "fSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            50
       a
                           100
            50
                           100
3
       е
1
            44
                            88
```

```
i
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            50
       a
3
                           100
            50
7
            50
                           100
       u
1
            45
                            90
5
            33
                            66
       0
4
       i
             4
                             8
8
      ui
             3
                             6
6
      οi
             1
                             2
[1] "nSgNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       u
            50
                           100
1
            49
                            98
4
            47
                            94
       0
2
            28
                            56
3
                             6
       i
            3
                             2
5
             1
      οi
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
1
6
       u
            50
                           100
4
            47
                            94
       0
2
       е
            28
                            56
3
       i
             3
                             6
7
      ui
             3
                             6
                             2
5
             1
      οi
[1] "SgGen, Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            45
                            90
2
            43
                            86
       a
4
            26
                            52
            21
                            42
1
5
       u
            16
                            32
6
      ui
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            46
2
                            90
            45
       a
4
       i
            27
                            54
1
            26
                            52
5
            17
                            34
       u
             2
6
                             4
      ui
[1] "1SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
            43
            13
                            26
3
4
       i
            3
                             6
1
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
       a
           45
           14
                           28
3
4
            4
                            8
       i
            3
                            6
[1] "2SgGen, Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           26
3
       i
           17
                           34
1
           15
                           30
            7
                           14
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           26
1
           18
                           36
3
       i
           18
                           36
            7
                           14
4
[1] "3SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       е
           38
3
       i
           26
                           52
           14
                           28
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           39
3
       i
           27
                           54
           15
                           30
1
[1] "4SgGen, Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           18
3
           17
       i
                           34
4
                           32
       u
           16
                           22
1
           11
      ui
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           21
                           42
       е
3
       i
           18
                           36
4
           17
                           34
       u
1
           15
                           30
      ui
            2
                            4
5
[1] "5SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           19
       е
3
           13
                           26
       i
                            2
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           36
                           72
3
       i
           25
                           50
```

```
18
[1] "mSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           41
3
       i
           26
                            52
1
            18
                            36
4
           16
                            32
       u
5
      ui
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           46
2
           44
                            88
       a
4
                            52
       i
           26
1
           22
                            44
                            34
5
       u
            17
6
      ui
            2
                             4
[1] "fSgGen, Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           43
3
       е
           42
                            84
4
           25
                            50
       i
            9
                            18
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           45
2
           44
                            88
       a
                            54
4
           27
       i
1
           22
                            44
            16
                            32
5
       u
6
      ui
             2
                             4
[1] "nSgGen, Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           31
       е
3
       i
           24
                            48
1
           17
                            34
            7
       u
                            14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           31
3
       i
           25
                            50
1
           20
                            40
           15
                            30
       u
            2
5
                             4
      ui
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       a
           50
                           100
5
       u
1
           49
                            98
4
           37
                            74
       i
3
           24
                            48
```

```
6 ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
       a
5
           50
                          100
1
           49
                          98
4
           37
                           74
3
           28
                           56
       е
6
      ui
            3
                            6
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       a
5
           50
                          100
       u
1
           48
                           96
3
       е
            4
                            8
6
      ui
            3
                            6
            2
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
5
       u
           50
                          100
1
           49
                          98
3
       е
           11
                           22
            4
                            8
       i
6
      ui
[1] "1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       a
           20
5
       е
                           40
8
       i
           10
                           20
1
            3
                            6
4
            2
                            4
     bui
7
            2
      eu
3
            1
                            2
      au
6
    ebui
            1
       u
            1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
            50
6
            25
                            50
9
            10
                            20
3
             5
                            10
       ao
1
5
             2
      bui
8
             2
       eu
4
       au
7
                             2
     ebui
             1
                             2
10
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      a 50
```

```
13
                            26
       е
4
            3
                            6
       i
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
4
       е
           15
                           30
3
            5
                           10
      ao
5
       i
            4
                            8
1
            3
                            6
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                          100
       a
                            2
1
            1
[1] "2"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8
       u
           50
6
           47
                           94
       0
           37
                           74
1
3
           32
                           64
       е
5
       i
           31
                           62
2
       a
           15
                           30
4
            2
                            4
      eu
7
                            2
             1
      oi
      ui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
8
           50
                          100
       u
6
           47
                           94
       0
           39
                           78
1
3
           32
                           64
       е
5
       i
           32
                           64
2
       a
           15
                           30
4
            2
      eu
                            4
7
      oi
             1
                            2
                            2
9
      ui
             1
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       u
4
           47
                           94
       0
2
           26
                           52
       е
3
       i
           17
                           34
1
           15
                           30
                            2
5
      οi
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
6
       u
4
           47
                           94
       0
```

```
26
                           52
1
           23
                           46
3
           18
                           36
5
            1
                            2
      oi
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       u 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      u
           50
            1
                            2
1
[1] "3"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           50
1
           49
                           98
6
                           82
           41
2
                           28
           14
       a
5
                            8
            4
4
    ebui
            2
                            4
       u
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
1
3
       е
           50
                          100
6
       i
           41
                           82
2
           16
                           32
       a
5
                            8
            4
      eu
            2
                            4
    ebui
7
                            4
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       е
           50
                          100
           49
                           98
1
       i
           26
                           52
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                          100
1
           50
                          100
2
       е
3
           27
                           54
       i
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           48
1
2
            4
                            8
       е
            2
       i
[1] "All Endings Included"
 Suffix freq Percent_Trials
           49
1
2
            4
                            8
       е
                            4
3
       i
            2
[1] "4"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
                           100
8
6
           33
                            66
       0
           30
1
                            60
4
       i
           28
                            56
2
           26
                            52
       е
3
                             8
             4
      eu
9
      ui
                             8
5
      iu
             1
                             2
      οi
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
9
             50
        u
7
             33
                             66
        0
             32
1
                             64
5
        i
             30
                             60
3
             28
                             56
4
             4
                              8
       eu
10
                              8
       ui
                              2
2
        a
6
       iu
8
       οi
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       u
           50
4
           33
                            66
2
           18
                            36
3
           17
                            34
       i
                            22
1
            11
      ui
             3
                             6
             1
      οi
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           50
4
           33
                           66
2
       е
           21
                            42
3
                            36
           18
                            34
1
            17
7
      ui
                             6
                             2
5
      oi
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           47
       u
1
      ui
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
           47
            3
                             6
2
      ui
[1] "5"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
3
           48
                            96
       е
6
           35
                            70
       i
           18
                            36
1
5
            3
                            6
      eu
2
             2
       a
                             4
4
    ebui
             1
                             2
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
           50
                          100
7
       i
           41
                           82
1
           38
                            76
2
            4
                            8
       a
6
            4
                             8
      eu
5
      ео
             3
                             6
4
             2
    ebui
                             4
8
      iu
             1
                             2
                             2
9
             1
       u
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       е
           48
3
       i
           13
                            26
            9
                            18
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           50
1
           37
                           74
4
           26
                            52
       i
3
            3
                             6
      eo
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           35
1
2
           10
                            20
       е
3
            4
                            8
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           36
                            72
2
           11
                            22
       е
3
            4
                            8
[1] "m"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3
        е
            50
                            100
10
            50
                            100
        u
1
             47
                             94
8
             47
                             94
6
             41
                             82
        i
2
            34
                             68
5
                              8
             4
       eu
             4
                              8
11
       ui
4
                              4
     ebui
              2
7
       iu
                              2
```

```
oi
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             50
6
             50
                            100
                            100
14
            50
1
             48
                             96
12
             47
                             94
        0
10
        i
             41
                             82
3
             5
                             10
       ao
9
       eu
                              8
15
                              8
       ui
              4
8
              3
                              6
       eo
5
              2
      bui
7
     ebui
              2
                              4
11
       iu
                              4
4
       au
              1
                              2
13
       oi
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           50
6
           50
                           100
       u
4
       0
           47
                           94
1
           45
                           90
                            52
3
       i
           26
7
      ui
            3
                             6
      οi
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
            50
2
                            100
4
        е
             50
                            100
9
            50
                            100
        u
            47
                             94
1
7
             47
                             94
        0
6
        i
            26
                             52
3
       ao
             5
                             10
5
       eo
             3
                              6
10
       ui
              3
                              6
8
       oi
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       u
           50
1
           44
                            88
2
             4
                             8
       е
             3
5
      ui
                             6
            2
3
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
       a
5
           50
                           100
       u
1
           45
                           90
3
           10
                            20
```

```
i
                             8
6
      ui
                             6
            3
[1] "f135Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            50
3
       е
            50
                           100
1
            44
                            88
       i
            26
                            52
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
       a
3
            50
                           100
       е
            44
                            88
1
       i
            27
                            54
[1] "m24Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       u
            50
                           100
4
            47
                            94
       0
2
                            54
       е
            27
3
       i
            19
                            38
1
            18
                            36
7
      ui
             3
                             6
      oi
             1
5
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       u
            50
            47
                            94
4
       0
2
            27
                            54
       е
1
                            38
            19
3
       i
            19
                            38
7
      ui
            3
                             6
5
                             2
      oi
             1
[1] "n24Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       u
            50
                           100
4
            47
                            94
2
                            52
            26
       е
3
            17
                            34
            13
                            26
1
5
      οi
             1
                             2
      ui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       u
            50
                           100
4
            47
                            94
       0
2
            27
                            54
       е
                            36
1
            18
3
            18
                            36
       i
7
      ui
             3
                             6
5
                             2
      οi
             1
[1] "m234Sg"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
2
                          100
6
           50
                          100
       u
4
       0
           47
                           94
1
           46
                           92
3
       i
           26
                           52
7
            3
                            6
      ui
5
      οi
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
           50
6
           50
                          100
       u
                           94
1
           47
4
           47
                           94
       0
3
       i
           26
                            52
7
            3
                            6
      ui
                            2
5
      οi
            1
[1] "m2345Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           50
6
           50
                          100
       u
4
           47
                           94
       0
           46
                           92
1
3
       i
           26
                           52
7
      ui
            3
                            6
      οi
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       е
           50
7
       u
           50
                          100
           47
                           94
1
5
           47
                           94
       0
           26
                           52
4
       i
3
                            6
            3
      eo
8
      ui
            3
                            6
6
      οi
            1
                            2
[1] "m1Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
       a
                           28
4
           14
       е
3
            5
                            10
      ao
1
            3
                            6
            3
                            6
5
       i
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
           50
       a
                            2
[1] "m2Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       u
           50
4
           47
                           94
       0
2
       е
           26
                           52
3
           17
                           34
       i
1
           14
                           28
5
                            2
      oi
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
       u
           50
4
       0
           47
                           94
2
           26
                           52
       е
3
                           36
           18
                           30
1
           15
                            2
5
      οi
            1
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       u 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
       u
           50
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
       е
                          100
1
           44
                           88
           26
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
       е
1
           45
                           90
3
       i
           26
                           52
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           44
                           88
2
            4
                            8
       е
       i
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
           45
                           90
1
2
            4
                            8
            2
                            4
3
       i
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent Trials
6
       u
           50
4
           33
       0
                           66
```

```
36
           18
       е
3
                           34
           17
       i
                           22
1
           11
7
            3
                            6
      ui
      οi
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
6
       u
4
       0
           33
                           66
2
           19
                           38
       е
3
       i
           18
                           36
                           28
1
           14
7
            3
                            6
      ui
                            2
5
            1
      οi
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           47
1
      u
      ui
            3
[1] "All Endings Included"
 Suffix freq Percent_Trials
      u
           47
2
      ui
            3
                            6
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
                          100
       е
           37
                           74
1
4
       i
           23
                           46
3
            3
                            6
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           36
                           72
1
2
           10
                           20
3
                            8
       i
[1] "f"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            50
        a
5
            50
                           100
        е
1
            44
                            88
8
                            82
        i
            41
9
                            26
            13
7
             4
                             8
       eu
             2
4
      bui
6
     ebui
             2
3
       au
```

```
10
       ui
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             50
5
             50
                            100
12
            50
                            100
        u
1
             47
                             94
8
        i
             41
                             82
10
        0
             33
                             66
7
             4
                              8
       eu
13
       ui
4
              2
                              4
      bui
6
     ebui
              2
                              4
                              2
3
       au
9
       iu
                              2
              1
                              2
11
       οi
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       a
           50
3
                           100
1
           44
                           88
4
       i
           25
                           50
       u
           10
                            20
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           50
3
           50
                           100
       е
7
           50
                           100
       u
1
           46
                           92
5
           33
       0
                            66
4
       i
           27
                            54
8
      ui
            3
                             6
6
                             2
      oi
            1
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           50
                           100
1
           44
                            88
            4
                             8
3
       е
            2
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
                           100
       a
5
           50
                           100
       u
1
           44
                           88
3
           11
                            22
       е
4
       i
            4
                             8
6
             3
                             6
      ui
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       a
3
           13
                            26
       е
```

```
i
                           6
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           50
           14
3
                          28
       i
                           8
            2
                           4
1
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      a 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
             freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
       u
           49
4
           32
                          64
       0
2
           22
                          44
       е
                          42
1
           21
3
       i
           17
                          34
5
      oi
            1
                           2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
                                  Percent_Trials
[1] Suffix
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           49
       u
                           2
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       е
           50
1
           44
                          88
       i
           25
                          50
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
       е
           44
                          88
1
           27
       i
                          54
3
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           44
            4
                           8
2
       е
            2
       i
[1] "All Endings Included"
 Suffix freq Percent_Trials
```

```
88
           44
2
            4
                           8
       e
3
            2
                            4
       i
[1] "f4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           50
                          100
       u
4
       0
           27
                          54
3
                           36
       i
           18
2
                           32
           16
       е
                           28
1
           14
7
            3
                            6
     ui
                            2
5
      oi
            1
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
                  freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           47
                           94
1
       u
2
      ui
                            6
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           48
       е
3
       i
           14
                           28
                           18
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                          100
       е
                          74
1
           37
       i
           26
                          52
3
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           36
                          72
2
           11
                           22
       е
3
       i
            4
                            8
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
            50
1
                           100
9
                           100
            50
        u
7
            47
                            94
3
            36
                            72
        е
6
            32
        i
                            64
2
            18
                            36
        a
5
       eu
            3
                             6
```

```
ebui
10
                              4
       ui
              2
8
       οi
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
1
             50
10
             50
                            100
        u
8
             47
                             94
        0
3
        е
             36
                             72
6
        i
             34
                             68
2
        a
            18
                             36
5
             4
                              8
       eu
11
             4
                              8
       ui
                              4
4
     ebui
7
       iu
                              2
              1
                              2
9
       oi
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
       u
           49
1
                           98
4
       0
           47
                            94
2
           35
                           70
       е
3
       i
           24
                            48
5
            1
                             2
      οi
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           50
6
                           100
           50
       u
4
           47
                           94
       0
2
           35
                           70
       е
3
       i
           25
                            50
7
      ui
            3
                             6
5
                             2
      oi
            1
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       u
           50
                           100
1
           48
                            96
                             2
2
            1
       е
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           50
                           100
       u
1
           49
                            98
5
            3
                             6
      ui
2
            1
                             2
       е
                             2
3
       i
             1
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           50
                           100
       u
4
           47
                           94
       0
2
           26
                           52
       е
```

```
17
                           34
           13
                           26
1
      οi
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
       u
           50
4
           47
       0
2
           26
                           52
       е
3
       i
           17
                           34
1
           15
                           30
5
      οi
            1
                            2
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      u 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
       u
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           49
2
           33
                           66
       е
       i
           23
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           50
2
           33
                           66
       е
                           48
3
           24
       i
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           48
                           96
1
2
                            2
            1
       е
       i
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
           49
                           98
2
                            2
       е
            1
3
       i
            1
                            2
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
           50
                          100
       u
4
           33
                           66
2
           19
                           38
       е
3
           15
                           30
       i
                           20
1
           10
7
                            6
      ui
            3
                            2
5
      oi
            1
[1] "n4SgNom"
```

```
[1] "Endings occuring 10 times or less excluded"
                   freq
[1] Suffix
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           47
1
       u
      ui
                           6
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a
           50
3
           50
                         100
       е
5
                         100
           50
       u
           45
                          90
1
       i
           34
                          68
      ui
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           50
       a
3
           50
                         100
5
       u
           50
                         100
           46
                          92
4
                          70
       i
           35
      ui
                           4
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           50
       a
           50
4
                         100
       u
3
           49
                          98
       е
           32
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
       a
           50
                         100
3
           49
                          98
       e
           32
                          64
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
                         100
1
       a
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      u 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           50
                         100
       u
            2
1
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
   е
          49
          32
[1] "All Endings Included"
 Suffix freq Percent_Trials
      e 49
          32
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
     u 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
          50
      u
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
   е
          49
           1
[1] "All Endings Included"
 Suffix freq Percent_Trials
    e 49
                          2
           1
1
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      u
          50
2
          49
                         98
      е
           2
1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
      a
          50
4
          50
                        100
      u
3
          49
                         98
      е
           2
                          4
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                 Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a 50
                        100
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
      u 50
[1] "All Endings Included"
  Suffix freq Percent_Trials
      u
          50
                        100
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
      е
          49
                          4
```

```
[1] "All Endings Included"
 Suffix freq Percent_Trials
      e 49
1
           2
                          4
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      u 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      u 50
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
                                 Percent_Trials
[1] Suffix
                 freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
  e 49
                          2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
          50
      a
3
          49
      е
           1
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a 50
          50
                        100
4
      u
3
          49
                         98
      е
           2
                          4
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
    a 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
      a 50
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix freq Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      u 48
           2
                          4
1
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      e 49
           1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2 e 49
```

```
1 - 1
                          2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix freq Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent Trials
      u 50
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix freq Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
          49
      е
                          2
1
           1
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      u 50
1
          32
                         64
          19
                         38
      е
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
      u
          50
1
          32
                         64
          19
                         38
      е
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1 u 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
     u 50
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
          32
      е
          19
                         38
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
          32
                         64
                         38
2
      е
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
                                Percent_Trials
[1] Suffix
                 freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
      u
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
  e 39
```

```
38
                             76
        a
8
             30
                             60
        i
1
             25
                             50
10
             12
                             24
        u
7
       eu
                              6
11
       ui
              2
                              4
3
       au
4
                              2
      bui
6
     ebui
              1
                              2
9
       iu
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
5
             42
        е
                             78
2
             39
8
        i
             31
                             62
             29
1
                             58
10
             12
                             24
        u
7
              3
                              6
       eu
                              4
11
       ui
              2
                              2
3
4
                              2
      bui
6
     ebui
9
       iu
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
            38
2
            36
                            72
       a
4
            26
                            52
1
            16
                            32
                            22
5
       u
            11
6
      ui
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            40
2
            37
                            74
       a
4
       i
            27
                            54
1
            21
                            42
5
                            22
       u
            11
                             4
6
      ui
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            36
       a
                            72
3
       е
            12
                            24
4
            3
                             6
       i
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
3
            13
                            26
4
       i
            4
                             8
             3
                             6
1
[1] "2SgGen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           21
3
           17
                           34
       i
                           22
1
           11
4
            1
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           22
3
           18
                           36
       i
1
           15
                           30
            1
                            2
       u
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       i
           26
2
           23
                           46
       е
            9
                           18
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       i
           27
2
           23
                           46
            9
                           18
1
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       е
           15
3
           15
                           30
                           22
4
           11
       u
1
            7
                           14
            2
      ui
[1] "All Endings Included"
 Suffix freq Percent_Trials
           18
       е
                           34
3
           17
                           22
1
           11
4
       u
           11
                           22
      ui
                            4
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       i
           22
2
           19
                           38
       е
            3
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           25
                           50
       е
           25
3
                           50
       i
            6
                           12
1
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           27
       е
3
       i
           26
                           52
```

```
13
                           26
                           22
           11
       u
      ui
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
           38
       е
2
           33
       a
                           52
4
           26
       i
1
           16
                           32
5
           11
                           22
       u
6
      ui
            2
                            4
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           33
                           24
3
           12
1
            3
                            6
            3
                            6
4
       i
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           21
       е
3
       i
           17
                           34
1
           11
                           22
            1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
3
       i
           18
                           36
           11
                           22
1
                            2
4
            1
       u
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
       i
           26
                           52
2
           22
       е
                           44
            5
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       i
           26
2
           22
                           44
            5
                           10
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           15
3
           15
                           30
       i
                           22
4
           11
       u
1
            7
                           14
            2
5
      ui
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
3
       i
           17
2
                           32
           16
4
           11
                           22
       u
1
           10
                           20
5
      ui
            2
                            4
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           24
           22
                           44
3
       i
1
                            8
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           36
                           72
3
           32
                           64
4
       i
           25
                           50
            7
                           14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           37
       a
3
       е
           37
                           74
4
       i
           27
                           54
1
           18
                           36
5
                           20
           10
       u
            2
                            4
6
      ui
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           36
       a
3
                           24
           12
4
            3
                            6
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
                           74
2
           37
3
           12
                           24
       е
4
            4
                            8
       i
                            4
1
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           19
                           32
3
       i
           16
1
           14
                           28
       u
            1
                            2
[1] "f3SgGen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           25
2
           21
                           42
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
           27
       i
2
       е
           21
                           42
            6
                           12
1
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           16
                           32
       i
                           28
2
           14
                           20
4
           10
       u
1
            8
                           16
5
      ui
            2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       i
           25
2
           22
                           44
       е
                           12
1
            6
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           24
       е
3
           24
                           48
1
           13
                           26
       u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
           26
2
                           52
       е
3
       i
           25
                           50
                           30
1
           15
           10
                           20
       u
5
            2
                            4
      ui
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           21
       е
3
       i
           17
                           34
                           22
1
           11
            1
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           21
```

```
17
                           34
1
           12
                           24
4
                            2
       u
            1
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           23
2
           20
                           40
1
            8
                           16
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           24
2
           21
                           42
       е
            8
                           16
1
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           17
3
       i
           14
                           28
4
           10
                           20
       u
1
            8
                           16
5
            2
                            4
      ui
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
           45
       е
2
           44
                           88
       a
           27
6
                           54
       i
1
           26
                           52
7
           17
                           34
5
                            6
            3
      eu
                            2
3
      au
            1
            1
8
      ui
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
       е
           46
2
           45
                           90
       a
6
           29
                           58
           27
                           54
1
7
           18
                           36
       u
5
            3
                            6
      eu
3
            1
                            2
      au
                            2
8
      ui
            1
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           43
       a
           42
                           84
3
       е
                           38
1
           19
4
       i
           18
                           36
5
           16
                           32
       u
```

```
ui
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           45
       a
3
           43
                           86
1
           20
                           40
       i
           18
                           36
5
           17
                           34
       u
6
      ui
                            2
[1] "1SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           43
       a
            6
                           12
3
1
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           45
                           12
3
            6
       е
                            2
            1
1
[1] "2SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           23
1
           14
                           28
3
       i
           12
                           24
       u
            7
                           14
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           23
       е
           16
                           32
1
3
       i
           12
                           24
                           14
[1] "3SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           37
3
       i
           15
                           30
           12
                           24
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           38
                           76
3
       i
           16
                           32
           13
                           26
1
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           16
       u
                           30
2
           15
3
           11
                           22
       i
1
            9
                           18
            1
      ui
[1] "All Endings Included"
```

Suffix freq Percent_Trials

```
36
       е
           18
4
                           34
           17
       u
3
                           22
           11
1
           10
                           20
                            2
5
      ui
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       е
           32
3
       i
           13
                           26
1
            2
                            4
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           35
       е
3
       i
           14
                           28
                            8
1
            4
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
 {\tt Suffix\ freq\ Percent\_Trials}
           39
       е
3
       i
           16
                           32
4
           16
                           32
1
           15
                           30
      ui
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           44
3
           42
                           84
       е
           17
                           34
1
5
           17
                           34
       u
4
       i
           16
                           32
6
      ui
            1
                            2
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           44
3
            5
                           10
       е
                            2
1
            1
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           23
                           26
1
           13
3
       i
           11
                           22
            6
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           23
       е
                           28
           14
1
3
       i
           12
                           24
4
           7
                           14
       u
```

```
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       е
           37
3
                           22
       i
           11
1
            2
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           37
3
       i
           12
                           24
1
            2
                            4
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
       u
           16
2
       е
           15
                           30
3
       i
           11
                           22
            9
                           18
1
            1
                            2
     ui
[1] "All Endings Included"
 Suffix freq Percent_Trials
       u
           17
2
                          32
           16
       е
3
       i
           11
                           22
            9
                           18
1
5
     ui
                           2
[1] "m5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           34
                           68
       е
                           26
3
           13
       i
            3
                           6
[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           43
       a
3
           40
                           80
       е
           12
                           24
4
            4
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           44
       a
3
           42
                           84
       е
1
           18
                           36
4
       i
           16
                           32
5
           16
                           32
       u
6
                           2
      ui
            1
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a 43
```

```
е
          6
                          12
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           44
3
            6
                           12
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           18
       е
1
           15
                           30
3
           12
                           24
4
            5
                          10
       u
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
       е
           36
                          72
3
       i
           12
            3
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           36
3
       i
           12
                          24
            4
                           8
1
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       u
           16
                          28
2
           14
       e
3
       i
           11
                          22
1
            9
                           18
5
      ui
            1
                            2
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           34
                           68
       е
3
           14
                           28
       i
                           8
1
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           28
3
       i
           16
                          32
1
                           28
           14
```

```
4 u
            7
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           30
       е
3
           17
                           34
1
           16
                           32
4
           15
                           30
       u
                            2
5
      ui
            1
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           23
       е
                           46
3
           11
                           22
       i
           10
1
                           20
            7
                           14
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
       е
           23
1
           12
                           24
3
                           22
           11
4
       u
                           14
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           25
       е
3
       i
           14
                           28
1
           11
                           22
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
           27
       е
                           30
3
       i
           15
1
           11
                           22
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           16
4
           15
                           30
       u
3
           10
                           20
            8
1
                           16
5
      ui
                            2
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
            50
                           100
        a
4
            50
                           100
        е
8
                            94
        0
            47
            30
                            60
1
7
        i
            29
                            58
10
                            28
        u
            14
6
       eu
             4
                             8
                             8
11
       ui
```

```
3
      bui
                              4
5
     ebui
              2
                              4
       οi
9
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
        a
             50
5
        е
             50
                            100
             47
                             94
11
        0
1
             33
                             66
9
        i
             30
                             60
13
        u
             19
                             38
3
                             10
              5
       ao
8
                              8
       eu
              4
                              8
14
       ui
7
       ео
              3
                              6
4
      bui
              2
                              4
6
     ebui
              2
                              4
10
                              2
       iu
12
                              2
       οi
[1] "AblSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           50
       a
3
       е
           50
                           100
5
           47
                            94
1
           22
                            44
7
       u
           12
                            24
4
       i
             3
                             6
             3
                             6
8
      ui
6
      οi
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             50
                            100
4
             50
                            100
        е
7
             47
                             94
        0
                             56
1
             28
9
        u
             17
                             34
3
       ao
              5
                             10
6
        i
              5
                             10
5
              3
                              6
       eo
10
       ui
                              6
       oi
                              2
8
[1] "1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a 50
1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
                           100
       a
           50
3
            5
                            10
      ao
             1
                             2
1
                             2
             1
4
       е
[1] "2SgAbl"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
       0
           47
1
                            4
3
            2
       u
2
      οi
            1
                            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
       0
           47
1
            9
                           18
4
       u
            8
                           16
3
                            2
      oi
            1
[1] "3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           50
2
       е
1
           21
                           42
            3
[1] "All Endings Included"
  Suffix freq Percent_Trials
           50
                          100
       е
1
           21
                           42
       i
                            6
3
            3
[1] "4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
       0
4
       u
           12
                           24
5
      ui
            3
                            6
1
            1
                            2
      oi
            1
3
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       0
           33
4
           16
                           32
       u
                           12
1
            6
5
            3
                            6
      ui
            1
                            2
3
      oi
[1] "5SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           44
                           88
1
       е
            2
       i
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           48
       е
3
      ео
            3
                            6
            2
4
                            4
       i
1
                            2
            1
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       е
           50
3
           47
                           94
       0
5
       u
           12
                           24
6
           3
                            6
      ui
```

```
οi
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            50
7
            47
                           94
       0
2
            45
                           90
       a
9
            12
                           24
       u
3
       ao
            5
                           10
5
             3
       eo
10
       ui
             3
             2
                            4
1
6
       i
                            4
8
       oi
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       a
          45
3
     ao
           5
                          10
                           2
1
            1
[1] "m2SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
      o 47
3
       u
            2
                           4
                           2
            1
      oi
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
       0
           47
3
            2
                           4
       u
                           2
2
      oi
            1
[1] "m3SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
      e 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
[1] "m4SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
2
           33
       0
           12
                          24
4
       u
5
            3
                           6
     ui
1
            1
                           2
     oi
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           33
                          24
4
       u
           12
5
          3
                           6
     ui
```

```
3
      οi
            1
                           2
[1] "m5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                  Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
1
       е
           45
2
            3
                           6
      ео
3
       i
            2
                           4
[1] "fSgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       a
           50
           50
       е
                         100
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           50
3
                         100
           50
5
       0
           33
                          66
7
           16
                          32
       u
                          22
1
           11
4
       i
            2
                           4
8
            2
                           4
     ui
6
     oi
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           50
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
          50
                         100
2
            1
                           2
       е
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                 freq
                                  Percent Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       0
           32
1
            9
                          18
            8
                          16
       u
            1
3
      oi
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       e 50
[1] "All Endings Included"
 Suffix freq Percent_Trials
           50
       е
1
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                 Percent_Trials
               freq
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       0
           27
4
           15
                           30
1
            6
                           12
5
      ui
            2
                            4
                            2
3
      οi
            1
[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
                  freq
[1] Suffix
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           48
            2
3
       i
                            4
1
            1
                            2
[1] "nSgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
       0
           47
2
       е
           28
                           56
                           42
1
           21
3
       i
            3
                            6
6
            2
                            4
       u
      oi
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
           47
       0
2
           28
                           56
       е
           22
                           44
1
6
       u
           12
                           24
3
            3
                            6
       i
7
            3
                            6
      ui
                            2
5
      oi
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
       0
           47
3
            2
                            4
       u
      oi
            1
[1] "All Endings Included"
 Suffix freq Percent_Trials
           47
                           94
1
3
            2
                            4
       u
                            2
2
      oi
            1
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           28
       е
                           56
                           42
1
           21
       i
3
            3
[1] "All Endings Included"
```

Suffix freq Percent_Trials

```
28
                            56
1
           21
                            42
3
            3
                             6
       i
[1] "n4SgAbl"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           33
                            24
4
       u
           12
5
            3
                             6
      ui
1
             1
                             2
                             2
3
      οi
             1
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5
             46
        е
8
             40
                             80
        i
2
             38
                             76
1
             35
                             70
10
        u
             11
                             22
7
                              8
             4
       eu
11
       ui
4
      bui
              2
6
     ebui
              2
3
       au
              1
                              2
9
       iu
[1] "All Endings Included"
   Suffix freq Percent_Trials
             47
5
8
        i
             40
                             80
2
             38
                             76
        a
            35
                             70
1
             12
10
        u
                             24
7
       eu
             4
                              8
11
       ui
             3
                              6
4
      bui
              2
                              4
6
                              4
     ebui
9
       iu
              2
                              4
3
       au
[1] "PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
           39
       е
4
           38
                            76
       i
2
           36
                            72
       a
           35
1
                            70
5
            9
                            18
       u
             2
6
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           42
       е
                            84
```

i

```
36
                            72
       a
1
           35
                            70
5
           10
                            20
       u
6
            2
                             4
      ui
[1] "1PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           34
1
       a
2
       е
           15
                            30
3
       i
            5
                            10
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           34
                            34
3
           17
4
            6
                            12
       i
                             2
1
             1
[1] "2PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
1
           31
4
       i
           21
                            42
2
            15
                            30
3
            7
                            14
       е
      ui
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           32
4
       i
           23
                            46
2
                            30
           15
3
                            18
             9
       е
                             2
5
      ui
             1
[1] "3PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       i
           37
3
           23
                            46
       e
1
           18
                            36
       a
           14
                            28
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           38
3
           23
                            46
1
            18
                            36
           16
                            32
       a
[1] "4PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           22
1
3
           18
                            36
       i
4
            9
                            18
       u
2
             6
                            12
       е
             2
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
23
                            46
1
4
            19
                            38
       i
5
            10
                            20
3
            7
                            14
       е
             2
6
      ui
                             4
2
             1
                             2
       a
[1] "5PlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            27
                            54
1
                             8
2
             2
                             4
       a
3
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            37
3
            20
                            40
       е
                            30
1
            15
2
                             8
       a
[1] "mPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
            38
            34
1
                            68
3
            25
                            50
5
       u
            9
                            18
2
       a
             4
                             8
      ui
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            40
3
       е
4
       i
            38
                            76
1
            35
                            70
2
                            68
            34
       a
5
            10
                            20
            2
                             4
6
      ui
[1] "fPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            36
                            72
            34
2
       a
                            68
3
            33
                            66
       е
1
            15
                            30
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
            39
                            78
       е
4
       i
            38
                            76
2
                            68
            34
1
            31
                            62
5
             9
                            18
       u
             2
6
      ui
                             4
[1] "nPlNom, Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
26
                            52
4
            24
                            48
       i
2
            18
                            36
3
            10
                            20
       е
5
                             2
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
            32
1
       i
            28
4
                            56
2
            18
                            36
       a
                            28
3
       е
            14
5
             9
                            18
       u
             2
6
      ui
                             4
[1] "PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       е
            46
                            92
7
            38
                            76
       i
2
            37
                            74
       a
1
            34
                            68
8
                            22
       u
            11
6
      eu
             4
                             8
9
      ui
             3
                             6
3
     bui
             2
    ebui
             2
5
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
        е
             46
7
        i
             38
                             76
2
             37
                             74
        a
             35
                             70
1
9
        u
             12
                             24
6
              4
                              8
       eu
10
                              6
       ui
              3
3
              2
                              4
      bui
5
     ebui
                              4
              2
                              2
8
       iu
[1] "1PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            36
4
            17
                            34
7
             7
                            14
1
             2
                             4
3
     bui
             2
5
                             2
    ebui
             1
6
      eu
             1
                             2
8
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            36
                            72
       a
                            36
4
            18
7
             7
                            14
       i
1
             3
                             6
```

```
3
     bui
                             4
5
    ebui
             1
                             2
6
             1
                             2
      eu
8
             1
                             2
       u
[1] "2PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            33
1
       i
5
            26
                            52
3
            18
                            36
                            30
2
       a
            15
6
             2
                             4
       u
4
             1
      eu
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            34
5
       i
            27
                            54
                            38
3
            19
2
            15
                            30
       a
6
            2
                             4
                             2
4
      eu
             1
[1] "3PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
            38
3
       е
            32
                            64
1
            16
                            32
2
            14
                            28
       a
5
             4
                             8
      eu
             2
    ebui
                             4
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
            38
3
            32
                            64
1
            17
                            34
2
                            32
       a
            16
5
      eu
             4
                             8
4
    ebui
             2
                             4
       u
             1
                             2
[1] "4PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            22
       i
4
            21
                            42
2
                            22
            11
       е
5
             9
                            18
       u
                             6
3
             3
      eu
             3
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            24
5
       i
            23
                            46
3
            13
                            26
       е
```

```
6
            10
                            20
       u
4
             3
                             6
      eu
7
      ui
             3
                             6
2
       a
             1
                             2
[1] "5PlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            15
       i
3
       е
             8
                            16
             2
1
                             4
                             2
2
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
            36
3
       е
            28
                            56
                            12
1
             6
2
             4
                             8
       a
5
             4
                             8
      eu
4
             2
                             4
    ebui
                             2
7
[1] "mPlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            37
6
       i
1
            33
                            66
3
       е
            33
                            66
7
            10
                            20
       u
5
      eu
             4
                             8
2
             3
                             6
       a
8
      ui
             3
                             6
             2
4
    ebui
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
             46
        е
7
             37
                             74
2
             36
                             72
        a
1
             34
                             68
9
        u
             11
                             22
6
                              8
       eu
              4
10
       ui
              3
                              6
3
      bui
                              4
5
     ebui
              2
                              4
8
       iu
                              2
[1] "fPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       е
            44
                            88
2
            36
                            72
       a
7
            36
                            72
       i
1
             6
                            12
6
             4
                             8
      eu
             2
3
                             4
     bui
5
             2
    ebui
                             4
8
             1
                             2
       u
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
             46
                             92
7
         i
             38
                             76
2
             36
                             72
        a
1
             30
                             60
9
        u
             10
                             20
6
                              8
              4
       eu
10
       ui
              3
                              6
3
      bui
              2
                              4
5
     ebui
              2
                              4
8
       iu
                              2
              1
[1] "nPlAcc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            28
1
6
       i
            26
                            52
3
            20
                            40
2
            18
                            36
       a
5
             3
                             6
      eu
4
             2
                             4
    ebui
       u
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            33
1
6
       i
            29
                            58
3
       е
            22
                            44
2
            18
                            36
       a
7
                            22
            11
       u
5
             3
                             6
      eu
8
             3
      ui
                             6
    ebui
4
             2
                             4
[1] "PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            46
       е
7
       i
            39
                            78
2
       a
            37
                            74
                            70
1
            35
                            22
8
            11
       u
6
      eu
             4
                             8
9
             3
                             6
      ui
3
     bui
             2
                             4
5
    ebui
             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
             46
                             92
         е
7
                             78
         i
             39
2
             37
                             74
        a
1
             35
                             70
9
                             24
             12
        u
6
                              8
       eu
              4
10
                              6
       ui
              3
3
      bui
              2
                              4
```

```
ebui
              2
8
       iu
              1
                              2
[1] "1PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           36
4
       е
           18
                            36
7
            7
                            14
       i
1
             2
                             4
3
             2
                             4
     bui
5
    ebui
             1
6
                             2
      eu
             1
8
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           36
                            72
4
           21
                            42
       е
7
            8
                            16
       i
            3
                             6
1
3
             2
                             4
     bui
5
    ebui
             1
                             2
6
      eu
8
                             2
       u
             1
[1] "2PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           33
5
       i
           27
                            54
3
                            36
           18
2
           15
                            30
       a
6
             2
       u
                             4
      eu
             1
                             2
             1
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           34
5
       i
           28
                            56
3
           19
                            38
       е
2
                            30
       a
           15
6
            2
                             4
       u
                             2
      eu
7
                             2
      ui
             1
[1] "3PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           39
       i
3
           32
                            64
       е
                            38
1
           19
2
           14
                            28
       a
5
             4
                             8
      eu
             2
                             4
4
    ebui
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
6
            39
                            78
       i
3
            32
                            64
1
            19
                            38
2
            16
                            32
       a
5
      eu
             4
                             8
4
    ebui
             2
                             4
                             2
       u
[1] "4PlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            22
4
       i
            22
                            44
2
            11
                            22
       е
5
             9
                            18
       u
3
      eu
             3
                             6
             3
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
            25
1
            24
                            48
3
       е
            13
                            26
6
       u
            10
                            20
4
             3
                             6
      eu
7
      ui
             3
                             6
             1
                             2
2
       a
[1] "5PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            30
       i
3
             8
                            16
       е
             5
1
                            10
       a
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
            38
3
                            56
       е
            28
1
            16
                            32
2
             4
                             8
       a
5
      eu
             4
                             8
4
    ebui
             2
                             4
                             2
      iu
[1] "mPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            39
       i
                            68
1
            34
3
            33
                            66
       е
7
            10
                            20
       u
2
                             8
       a
             4
5
             4
                             8
      eu
8
             3
                             6
      ui
             2
    ebui
[1] "All Endings Included"
   Suffix freq Percent_Trials
```

```
4
             46
                              92
        е
7
             39
                              78
         i
2
             36
                              72
        a
1
             35
                              70
9
                              22
        u
             11
6
       eu
              4
                               8
10
       ui
                               6
3
                               4
      bui
              2
5
     ebui
              2
                               4
8
       iu
                               2
              1
[1] "fPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            44
4
       е
7
       i
            39
                             78
2
                             72
            36
1
            16
                             32
6
             4
                              8
      eu
3
             2
                              4
     bui
             2
5
    ebui
                              4
8
       u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             46
4
7
         i
             39
                              78
2
        a
             36
                              72
1
             31
                              62
9
        u
             10
                              20
6
                               8
              4
       eu
10
              3
                               6
       ui
3
              2
      bui
                               4
5
     ebui
              2
                               4
8
       iu
                               2
[1] "nPlNom, Acc, Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            30
6
       i
            29
                             58
3
            20
                             40
2
                             36
            18
       a
5
      eu
             3
                              6
4
             2
                              4
    ebui
7
       u
             2
                              4
8
      ui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            34
                             68
6
            31
                             62
       i
3
            22
                             44
       е
2
            18
                             36
       a
7
                             22
            11
       u
5
             3
                              6
      eu
8
             3
                              6
      ui
4
    ebui
             2
                              4
```

```
[1] "PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5
        е
             36
2
             33
                             66
        a
8
        i
             25
                             50
1
             19
                             38
10
                              8
              4
        u
7
       eu
              3
                              6
3
                              2
       au
              1
4
      bui
              1
                              2
6
                              2
     ebui
              1
9
       iu
              1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             40
5
        е
2
             33
                             66
        a
8
             26
                             52
        i
1
                             42
             21
10
                             10
        u
              5
7
       eu
              3
                              6
3
       au
                              2
4
      bui
                              2
              1
                              2
6
     ebui
9
       iu
                              2
              1
[1] "1PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            33
                            66
5
            14
                            28
       е
7
             3
       i
                             6
1
             1
                             2
3
                             2
      au
             1
                             2
4
     bui
             1
                             2
6
      eu
             1
             1
8
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            33
                            32
5
            16
       е
                             6
1
             3
7
             3
                             6
       i
3
      au
             1
                             2
4
     bui
                             2
             1
6
      eu
             1
                             2
                             2
8
             1
       u
[1] "2PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
5
       i
            20
3
            18
                            36
       е
1
            17
                            34
2
             4
                             8
       a
6
             3
                             6
       u
```

```
eu
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
            21
                            38
1
            19
3
            19
                            38
2
             4
                             8
       a
6
             3
                             6
       u
      eu
             1
                             2
[1] "3PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            23
       е
            23
6
       i
                            46
1
            16
                            32
2
       a
             3
                             6
5
             3
                             6
      eu
7
             2
       u
                             4
4
    ebui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       е
            25
6
            23
                            46
       i
1
            16
                            32
2
                             6
             3
       a
5
      eu
             3
                             6
7
       u
             2
                             4
4
    ebui
                             2
[1] "4PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
            21
2
            17
                            34
                            24
1
            12
3
             3
                             6
      eu
6
             2
                             4
       u
      iu
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            21
                            42
       i
2
       е
            19
                            38
            12
                            24
1
3
             3
                             6
      eu
6
             3
                             6
       u
      iu
             1
                             2
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            17
       i
3
            14
                            28
       е
                            12
1
             6
             3
4
                             6
      eu
2
                             2
       a
             1
6
             1
                             2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
            23
6
3
            22
                            44
       е
                            22
1
            11
5
             3
                             6
      eu
                             2
2
       a
             1
4
                             2
    ebui
             1
7
       u
             1
                             2
[1] "mPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            25
       е
            24
                            48
6
       i
1
            16
                            32
5
      eu
             3
                             6
8
             3
                             6
       u
2
                             2
       a
             1
4
                             2
    ebui
             1
7
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
             40
5
         е
2
             33
        a
                             66
8
             24
                             48
         i
1
             17
                             34
10
        u
              4
                               8
7
       eu
              3
                               6
                               2
3
       au
4
      bui
                               2
                               2
6
     ebui
9
       iu
              1
                               2
[1] "fPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            35
       е
2
            33
                            66
8
       i
            24
                            48
                            26
1
            13
7
             3
                             6
      eu
9
       u
             2
                             4
3
                             2
      au
             1
4
     bui
             1
                             2
6
    ebui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            36
                            72
       е
2
                            66
            33
       a
8
            26
                            52
       i
1
            20
                            40
7
             3
                             6
      eu
             3
9
                             6
       u
3
                             2
      au
             1
4
             1
                             2
     bui
```

```
ebui
                             2
[1] "nPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
            19
1
            17
                            34
3
            16
                            32
       е
2
             5
                            10
       a
7
       u
             3
                             6
5
             2
                             4
      eu
    ebui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            21
       i
3
            20
                            40
       е
                            36
1
            18
2
             5
                            10
       a
8
                             8
       u
             4
5
                             6
      eu
             3
                             2
4
             1
    ebui
                             2
7
      iu
             1
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
            37
2
       a
            35
                            70
1
            29
                            58
3
            21
                            42
       е
5
             7
                            14
       u
      ui
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
            37
       i
2
            35
                            70
       a
1
            30
                            60
3
            23
                            46
       е
5
       u
             8
                            16
6
      ui
             2
                             4
[1] "1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            38
       a
                            76
5
       е
            19
                            38
8
       i
             9
                            18
             2
1
                             4
             2
4
     bui
                             4
7
      eu
             2
                             4
                             2
3
             1
      au
6
             1
                             2
    ebui
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
            38
                            76
       a
5
            23
                            46
       е
```

```
8
                            18
       i
1
             3
                             6
4
             2
                             4
     bui
7
             2
                             4
      eu
3
                             2
      au
6
    ebui
             1
                             2
9
       u
                             2
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       a
            33
2
            14
                            28
3
       i
             3
                             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
            33
3
            16
                            32
       е
4
             4
                             8
       i
             1
                             2
1
[1] "2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            33
1
5
       i
            28
                            56
3
            22
                            44
2
       a
            15
                            30
6
             3
                             6
       u
4
      eu
             2
                             4
             1
                             2
7
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            34
5
       i
            29
                            58
3
            22
                            44
       е
2
            15
                            30
       a
6
             3
                             6
       u
             2
4
      eu
                             4
7
      ui
             1
                             2
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            26
                            52
4
       i
            20
                            40
2
            11
                            22
             3
                             6
       е
             1
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
            27
1
                            54
4
       i
            22
                            44
2
                            22
            11
3
             4
                             8
5
             1
                             2
      ui
[1] "3P1"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            39
6
       i
                            78
3
            32
                            64
       е
1
            20
                            40
2
            14
                            28
       a
5
      eu
                             8
4
             2
    ebui
                             4
       u
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            39
       i
3
            32
                            64
       е
            20
                            40
1
2
            16
                            32
       a
5
             4
                             8
4
    ebui
             2
                             4
7
                             4
       u
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            36
1
            17
                            34
                            22
2
       a
            11
             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            37
                            34
            17
1
2
            12
                            24
       a
                             8
3
[1] "4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
1
4
       i
            25
                            50
2
            19
                            38
6
       u
            9
                            18
3
      eu
             4
                             8
7
      ui
             3
                             6
      iu
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
            28
                            56
1
            26
                            52
3
            23
                            46
       е
7
            10
                            20
       u
4
            4
                             8
      eu
8
                             6
      ui
             3
2
             1
                             2
       a
                             2
6
      iu
             1
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
```

```
19
                            38
3
            18
                            36
       i
4
            7
                            14
       u
2
             5
                            10
       е
             2
5
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
            20
1
3
       i
            19
                            38
4
             8
                            16
       u
2
       е
             5
                            10
5
             2
                             4
      ui
[1] "5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
            33
3
            22
                            44
       е
                            22
            11
1
5
                             6
             3
      eu
2
             2
                             4
4
    ebui
             1
                             2
7
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
            38
                            76
3
       е
            29
                            58
1
            17
                            34
2
             4
                             8
       a
5
             4
                             8
      eu
4
    ebui
             2
                             4
7
                             2
      iu
             1
8
       u
             1
                             2
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            30
1
            10
                            20
2
       a
             2
                             4
             1
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
                            72
4
       i
            36
1
            15
                            30
2
             3
                             6
       a
3
                             6
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            40
       i
1
            34
                            68
3
            34
                            68
       е
8
            10
                            20
       u
2
                            12
       a
             6
5
             4
                             8
      eu
```

```
9
             3
                             6
      ui
4
    ebui
             2
                             4
7
      iu
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
5
        е
             47
8
        i
             40
                             80
2
             38
                             76
        a
1
             35
                             70
10
                             22
        u
             11
7
       eu
              4
                              8
                              6
11
       ui
              3
4
      bui
              2
                              4
6
     ebui
              2
9
       iu
              2
                              4
                              2
3
       au
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
            37
1
            27
                            54
3
             7
                            14
       е
5
             7
                            14
       u
2
       a
             4
                             8
6
             2
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            37
2
                            64
            32
       a
1
            28
                            56
3
            22
                            44
5
       u
             8
                            16
6
                             4
      ui
[1] "f135Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       е
            45
8
       i
            39
                            78
2
            38
                            76
       a
1
            17
                            34
7
             4
                             8
      eu
             2
4
     bui
                             4
6
    ebui
             2
                             4
9
             2
                             4
       u
3
      au
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
5
             46
                             92
8
             39
                             78
        i
2
             38
                             76
        a
                             36
1
             18
7
                              8
       eu
              4
4
                              4
      bui
              2
```

ebui

```
10
                               4
        u
3
                               2
       au
              1
9
                               2
       iu
[1] "m24P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            34
5
       i
            29
                            58
3
       е
            21
                            42
7
            10
                            20
       u
2
       a
             4
                             8
4
             4
                             8
      eu
8
      ui
             3
                             6
6
             1
      iu
[1] "All Endings Included"
  Suffix freq Percent_Trials
            35
                            70
1
            30
5
       i
                            60
3
            23
                            46
       е
7
                            22
            11
       u
2
       a
             4
                             8
4
      eu
             4
                             8
8
      ui
             3
                             6
                             2
6
      iu
[1] "n24P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            31
5
       i
            26
                            52
3
            19
                            38
       е
2
                            30
            15
6
       u
             4
                             8
4
             1
                             2
7
      ui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            35
5
       i
            28
                            56
3
            23
                            46
2
                            30
            15
       a
                            22
7
       u
            11
4
                             8
      eu
             4
8
      ui
             3
                             6
6
      iu
             1
                             2
[1] "m234P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
            40
            34
                            68
1
3
            34
                            68
       е
8
                            20
            10
       u
2
             4
                             8
       a
5
             4
                             8
      eu
9
             3
                             6
      ui
```

```
ebui
      iu
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           40
6
                            70
1
           35
3
           34
                            68
       е
8
                            22
       u
           11
2
       a
            4
                             8
5
             4
                             8
      eu
9
      ui
             3
4
             2
                             4
    ebui
7
             1
                             2
      iu
[1] "m2345P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
           40
           34
                            68
1
3
           34
                            68
       е
8
           10
                            20
       u
2
       a
            4
                             8
5
      eu
9
             3
                             6
      ui
             2
4
    ebui
             1
      iu
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
           40
           35
                            70
1
3
           34
                            68
       е
8
                            22
       u
            11
2
       a
            6
                            12
5
             4
                             8
      eu
9
                             6
      ui
            3
             2
4
    ebui
                             4
             2
                             4
7
      iu
[1] "m1P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           38
5
           23
                            46
8
       i
                            18
1
            3
                             6
4
     bui
            2
                             4
7
      eu
             2
                             4
3
                             2
      au
             1
6
             1
    ebui
9
       u
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
3
                            32
            16
4
             4
                             8
                             2
             1
[1] "m2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            31
5
       i
            28
                            56
3
            21
                            42
       е
2
                             8
             4
4
      eu
             2
                             4
             2
6
       u
                             4
      ui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
            33
5
       i
            28
                            56
3
       е
            21
                            42
2
             4
                             8
       a
             2
4
      eu
                             4
6
             2
                             4
       u
7
      ui
[1] "m2P1Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            24
1
       i
4
            20
                            40
2
       a
             4
                             8
3
             2
                             4
5
             1
      ui
[1] "All Endings Included"
  {\tt Suffix\ freq\ Percent\_Trials}
1
            25
4
       i
            22
                            44
2
            4
                             8
       a
3
             2
                             4
       е
                             2
5
      ui
             1
[1] "m3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
            38
3
                            62
            31
1
            16
                            32
5
             4
                             8
      eu
4
             2
                             4
    ebui
                             2
2
             1
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           38
```

```
3
            31
                            62
       е
1
            16
                            32
5
             4
                             8
      eu
2
             2
                             4
       a
             2
4
    ebui
                             4
7
             1
                             2
       u
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            35
                            70
       i
                            26
1
            13
3
             3
                             6
       е
2
             1
                             2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            36
                            72
1
            13
                            26
3
             3
                             6
2
             1
                             2
       a
[1] "m4P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            25
1
       i
4
            25
                            50
2
            19
                            38
       е
6
       u
             9
                            18
3
      eu
             4
                             8
7
      ui
             3
                             6
                             2
5
             1
      iu
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            26
                            52
1
            25
                            50
2
            21
                            42
       е
                            20
6
       u
            10
3
             4
                             8
      eu
             3
7
      ui
                             6
      iu
             1
                             2
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            18
1
                            36
3
       i
            18
                            36
4
             7
                            14
       u
2
             5
                            10
       е
             2
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
            19
1
3
       i
            19
                            38
4
             8
                            16
       u
2
             5
                            10
       е
5
             2
                             4
      ui
[1] "m5P1"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
           36
3
           29
                           58
       е
                           30
1
           15
2
            4
                            8
       a
5
                            8
      eu
4
    ebui
             2
                             4
7
                             2
      iu
             1
8
             1
                             2
       u
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
           31
1
           13
                           26
2
            3
                            6
       a
3
            3
                             6
       е
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       е
           45
8
       i
           39
                           78
2
                           76
           38
                            38
1
           19
7
      eu
            4
                            8
4
     bui
             2
                             4
6
             2
                             4
    ebui
9
             2
                             4
       u
3
      au
[1] "All Endings Included"
   Suffix freq Percent_Trials
5
        е
             47
             40
8
        i
                             80
2
             38
                             76
        a
1
             32
                             64
                             20
10
        u
             10
7
             4
                              8
       eu
             3
                              6
11
       ui
4
      bui
             2
6
             2
                              4
     ebui
3
                              2
       au
             1
                              2
9
       iu
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           35
                           70
       i
2
       a
           33
                           66
3
           16
                           32
```

```
1 - 12
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           37
2
       a
           33
                           66
1
           27
                           54
3
           20
                           40
       е
5
            6
                           12
       u
6
      ui
            2
[1] "f1P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           38
                           38
5
           19
8
       i
            9
                           18
            2
1
                            4
4
            2
                            4
     bui
7
      eu
3
            1
                            2
      au
6
    ebui
9
       u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           38
5
           21
                           42
       е
8
       i
            9
                           18
1
            2
                            4
4
     bui
            2
                            4
7
            2
      eu
3
                            2
      au
            1
6
                            2
    ebui
            1
9
       u
            1
                            2
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
       a
           33
2
           14
                           28
       i
            3
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           33
2
           14
                           28
3
                            6
[1] "f2P1"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
                           56
5
       i
           28
3
           20
                           40
2
       a
            4
                            8
4
            2
                            4
      eu
```

```
u
                            4
                            2
7
      ui
            1
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           23
4
       i
           20
                           40
2
       a
            3
                            6
3
            3
                            6
5
            1
                            2
      ui
[1] "f3P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
           39
                           78
3
           31
                           62
                           32
1
           16
5
                            8
      eu
            4
4
    ebui
            2
                            4
       a
7
            1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
           39
3
           31
                           62
       е
1
           16
                           32
5
                            8
            4
      eu
4
            2
                            4
    ebui
2
                            2
       a
            1
7
       u
            1
                            2
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
           35
1
           12
                           24
3
            2
                            4
       е
       a
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           37
                           74
1
           12
                           24
3
            2
                            4
       е
                            2
            1
       a
[1] "f4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           27
                           54
       i
                           48
1
           24
3
           20
                           40
       е
```

```
18
6
       u
             9
4
             4
                             8
      eu
7
             3
      ui
                             6
2
             1
                             2
       a
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            19
3
       i
           18
                            36
4
             6
                            12
       u
2
             5
                            10
       е
5
      ui
             2
                             4
[1] "f5P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
           35
3
           22
                            44
       е
1
            11
                            22
2
             3
                             6
       a
5
             3
                             6
      eu
4
    ebui
             1
                             2
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
           38
                            58
3
           29
       е
           17
                            34
1
5
      eu
             4
                             8
2
       a
             3
                             6
4
             2
                             4
    ebui
7
                             2
      iu
             1
8
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           36
                            72
1
           15
                            30
2
             3
                             6
       a
                             2
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           31
6
       i
           29
                            58
3
                            46
           23
       е
2
           18
                            36
5
      eu
            3
                             6
7
             3
                             6
       u
```

```
ebui
                             4
      ui
             1
8
[1] "All Endings Included"
  Suffix freq Percent_Trials
            35
6
       i
            31
                            62
3
            27
                            54
       е
2
                            36
       a
            18
8
       u
            11
                            22
5
             4
                             8
      eu
9
      ui
             3
                             6
4
             2
                             4
    ebui
7
      iu
             1
                             2
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
            24
                            48
            22
                            44
1
2
            14
                            28
       a
3
             5
                            10
5
      ui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
            28
4
       i
            28
                            56
2
       a
            15
                            30
3
            7
                            14
       е
5
             6
                            12
       u
             2
6
                             4
      ui
[1] "n2P1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            31
1
                            62
5
            25
                            50
       i
3
            19
                            38
       е
2
            15
                            30
6
       u
             3
                             6
4
      eu
             1
                             2
             1
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
                            62
1
            31
5
       i
            25
                            50
3
            19
                            38
       е
2
            15
                            30
       a
6
             3
                             6
       u
4
             1
                             2
      eu
                             2
7
      ui
             1
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
            21
                            42
4
       i
            18
                            36
2
            11
                            22
       a
```

```
е
            2
             1
5
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
4
       i
            18
                            36
           11
                            22
       a
3
             2
                             4
5
      ui
             1
                             2
[1] "n3P1"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
6
       i
           27
                            38
1
           19
3
           19
                            38
       е
2
                            28
       a
            14
5
            3
                             6
      eu
4
             2
    ebui
7
             2
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
3
           20
                            40
       е
1
           19
                            38
2
           15
                            30
5
      eu
             3
                             6
4
    ebui
             2
                             4
7
       u
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
            23
1
            13
                            26
2
                            22
           11
       a
            3
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           24
            13
                            26
1
           12
                            24
2
       a
3
            3
                             6
[1] "n4P1"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           26
1
4
           23
                            46
       i
2
           20
                            40
6
            9
                            18
       u
3
             4
      eu
                             8
7
      ui
             3
                             6
5
             1
                             2
      iu
```

```
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       i
                           36
           18
4
       u
            6
                           12
2
            4
                            8
       е
5
      ui
            2
                            4
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
3
           38
1
           34
                           68
2
           34
                           68
       a
           34
                           68
5
            9
                           18
       u
            2
6
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           39
       е
1
           35
                           70
4
           35
                           70
       i
2
       a
           34
                           68
5
           10
                           20
       u
6
      ui
                            4
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
       a
           32
2
           14
                           28
            4
                            8
3
       i
[1] "All Endings Included"
 Suffix freq Percent_Trials
           32
2
       a
3
       е
           14
                           28
                            8
4
       i
            4
1
            1
                            2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           31
1
2
           15
                           30
       a
           15
4
       i
                           30
            5
[1] "All Endings Included"
 Suffix freq Percent_Trials
           32
                           32
4
       i
           16
2
           15
                           30
3
       е
            8
                           16
[1] "3PlAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           32
3
           23
                            46
2
           14
                            28
1
           10
                            20
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           33
3
           23
                            46
2
       a
           16
                            32
           11
                            22
1
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           21
1
3
       i
           15
                            30
4
            9
                            18
2
            4
                            8
       е
            2
5
                            4
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
           22
1
       i
4
           15
                            30
5
           10
                           20
       u
3
       е
            5
                            10
6
      ui
            2
                            4
2
                            2
       a
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
           25
3
           15
                            30
            3
                            6
1
            2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           28
3
           19
                            38
            4
                            8
1
                            8
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           33
4
       i
           32
                            64
3
           24
                            48
       е
5
            9
                            18
       u
2
            3
                            6
       a
            2
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           37
       е
1
           34
                            68
```

```
33
                           66
2
           32
                           64
5
           10
                           20
       u
6
            2
                            4
      ui
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       a
           32
3
                           28
           14
4
            4
                            8
       i
                            2
            1
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           29
1
4
           15
                           30
       i
3
            4
                            8
       a
            3
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
4
           15
                           30
       i
3
       е
            4
                            8
2
            3
                            6
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           29
3
       i
                           58
2
       е
           21
                           42
            4
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
       i
           30
3
           21
                           42
1
            4
                            8
                            2
       a
            1
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           21
3
       i
           15
                           30
4
            9
                           18
       u
2
            4
                            8
       е
            2
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
                           30
3
       i
           15
4
           10
                           20
       u
2
            4
                            8
       е
5
            2
                            4
      ui
```

```
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
       i
           26
3
           18
                           36
1
            3
                            6
2
            3
                            6
       a
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           33
3
       е
2
       a
           32
                           64
4
           30
                           60
            3
                            6
1
[1] "All Endings Included"
 Suffix freq Percent_Trials
3
       е
           38
4
       i
           34
                           68
2
           32
                           64
       a
1
           29
                           58
5
            9
                           18
       u
6
            2
      ui
                            4
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           32
1
       a
2
           14
                           28
       е
       i
            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
       a
           32
2
                           28
           14
3
       i
            4
                            8
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           26
1
4
           16
                           32
       i
3
            5
                           10
       е
2
            3
                            6
       a
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
       i
           30
                           60
                           38
2
           19
       е
            3
[1] "All Endings Included"
```

```
62
       i
           31
2
           20
                           40
            3
                            6
1
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           18
1
4
       i
           15
                           30
5
            9
                           18
       u
3
            5
                           10
       е
            2
6
                            4
      ui
2
            1
                            2
       a
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                  freq
                                   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
           28
3
           18
                           36
1
            4
                            8
2
                            6
            3
       a
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
1
           22
       i
           19
                           38
2
           18
       a
                           36
3
       е
            9
                           18
[1] "All Endings Included"
  Suffix freq Percent_Trials
           30
4
       i
           22
                           44
2
           18
                           36
3
           13
                           26
       е
5
       u
            9
                           18
6
            2
                            4
      ui
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
           20
1
2
           15
                           30
       a
           12
                           24
4
       i
            3
       е
[1] "All Endings Included"
 Suffix freq Percent_Trials
           22
                           30
2
           15
       a
4
       i
           13
                           26
3
       е
            4
                            8
[1] "n3PlAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           19
2
           14
                            28
       a
1
            9
                            18
                           16
3
            8
       е
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           19
2
           15
                            30
       a
                           20
1
           10
3
           10
                           20
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1
           22
                            28
3
       i
           14
4
       u
            9
                            18
            3
                            6
5
      ui
            2
                             4
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2
        a
            33
5
        е
            27
                             54
8
            25
                             50
        i
1
            19
                             38
10
        u
             4
                              8
7
       eu
             3
                              6
3
                              2
       au
                              2
4
      bui
                              2
6
     ebui
9
       iu
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
            33
        a
5
            30
                             60
        е
8
        i
            26
                             52
            21
                             42
1
10
             5
                             10
        u
7
             3
                              6
       eu
3
       au
                              2
4
      bui
6
     ebui
             1
                              2
                              2
9
       iu
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           33
                           66
       a
                           18
5
       е
            9
```

i

```
2
3
                             2
             1
      au
4
                             2
     bui
             1
6
      eu
             1
                             2
8
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
            33
       a
5
       е
            12
                            24
1
             3
                             6
7
       i
             3
                             6
3
                             2
             1
      au
4
     bui
             1
                             2
6
                             2
             1
      eu
8
       u
             1
                             2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
            20
       i
                            34
1
            17
3
                            34
       е
            17
2
       a
             3
                             6
6
             3
                             6
       u
      eu
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
            20
1
            19
                            38
3
            18
                            36
2
             3
                             6
       a
6
             3
       u
                             6
4
      eu
             1
                             2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            21
3
            17
                            34
1
            14
                            28
2
             3
       a
                             6
5
             3
                             6
      eu
             2
7
       u
    ebui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
            22
3
            17
                            34
1
            15
                            30
2
             3
                             6
5
             3
                             6
      eu
7
             2
                             4
       u
    ebui
             1
                             2
4
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
```

```
i
            20
                            40
2
            16
                            32
1
             9
                            18
3
             2
                             4
      eu
6
             2
       u
                             4
5
      iu
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            21
2
            17
                            34
       е
                            20
1
            10
3
             3
                             6
      eu
6
             3
                             6
       u
                             2
5
      iu
             1
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
            19
       i
3
            14
                            28
       е
             7
1
                            14
5
             3
                             6
      eu
2
       a
             1
                             2
4
    ebui
             1
                             2
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
            22
3
       е
            16
                            32
                            22
1
            11
5
             3
                             6
      eu
2
                             2
       a
             1
4
    ebui
             1
                             2
7
                             2
       u
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       i
            24
2
       е
            19
                            38
1
                            28
            14
4
                             6
             3
      eu
7
       u
             3
                             6
3
             1
                             2
    ebui
6
      iu
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
2
             31
                             62
        a
5
        е
             29
                             58
                             48
8
        i
             24
1
             15
                             30
10
              4
                              8
        u
7
                              6
       eu
              3
                              2
3
       au
4
                              2
      bui
              1
6
     ebui
                              2
```

```
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                   Percent_Trials
              freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           30
5
       е
           11
                           22
            3
                            6
1
7
       i
            3
                            6
3
                            2
            1
      au
4
                            2
     bui
            1
                            2
6
            1
      eu
8
            1
                            2
       u
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
           20
2
           17
                           34
       е
                           22
1
           11
5
       u
            2
                            4
3
            1
      eu
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
           20
3
       е
           17
                           34
1
           11
                           22
6
            2
                            4
       u
2
            1
                            2
       a
                            2
      eu
            1
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
5
       i
           20
2
           17
                           34
       e
1
            9
                           18
4
            3
                            6
      eu
3
                            2
    ebui
            1
6
            1
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
5
       i
           21
2
           17
                           34
       е
1
            9
                           18
4
            3
                            6
      eu
    ebui
3
            1
                            2
6
            1
                            2
       u
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
 Suffix freq Percent_Trials
4
           20
       i
                           40
2
                           32
       е
           16
1
            9
                           18
```

iu

```
3
             2
      eu
                             4
6
             2
       u
                             4
5
      iu
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            21
2
            16
                            32
       е
                            20
1
            10
3
      eu
             3
                             6
6
             3
                             6
       u
5
      iu
             1
                             2
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
                                     Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            19
3
                            32
            16
       е
1
             9
                            18
             3
5
      eu
                             6
2
       a
             1
                             2
4
                             2
    ebui
             1
                             2
7
       u
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
            33
5
            25
                            50
       е
8
            22
                            44
       i
                            20
1
            10
7
             3
                             6
      eu
9
             2
                             4
       u
3
                             2
             1
      au
                             2
4
     bui
             1
             1
6
    ebui
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
            33
5
            28
                            56
       е
8
       i
            26
                            52
            19
                            38
1
7
             3
                             6
      eu
9
             3
                             6
       u
3
      au
             1
                             2
4
                             2
     bui
             1
6
    ebui
             1
                             2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            33
       a
             9
5
                            18
       е
7
             3
       i
                             6
1
             1
                             2
```

```
3
      au
4
                             2
     bui
             1
6
      eu
             1
8
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
       a
           33
                            22
5
            11
       е
7
       i
            3
                            6
1
            2
                             4
3
      au
             1
4
                             2
     bui
             1
6
             1
                             2
      eu
8
             1
       u
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           20
2
            14
                            28
1
           13
                            26
5
       u
            2
                            4
3
                             2
      eu
             1
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           21
       i
2
           16
                            32
1
            9
                            18
4
      eu
             3
                             6
3
    ebui
             1
                             2
6
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
           22
2
            17
                            34
1
                            18
            9
4
            3
                            6
      eu
3
    ebui
                             2
                             2
6
       u
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           21
                            42
2
           16
                            32
                            18
1
            9
3
            3
                            6
      eu
             2
                             4
5
       u
[1] "f5PlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                    freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
           22
3
           14
                            28
       е
                            22
1
            11
5
      eu
             3
                             6
2
                             2
       a
             1
    ebui
4
             1
                             2
7
                             2
             1
       u
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            19
6
       i
1
            17
                            34
                            26
3
            13
2
                             6
            3
       a
7
            3
                             6
             2
5
      eu
                             4
    ebui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           21
6
3
       е
           20
                            40
1
           18
                            36
2
            4
                             8
       a
8
             4
                             8
       u
5
             3
      eu
                             2
4
    ebui
             1
7
      iu
             1
                             2
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1
           17
4
       i
           17
                            34
3
           12
                            24
       е
5
            3
       u
                             6
            2
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
           17
1
4
       i
           17
                            34
3
           13
                            26
       е
2
            3
                             6
       a
5
                             6
       u
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
           17
1
           14
                            28
                            22
3
       е
           11
2
            3
                             6
       a
```

```
5
      eu
                             4
7
             2
       u
                             4
    ebui
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
            17
1
            15
                            30
3
                            26
            13
       е
2
       a
             3
                             6
5
             2
                             4
      eu
7
       u
             2
                             4
             1
                             2
4
    ebui
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                     Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            19
                            34
2
            17
                            20
1
            10
3
      eu
             3
                             6
6
             2
                             4
       u
                             2
5
      iu
[1] "DatPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       е
            36
2
            32
                            64
       a
6
            22
                            44
       i
                            36
1
            18
7
       u
             4
                             8
5
             3
                             6
      eu
3
             1
                             2
      au
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       е
            38
2
       a
            32
                            64
6
                            48
            24
                            38
1
            19
7
             4
                             8
       u
5
             3
                             6
      eu
3
      au
             1
                             2
[1] "1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
            32
                            64
       a
            14
                            28
4
                             2
1
             1
                             2
3
      au
             1
5
                             2
             1
      eu
                             2
6
             1
       i
7
       u
             1
[1] "All Endings Included"
```

```
Suffix freq Percent_Trials
2
            32
       a
            14
                            28
4
       е
1
            2
                             4
6
             2
                             4
3
             1
                             2
      au
5
      eu
             1
                             2
7
                             2
       u
             1
[1] "2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       i
            18
                            36
1
            17
                            34
3
            17
                            34
2
             4
                             8
       a
             3
6
       u
                             6
             1
      eu
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
            20
3
            19
                            38
1
            18
                            36
2
             4
                             8
       a
             3
6
       u
                             6
4
                             2
      eu
             1
[1] "3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
            23
       е
5
       i
            21
                            42
                            32
1
            16
2
       a
             3
                             6
4
             3
                             6
      eu
             2
6
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
       е
            25
5
       i
            22
                            44
            16
                            32
1
                             6
2
            3
       a
4
      eu
             3
                             6
             2
                             4
6
       u
[1] "4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
            18
4
       i
2
            17
                            34
       е
                            22
1
            11
3
             3
                             6
      eu
             2
5
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            19
                            38
2
            18
                            36
       е
```

```
11
                            22
3
            3
                            6
      eu
5
                             4
       u
[1] "5PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           20
5
       i
           18
                            36
1
            5
                            10
4
             3
                            6
      eu
2
       a
             1
                             2
6
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           22
       е
                            36
5
            18
1
            7
                            14
4
            3
                            6
      eu
2
                             2
             1
       a
                             2
6
       u
             1
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3
       е
           25
5
           21
                            42
       i
1
           14
                            28
4
            3
                            6
      eu
6
             3
                             6
       u
                             2
2
             1
       a
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       е
           38
2
           32
                            64
6
                            44
       i
           22
           15
                            30
1
5
                             6
            3
      eu
            3
7
       u
                             6
3
      au
            1
                             2
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           32
       a
                            26
4
           13
1
            2
                             4
6
       i
            2
                             4
3
                             2
      au
             1
5
                             2
      eu
             1
                             2
7
             1
       u
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
```

```
5
           18
                            36
3
            16
                            32
                            28
            14
1
6
             2
                             4
       u
2
                             2
             1
4
      eu
             1
                             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
            20
3
            17
                            34
       е
                            28
1
           14
6
             2
                             4
       u
2
             1
                             2
                             2
4
             1
      eu
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           23
       е
4
            18
       i
                            36
1
            7
                            14
             3
3
      eu
                             6
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           25
       е
4
       i
            19
                            38
1
            7
                            14
3
             3
                             6
      eu
                             2
5
             1
       u
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           18
                            36
2
            17
                            34
       е
1
                            22
            11
3
            3
                             6
      eu
             2
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
           19
                            38
       i
2
            18
                            36
       е
                            22
1
           11
3
             3
                             6
      eu
5
             2
                             4
       u
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3
           22
       е
                            36
5
       i
           18
                            10
1
            5
4
             3
                             6
      eu
```

```
a
          1
6
                            2
       u
            1
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       е
           34
2
       a
           32
                           64
6
           20
                           40
       i
1
            8
                           16
5
            3
                            6
      eu
7
       u
            2
                            4
3
            1
      au
[1] "All Endings Included"
  Suffix freq Percent_Trials
           35
       е
2
       a
           32
                           64
6
       i
           23
                           46
           17
                           34
1
5
                            6
            3
      eu
7
            3
                            6
                            2
3
      au
            1
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
           32
       a
4
       е
           14
                           28
1
            1
                            2
3
            1
                            2
      au
                            2
5
      eu
            1
6
       i
            1
                            2
7
       u
            1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
           32
       a
           14
                           28
4
1
                            2
            1
3
      au
            1
                            2
5
      eu
            1
                            2
                            2
6
       i
                            2
            1
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
           18
                           36
                           30
3
           15
           13
                           26
1
6
            2
                            4
       u
2
                            2
            1
       a
            1
                            2
4
      eu
[1] "f3PlDat"
[1] "Endings occuring 10 times or less excluded"
```

```
Suffix freq Percent_Trials
2
       е
           21
                           42
                           38
4
           19
       i
1
            7
                           14
3
            3
      eu
                            6
5
            1
                            2
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
2
       е
           22
4
       i
           21
                           42
1
            7
                           14
3
            3
                            6
      eu
5
            1
                            2
       u
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
       i
           18
2
       е
           17
                           34
1
           10
                           20
3
            3
                            6
      eu
            2
       u
                            4
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                   freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
           21
3
       е
5
       i
           18
                           36
            7
                           14
1
                            6
4
            3
      eu
                            2
2
       a
            1
                            2
6
       u
            1
[1] "nPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       i
           18
                           36
3
       е
           16
                           32
           15
                           30
1
2
            5
                           10
       a
6
            3
                            6
       u
            2
      eu
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
           20
3
                           38
       е
           19
1
           15
                           30
2
                           10
            5
       a
            4
6
                            8
       u
            3
                            6
      eu
```

[1] "n2PlDat"

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           17
4
1
            15
                            30
3
                            28
       е
            14
2
             4
                             8
       u
             3
[1] "All Endings Included"
  Suffix freq Percent_Trials
           17
       i
1
            15
                            30
3
           14
                            28
       е
2
             4
                             8
             3
                             6
5
       u
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       i
            17
                            30
1
            15
3
            12
                            24
2
            3
                             6
4
      eu
             2
6
             2
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
           17
1
            15
                            30
3
           14
                            28
       е
2
             3
                             6
       a
4
             2
                             4
      eu
             2
6
       u
                             4
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                                    Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
            18
                            36
2
                            34
            17
                            22
1
            11
3
             3
                             6
      eu
             2
                             4
5
       u
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
           34
4
       е
2
           31
                            62
       a
7
                            58
           29
       i
           17
                            34
1
8
                            12
       u
             6
6
             4
                             8
      eu
             2
3
                             4
     bui
             2
5
    ebui
                             4
9
             2
      ui
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
             35
                             70
2
             31
                             62
        a
7
             30
                             60
        i
1
             18
                             36
9
        u
             6
                             12
6
                              8
             4
       eu
3
      bui
              2
                              4
5
     ebui
              2
                              4
10
       ui
8
       iu
                              2
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  {\tt Suffix\ freq\ Percent\_Trials}
2
           31
       a
4
       е
            12
                            24
7
                             6
            3
       i
            2
                             4
1
             2
3
                             4
     bui
5
    ebui
             1
                             2
6
      eu
             1
8
             1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           31
4
       е
           13
                            26
7
       i
            3
                             6
             2
                             4
1
3
    bui
             2
                             4
                             2
5
    ebui
             1
6
      eu
             1
                             2
8
                             2
       u
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       i
           24
3
       е
           17
                            34
1
                            28
           14
2
            2
                             4
       a
6
       u
             2
      eu
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
           25
3
           17
                            34
       е
1
           15
                            30
2
            2
                             4
6
             2
                             4
       u
                             2
4
             1
      eu
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i 26
```

```
3
           21
                            42
1
            13
                            26
5
            4
                             8
      eu
2
             2
                             4
       a
             2
4
    ebui
                             4
7
             1
                             2
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
            26
3
           21
                            42
       е
                            26
1
           13
5
            4
                             8
      eu
2
            3
                             6
       a
             2
4
    ebui
                             4
7
             1
                             2
       u
[1] "4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
       i
           19
                            24
1
           12
2
                            20
       е
           10
5
       u
            4
                             8
3
            3
                             6
      eu
            2
      ui
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           21
1
           13
                            26
2
                            22
           11
5
            4
                             8
       u
3
            3
      eu
                             6
6
      ui
            2
                             4
[1] "5PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           21
       i
3
       е
           17
                            34
5
      eu
            3
                             6
             2
1
                             4
            2
4
    ebui
                             4
       a
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
           24
                            48
3
           19
                            38
       е
                             8
1
            4
5
             4
                             8
      eu
4
    ebui
             2
                             4
2
                             2
       a
             1
                             2
7
      iu
[1] "mPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       i 28
```

```
23
                           46
1
           13
                           26
6
            5
                            10
       u
4
             4
                            8
      eu
3
             2
    ebui
                             4
7
      ui
             2
                             4
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
        е
             35
2
             31
                             62
        a
7
        i
                             56
             14
                             28
1
9
             5
                             10
        u
6
             4
                              8
       eu
3
      bui
             2
                              4
5
     ebui
                              4
10
       ui
             2
                              4
8
       iu
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           31
                           62
4
       е
           13
                           26
7
       i
            3
                            6
3
     bui
            2
                             4
                             2
             1
1
5
    ebui
             1
                             2
6
                             2
      eu
             1
8
       u
             1
                             2
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4
           23
       i
2
           16
                           32
1
           11
                           22
3
                            2
      eu
            1
            1
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
4
       i
           23
2
           17
                           34
1
           12
                            24
3
                            2
            1
      eu
5
             1
                             2
       u
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           24
       i
2
           19
                           38
       е
4
                            8
      eu
            4
1
             2
                            4
```

```
ebui
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
       i
           24
2
            20
                            40
4
            4
                             8
      eu
             2
                             4
3
    ebui
            2
                             4
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
       i
           19
                            38
1
            12
                            24
2
            10
                            20
5
             4
                             8
       u
3
      eu
             3
                             6
6
      ui
             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
            19
4
1
            12
                            24
2
            11
                            22
       е
5
                             8
             4
       u
3
      eu
             3
                             6
6
      ui
             2
                             4
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
            23
                            46
3
            18
                            36
5
                             6
            3
      eu
             2
1
                             4
4
            2
    ebui
                             4
2
             1
                             2
7
      iu
             1
                             2
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
                            62
4
           31
                            62
       е
7
       i
           25
                            50
1
             4
                             8
6
             4
                             8
      eu
3
     bui
             2
                             4
5
    ebui
             2
8
       u
             1
[1] "All Endings Included"
   Suffix freq Percent_Trials
4
             32
2
                             62
        a
            31
7
             29
                             58
        i
```

```
17
                            34
9
                            10
             5
        u
6
                             8
       eu
             4
3
                             4
      bui
             2
5
     ebui
                             4
10
       ui
             2
                             4
8
       iu
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2
       a
           31
4
           12
                           24
7
            3
                            6
       i
            2
1
                            4
3
     bui
             2
5
    ebui
6
             1
      eu
8
       u
             1
[1] "All Endings Included"
  Suffix freq Percent_Trials
2
       a
           31
4
       е
           13
                           26
7
            3
                            6
       i
            2
1
                            4
3
            2
                            4
     bui
5
   ebui
             1
6
      eu
             1
8
       u
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           23
2
           15
                           30
       е
1
           10
                           20
3
      eu
            1
                            2
                            2
5
       u
             1
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
       i
           24
2
           20
                           40
4
            4
                            8
      eu
             2
1
                            4
    ebui
            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           24
2
                           40
           20
4
            4
                            8
      eu
            2
1
                            4
    ebui
            2
```

```
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
       i
           21
                           24
1
           12
2
            8
                            16
       е
5
             4
                            8
       u
3
      eu
             3
                             6
6
             2
                             4
      ui
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix
                    freq
                                    Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
           24
3
           19
                            38
1
            4
                            8
5
      eu
            4
                            8
4
            2
    ebui
                             4
2
       a
             1
                             2
7
                             2
      iu
             1
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
           23
       i
1
           14
                            28
3
                            28
           14
2
       a
            3
                             6
5
             3
                             6
      eu
             2
4
    ebui
                             4
             2
       u
[1] "All Endings Included"
  Suffix freq Percent_Trials
6
       i
           26
                            32
1
           16
                           30
3
           15
       е
7
            6
                           12
       u
2
                            6
            3
       a
5
             3
                             6
      eu
4
             2
                             4
    ebui
      ui
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5
           22
       i
1
           13
                            26
3
                           26
           13
       е
2
            2
                            4
6
            2
       u
                             4
```

eu

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
5
           22
1
           14
                           28
3
       е
           13
                           26
2
            2
                            4
6
            2
       u
                            2
      eu
            1
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6
       i
           18
                           36
           13
                           26
1
3
           12
                           24
       е
5
            3
                            6
      eu
2
            2
                            4
       a
4
            2
                            4
    ebui
            1
       u
[1] "All Endings Included"
 Suffix freq Percent_Trials
6
       i
           22
1
           13
                           26
3
                           24
           12
       е
2
            3
                            6
       a
                            6
5
      eu
            3
4
    ebui
            2
                            4
7
            1
                            2
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
                                    Percent_Trials
[1] Suffix
                   freq
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
 Suffix freq Percent_Trials
4
       i
           18
                           26
1
           13
2
                           20
           10
       е
5
       u
            4
                            8
3
            3
                            6
      eu
            2
6
      ui
                            4
[1] "mSg and nSg fully match 96% of the time"
[1] "mPl and nPl fully match 84% of the time"
[1] "nPl and fSg fully match 0% of the time"
[1] "Endings that overlap are in trials "
[1] "nPl and fPl fully match 2% of the time"
[1] "Endings that overlap are c(\"e\", \"e\") in trials 32"
```

[1] "mPl and fSg fully match 0% of the time"

- [1] "Endings that overlap are in trials "
- [1] "mPl and fPl fully match 2% of the time"
- [1] "Endings that overlap are c("e", "e") in trials 32"
- [1] "mSg and nSg at least partially match 100% of the time"
- [1] "mPl and nPl at least partially match 100% of the time"
- [1] "fSg and nPl at least partially match 8% of the time"
- [1] "Endings that overlap are a,a,a,a in trials 9,19,41,48"
- [1] "fPl and nPl at least partially match 16% of the time"
- [1] "Endings that overlap are e,a,i,a,u,e,a,a in trials 7,9,17,19,26,32,41,48"
- [1] "fSg and mPl at least partially match 2% of the time"
- [1] "Endings that overlap are a in trials 41"
- [1] "fPl and mPl at least partially match 10% of the time"
- [1] "Endings that overlap are e,i,u,e,a in trials 7,17,26,32,41"
- [1] "fPl, mPl, and nPl at least partially match 10% of the time"
- [1] "Endings that overlap are e,i,u,e,a in trials 7,17,26,32,41"
- [1] "O percent of trials contain fPl (135) ending in -as. Those trials are "
- [1] "O percent of trials contain nPl ending in -as. Those trials are "
- [1] "O percent of trials contain mPl (234) ending in -as. Those trials are "
- [1] "O percent of trials contain mPl (2345) ending in -as. Those trials are "
- [1] "O percent of trials contain fPl (135) ending in -os. Those trials are "
- [1] "O percent of trials contain nPl ending in -os. Those trials are "
- [1] "O percent of trials contain mPl (234) ending in -os. Those trials are "
- [1] "O percent of trials contain mPl (2345) ending in -os. Those trials are "
- [1] "O percent of trials contain fPl ending in -s. Those trials are "

- [1] "O percent of trials contain nPl ending in -s. Those trials are "
- [1] "O percent of trials contain mPl ending in -s. Those trials are "
- [1] "76 percent of trials contain fPl (135) ending in -a. Those trials are 4,6,8,9,10,11,13,14,15,16,18
- [1] "36 percent of trials contain nPl ending in -a. Those trials are 9,11,13,15,19,23,25,26,29,32,39,41
- [1] "8 percent of trials contain mPl (234) ending in -a. Those trials are 9,26,41,45"
- [1] "12 percent of trials contain mPl (2345) ending in -a. Those trials are 9,19,26,41,45,50"
- [1] "42 percent of trials contain fPl (1) ending in -e. Those trials are 1,2,3,4,5,7,12,13,16,17,18,21,
- [1] "92 percent of trials contain fPl (135) ending in -e. Those trials are 1,2,3,4,5,6,7,9,10,12,13,14,
- [1] "40 percent of trials contain nPl (3) ending in -e. Those trials are 4,6,7,9,10,12,14,15,20,26,27,2
- [1] "46 percent of trials contain nPl (24) ending in -e. Those trials are 4,6,7,8,9,10,12,19,20,21,23,2
- [1] "54 percent of trials contain nPl ending in -e. Those trials are 4,6,7,8,9,10,12,14,15,19,20,21,23,
- [1] "62 percent of trials contain mPl (3) ending in -e. Those trials are 6,7,9,10,12,13,14,15,19,20,23,
- [1] "46 percent of trials contain mPl (24) ending in -e. Those trials are 4,6,7,8,9,10,12,14,15,19,20,2
- [1] "68 percent of trials contain mPl (234) ending in -e. Those trials are 4,6,7,8,9,10,12,13,14,15,19,
- [1] "68 percent of trials contain mPl (2345) ending in -e. Those trials are 4,6,7,8,9,10,12,13,14,15,19
- [1] "100 percent of trials contain fSg (1) ending in -a. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,13
- [1] "O percent of trials contain fSg (5) ending in -a. Those trials are "
- [1] "O percent of trials contain fSg (3) ending in -a. Those trials are "
- [1] "O percent of trials contain nSg ending in -a. Those trials are 9,11,13,15,19,23,25,26,29,32,39,41,
- [1] "O percent of trials contain mSg (234) ending in -a. Those trials are "
- [1] "O percent of trials contain mSg (2345) ending in -a. Those trials are "
- [1] "O percent of trials contain fSg (1) ending in -o. Those trials are "
- [1] "94 percent of trials contain nSg ending in -o. Those trials are "
- [1] "94 percent of trials contain mSg (24) ending in -o. Those trials are 1,2,4,5,6,7,8,9,10,11,12,13,1

- [1] "94 percent of trials contain mSg (2345) ending in -o. Those trials are 1,2,4,5,6,7,8,9,10,11,12,13
- [1] "28 percent of trials contain fSg (1) ending in -e. Those trials are 1,3,4,5,7,17,22,32,33,34,35,36
- [1] "100 percent of trials contain fSg (135) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,
- [1] "66 percent of trials contain nSg (3) ending in -e. Those trials are 1,3,4,6,7,8,9,10,12,13,14,15,1
- [1] "54 percent of trials contain nSg (24) ending in -e. Those trials are 1,7,8,9,10,12,13,14,15,17,18,
- [1] "70 percent of trials contain nSg ending in -e. Those trials are 1,3,4,6,7,8,9,10,12,13,14,15,17,18
- [1] "100 percent of trials contain mSg (3) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,13
- [1] "54 percent of trials contain mSg (24) ending in -e. Those trials are 1,7,8,9,10,12,13,14,15,17,18,
- [1] "100 percent of trials contain mSg (234) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,
- [1] "100 percent of trials contain mSg (2345) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12
- [1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 0"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 0"
- [1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 0"
- [1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 0"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 0"
- [1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 0"
- [1] "Max Endings only"
- [1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 0" $\,$
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 0"
- [1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 0"
- [1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 0"
- [1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 0"
- [1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 0"