



Script to add a node license

ONTAP Select

David Peterson
November 21, 2019

Table of Contents

Script to add a node license 1

Script to add a node license

You can use the following script to add a license for an ONTAP Select node.

```
1 #!/usr/bin/env python
2 ##-----
3 #
4 # File: add_license.py
5 #
6 # (C) Copyright 2019 NetApp, Inc.
7 #
8 # This sample code is provided AS IS, with no support or warranties of
9 # any kind, including but not limited for warranties of
10 # merchantability
11 # or fitness of any kind, expressed or implied. Permission to use,
12 # reproduce, modify and create derivatives of the sample code is
13 # granted
14 # solely for the purpose of researching, designing, developing and
15 # testing a software application product for use with NetApp products,
16 # provided that the above copyright notice appears in all copies and
17 # that the software application product is distributed pursuant to
18 # terms
19 # no less restrictive than those set forth herein.
20 #
21 ##-----
22
23 import argparse
24 import logging
25 import json
26
27 from deploy_requests import DeployRequests
28
29
30 def post_new_license(deploy, license_filename):
31     log_info('Posting a new license: {}'.format(license_filename))
32
33     # Stream the file as multipart/form-data
34     deploy.post('/licensing/licenses', data={},
35                files={'license_file': open(license_filename, 'rb')})
36
37     # Alternative if the NLF license data is converted to a string.
38     # with open(license_filename, 'rb') as f:
39     #     nlf_data = f.read()
40     #     r = deploy.post('/licensing/licenses', data={},
41                        files={'license_file': (license_filename,
```

```

    nlf_data))
39
40
41 def put_license(deploy, serial_number, data, files):
42     log_info('Adding license for serial number: {}'.format
(serial_number))
43
44     deploy.put('/licensing/licenses/{}'.format(serial_number), data
=data, files=files)
45
46
47 def put_used_license(deploy, serial_number, license_filename,
ontap_username, ontap_password):
48     ''' If the license is used by an 'online' cluster, a
username/password must be given. '''
49
50     data = {'ontap_username': ontap_username, 'ontap_password':
ontap_password}
51     files = {'license_file': open(license_filename, 'rb')}
52
53     put_license(deploy, serial_number, data, files)
54
55
56 def put_free_license(deploy, serial_number, license_filename):
57     data = {}
58     files = {'license_file': open(license_filename, 'rb')}
59
60     put_license(deploy, serial_number, data, files)
61
62
63 def get_serial_number_from_license(license_filename):
64     ''' Read the NLF file to extract the serial number '''
65     with open(license_filename) as f:
66         data = json.load(f)
67
68         statusResp = data.get('statusResp', {})
69         serialNumber = statusResp.get('serialNumber')
70         if not serialNumber:
71             log_and_exit("The license file seems to be missing the
serialNumber")
72
73         return serialNumber
74
75
76 def log_info(msg):
77     logging.getLogger('deploy').info(msg)

```

```

78
79
80 def log_and_exit(msg):
81     logging.getLogger('deploy').error(msg)
82     exit(1)
83
84
85 def configure_logging():
86     FORMAT = '%(asctime)-15s:%(levelname)s:%(name)s: %(message)s'
87     logging.basicConfig(level=logging.INFO, format=FORMAT)
88     logging.getLogger('requests.packages.urllib3.connectionpool'
89                        ).setLevel(logging.WARNING)
89
90
91 def main(args):
92     configure_logging()
93     serial_number = get_serial_number_from_license(args.license)
94
95     deploy = DeployRequests(args.deploy, args.password)
96
97     # First check if there is already a license resource for this
98     serial-number
99     if deploy.find_resource('/licensing/licenses', 'id',
100                            serial_number):
101
102         # If the license already exists in the Deploy server,
103         determine if its used
104         if deploy.find_resource('/clusters', 'nodes.serial_number',
105                                serial_number):
106
107             # In this case, requires ONTAP creds to push the license
108             to the node
109             if args.ontap_username and args.ontap_password:
110                 put_used_license(deploy, serial_number, args.license,
111                                   args.ontap_username, args
112                                   .ontap_password)
113             else:
114                 print "ERROR: The serial number for this license is in
115                 use. Please provide ONTAP credentials."
116             else:
117                 # License exists, but its not used
118                 put_free_license(deploy, serial_number, args.license)
119         else:
120             # No license exists, so register a new one as an available
121             license for later use
122             post_new_license(deploy, args.license)

```

```
115
116
117 def parseArgs():
118     parser = argparse.ArgumentParser(description='Uses the ONTAP
119     Select Deploy API to add or update a new or used NLF license file.')
120     parser.add_argument('-d', '--deploy', required=True, type=str,
121     help='Hostname or IP address of ONTAP Select Deploy')
122     parser.add_argument('-p', '--password', required=True, type=str,
123     help='Admin password of Deploy server')
124     parser.add_argument('-l', '--license', required=True, type=str,
125     help='Filename of the NLF license data')
126     parser.add_argument('-u', '--ontap_username', type=str,
127     help='ONTAP Select username with privelege to
128     add the license. Only provide if the license is used by a Node.')
129     parser.add_argument('-o', '--ontap_password', type=str,
130     help='ONTAP Select password for the
131     ontap_username. Required only if ontap_username is given.')
132     return parser.parse_args()
133
134 if __name__ == '__main__':
135     args = parseArgs()
136     main(args)
```

Copyright Information

Copyright © 2020 NetApp, Inc. All rights reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means-graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system-without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

RESTRICTED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7103 (October 1988) and FAR 52-227-19 (June 1987).

Trademark Information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.