



HTML

CSS

MORE ▼



JavaScript Quiz Results

Score: 25 of 25

100% Correct:

Question 1:

Inside which HTML element do we put the JavaScript?

✓ `<script>`

Your answer

`<scripting>`

`<javascript>`

`<js>`

Question 2:

What is the correct JavaScript syntax to change the content of the HTML element below?

`<p id="demo">This is a demonstration.</p>`

✓ `document.getElementById("demo").innerHTML = "Hello World!";`

Your answer

`document.getElement("p").innerHTML = "Hello World!";`

`document.getElementByName("p").innerHTML = "Hello World!";`

```
#demo.innerHTML = "Hello World!";
```

Question 3:

Where is the correct place to insert a JavaScript?

✓ Both the <head> section and the <body> section are correct Your answer

The <body> section

The <head> section

Question 4:

What is the correct syntax for referring to an external script called "xxx.js"?

✓ <script src="xxx.js"> Your answer

<script href="xxx.js">

<script name="xxx.js">

Question 5:

The external JavaScript file must contain the <script> tag.

✓ False Your answer

True

Question 6:

How do you write "Hello World" in an alert box?

✓ alert("Hello World"); Your answer

```
alertBox("Hello World");
```

```
msgBox("Hello World");
```

```
msg("Hello World");
```

Question 7:

How do you create a function in JavaScript?

✓ `function myFunction()`

Your answer

`function:myFunction()`

`function = myFunction()`

Question 8:

How do you call a function named "myFunction"?

✓ `myFunction()`

Your answer

`call function myFunction()`

`call myFunction()`

Question 9:

How to write an IF statement in JavaScript?

✓ `if (i == 5)`

Your answer

`if i = 5`

`if i = 5 then`

`if i == 5 then`

Question 10:

How to write an IF statement for executing some code if "i" is NOT equal to 5?

✓ if (i != 5)

Your answer

if i != 5 then

if (i <> 5)

if i <> 5

Question 11:

How does a WHILE loop start?

✓ while (i <= 10)

Your answer

while i = 1 to 10

while (i <= 10; i++)

Question 12:

How does a FOR loop start?

✓ for (i = 0; i <= 5; i++)

Your answer

for (i <= 5; i++)

for i = 1 to 5

for (i = 0; i <= 5)

Question 13:

How can you add a comment in a JavaScript?

✓ `//This is a comment`

Your answer

`'This is a comment`

`<!--This is a comment-->`

Question 14:

How to insert a comment that has more than one line?

✓ `/*This comment has
more than one line*/`

Your answer

`//This comment has
more than one line//`

`<!--This comment has
more than one line-->`

Question 15:

What is the correct way to write a JavaScript array?

✓ `var colors = ["red", "green", "blue"]`

Your answer

`var colors = "red", "green", "blue"`

`var colors = 1 = ("red"), 2 = ("green"), 3 = ("blue")`

`var colors = (1:"red", 2:"green", 3:"blue")`

Question 16:

How do you round the number 7.25, to the nearest integer?

✓ Math.round(7.25)

Your answer

round(7.25)

rnd(7.25)

Math.rnd(7.25)

Question 17:

How do you find the number with the highest value of x and y?

✓ Math.max(x, y)

Your answer

Math.ceil(x, y)

ceil(x, y)

top(x, y)

Question 18:

What is the correct JavaScript syntax for opening a new window called "w2" ?

✓ w2 = window.open("http://www.w3schools.com");

Your answer

w2 = window.new("http://www.w3schools.com");

Question 19:

JavaScript is the same as Java.

✓ False

Your answer

True

Question 20:

How can you detect the client's browser name?

✓ `navigator.appName`

Your answer

`client.navName`

`browser.name`

Question 21:

Which event occurs when the user clicks on an HTML element?

✓ `onclick`

Your answer

`onmouseover`

`onchange`

`onmouseclick`

Question 22:

How do you declare a JavaScript variable?

✓ `var carName;`

Your answer

`v carName;`

`variable carName;`

Question 23:

Which operator is used to assign a value to a variable?

✓ `=`

Your answer

X

-

*

Question 24:

What will the following code return: `Boolean(10 > 9)`

✓ true

Your answer

false

NaN

Question 25:

Is JavaScript case-sensitive?

✓ Yes

Your answer

No

Close Quiz Results



W3Schools' Online Certification