

Averages

Model 1: Basic Average

1. What is the average of the following set of numbers?

302, 152, 132, 122, 112

- 1) 184
- 2) 165
- 3) 152
- 4) 176
- 5) None of these

2. Find the average of the following sets of scores.

198, 309, 256, 488, 145, 326, 427

- 1) 307
- 2) 10132
- 3) 11320
- 4) 11230
- 5) None of these

3. If 25a + 25b = 125, then what is the average of a and b?

- 1) 4.6
- 2) 2.5
- 3) 4.5
- 4) 3.4
- 5) None of these

4. Kamlesh bought 65 books for ₹ 1050 from one shop and 50 books for ₹ 1020 from another.



What is the average price he paid per book?

- 1) ₹ 36.40
- 2) ₹ 18.20
- 3) ₹ 24
- 4) ₹ 18
- 5) None of these

5. Sachin made 1000 runs in 20 matches. If he made 0 runs in one match, find the average runs of other matches.

- 1) 51.63
- 2) 52.53
- 3) 52.73
- 4) 52.63
- 5) 52.33

6. The average age of A, B and C is 26 years. If the average age of A and C is 29 years, what is the age of B in a year?

- 1) 26
- 2) 20
- 3) 29
- 4) 23
- 5) None of these



7.	A cricketer scored 180 runs in the first test and 258 runs in the second. How many runs should he score in the third test so that his average score in the three tests would be 230							
	runs?							
	1) 219	2) 242	3) 334	4) 356	5) None of these			
8.	The average weig	ght of 10 boys	is more than	the average we	eight of 15 girls by 5 kg. If the			
	total weight of t	the 10 boys is	550 kg, wha	t is the averag	e of the 10 boys and 15 girls			
	together?							
	1) 52 kg	2) 52.5 kg	3) 53 kg	4) 43.5 kg	5) None of these			
9.	The average of 6	numbers is 8. V	Vhat is the 7th	number so that	average becomes 10?			
	1) 22	2) 18	3) 21	4) 20	5) None of these			
10	TTI CE	., ,	· 426 TI	(11 (;	1 244 1.1			
10.				C	rst two numbers is 344 and the			
١)	average of the last two numbers is 554. What is the third number?							
	1) 482	2) 346	3) 556	4) 384	5) None of these			
11	The sum of 5 pur	mboro io 024 th	no average of	the first ture nu	mbors is 201 5 and the everage			
11.			G		mbers is 201.5 and the average			
	of the last two nu	mbers is 196. V	Vhat is the thi	rd number?				
	1) 133		2) 129		3) 122			
	4) Cannot be dete	ermined	5) No	one of these				
12.	The sum of 5 nu	ımbers is 555.	The average	of the first two	numbers is 75 and the third			
	number is 115. What is the average of the last two numbers?							

3) 265

2) 290

1) 145

5) None of these

4) 150



_	13.			•	C	the next 3 days is 29 degrees. If					
(1	the average of the whole week is 28.5 degrees, what is the temperature of the last day?										
•		1) 31.5	2) 10.5	3) 21	4) 42	5) None of these	e S				
14. The average of 5 numbers is 306.4. The average of the first two numbers is 431 an											
		average of the last two numbers is 214.5. What is the third number?									
		1) 108		2) 52		3) 321					
		4) Cannot be dete	rmined	5) No:	ne of these						
	Mc	odel 2: Weighted	d Average				the last day? these ers is 431 and the 21 ne class is 14 years e age of the whole these of age 14 each and these e of 25 students of mbined together?				
	15.	In a class, there a	re 32 boys and	28 girls. The a	overage age of	the boys in the class is 14 years					
(?	and the average age of the girls in the class is 13 years. What is the average age of the whole									
(class? (Rounded o	? (Rounded off to two digits after decimal)								
		1) 13.50	2) 13.53	3) 12.51	4) 13.42	5) None of these	d the years whole and				
	16.	In a certain school	nded off to two digits after decimal)								
		50 of age 15 each.	What is the av	two numbers is 214.5. What is the third number? 2) 52 3) 321 mined 5) None of these Average 2 32 boys and 28 girls. The average age of the boys in the class is 14 years the of the girls in the class is 13 years. What is the average age of the whole of to two digits after decimal) 2) 13.53 3) 12.51 4) 13.42 5) None of these there are 60 boys of age 12 each, 40 of age 13 each, 50 of age 14 each and What is the average age of all the boys of the school? 2) 133.1 3) 13.45 4) 14 5) None of these f 20 students of a section is 12 years. The average age of 25 students of 2 years. What is the average age of both the sections combined together? 2) 11.5 3) 11.75							
		1) 13.50	2) 133.1	3) 13.45	4) 14	5) None of these					
	17.	The average age	of 20 students	of a section is	s 12 years. Th	e average age of 25 students of					
		another section is 12 years. What is the average age of both the sections combined together?									
		1) 11		2) 11.5	5	3) 11.75					
		4) Cannot be determined Model 2: Weighted Average 15. In a class, there are 32 boys and the average age of the sclass? (Rounded off to two 1) 13.50 2) 13.53 16. In a certain school, there are 50 of age 15 each. What is the 1) 13.50 2) 133.1 17. The average age of 20 studenther section is 12 years.	rmined	5) No:	ne of these						



Model 3: Average of Remaining Group



18. The average age of a class of 65 boys was 14 years, the average age of 20 of them was 14 years, and that of another 15 was 12 years. Find the average age of the remaining boys?

- 1) 16 years
- 2) 13 years
- 3) 17 years
- 4) 15 years
- 5) None of these
- 19. The average monthly income of a family of four earning members was ₹ 15,130. One of the daughters in the family got married and left home, so the average monthly income of the family came down to ₹ 14,660. What is the monthly income of the married daughter?
 - 1) ₹ 15.350

2) ₹ 12,000

3) ₹ 16,540


- 4) Cannot be determined
- 5) None of these
- 20. The total ages of the class of 75 girls is 1050 years, the average age of 25 of them is 12 years and that of another 25 is 16 years. Find the average age of the remaining girls?
 - 1) 12 years
- 2) 13 years
- 3) 14 years
- 4) 15 years
- 5) None of these

Model 4: Average When a Member Is Excluded/Included From/into a Group

- 21. The average age of 39 students and a teacher of a Class are 11 years. If the age of teacher is excluded the average age of the class is reduced by 1. What is the age of teacher?
 - 1) 49 years
- 2) 39 years
- 3) 50 years
- 4) 52 years
- 5) None of these
- 22. The average weight of 11 students is 30 kg. If the average weight increases by 0.5 kg when Suresh, one of the students leaves the group, what is the Suresh's weight?
 - 1) 28
- 2) 25
- 3) 40
- 4) 35
- 5) None of these
- 23. The average age of 31 students is 11.5 years. If teacher's age is included average age is increased by 1. What is the teacher's age?
 - 1) 36
- 2) 35.5
- 3) 37
- 4) 43.5
- 5) None of these



Model 5: Discrepancy in Average Due to a Wrong Entry



- 1) 15
- 2) 30
- 3) 10
- 4) 20
- 5) None of these
- 25. The average weight of a group of 53 girls was calculated as 58 kg. It was later discovered that the weight of one of the girls was read as 65 kg, whereas her actual weight was 45 kg. What is the actual average weight of the group of the 53 girls? (rounded off to two digits after decimal)
 - 1) 58.62
- 2) 58.37
- 3) 57.37
- 4) 57.62
- 5) None of these
- 26. The average weight of a group of 50 girls was calculated as 58 kg. It was later discovered that the weight of one of the girls was read as 45 kg, whereas her actual weight was 65 kg. What is the actual average weight of the group of the 50 girls? (rounded off to two digits after decimal)
 - 1) 58.6
- 2) 57.6
- 3) 57.4
- 4) 58.4
- 5) None of these

Model 6: Average of Consecutive Numbers

- 27. The sum of 3 consecutive even numbers is 44 more than the average of these numbers. What will be the highest of these numbers?
 - 1) 16

2) 18

3) 24

- 4) Cannot be determined
- 5) None of these
- 28. If the average of 11 consecutive even numbers is 98, what is the highest number?



- 1) 72
- 2) 84
- 3) 96
- 4) 108
- 5) None of these



29. A, B, C and D are four consecutive numbers. If the sum of A and D is 103 what is the product of B and C? 1) 2652 2) 2562 3) 2970 4) 2550 5) None of these 30. A, B, C and D are four consecutive even numbers respectively and their average is 65. What is the product of A and D? 1) 3968 2) 4216 3) 1092 4) 4352 5) None of these 31. The average of 5 consecutive odd numbers A, B, C, D and E is 47. What is the product of A and D? 1) 2107 2) 1935 3) 2021 4) 2193 5) None of these 32. The sum of 5 consecutive odd numbers is 575. What will be the sum of the next set of 5 consecutive odd numbers? 1) 625 2) 580 3) 600 4) 650 5) None of these 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers? 1) 34 2) 76 3) 39										
30. A, B, C and D are four consecutive even numbers respectively and their average is 65.What is the product of A and D? 1) 3968 2) 4216 3) 1092 4) 4352 5) None of these 31. The average of 5 consecutive odd numbers A, B, C, D and E is 47. What is the product of A and D? 1) 2107 2) 1935 3) 2021 4) 2193 5) None of these 32. The sum of 5 consecutive odd numbers is 575. What will be the sum of the next set of 5 consecutive odd numbers? 1) 625 2) 580 3) 600 4) 650 5) None of these 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?	29.									
is the product of A and D? 1) 3968 2) 4216 3) 1092 4) 4352 5) None of these 31. The average of 5 consecutive odd numbers A, B, C, D and E is 47. What is the product of A and D? 1) 2107 2) 1935 3) 2021 4) 2193 5) None of these 32. The sum of 5 consecutive odd numbers is 575. What will be the sum of the next set of 5 consecutive odd numbers? 1) 625 2) 580 3) 600 4) 650 5) None of these 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?		1) 2652	2) 2562	3) 2970	4) 2550	5) None of these				
1) 3968 2) 4216 3) 1092 4) 4352 5) None of these 31. The average of 5 consecutive odd numbers A, B, C, D and E is 47. What is the product of A and D? 1) 2107 2) 1935 3) 2021 4) 2193 5) None of these 32. The sum of 5 consecutive odd numbers is 575. What will be the sum of the next set of 5 consecutive odd numbers? 1) 625 2) 580 3) 600 4) 650 5) None of these 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?	30.	A, B, C and D are	e four consecut	ive even numb	ers respectively	y and their average is 65.What				
31. The average of 5 consecutive odd numbers A, B, C, D and E is 47. What is the product of A and D? 1) 2107 2) 1935 3) 2021 4) 2193 5) None of these 32. The sum of 5 consecutive odd numbers is 575. What will be the sum of the next set of 5 consecutive odd numbers? 1) 625 2) 580 3) 600 4) 650 5) None of these 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?	\cdot	is the product of A	A and D?							
and D? 1) 2107 2) 1935 3) 2021 4) 2193 5) None of these 32. The sum of 5 consecutive odd numbers is 575. What will be the sum of the next set of 5 consecutive odd numbers? 1) 625 2) 580 3) 600 4) 650 5) None of these 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?		1) 3968	2) 4216	3) 1092	4) 4352	5) None of these				
32. The sum of 5 consecutive odd numbers is 575. What will be the sum of the next set of 5 consecutive odd numbers? 1) 625 2) 580 3) 600 4) 650 5) None of these 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?	31.	· ·	consecutive od	ld numbers A,	B, C, D and E i	s 47. What is the product of A				
2) consecutive odd numbers? 1) 625 2) 580 3) 600 4) 650 5) None of these 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?		1) 2107	2) 1935	3) 2021	4) 2193	5) None of these				
 33. The sum of 5 consecutive even numbers is 200. What will be the sum of the next set of 5 consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers? 	32.			numbers is 57	5. What will be	e the sum of the next set of 5				
consecutive even numbers? 1) 240 2) 250 3) 300 4) 225 5) None of these 34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?		1) 625	2) 580	3) 600	4) 650	5) None of these				
34. The average of four positive integers is 59. The highest integer is 83 and the lowest integer is 29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?	33.			numbers is 20	0. What will b	e the sum of the next set of 5				
29. The difference between the remaining two integers is 28. Which of the following integers is the higher of the remaining two integers?		1) 240	2) 250	3) 300	4) 225	5) None of these				
	34.	29. The difference	29. The difference between the remaining two integers is 28. Which of the following integers							
		O	0 ***	O		3) 39				

5) None of these

4) Cannot be determined



35. A boy has to find the average of 25 positive integers. Each integer contains two digits. By mistake, the boy interchanges the digits of one number and finds the average 2.88 less than the real average. What is the difference between the two digits of that number?

1) 6

2) 8

3) 4

4) 7

5) None of these

Answers

1 - 5	2 - 1	3 - 2	4 - 4	5 - 4	
6 - 2	7 - 5	8 - 1	9 - 1	10 - 4	
11 - 2	11 - 2 12 - 1		14 - 5	15 - 2	
16 - 3	17 - 5	18 - 4	19 - 3	20 - 3	
21 - 3	22 - 2	23 - 4	24 - 2	25 - 4	
26 - 4	27 - 3	28 - 4	29 - 1	30 - 2	
31 - 1	32 - 1	33 - 2	34 - 2	35 - 2	

Additional Examples

1. The average of the first 100 positive integers is



a) 100

b) 51

c) 50.5

d) 49.5

2. The average of the first nine integral multiples of 3 is



a) 21

b) 12

c) 15

d) 18

3. If a, b, c, d and e are five consecutive odd numbers, their average is –



a) 5(a+b)

b) $\frac{abcde}{5}$

c) 5(a+b+c+d+e)

d) a+4



 \odot

4. The average of 18 observations is recorded as 124. Later it was found that two observations with values 64 and 28 were entered wrongly as 46 and 82. Find the correct average of the 18 observations.

- a) $111\frac{7}{9}$
- b) 122
- c) 123
- d) $137\frac{7}{9}$
- 5. The average mathematics marks of two Sections A and B of Class IX in the annual examination is 74. The average marks of Section A are 77.5 and that of Section B is 70. The ratio of the number of students of Sections A and B is
 - a) 7:8
- b) 7:5
- c) 8:7
- d) 8:5
- 6. The average age of 11 players of a cricket team is increased by 2 months when two of them gained 18 years and 20 years are replaced by two new players. The average age of the new players is
 - a) 19 years 1 month

- b) 19 years 6 months
- c) 19 years 11 months

- d) 19 years 5 months
- 7. Out of 10 teachers of a school, one teacher retires and in its place, a new teacher of age 25 years joins. As a result, average age of teachers is reduced by 3 years. The age (in years) of the retired teacher is
 - a) 58
- b) 60
- c) 55
- d) 50
- 8. The average age of Ram and his two children is 17 years and the average age of Ram's wife and the same children is 16 years. If the age of Ram is 33 years, the age of his wife is (in years)
 - a) 31
- b) 32
- c) 35
- d) 30



9. A man's pension on retirement from service is equal to half the average salary during last 3 years of his service. His salary form 1-1-1983 is ₹ 380 per month with increment of Rs. 40 due on 1-10-83, 1-10-84 and 1-10-85. If he retires on 1-1-86, what pension does he draw?

- a) ₹ 205
- b) ₹ 215
- c) ₹ 225
- d) ₹ 230

10. The average of 50 numbers is 38. If two numbers namely 45 and 55 are discarded, the average of the remaining numbers is

- a) 35
- b) 32.5
- c) 37.5
- d) 36

11. The average age of the jury of 5 is 40. If a member aged 35 resigns and a managed 25 becomes a member, then the average age of the new jury is_

- a) 30
- b) 38
- c) 40
- d) 42

12. The average of nine numbers is 50. The average of the first five numbers is 54 and that of the last three numbers is 52. Then the sixth number is

- a) 30
- b) 34
- c) 24
- d) 44

13. The average of 20 numbers is 15 and the average of first 5 is 12. The average of the rest is-

- a) 16
- b) 15
- c) 14
- d) 13

14. Out of 4 numbers, whose average is 60, the first one is one-fourth of the sum of the least three. The first number is

- a) 15
- b) 45
- c) 48
- d) 60

15. The average of 25 observations is 13. It was later found that an observation 73 was wrongly entered as 48. The new average is

- a) 12.6
- b) 14
- c) 15
- d) 13.8



10

- 16. Among three numbers, the first is twice the second and thrice the third. If the average of the three numbers is 49.5, then the difference between the first and the third number is
 - a) 54
- b) 28
- c) 39.5
- d) 41.5
- 17. The mean of 50 numbers is 30. Later it was discovered that two entries were wrongly entered as 82 and 13 instead of 28 and 31. Find the correct mean.
 - a) 36.12
- b) 30.66
- c) 29.28
- d) 38.21
- 18. The average of three consecutive odd numbers is 12 more than one third of the first of these numbers. What is the last of the three numbers?
 - a) 15
- b) 17
- c) 19
- d) Data inadequate
- 19. The average weight of a group of 20 boys was calculated to be 89.4 kg and it was later discovered that one weight was misread as 78 kg instead of 87 kg. The correct average weight is
 - a) 88.95 kg
- b) 89.25 kg
- c) 89.55 kg
- d) 89.85 kg
- 20. In a family, the average age of a father and a mother is 35 years. The average age of the father, mother and their only son is 27 years. What is the age of the son?
 - a) 12 years
- b) 11 years
- c) 10.5 years
- d) 10 years

Answers

1 – c	2 - c	3 - d	4 - b	5 - c	6 - c	7 - c	8 - d	9 - b	10 - с
11 - b	12 - с	13 - a	14 - с	15 - b	16 - a	17 - с	18 - с	19 - d	20 - b

www.talentsprint.com