SIMPLILEARN PRACTICE PROJECT 4:

As you have worked on Docker containers previously, your manager has asked you to perform container scheduling over multiple hosts using Docker CLI and connect multiple hosts with Docker containers.

Index.html

```
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Jenkinsproject</title>
<base href="/">
<meta name="viewport" content="width=device-width, initial-scale=1">
link rel="icon" type="image/x-icon" href="favicon.ico">
</head>
<body>
<app-root></app-root>
</body>
</html>
```

App.component.html

```
<h1>
Hi WELCOME TO Angular Project BY deveployment BY Jenkis
</h1>
<router-outlet></router-outlet>
```

App.component.ts

```
import { Component } from '@angular/core';
```

```
@Component({
    selector: 'app-root',
    templateUrl: './app.component.html',
    styleUrls: ['./app.component.css']
})
export class AppComponent {
    title = 'dockerize an angular application';
}
```

App.module.ts

```
import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';
import { AppRoutingModule } from './app-routing.module';
import { AppComponent } from './app.component';
@NgModule({
 declarations: [
  AppComponent
 ],
 imports: [
  BrowserModule,
  AppRoutingModule
 1,
 providers: [],
 bootstrap: [AppComponent]
})
export class AppModule { }
```