

Eine Woche, ein Beispiel

8.10 toric variety

Ref:

[2021.04.09]

[BP15]: Taras E. Panov and Victor Buchstaber, Toric topology

[ACM25]: Omid Amini, Daniel Corey, Leonid Monin. Tropical Abel-Jacobi theory

<https://arxiv.org/abs/2504.14415>

I learned toric variety before, but I forget the notation right after I learn it. Anyhow, next month I need these information to study tropical geometry.

1. affine chart

1. affine chart

Def (affine toric variety V_σ) [BP15, p180]

Fix a lattice $N \cong \mathbb{Z}^n$, and a cone $\sigma \subset N_{\mathbb{R}}$. Define

\uparrow
 $\mathbb{R}_{\geq 0}$ -module

dual space
lattice pts of
dual cone

$$\sigma^\vee = \{u \in N_{\mathbb{R}}^* \mid \langle u, v \rangle \geq 0 \quad \forall v \in \sigma\}$$

$$S_\sigma = \sigma^\vee \cap N^*$$

$$= \{u \in N^* \mid \langle u, v \rangle \geq 0 \quad \forall v \in \sigma\}$$

$$A_\sigma = \mathbb{C}[S_\sigma]$$

$$= \mathbb{C}[\chi^u \mid u \in S_\sigma] / (\chi^u \cdot \chi^{u'} - \chi^{u+u'}, \chi^0 - 1)$$

$$= \bigoplus_{u \in S_\sigma} \mathbb{C} \cdot \chi^u$$


affine toric variety $V_\sigma = \text{Spec } A_\sigma$

$$V_\sigma(\mathbb{C}) = \text{Hom ring}(\mathbb{C}[S_\sigma], \mathbb{C})$$


$$= \text{Hom sg}(S_\sigma, \mathbb{C}_m)$$

sg: semigroup
 $\mathbb{C}_m := (\mathbb{C}, \cdot)$

E.g. $n=2$



$N_{\mathbb{R}}$



$N_{\mathbb{R}}^*$

$$\sigma = \mathbb{R}_{\geq 0} e_1 \oplus \mathbb{R}_{\geq 0} e_2$$

$$\sigma^\vee = \mathbb{R}_{\geq 0} e_1^* \oplus \mathbb{R}_{\geq 0} e_2^*$$


$$S_\sigma = \mathbb{Z}_{\geq 0} e_1^* \oplus \mathbb{Z}_{\geq 0} e_2^*$$

$$A_\sigma = \mathbb{C}[x^{e_1^*}, x^{e_2^*}] \hat{=} \mathbb{C}[x_1, x_2]$$


$$V_\sigma = \text{Spec } \mathbb{C}[x_1, x_2] = \mathbb{A}_{\mathbb{C}}^2$$

$$V_\sigma(\mathbb{C}) = \text{Hom}_{\text{sg}}(\mathbb{Z}_{\geq 0} e_1^* \oplus \mathbb{Z}_{\geq 0} e_2^*, \mathbb{C}_m) = \mathbb{C}^2$$

E.g. $n=2$



$N_{\mathbb{R}}$



$N_{\mathbb{R}}^*$

$$\sigma = \mathbb{R}_{\geq 0} e_1$$

$$\sigma^\vee = \mathbb{R}_{\geq 0} e_1^* \oplus \mathbb{R} e_2^*$$


$$S_\sigma = \mathbb{Z}_{\geq 0} e_1^* \oplus \mathbb{Z} e_2^*$$

$$A_\sigma = \mathbb{C}[x^{e_1^*}, (x^{e_2^*})^{\pm 1}] \hat{=} \mathbb{C}[x_1, x_2^{\pm 1}]$$


$$V_\sigma = \text{Spec } \mathbb{C}[x_1, x_2^{\pm 1}] = \mathbb{A}_{\mathbb{C}} \oplus \mathbb{G}_{m, \mathbb{C}}$$

$$V_\sigma(\mathbb{C}) = \text{Hom}_{\text{sg}}(\mathbb{Z}_{\geq 0} e_1^* \oplus \mathbb{Z} e_2^*, \mathbb{C}_m) = \mathbb{C} \oplus \mathbb{C}^\times$$

E.g. $n=2$



$N_{\mathbb{R}}$



$N_{\mathbb{R}}^*$

$$\sigma = \{0\}$$

$$\sigma^v = \mathbb{R} \quad e_1^* \oplus \mathbb{R} e_2^*$$


$$S_\sigma = \mathbb{Z} \quad e_1^* \oplus \mathbb{Z} e_2^*$$

$$A_\sigma = \mathbb{C}[(x^{e_1^*})^{\pm 1}, (x^{e_2^*})^{\pm 1}] \hat{=} \mathbb{C}[x_1^{\pm 1}, x_2^{\pm 1}]$$


$$V_\sigma = \text{Spec } \mathbb{C}[x_1^{\pm 1}, x_2^{\pm 1}] = G_{m, \mathbb{C}}^{\oplus 2}$$

$$V_\sigma(\mathbb{C}) = \text{Hom}_{\text{sg}}(\mathbb{Z} e_1^* \oplus \mathbb{Z} e_2^*, \mathbb{C}_m) = (\mathbb{C}^\times)^2$$

E.g. $n=2$



$N_{\mathbb{R}}$



$N_{\mathbb{R}}^*$

$$\begin{aligned}\sigma &= \mathbb{R}_{\geq 0} e_2 \oplus \mathbb{R}_{\geq 0} (2e_1 - e_2) \\ \sigma^v &= \mathbb{R}_{\geq 0} e_1^* \oplus \mathbb{R}_{\geq 0} (e_1^* + 2e_2^*) \\ S_\sigma &= \langle e_1^*, e_1^* + 2e_2^*, e_1^* + e_2^* \rangle_{\mathbb{Z}_{\geq 0}}\end{aligned}$$


$$\begin{aligned}A_\sigma &= \mathbb{C}[x, xy, xy^2] \cong \mathbb{C}[u, v, w] / (v^2 - uw) \\ V_\sigma &= \text{Spec } \mathbb{C}[u, v, w] / (v^2 - uw)\end{aligned}$$

$$x = \chi^{e_1^*}, y = \chi^{e_2^*}$$

tropical toric variety [ACM25, p7-8]

$$\begin{array}{llll} \text{---}] & (0, +\infty] = \pi^+ & \stackrel{e^{-x}}{\approx} & [0, 1) \\ \text{---}] & (-\infty, +\infty] = \pi & \approx & [0, +\infty) = \mathbb{R}_{\geq 0} \end{array}$$

$\begin{array}{ccc} & & \\ -\infty & 0 & +\infty \end{array}$




$N_{\mathbb{R}}$


i	\mathcal{U}_{τ_i}	$\mathcal{O}(\tau_i)$	∞_{τ_i}	$\sigma_{\infty}^{\tau_i}$
0	$\pi \oplus \pi$	$\{+\infty\} \oplus \{+\infty\}$	$(+\infty, +\infty)$	$\{+\infty\} \oplus \{+\infty\}$
1	$\pi \oplus \mathbb{R}$	$\{+\infty\} \oplus \mathbb{R}$	$(+\infty, 0)$	$\{+\infty\} \oplus \mathbb{R}_{\geq 0}$
2	$\mathbb{R} \oplus \pi$	$\mathbb{R} \oplus \{+\infty\}$	$(0, +\infty)$	$\mathbb{R}_{\geq 0} \oplus \{+\infty\}$
3	$\mathbb{R} \oplus \mathbb{R}$	$\mathbb{R} \oplus \mathbb{R}$	$(0, 0)$	$\mathbb{R}_{\geq 0} \oplus \mathbb{R}_{\geq 0}$

$i \backslash j$	$\tau_{j,\infty}$	0	1	2	3	$\mathcal{O}(\tau_i)$	$\sum_{\infty}^{\tau_i}$
0		$\{+\infty\} \oplus \{+\infty\}$	—	—	—	$\{+\infty\} \oplus \{+\infty\}$	•
1		$\{+\infty\} \oplus \mathbb{R}_{\geq 0}$	$\{+\infty\} \oplus \{0\}$	—	—	$\{+\infty\} \oplus \mathbb{R}$	○
2		$\mathbb{R}_{\geq 0} \oplus \{+\infty\}$	—	$\{0\} \oplus \{+\infty\}$	—	$\mathbb{R} \oplus \{+\infty\}$	—○
3		$\mathbb{R}_{\geq 0} \oplus \mathbb{R}_{\geq 0}$	$\mathbb{R}_{\geq 0} \oplus \{0\}$	$\{0\} \oplus \mathbb{R}_{\geq 0}$	$\{0\} \oplus \{0\}$	$\mathbb{R} \oplus \mathbb{R}$	□

Left for the future copy



N_{IR}



N_{IR}^*