


Eine Woche, ein Beispiel

4.30 TVS = topological vector space

Ref:

Lec 1-7: <http://staff.ustc.edu.cn/~wangzuoq/Courses/15F-FA/index.html>

In this document, we don't worry about extra structure here, and we assume Hausdorff.



$\exists$ : exists a metric

metrizable TVS = TVS with **countable** local base

$LCTVS = TVS$  with **convex** local base

locally convex

## seminormable TVS

normable TVS = TVS with a convex bounded nbhd

F-space = TVS +  $\exists$  cpl tran-inv metric

Here, A semi-normed space is a vector space endowed with a non-empty family of seminorms. It is not defined as a topological vector space whose topology can be induced by a seminorm.

<https://math.stackexchange.com/questions/3356421/example-of-a-locally-convex-topological-vector-space-which-is-not-metrizable>

<https://math.stackexchange.com/questions/854355/a-locally-convex-space-is-metrizable-if-and-only-if-it-is-first-countable>

<https://math.stackexchange.com/questions/1070034/the-weak-star-topology-is-completely-hausdorff-in-particular-hausdorff>

<https://math.stackexchange.com/questions/1809719/weak-and-weak-star-topologies-are-locally-convex>

Fréchet space = countable sep seminorms  $\{p_n\}$  +  $\exists$  cpl tran-inv metric  
 = loc convex or: the induced metric is cpl. +  $\exists$  cpl tran-inv metric

Rmk. There are two definitions of boundedness in metrizable TVS  $X$ , and they coincide if the metric is translation-invariant.

Def. (boundedness for TVS)

$E \subset X$  is bounded if  $\forall U \in \mathcal{U}$  open,  $\exists s > 0$  s.t.  
 $\forall t > s, \quad E \subset tU$

In this case,

$$E \text{ is bounded} \Leftrightarrow \left[ \begin{array}{l} \forall \{x_n\} \subset E, \{ \alpha_n \} \subseteq \mathbb{R} \text{ or } \mathbb{C}, \\ \alpha_n \rightarrow 0 \Rightarrow \alpha_n x_n \rightarrow 0 \end{array} \right]$$

Def. (boundedness for metric space)

Fix  $x_0 \in X$ . boundedness does not depend on  $x_0$ .


$E \subset X$  is bounded if  $\exists r > 0, \quad E \subset B_{x_0}(r)$ .

Rmk. 1. For loc convex TVS with metric, all open balls are convex.  
 2. cpl metric space  $\Rightarrow 2^{\text{nd}}$  category.

## 1<sup>st</sup> category set

<https://math.stackexchange.com/questions/1237159/understanding-the-definition-of-nowhere-dense-sets-in-abbotts-understanding-ana>

Def. A closed subset  $A \subset X$  is nowhere dense if  $A^c$  is dense in  $X$ , i.e.,  $A^\circ = \emptyset$



$A$  closed

Def.  $A \subset X$  is of 1<sup>st</sup> category, if

$$A \subset \bigcup_{i \in \mathbb{Z}_{>0}} A_i \quad \text{for some } A_i = \overline{A_i} \text{ nowhere dense.}$$