Eine Woche, ein Beispiel 9.5 vector bundle v.s. Local system

Key objects in Geometry & Algebra.


vector bundle over manifoldmodule over ring

There are hundreds of different versions of it.

```
— vector bundle over manifold notnown
differential v.b. over (real) differential mfld
Riemann surface · cplx (analytic) line bundle over Riemann surface
           Sheaf over space 代数几何
scheme theory · locally free sheaf on scheme
            · coherent sheaf on scheme
geo rep theory · local system over (real/cplx) mfld
            · perverse sheat over Riemann surface (derived)
              simplicial set over category \Delta
       — module over ring 概数
comm alg . f.g module over Noetherian commutative ring (with 1)
rep of grp · group representation over group (~> group algebra)
p-adic rep · smooth representation over unimodular gp ( ~> Hecke algebra H(G)) smooth module
quiver theory quiver representation over quiver (>>> path algebra, bound quiver algebra)
Lie algebra · Lie alg representation
                                  over Lie alg (~> universal enveloping algebra)
        — Arithmetic Geometry克数→p进分析
                                                                       X
            hermitian line bundle over
                                       projective arithmetic variety
                                       essentially quasi-proj scheme
             · adelic line bundle
                                  over
                                   over Berkovich analytic space
                                        formul scheme
                                                                  SpfA
                                   o ver
                                   over rigid-analytic space K-affinoid space
```

over adic space


Spa (A,AT)



O variation (e.g. v.b → f.b., mfld→CW cplx, sheaf → fctor, scheme → Stack/adic space,...)
 O vertical relation: J. v.b as mfld, representable fct, Spec/Proj construction,...
 ↑: tangent/trivial v.b., structure sheaf, R as R-mod, regular rep,...

(a) horizontal relation:

@ homology and cohomology:



https://www.youtube.com/watch?v=5NPFQvdav90

Objects in upper row can be already viewed as element in Go)homology. eg. $v.b. \leftrightarrow transition fct \leftrightarrow H'(X, -)$ One motivation for op-category, make a generalization from H' to Hi (also for the other Char class) There are several ways of defining/viewing Chern class. i) $L \in Pic_{\epsilon}(X) \longrightarrow c_{\epsilon}(L) \in H^{2}(X; \mathbb{Z})$ ii) $H'(X, \mathcal{O}_X^X) \longrightarrow H^1(X, \mathbb{Z})$ by LES iii) As the coefficient of equation (CH*(PE) is a free CH*(B)-module) Euler class iv) As the pull back of the universal Chern class in Grassmannian v) From curvature; Chem-Weil theory vi) From Chow group D'EE (iin 6 moduli problems N.b. sheaf mod

rinq

Three type of geometry:

PDE	elliptic	parabolic	hyperbolic
curvature	, +	΄ ο	"-
genus	0	1	32
Euler number	-2	0	₹ 2
Kodaira dim	-∞	٥	dim X
variety	Fano	Calabi - Yau	general type
filstration	unramified	tame	wild
quiver	Dynkin	affine	strictly wild
condensed	solid	liquid	gaseous

Goal - structures & invariants

- classifications of

special v.b, mfld, subv.b, submfld

- symmetry & quotient

- special functors

- homological algebra, derived version

Today we will focus on the comparison between v.b. and local system.

1. classifications of real/cplx v.b. on S?.

(by homotopy group! ~>> generalized Picard group?)

Q: Is this group structure natural?

ref: https://math.stackexchange.com/questions/1923402/understanding-vector-bundles-over-spheres

Frank m K-v.b. over S^n $\longleftrightarrow \pi_{n-1}(GL_m(K))$ $K=IR,\mathbb{C}$ Thm >6 5 3 2/2/2 2/2 7/2/2 7/27/ 2/2 7/27/ 2/12/ 7/2/2 7/27/ 7/27/ 2/2/2 2/22 \mathbb{Z} 0 O 0 0 **Z**® Z \mathbb{Z} \mathbb{Z} (2/2) 7/27/ 24/22 υ o 0 0 0 2/12 (2/12) 0 IRIP°° = K(Z//2/1) Ta-(GLa(C)) rank >6 6 5 2 3 ı 0 ο 0 ٥ 0 0 0 \mathbb{Z} \mathbb{Z} \mathbb{Z} \mathbb{Z} \mathbb{Z} \mathbb{Z} \mathbb{Z} 0 O 0 0 0 7 \mathbb{Z} \mathbb{Z} \mathbb{Z} \mathbb{Z} Z

(P° 4 K(Z,2)

0

Problems. Describe the special bundles , e.g. TS^n Describe the operations, e.g. dual, Θ , Θ , Λ^k , Sym^k , Res, Ind

0 Z

For the other spaces:

https://math.stackexchange.com/questions/383838/classifying-vector-bundles

7/2

7/22

0

 \mathbb{Z}

0

 \mathbb{Z}

http://www.ms.uky.edu/~guillou/F18/751Notes.pdf

It's still not so explicit.

Frank m K-v.b. over M] \longleftrightarrow [M, $G_{r_k}(m,\infty)$] $K=IR,\mathbb{C}$

0

 \mathbb{Z}

0

Z

M: paracompact

Unfinished task: introduce the concept of local systems and compute examples in [https://arxiv.org/pdf/2103.02329.pdf] ,16.3.