

"Network Sensor of Human Beings"

A random variable assigns to each outcome $\omega \in \Omega$ of a probabilistic experiment, a real number $X(\omega) \in \mathbb{R}$.

By convention $\Pr(X(\omega) = \infty) = \Pr(X(\omega) = -\infty) = 0$

Characterization of a Random Variable

① Cumulative Distribution Function

Let $F_X(x)$ denote the cumulative distribution function

$$F_X(x) = \Pr(X(\omega) \leq x) \quad \forall x \in \mathbb{R}$$

$$(i) \quad F_X(-\infty) = 0, \quad F_X(\infty) = 1$$

$$(ii) \quad \Pr(X \in (a, b]) = \Pr(a < X \leq b) = F_X(b) - F_X(a)$$

$$(iii) \quad F_X(x) \text{ is non-decreasing in } x$$

② Probability Mass Function

For a discrete-valued rv $X(\omega) \in \{x_1, \dots, x_m\}$

$$f_X(x_i) = \Pr(X = x_i), \quad i = 1, \dots, m$$

$$\sum_{i=1}^m f_X(x_i) = 1$$

③ Probability Density Function

For continuous valued rv $X(\omega) \in \mathbb{R}$. If $F_X(x)$ is differentiable

$$f_X(x) = \frac{dF_X(x)}{dx} \text{ equivalently } F_X(x) = \int_{-\infty}^x f_X(s) ds$$

Remarks

(i) $F_X(-\infty) = 0$, $F_X(\infty) = 1$

(ii) $\Pr(X \in (a, b]) = \Pr(a < X \leq b) = F_X(b) - F_X(a)$

(iii) $F_X(x)$ is non-decreasing in x

(iv) For continuous-valued rv $\Pr(X=a)=0 \quad \forall a \in \mathbb{R}$

Statistics of Random Variables

1. Expected Value

$$E[X] = \int_{-\infty}^{+\infty} f_X(x) \cdot x \, dx$$

Recall: $E[X]$ is deterministic

Properties

(i) For any function g

$$E[g(X)] = \int_{-\infty}^{+\infty} g(x) f_X(x) \, dx$$

(ii) $E[aX + bY] = aE[X] + bE[Y]$

Note: in general $E[g(x)] \neq g(E[x])$
ONLY true if g is linear

2. Variance

If $x \in \mathbb{R}$ is a rv with $E[x] = \mu$ then

$$\text{var}(X) = E[(X - \mu)^2] = \int_{-\infty}^{+\infty} (x - \mu)^2 f_x(x) dx \quad \left. \vphantom{\int_{-\infty}^{+\infty}} \right\} \text{always } \geq 0$$

$$\text{Standard Deviation} = \sqrt{\text{var}(X)}$$