



@ FILE NAME: M_CTC_ID_017.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description : This scenario is MANDATORY

This test validates that the O-RU can successfully start up with activated software.

This scenario corresponds to the following chapters in [3]:

5. Software Management

=====

******* Connect to the NETCONF Server *******

=====

> listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '192.168.244.37' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 4

Host : 192.168.244.37

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> subscribe

=====

Ok

```
=====
> get --filter-xpath /o-ran-software-management:software-inventory
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <software-inventory xmlns="urn:o-ran:software-management:1.0">
    <software-slot>
      <name>swSlot1</name>
      <status>VALID</status>
      <active>false</active>
      <running>false</running>
      <access>READ_WRITE</access>
      <product-code>VVDN=O-RU</product-code>
      <vendor-code>VN</vendor-code>
      <build-id>38578ed</build-id>
      <build-name>Beta Release</build-name>
      <build-version>1.0.5</build-version>
      <files>
        <name>boot</name>
        <version>1.0.0</version>
        <local-path>/media/sd-mmcb1k0p1/BOOT0001.BIN</local-path>
        <integrity>OK</integrity>
      </files>
      <files>
        <name>kernel</name>
        <version>1.0.0</version>
        <local-path>/media/sd-mmcb1k0p1/image0001.ub</local-path>
        <integrity>OK</integrity>
      </files>
      <files>
        <name>rootfs</name>
        <version>1.0.0</version>
        <local-path>/media/sd-mmcb1k0p2/</local-path>
        <integrity>OK</integrity>
      </files>
    </software-slot>
    <software-slot>
      <name>swSlot2</name>
      <status>VALID</status>
      <active>true</active>
      <running>true</running>
      <access>READ_WRITE</access>
      <product-code>VVDN O-RU</product-code>
      <vendor-code>VN</vendor-code>
      <build-id>90f0b6c</build-id>
      <build-name>Beta Release</build-name>
      <build-version>1.0.7</build-version>
      <files>
```

```
<name>boot</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/BOOT0002.BIN</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>kernel</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/image0002.ub</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>rootfs</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p3/</local-path>
<integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
<name>swRecoverySlot</name>
<status>VALID</status>
<active>false</active>
<running>false</running>
<access>READ_ONLY</access>
<product-code>STL=O-RU</product-code>
<vendor-code>VN</vendor-code>
<build-id>factory_img</build-id>
<build-name>Beta Release</build-name>
<build-version>1.0.0</build-version>
<files>
<name>boot</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/BOOT0003.BIN</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>kernel</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/golden.ub</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>rootfs</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/golden.ub</local-path>
<integrity>OK</integrity>
</files>
</software-slot>
</software-inventory>
```

</data>

=====

Step 1 : TER NETCONF Client sends <rpc><reset></rpc> to the O-RU NETCONF Server..

=====

=====

> user-rpc

=====

=====

******* Replace with below xml *******

=====

<reset xmlns="urn:o-ran:operations:1.0"></reset>

=====

=====

Step 2 : O-RU NETCONF Server responds with rpc-reply.

=====

<nc:rpc-reply xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"
message-id="urn:uuid:d26f7a3a-1292-4996-b45f-11f5d27be73a"><nc:ok/></nc:rpc-reply>

=====

=====

Step 3 : O-RU restarts with a new software version running matching the version activated.

=====

<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<software-inventory xmlns="urn:o-ran:software-management:1.0">
<software-slot>
<name>swSlot1</name>
<status>VALID</status>
<active>false</active>
<running>false</running>
<access>READ_WRITE</access>
<product-code>VVDN=O-RU</product-code>
<vendor-code>VN</vendor-code>
<build-id>38578ed</build-id>
<build-name>Beta Release</build-name>
<build-version>1.0.5</build-version>
<files>
<name>boot</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcbk0p1/BOOT0001.BIN</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>kernel</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcbk0p1/image0001.ub</local-path>
<integrity>OK</integrity>

```
</files>
<files>
  <name>rootfs</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcb1k0p2</local-path>
  <integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
  <name>swSlot2</name>
  <status>VALID</status>
  <active>true</active>
  <running>true</running>
  <access>READ_WRITE</access>
  <product-code>VVDN O-RU</product-code>
  <vendor-code>VN</vendor-code>
  <build-id>90f0b6c</build-id>
  <build-name>Beta Release</build-name>
  <build-version>1.0.7</build-version>
  <files>
    <name>boot</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/BOOT0002.BIN</local-path>
    <integrity>OK</integrity>
  </files>
  <files>
    <name>kernel</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/image0002.ub</local-path>
    <integrity>OK</integrity>
  </files>
  <files>
    <name>rootfs</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p3</local-path>
    <integrity>OK</integrity>
  </files>
</software-slot>
<software-slot>
  <name>swRecoverySlot</name>
  <status>VALID</status>
  <active>false</active>
  <running>false</running>
  <access>READ_ONLY</access>
  <product-code>STL=O-RU</product-code>
  <vendor-code>VN</vendor-code>
  <build-id>factory_img</build-id>
  <build-name>Beta Release</build-name>
  <build-version>1.0.0</build-version>
```

```
<files>
<name>boot</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/BOOT0003.BIN</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>kernel</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/golden.ub</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>rootfs</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/golden.ub</local-path>
<integrity>OK</integrity>
</files>
</software-slot>
</software-inventory>
</data>
```

```
=====
##### SYSTEM LOGS #####
=====
```

```
Nov 4 00:07:58 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.
Nov 4 00:07:58 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:07:59 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.
Nov 4 00:07:59 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Successfully connected to 192.168.244.35:4334 over IPv4.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Session 126 (user "root", CID 1) created.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-service" of subtype "ssh-userauth".
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-auth" of subtype "password".
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: User "operator" authenticated.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel-open" of subtype "session".
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel" of subtype "subsystem".
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session 4 established.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Session 127 (user "root", CID 1) created.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-start).
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 5 priority 0 for 1 subscribers.
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).
Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).
```

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 0 event new RPC.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 6 priority 0 for 1 subscribers.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 4.

Nov 4 00:08:00 mcb1 user.notice fw_manager[1074]: RPC #4 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 4 succeeded.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 6 priority 0 succeeded.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event new RPC.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get-config" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 4 event new RPC.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 1 for 1 subscribers.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Successful processing of "operational" event with ID 1.

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Checking to enable supervision default-timer

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Received supervision-notification #1 from "operator" user.path
->/notifications:create-subscription

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Received supervision-notification

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Default supervision timer value : 60 seconds. Default Guard timer value : 10 seconds

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Internal Supervision timer value : 60 seconds. Internal Guard timer value : 10 seconds

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 1 succeeded.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event new RPC.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 7 priority 0 for 1 subscribers.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 5.

Nov 4 00:08:02 mcb1 user.notice fw_manager[1074]: RPC #5 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 5 succeeded.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 7 priority 0 succeeded.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 0 event new RPC.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/o-ran-operations:reset" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:08:03 mcb1 user.notice SR_OP[1332]: @function:op_rpc_cb line:114 RPC recived on /o-ran-operations:reset for mplane-triggered reset

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event new RPC.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event new RPC.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event session terminated.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-end).

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session terminated.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:08:03 mcb1 authpriv.debug sshd[3089]: pam_unix(sshd:account): account operator has password changed in future

Nov 4 00:08:03 mcb1 auth.info sshd[3089]: Accepted password for operator from 192.168.244.35 port 45414 ssh2

Nov 4 00:08:03 mcb1 authpriv.info sshd[3089]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Nov 4 00:07:58 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:07:58 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:07:59 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:07:59 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Successfully connected to 192.168.244.35:4334 over IPv4.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Session 126 (user "root", CID 1) created.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: User "operator" authenticated.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session 4 established.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Session 127 (user "root", CID 1) created.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-start).

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 5 priority 0 for 1 subscribers.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 0 event new RPC.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 6 priority 0 for 1 subscribers.

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

Nov 4 00:08:00 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 4.

Nov 4 00:08:00 mcb1 user.notice fw_manager[1074]: RPC #4 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 4 succeeded.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 6 priority 0 succeeded.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event new RPC.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get-config" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 4 event new RPC.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 1 for 1 subscribers.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Nov 4 00:08:01 mcb1 daemon.info netopeer2-server[985]: Successful processing of "operational" event with ID 1.

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Checking to enable supervision default-timer

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Received supervision-notification #1 from "operator" user.path
->/notifications:create-subscription

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Received supervision-notification

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Default supervision timer value : 60 seconds. Default Guard timer value : 10 seconds

Nov 4 00:08:01 mcb1 user.notice supervision[1374]: Internal Supervision timer value : 60 seconds. Internal Guard timer value : 10 seconds

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 user.warn pm_manager[1386]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 1 succeeded.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event new RPC.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 7 priority 0 for 1 subscribers.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 5.

Nov 4 00:08:02 mcb1 user.notice fw_manager[1074]: RPC #5 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 5 succeeded.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 7 priority 0 succeeded.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:08:02 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 0 event new RPC.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/o-ran-operations:reset" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:08:03 mcb1 user.notice SR_OP[1332]: @function:op_rpc_cb line:114 RPC recived on /o-ran-operations:reset for mplane-triggered reset

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event new RPC.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event new RPC.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Session 4: thread 1 event session terminated.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-end).

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session terminated.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:08:03 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:08:03 mcb1 authpriv.debug sshd[3089]: pam_unix(sshd:account): account operator has password changed in future

Nov 4 00:08:03 mcb1 auth.info sshd[3089]: Accepted password for operator from 192.168.244.35 port 45414 ssh2

Nov 4 00:08:03 mcb1 authpriv.info sshd[3089]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Nov 4 00:08:04 mcb1 user.notice SYNCMNGR[1320]: Received message from S-Plane

Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager

Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager
Nov 4 00:08:04 mcb1 user.notice wd_manager[1455]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager
Nov 4 00:08:04 mcb1 daemon.err netopeer2-server[985]: Session 4: waiting for Call Home thread failed (Connection timed out).
Nov 4 00:08:04 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.244.35:4334.
Nov 4 00:08:04 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:08:05 mcb1 user.info operations_manager[1332]: O-RU going for reboot
Oct 6 05:41:19 mcb1 syslog.info syslogd started: BusyBox v1.31.0
Oct 6 05:41:19 mcb1 user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] Booting Linux on physical CPU 0x0000000000 [0x410fd034]
Oct 6 05:41:19 mcb1 user.notice kernel: [0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP
Thu Dec 29 10:48:51 UTC 2022
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] Machine model: xlnx,zynqmp
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] printk: bootconsole [cdns0] enabled
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] efi: Getting EFI parameters from FDT:
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] efi: UEFI not found.
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] cma: Reserved 256 MiB at 0x000000006fc00000
Oct 6 05:41:19 mcb1 user.debug kernel: [0.000000] On node 0 totalpages: 524032
Oct 6 05:41:19 mcb1 user.debug kernel: [0.000000] DMA32 zone: 8188 pages used for memmap
Oct 6 05:41:19 mcb1 user.debug kernel: [0.000000] DMA32 zone: 0 pages reserved
Oct 6 05:41:19 mcb1 user.debug kernel: [0.000000] DMA32 zone: 524032 pages, LIFO batch:63
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] psci: probing for conduit method from DT.
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] psci: PSCIv1.1 detected in firmware.
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] psci: Using standard PSCI v0.2 function IDs
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] psci: MIGRATE_INFO_TYPE not supported.
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] psci: SMC Calling Convention v1.1
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112
Oct 6 05:41:19 mcb1 user.debug kernel: [0.000000] pcpu-alloc: s49880 r8192 d32040 u90112 alloc=22*4096
Oct 6 05:41:19 mcb1 user.debug kernel: [0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] Detected VIPT I-cache on CPU0
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] CPU features: detected: ARM erratum 845719
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] Speculative Store Bypass Disable mitigation not required
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] Built 1 zonelists, mobility grouping on. Total pages: 515844
Oct 6 05:41:19 mcb1 user.notice kernel: [0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1
root=/dev/mmcb1k0p3 rw rootwait
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] Dentry cache hash table entries: 262144 (order: 9, 2097152 bytes, linear)
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] Inode-cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off
Oct 6 05:41:19 mcb1 user.info kernel: [0.000000] Memory: 1775432K/2096128K available (12092K kernel code, 742K rwd data, 3772K ro data,
768K init, 560K bss, 58552K reserved, 262144K cma-reserved)

```

Oct 6 05:41:19 mcb1 user.info kernel: [ 0.000000] rcu: Hierarchical RCU implementation.
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.000000] rcu: RCU event tracing is enabled.
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irqs: 0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.000000] GIC: Using split EOI/Deactivate mode
Oct 6 05:41:19 mcb1 user.notice kernel: [ 0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.000000] arch_timer: cp15 timer(s) running at 50.00MHz (phys).
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffffff max_cycles: 0xb8812736b,
max_idle_ns: 440795202655 ns
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.008249] Console: colour dummy device 80x25
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.012388] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00 BogoMIPS
(lpj=200000)
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.022752] pid_max: default: 32768 minimum: 301
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.027464] Mount-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.034697] Mountpoint-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.043367] ASID allocator initialised with 32768 entries
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.047892] rcu: Hierarchical SRCU implementation.
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.052812] EFI services will not be available.
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.057221] smp: Bringing up secondary CPUs ...
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.061905] Detected VIPT I-cache on CPU1
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.061933] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.062258] Detected VIPT I-cache on CPU2
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.062275] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.062578] Detected VIPT I-cache on CPU3
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.062595] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.062638] smp: Brought up 1 node, 4 CPUs
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.097055] SMP: Total of 4 processors activated.
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.101728] CPU features: detected: 32-bit EL0 Support
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.106831] CPU features: detected: CRC32 instructions
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.111961] CPU: All CPU(s) started at EL2
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.116010] alternatives: patching kernel code
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.121350] devtmpfs: initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.127844] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 7645041785100000
ns
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.133398] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.145295] xor: measuring software checksum speed
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.184290] 8regs : 2622.000 MB/sec
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.224313] 32regs : 3008.000 MB/sec
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.264343] arm64_neon: 2612.000 MB/sec
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.264379] xor: using function: 32regs (3008.000 MB/sec)
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.268280] pinctrl core: initialized pinctrl subsystem
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.273785] DMI not present or invalid.
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.277460] NET: Registered protocol family 16
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.282792] DMA: preallocated 256 KiB pool for atomic allocations
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.287733] audit: initializing netlink subsys (disabled)
Oct 6 05:41:19 mcb1 user.notice kernel: [ 0.293140] audit: type=2000 audit(0.232:1): state=initialized audit_enabled=0 res=1
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.293529] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.

```

```
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.307642] Serial: AMBA PL011 UART driver
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.323004] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.324062] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.330719] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages
Oct 6 05:41:19 mcb1 user.info kernel: [ 0.337379] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.306349] cryptd: max_cpu_qlen set to 1000
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.327349] DRBG: Continuing without Jitter RNG
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.402154] raid6: neonx8 gen() 1727 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.470185] raid6: neonx8 xor() 1601 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.538233] raid6: neonx4 gen() 1643 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.606272] raid6: neonx4 xor() 1553 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.674317] raid6: neonx2 gen() 1232 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.742344] raid6: neonx2 xor() 1236 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.810439] raid6: neonx1 gen() 809 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.878450] raid6: neonx1 xor() 821 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 1.946513] raid6: int64x8 gen() 1287 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.014534] raid6: int64x8 xor() 837 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.082591] raid6: int64x4 gen() 1068 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.150611] raid6: int64x4 xor() 784 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.218700] raid6: int64x2 gen() 738 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.286700] raid6: int64x2 xor() 588 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.354841] raid6: int64x1 gen() 485 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.422795] raid6: int64x1 xor() 401 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.422831] raid6: using algorithm neonx8 gen() 1727 MB/s
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.426786] raid6: .... xor() 1601 MB/s, rmw enabled
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.431716] raid6: using neon recovery algorithm
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.436610] iommu: Default domain type: Translated
Oct 6 05:41:19 mcb1 user.notice kernel: [ 2.441337] SCSI subsystem initialized
Oct 6 05:41:19 mcb1 user.debug kernel: [ 2.444882] libata version 3.00 loaded.
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.444988] usbcore: registered new interface driver usbfs
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.450337] usbcore: registered new interface driver hub
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.455621] usbcore: registered new device driver usb
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.460632] mc: Linux media interface: v0.10
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.464860] videodev: Linux video capture interface: v2.00
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.470310] pps_core: LinuxPPS API ver. 1 registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.475226] pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.484318] PTP clock support registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.488212] EDAC MC: Ver: 3.0.0
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.491658] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX channels.
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.499950] FPGA manager framework
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.503271] Advanced Linux Sound Architecture Driver Initialized.
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.509460] Bluetooth: Core ver 2.22
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.512781] NET: Registered protocol family 31
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.517179] Bluetooth: HCI device and connection manager initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.523496] Bluetooth: HCI socket layer initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.528338] Bluetooth: L2CAP socket layer initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.533359] Bluetooth: SCO socket layer initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.538504] clocksource: Switched to clocksource arch_sys_counter
Oct 6 05:41:19 mcb1 user.notice kernel: [ 2.544343] VFS: Disk quotas dquot_6.6.0
```


Oct 6 05:41:19 mcb1 user.info kernel: [2.548182] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)

Oct 6 05:41:19 mcb1 user.info kernel: [2.558633] NET: Registered protocol family 2

Oct 6 05:41:19 mcb1 user.info kernel: [2.559610] tcp_listen_portaddr_hash hash table entries: 1024 (order: 2, 16384 bytes, linear)

Oct 6 05:41:19 mcb1 user.info kernel: [2.567819] TCP established hash table entries: 16384 (order: 5, 131072 bytes, linear)

Oct 6 05:41:19 mcb1 user.info kernel: [2.575746] TCP bind hash table entries: 16384 (order: 6, 262144 bytes, linear)

Oct 6 05:41:19 mcb1 user.info kernel: [2.583095] TCP: Hash tables configured (established 16384 bind 16384)

Oct 6 05:41:19 mcb1 user.info kernel: [2.589468] UDP hash table entries: 1024 (order: 3, 32768 bytes, linear)

Oct 6 05:41:19 mcb1 user.info kernel: [2.596102] UDP-Lite hash table entries: 1024 (order: 3, 32768 bytes, linear)

Oct 6 05:41:19 mcb1 user.info kernel: [2.603269] NET: Registered protocol family 1

Oct 6 05:41:19 mcb1 user.info kernel: [2.607712] RPC: Registered named UNIX socket transport module.

Oct 6 05:41:19 mcb1 user.info kernel: [2.613372] RPC: Registered udp transport module.

Oct 6 05:41:19 mcb1 user.info kernel: [2.618041] RPC: Registered tcp transport module.

Oct 6 05:41:19 mcb1 user.info kernel: [2.622711] RPC: Registered tcp NFSv4.1 backchannel transport module.

Oct 6 05:41:19 mcb1 user.info kernel: [2.629326] PCI: CLS 0 bytes, default 64

Oct 6 05:41:19 mcb1 user.notice kernel: [2.659682] Initialise system trusted keyrings

Oct 6 05:41:19 mcb1 user.info kernel: [2.659801] workingset: timestamp_bits=46 max_order=19 bucket_order=0

Oct 6 05:41:19 mcb1 user.notice kernel: [2.665585] NFS: Registering the id_resolver key type

Oct 6 05:41:19 mcb1 user.notice kernel: [2.669928] Key type id_resolver registered

Oct 6 05:41:19 mcb1 user.notice kernel: [2.674058] Key type id_legacy registered

Oct 6 05:41:19 mcb1 user.info kernel: [2.678041] nfs4filelayout_init: NFSv4 File Layout Driver Registering...

Oct 6 05:41:19 mcb1 user.info kernel: [2.684709] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.

Oct 6 05:41:19 mcb1 user.info kernel: [2.703403] NET: Registered protocol family 38

Oct 6 05:41:19 mcb1 user.notice kernel: [2.703443] Key type asymmetric registered

Oct 6 05:41:19 mcb1 user.notice kernel: [2.706264] Asymmetric key parser 'x509' registered

Oct 6 05:41:19 mcb1 user.info kernel: [2.711133] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 246)

Oct 6 05:41:19 mcb1 user.info kernel: [2.718466] io scheduler mq-deadline registered

Oct 6 05:41:19 mcb1 user.info kernel: [2.722963] io scheduler kyber registered

Oct 6 05:41:19 mcb1 user.info kernel: [2.728456] ps_pcie_dma init()

Oct 6 05:41:19 mcb1 user.info kernel: [2.752076] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled

Oct 6 05:41:19 mcb1 user.info kernel: [2.753728] Serial: AMBA driver

Oct 6 05:41:19 mcb1 user.warn kernel: [2.757712] cacheinfo: Unable to detect cache hierarchy for CPU 0

Oct 6 05:41:19 mcb1 user.info kernel: [2.765844] brd: module loaded

Oct 6 05:41:19 mcb1 user.info kernel: [2.769911] loop: module loaded

Oct 6 05:41:19 mcb1 user.err kernel: [2.770643] mtdoops: mtd device (mtddev=name/number) must be supplied

Oct 6 05:41:19 mcb1 user.info kernel: [2.775640] libphy: Fixed MDIO Bus: probed

Oct 6 05:41:19 mcb1 user.info kernel: [2.779565] tun: Universal TUN/TAP device driver, 1.6

Oct 6 05:41:19 mcb1 user.info kernel: [2.783652] CAN device driver interface

Oct 6 05:41:19 mcb1 user.info kernel: [2.788271] usbcore: registered new interface driver asix

Oct 6 05:41:19 mcb1 user.info kernel: [2.792792] usbcore: registered new interface driver ax88179_178a

Oct 6 05:41:19 mcb1 user.info kernel: [2.798825] usbcore: registered new interface driver cdc_ether

Oct 6 05:41:19 mcb1 user.info kernel: [2.804618] usbcore: registered new interface driver net1080

Oct 6 05:41:19 mcb1 user.info kernel: [2.810242] usbcore: registered new interface driver cdc_subset

Oct 6 05:41:19 mcb1 user.info kernel: [2.816126] usbcore: registered new interface driver zaurus

Oct 6 05:41:19 mcb1 user.info kernel: [2.821673] usbcore: registered new interface driver cdc_ncm

Oct 6 05:41:19 mcb1 user.info kernel: [2.827962] usbcore: registered new interface driver uas

Oct 6 05:41:19 mcb1 user.info kernel: [2.832569] usbcore: registered new interface driver usb-storage

Oct 6 05:41:19 mcb1 user.info kernel: [2.838884] rtc_zynqmp ffa60000.rtc: registered as rtc0

Oct 6 05:41:19 mcb1 user.info kernel: [2.843743] i2c /dev entries driver

Oct 6 05:41:19 mcb1 user.info kernel: [2.848527] usbcore: registered new interface driver uvcvideo

```
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.852869] USB Video Class driver (1.1.1)
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.857142] pps pps0: new PPS source ptp0
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.860936] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.868419] Bluetooth: HCI UART driver ver 2.3
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.872423] Bluetooth: HCI UART protocol H4 registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.877521] Bluetooth: HCI UART protocol BCSP registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.882812] Bluetooth: HCI UART protocol LL registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.887902] Bluetooth: HCI UART protocol ATH3K registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.893274] Bluetooth: HCI UART protocol Three-wire (H5) registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.899525] Bluetooth: HCI UART protocol Intel registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.904867] Bluetooth: HCI UART protocol QCA registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.910066] usbcore: registered new interface driver bcm203x
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.915688] usbcore: registered new interface driver bpa10x
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.921226] usbcore: registered new interface driver bfusb
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.926674] usbcore: registered new interface driver btusb
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.932133] usbcore: registered new interface driver ath3k
Oct 6 05:41:19 mcb1 user.warn kernel: [ 2.937698] EDAC MC0: 15 CE Bit Position: 50 Data: 0xefefefef
Oct 6 05:41:19 mcb1 user.warn kernel: [ 2.937698] on mc#0csrow#0channel#0 (csrow:0 channel:0 page:0x0 offset:0x0 grain:1 syndrome:0x0)
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.937764] EDAC MC0: Giving out device to module 1 controller synps_dds_controller: DEV
synps_dds (INTERRUPT)
Oct 6 05:41:19 mcb1 user.warn kernel: [ 2.952086] EDAC MC0: 15 UE BankGroup Number 0 Block Number 0 on mc#0csrow#0channel#0
(csrow:0 channel:0 page:0x0 offset:0x0 grain:1)
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.974186] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller zynqmp_ocm:
DEV ff960000.memory-controller (INTERRUPT)
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.986563] sdhci: Secure Digital Host Controller Interface driver
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.992307] sdhci: Copyright(c) Pierre Ossman
Oct 6 05:41:19 mcb1 user.info kernel: [ 2.996631] sdhci-pltfm: SDHCI platform and OF driver helper
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.002520] ledtrig-cpu: registered to indicate activity on CPUs
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.008263] zynqmp_firmware_probe Platform Management API v1.1
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.014021] zynqmp_firmware_probe Trustzone version v1.0
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.041980] securefw securefw: securefw probed^M
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.042181] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.046540] zynqmp_aes zynqmp_aes: AES Successfully Registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.046540] ^M
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.053920] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.060116] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.065659] usbcore: registered new interface driver usbhid
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.070973] usbhid: USB HID core driver
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.076880] ARM CCI_400_r1 PMU driver probed
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.077312] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.085764] usbcore: registered new interface driver snd-usb-audio
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.092255] pktgen: Packet Generator for packet performance testing. Version: 2.75
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.099601] Initializing XFRM netlink socket
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.103397] NET: Registered protocol family 10
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.108102] Segment Routing with IPv6
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.111466] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.117547] NET: Registered protocol family 17
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.121668] NET: Registered protocol family 15
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.126084] bridge: filtering via arp/ip6tables is no longer available by default. Update your scripts to
```

load br_netfilter if you need this.

```
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.138960] can: controller area network core (rev 20170425 abi 9)
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.145124] NET: Registered protocol family 29
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.149513] can: raw protocol (rev 20170425)
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.153751] can: broadcast manager protocol (rev 20170425 t)
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.159375] can: netlink gateway (rev 20190810) max_hops=1
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.164897] Bluetooth: RFCOMM TTY layer initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.169672] Bluetooth: RFCOMM socket layer initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.174779] Bluetooth: RFCOMM ver 1.11
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.178488] Bluetooth: BNEP (Ethernet Emulation) ver 1.3
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.183765] Bluetooth: BNEP filters: protocol multicast
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.188958] Bluetooth: BNEP socket layer initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.193886] Bluetooth: HIDP (Human Interface Emulation) ver 1.2
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.199769] Bluetooth: HIDP socket layer initialized
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.204725] 8021q: 802.1Q VLAN Support v1.8
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.208943] 9pnet: Installing 9P2000 support
Oct 6 05:41:19 mcb1 user.notice kernel: [ 3.213107] Key type dns_resolver registered
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.217583] registered taskstats version 1
Oct 6 05:41:19 mcb1 user.notice kernel: [ 3.221396] Loading compiled-in X.509 certificates
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.227056] Btrfs loaded, crc32c=crc32c-generic
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.238370] ff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a xuartps
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.247388] printk: console [ttyPS0] enabled
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.251683] printk: bootconsole [cdns0] disabled
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.260961] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a xuartps
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.274393] of-fpga-region fpga-full: FPGA Region probed
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.280257] XGpio: gpio@b0040000: registered, base is 509
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.285949] XGpio: gpio@b0040000: dual channel registered, base is 497
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.293033] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.300124] xilinx-zynqmp-dma fd510000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.307210] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.314299] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.321388] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.328475] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.335568] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.342654] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.349809] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.356897] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.363986] xilinx-zynqmp-dma ffaa0000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.371072] xilinx-zynqmp-dma ffab0000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.378158] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.385249] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.392332] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.399416] xilinx-zynqmp-dma ffa0000.dma: ZynqMP DMA driver Probe success
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.407490] -----[ cut here ]-----
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.412103] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.419449] WARNING: CPU: 3 PID: 65 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.427432] Modules linked in:
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.430474] CPU: 3 PID: 65 Comm: kworker/3:1 Not tainted 5.4.0-xilinx-v2020.2 #1
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.437856] Hardware name: xlnx,zynqmp (DT)
```

```
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.442029] Workqueue: events deferred_probe_work_func
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.447154] pstate: 60000005 (nZCv daif -PAN -UAO)
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.451928] pc : spidev_probe+0xf8/0x1c8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.455834] lr : spidev_probe+0xf8/0x1c8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.459738] sp : ffff8000113cb7d0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.463037] x29: ffff8000113cb7d0 x28: ffff00006faeacd8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.468332] x27: ffff00006d26a410 x26: ffff00006be6bc00
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.473626] x25: 0000000000000000 x24: 0000000000000019
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.478921] x23: ffff80001112a140 x22: 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.484216] x21: ffff80001112a120 x20: ffff00006be6b000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.489511] x19: 0000000000000000 x18: 0000000000000010
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.494805] x17: 0000000000000000 x16: 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.500100] x15: ffff00006d3e86a8 x14: 6e6920796c746365
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.505395] x13: 7269642064657473 x12: 696c207665646970
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.510690] x11: 73203a5444207967 x10: 677562203a304076
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.515985] x9 : ffff800011193000 x8 : 0000000000000105
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.521279] x7 : 0000000000000006 x6 : ffff8000111930f2
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.526574] x5 : 0000000000000001 x4 : 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.531869] x3 : 0000000000000000 x2 : 00000000ffffffff
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.537164] x1 : 131b012637786800 x0 : 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.542459] Call trace:
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.544892] spidev_probe+0xf8/0x1c8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.548450] spi_drv_probe+0x7c/0xd8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.552009] really_probe+0xd8/0x2f8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.555568] driver_probe_device+0x54/0xe8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.559647] __device_attach_driver+0x80/0xb8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.563987] bus_for_each_drv+0x74/0xc0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.567806] __device_attach+0xdc/0x138
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.571626] device_initial_probe+0x10/0x18
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.575792] bus_probe_device+0x90/0x98
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.579611] device_add+0x334/0x600
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.583082] spi_add_device+0xac/0x170
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.586815] of_register_spi_device+0x204/0x388
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.591329] spi_register_controller+0x4b4/0x718
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.595930] cdns_spi_probe+0x28c/0x368
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.599749] platform_drv_probe+0x50/0xa0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.603741] really_probe+0xd8/0x2f8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.607300] driver_probe_device+0x54/0xe8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.611380] __device_attach_driver+0x80/0xb8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.615720] bus_for_each_drv+0x74/0xc0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.619539] __device_attach+0xdc/0x138
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.623358] device_initial_probe+0x10/0x18
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.627525] bus_probe_device+0x90/0x98
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.631344] deferred_probe_work_func+0x6c/0xa0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.635858] process_one_work+0x1c4/0x338
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.639849] worker_thread+0x260/0x488
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.643583] kthread+0x120/0x128
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.646795] ret_from_fork+0x10/0x18
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.650352] ---[ end trace 6c593c55776fea49 ]---
```

```

Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.655096] zynqmp_pll_disable() clock disable failed for dpll_int, ret = -13
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.662428] -----[ cut here ]-----
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.667034] /amba/spi@ff050000/spidev@1: buggy DT: spidev listed directly in DT
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.674360] WARNING: CPU: 3 PID: 65 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.682345] Modules linked in:
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.685386] CPU: 3 PID: 65 Comm: kworker/3:1 Tainted: G      W      5.4.0-xilinx-v2020.2 #1
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.694150] Hardware name: xlnx,zynqmp (DT)
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.698319] Workqueue: events deferred_probe_work_func
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.703439] pstate: 60000005 (nZCv daif -PAN -UAO)
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.708214] pc : spidev_probe+0xf8/0x1c8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.712120] lr : spidev_probe+0xf8/0x1c8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.716024] sp : ffff8000113cb7d0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.719323] x29: ffff8000113cb7d0 x28: ffff00006faeacd8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.724617] x27: ffff00006d26a410 x26: ffff00006be6bc00
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.729912] x25: 0000000000000000 x24: 000000000000001a
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.735207] x23: ffff80001112a140 x22: 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.740502] x21: ffff80001112a120 x20: ffff00006be71800
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.745796] x19: 0000000000000000 x18: 0000000000000010
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.751091] x17: 0000000000000000 x16: 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.756386] x15: ffff00006d3e86a8 x14: ffffffff
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.761681] x13: ffff8000913cb517 x12: ffff8000113cb51f
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.766976] x11: ffff8000110f5000 x10: 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.772270] x9 : ffff800011193000 x8 : 000000000000013d
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.777565] x7 : 0000000000000006 x6 : ffff8000111930f2
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.782860] x5 : 0000000000000001 x4 : 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.788155] x3 : 0000000000000000 x2 : 00000000ffffffff
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.793450] x1 : 131b012637786800 x0 : 0000000000000000
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.798744] Call trace:
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.801177] spidev_probe+0xf8/0x1c8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.804735] spi_drv_probe+0x7c/0xd8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.808294] really_probe+0xd8/0x2f8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.811853] driver_probe_device+0x54/0xe8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.815933] __device_attach_driver+0x80/0xb8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.820273] bus_for_each_drv+0x74/0xc0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.824092] __device_attach+0xdc/0x138
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.827911] device_initial_probe+0x10/0x18
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.832077] bus_probe_device+0x90/0x98
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.835896] device_add+0x334/0x600
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.839368] spi_add_device+0xac/0x170
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.843100] of_register_spi_device+0x204/0x388
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.847614] spi_register_controller+0x4b4/0x718
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.852215] cdns_spi_probe+0x28c/0x368
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.856034] platform_drv_probe+0x50/0xa0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.860027] really_probe+0xd8/0x2f8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.863586] driver_probe_device+0x54/0xe8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.867666] __device_attach_driver+0x80/0xb8
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.872005] bus_for_each_drv+0x74/0xc0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.875825] __device_attach+0xdc/0x138
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.879644] device_initial_probe+0x10/0x18

```



```

Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.883810] bus_probe_device+0x90/0x98
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.887630] deferred_probe_work_func+0x6c/0xa0
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.892142] process_one_work+0x1c4/0x338
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.896135] worker_thread+0x260/0x488
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.899868] kthread+0x120/0x128
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.903080] ret_from_fork+0x10/0x18
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.906637] ---[ end trace 6c593c55776fea4a ]---
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.911689] macb ff0d0000.ethernet: Not enabling partial store and forward
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.919027] libphy: MACB_mii_bus: probed
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.925624] Atheros 8031 ethernet ff0d0000.ethernet-ffffffff:04: attached PHY driver [Atheros 8031 ethernet] (mii_bus:phy_addr=ff0d0000.ethernet-ffffffff:04, irq=POLL)
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.940573] macb ff0d0000.ethernet eth0: Cadence GEM rev 0x50070106 at 0xff0d0000 irq 30 (98:ae:71:00:8a:c1)
Oct 6 05:41:19 mcb1 user.err kernel: [ 3.950688] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.956946] xilinx_axienet b0000000.ethernet: Ethernet core IRQ not defined
Oct 6 05:41:19 mcb1 user.warn kernel: [ 3.963902] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.970676] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.977174] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.983641] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.990105] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Oct 6 05:41:19 mcb1 user.info kernel: [ 3.996799] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.003100] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.009328] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.016744] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Oct 6 05:41:19 mcb1 user.warn kernel: [ 4.024292] cpufreq: cpufreq_online: CPU0: Running at unlisted freq: 1325000 KHz
Oct 6 05:41:19 mcb1 user.err kernel: [ 4.031690] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Oct 6 05:41:19 mcb1 user.warn kernel: [ 4.040422] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz
Oct 6 05:41:19 mcb1 user.err kernel: [ 4.048949] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.090945] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.100729] rtc_zynqmp ffa60000.rtc: setting system clock to 2035-10-06T05:41:02 UTC (2075262062)
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.109596] of_cfs_init
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.112052] of_cfs_init: OK
Oct 6 05:41:19 mcb1 user.notice kernel: [ 4.114962] cfg80211: Loading compiled-in X.509 certificates for regulatory database
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.190330] mmc0: new HS200 MMC card at address 0001
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.195669] mmcblk0: mmc0:0001 Q2J55L 7.09 GiB
Oct 6 05:41:19 mcb1 user.notice kernel: [ 4.197449] random: fast init done
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.200383] mmcblk0boot0: mmc0:0001 Q2J55L partition 1 16.0 MiB
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.209666] mmcblk0boot1: mmc0:0001 Q2J55L partition 2 16.0 MiB
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.215657] mmcblk0rmpb: mmc0:0001 Q2J55L partition 3 4.00 MiB, chardev (244:0)
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.224175] mmcblk0: p1 p2 p3 p4
Oct 6 05:41:19 mcb1 user.notice kernel: [ 4.246486] cfg80211: Loaded X.509 cert 'sforshee: 00b28ddf47aef9cea7'
Oct 6 05:41:19 mcb1 user.warn kernel: [ 4.253011] clk: Not disabling unused clocks
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.257483] ALSA device list:
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.260439] No soundcards found.
Oct 6 05:41:19 mcb1 user.warn kernel: [ 4.264111] platform regulatory.0: Direct firmware load for regulatory.db failed with error -2
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.272719] cfg80211: failed to load regulatory.db
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.354027] EXT4-fs (mmcblk0p3): recovery complete
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.359657] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)
Oct 6 05:41:19 mcb1 user.info kernel: [ 4.367773] VFS: Mounted root (ext4 filesystem) on device 179:3.

```

Oct 6 05:41:19 mcb1 user.info kernel: [4.374372] devtmpfs: mounted

Oct 6 05:41:19 mcb1 user.info kernel: [4.377537] Freeing unused kernel memory: 768K

Oct 6 05:41:19 mcb1 user.info kernel: [4.382010] Run /sbin/init as init process

Oct 6 05:41:19 mcb1 daemon.info kernel: [4.613510] udevd[357]: starting version 3.2.8

Oct 6 05:41:19 mcb1 user.notice kernel: [4.622392] random: udevd: uninitialized urandom read (16 bytes read)

Oct 6 05:41:19 mcb1 user.notice kernel: [4.629209] random: udevd: uninitialized urandom read (16 bytes read)

Oct 6 05:41:19 mcb1 user.notice kernel: [4.635672] random: udevd: uninitialized urandom read (16 bytes read)

Oct 6 05:41:19 mcb1 daemon.info kernel: [4.659811] udevd[358]: starting eudev-3.2.8

Oct 6 05:41:19 mcb1 user.info kernel: [5.072116] EXT4-fs (mmcblk0p2): recovery complete

Oct 6 05:41:19 mcb1 user.info kernel: [5.076914] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)

Oct 6 05:41:19 mcb1 user.info kernel: [5.217748] EXT4-fs (mmcblk0p4): recovery complete

Oct 6 05:41:19 mcb1 user.info kernel: [5.223383] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)

Oct 6 05:41:19 mcb1 user.info kernel: [5.288945] EXT4-fs (mmcblk0p3): re-mounted. Opts: (null)

Oct 6 05:41:21 mcb1 user.info kernel: [23.553339] pps pps1: new PPS source ptp1

Oct 6 05:41:21 mcb1 user.info kernel: [23.557366] macb ff0d0000.ethernet: gem-ptp-timer ptp clock registered.

Oct 6 05:41:22 mcb1 user.notice kernel: [24.072937] random: crng init done

Oct 6 05:41:22 mcb1 user.notice kernel: [24.076329] random: 7 urandom warning(s) missed due to ratelimiting

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/user_types/user_inet_types.so" successfully loaded.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/user_types/user_yang_types.so" successfully loaded.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-yang-metadata".

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Reading module "yang".

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "yang" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "yang" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "yang@2017-02-20" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-inet-types".

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "ietf-inet-types" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-yang-types".

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" already in context.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "sysrepo" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "sysrepo" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo@2021-01-18" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe38" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe49" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe50" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe34" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe17" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe43" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe42" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe32" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe3" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe9" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe48" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe39" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe56" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe10" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe33" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe13" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe18" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe1" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe15" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe21" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe54" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe30" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe4" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe2" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe28" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe29" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe7" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe55" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe31" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe26" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe20" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe24" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe57" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe62" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe25" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe63" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe8" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe59" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe27" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe37" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe44" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe23" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe64" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe46" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe47" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe58" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe53" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe22" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe11" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe51" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe19" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe5" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe60" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe41" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe16" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe6" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe52" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe12" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe35" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe36" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe61" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe14" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe40" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe45" after a crashed subscription.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 11 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 7 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 16 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 6 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 1 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 2 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 8 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 14 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 3 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 13 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 10 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 5 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 17 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 9 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 4 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 12 is dead.

Oct 6 05:41:26 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 15 is dead.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Applying scheduled changes.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/custom.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang" file.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" already in context.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/custom.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "sysrepo-monitoring" schema nodes and constraints resolved.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/custom.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf@2013-09-29" successfully parsed as imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-notifications" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-origin" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "ietf-origin" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-origin@2018-02-14" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-acm@2018-02-14" now implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-nmda" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "nc-notifications" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "notifications@2008-07-14" successfully parsed as imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "notifications@2008-07-14" now implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "ietf-keystore" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-keystore@2019-07-02" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-truststore@2019-07-02" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tcp-common@2019-07-02" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ssh-server" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ssh-common" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-ssh-common@2019-07-02" successfully parsed as imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "iana-crypt-hash@2014-08-06" successfully parsed as imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-ssh-server@2019-07-02" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tls-server" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tls-common" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tls-common@2019-07-02" successfully parsed as imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tls-server@2019-07-02" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-server" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in

[illegible]

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tcp-server@2019-07-02" successfully parsed as imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-server" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-server" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-server@2019-07-02" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "vvdn_mcel-wdm" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/vvdn_mcel-wdm@2022-05-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "vvdn_mcel-wdm@2022-05-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "vvdn_mcel-opm" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/vvdn_mcel-opm@2020-11-08.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "vvdn_mcel-opm@2020-11-08" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/notification_history.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "notification_history" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "ietf-hardware" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-interfaces@2018-02-20" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "iana-if-type@2017-01-19" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-dhcpv6-types" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-dhcpv6-types@2018-01-30" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "ietf-ip@2018-02-22" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-dhcp" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-dhcp@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-interfaces" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-mplane-int" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-mplane-int@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-transceiver" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-processing-element" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-ald-port" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-ald-port" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-ald-port@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-hardware" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-fm" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-usermgmt" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-sync" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-sync" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-module-cap" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-operations" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-operations" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-uplane-conf" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-file-management" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from

"/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-software-management" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-performance-management@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/custom.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-ald" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-ald" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-ald@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-trace" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-trace" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-trace" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang" file.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All "o-ran-troubleshooting" schema nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: No scheduled changes.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Datastore copied from <startup> to <running>.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Connection 1 created.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Session 1 (user "root", CID 1) created.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Listening on :::830 for SSH connections.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-keystore" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-truststore" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-acm" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-acm" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-acm" "done" event on enabled data.
Oct 6 05:41:26 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-acm" "done" event on enabled data.
Oct 6 05:41:27 mcb1 user.err SYS_MONITOR[1001]: previous boot not done by BMC
Oct 6 05:41:27 mcb1 user.debug SYS_MONITOR[1001]: GPIO initialization successfull
Oct 6 05:41:27 mcb1 user.debug SYS_MONITOR[1001]: GPIO initialization successfull
Oct 6 05:41:27 mcb1 user.debug SYS_MONITOR[1001]: GPIO initialization successfull
Oct 6 05:41:27 mcb1 user.debug SYS_MONITOR[1001]: GPIO initialization successfull
Oct 6 05:41:27 mcb1 user.debug SYS_MONITOR[1001]: GPIO initialization successfull
Oct 6 05:41:27 mcb1 user.debug SYS_MONITOR[1001]: GPIO initialization successfull
Oct 6 05:41:27 mcb1 user.err SYSTEM MONITOR[1001]: PA Temp File operation failure
Oct 6 05:41:27 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" connecting...
Oct 6 05:41:27 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.17.155:4334.
Oct 6 05:41:27 mcb1 daemon.err netopeer2-server[986]: connect() failed (Network is unreachable).
Oct 6 05:41:28 mcb1 user.notice nw_manager[1020]: Process started
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "done" event with ID 1 priority 0 (remaining 4 subscribers).
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-keystore" "done" event with ID 1 priority 0 (remaining 1 subscribers).

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 1 priority 0 (remaining 22 subscribers).

Oct 6 05:41:28 mcb1 daemon.err netopeer2-server[986]: Call Home client "default-client" was not found.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 6 05:41:28 mcb1 user.notice nw_manager[1020]: Replaced the running datastore with basic user configuration

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Listening on :::830 for SSH connections.

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 6 05:41:28 mcb1 user.notice nw_manager[1020]: Read basic system interface details

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: Event change changes to: ietf-hardware

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component : ru-module for component ru-module

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component ru-module

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component oran name: ru-module for component ru-module

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component : ru-port0 for component ru-port0

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component class: iana-hardware:port for component ru-port0

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component parent: ru-module for component ru-port0

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component parent rel pos: 0 for component ru-port0

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component oran name: ru-port0 for component ru-port0

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component : ru-port1 for component ru-port1

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component class: iana-hardware:port for component ru-port1

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component parent: ru-module for component ru-port1

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component parent rel pos: 1 for component ru-port1

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: [config] component oran name: ru-port1 for component ru-port1

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: Event done changes to: ietf-hardware

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: Config has changed in :ietf-hardware

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: Interface : eth1.11 Netmask : 255.255.255.0

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: Interface : eth1.11 O-RU port name ru-port1

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: Base interface : eth1.11 standard port : eth1 O-RU port-number : 1

Oct 6 05:41:28 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" thread exit.

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: Interface : eth1.100 Netmask : 255.255.255.0

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: Interface : eth1.100 O-RU port name ru-port1

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: Base interface : eth1.100 standard port : eth1 O-RU port-number : 1

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: VLAN: Added VLAN with VID == 11 to IF -:eth1:- devname eth1.11

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: VLAN: Added VLAN with VID == 100 to IF -:eth1:- devname eth1.100

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: Mplane: EVENT change CHANGES o-ran-mplane-int module name

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: Mplane: EVENT done CHANGES o-ran-mplane-int module name

Oct 6 05:41:28 mcb1 user.notice nw_manager[1020]: Application subscribed for edit-config.get

Oct 6 05:41:28 mcb1 user.warn nw_manager[1020]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 6 05:41:28 mcb1 user.warn nw_manager[1020]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Oct 6 05:41:28 mcb1 user.info nw_manager[1020]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 6 05:41:28 mcb1 user.warn nw_manager[1020]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Oct 6 05:41:28 mcb1 user.err nw_manager[1020]: SR_HW: HW status notification sending failed RU

Oct 6 05:41:28 mcb1 user.err nw_manager[1020]: SR_HW: HW change monitoring thread failed

Oct 6 05:41:29 mcb1 user.info FAULT MANAGEMENT[1055]: ===== LISTENING FOR CHANGES =====

Oct 6 05:41:29 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" connecting...

Oct 6 05:41:29 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.17.155:4334.

Oct 6 05:41:30 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4 subscribers).

Oct 6 05:41:30 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 6 05:41:30 mcb1 user.notice USERMGMT[1065]: Complete copying o-ran-usermgmt startup configurations

Oct 6 05:41:30 mcb1 user.notice USERMGMT[1065]: LISTENING FOR CHANGES

Oct 6 05:41:31 mcb1 user.notice fw_manager[1076]: Process started

Oct 6 05:41:31 mcb1 user.notice fw_manager[1076]: Listening for RPCs

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: LISTENING FOR CHANGES

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: EVENT change CHANGES

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 255

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 248

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 165

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 160

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 150

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 140

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 135

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 7

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Accepted-clock-classes : 6

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM PRC

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM EEC1

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM DNU

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM NONE

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM PRC

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM EEC1

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM DNU

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM NONE

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM PRC

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM EEC1

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM DNU

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Acceptance SSM NONE

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: ssm_timeout : 5

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Change in Configuration of S plane

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: END OF CHANGES

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: EVENT done CHANGES

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: Writing Configuration of S plane

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: END OF CHANGES

Oct 6 05:41:32 mcb1 user.notice SYNCMNGR[1322]: SYNC-LOCK-STATE CHANGE NOTIFICATION

Oct 6 05:41:32 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).

Oct 6 05:41:33 mcb1 user.notice OPM[1334]: @function:main line:153 Operation manager init :subscribed for edit-config, get, rpc on o-ran-operations

Oct 6 05:41:33 mcb1 user.notice OPM[1334]: @function:main line:189 Operation manager init :subscribed for edit-config, get, rpc on o-ran-processing-element

Oct 6 05:41:33 mcb1 user.notice OPM[1334]: @function:main line:312 Operation manager init :subscribed for edit-config, get, rpc on o-ran-uplane-conf

Oct 6 05:41:33 mcb1 user.notice SR_OP[1334]: @function:op_module_change_cb line:137 Event change detected on o-ran-operations

Oct 6 05:41:33 mcb1 user.notice SR_OP[1334]: @function:op_module_change_cb line:150 [config]timezone name changed to GMT [event: change]

Oct 6 05:41:33 mcb1 user.notice SR_OP[1334]: @function:op_module_change_cb line:137 Event change detected on o-ran-operations

Oct 6 05:41:33 mcb1 user.notice SR_OP[1334]: @function:op_module_change_cb line:150 [config]timezone name changed to GMT [event: done]

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:132 EVENT change CHANGES

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:159 FPGA interface element1:
interface name : eth1.100

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:168 FPGA interface element1:
ru-mac : 98:ae:71:00:8a:c2

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:197 FPGA interface element1:
VLAN-ID : 100

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:234 FPGA interface element1:
du-mac : 54:48:10:cc:e2:57

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:132 EVENT done CHANGES

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:159 FPGA interface element1:
interface name : eth1.100

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:168 FPGA interface element1:
ru-mac : 98:ae:71:00:8a:c2

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:197 FPGA interface element1:
VLAN-ID : 100

Oct 6 05:41:33 mcb1 user.notice PROCESSING-ELEMENTS[1334]: @function:pe_module_change_cb line:234 FPGA interface element1:
du-mac : 54:48:10:cc:e2:57

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1115 EVENT change CHANGES:

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element :
element1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier :
txarraycarrier0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element :
element1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1185 EVENT change CHANGES

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier :
txarraycarrier0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink2

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element :
element1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier :
txarraycarrier0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint2

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink3

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element :
element1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier :
txarraycarrier0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint3

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element :
element1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier :
rxarraycarrier0

```

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink1
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3660 EVENT change CHANGES:
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3685 FPGA | rx-array-carriers-name :
rxarraycarrier0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element :
element1
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier :
rxarraycarrier0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint1
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink2
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element :
element1
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier :
rxarraycarrier0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint2
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink3
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element :
element1
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier :
rxarraycarrier0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint3
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2063 EVENT change CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3737 FPGA |
rx-array-carriers-absolute-frequency-center : 384000
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3823 FPGA |
rx-array-carriers-frequency-reference-center: 0.000000
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:2960 EVENT change CHANGES:
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:4012 FPGA |
rx-array-carriers-channel-bandwidth : 10000000
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:4032 FPGA | rx-array-carriers-active :
ACTIVE
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:4063 FPGA |
rx-array-carriers-downlink-radio-frame-offset : 0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:4084 FPGA |
rx-array-carriers-downlink-sfn-offset : 0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:4105 FPGA |
rx-array-carriers-gain-correction : 0.000000
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:4126 FPGA |
rx-array-carriers-n-ta-offset : 25600
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:4137 END OF CHANGES
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1255 EVENT change CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:2986 FPGA | tx-array-carriers-name :
txarraycarrier0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
sllrx-endpoint0
  
```

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name : slltx-endpoint0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3038 FPGA | tx-array-carriers-absolute-frequency-center : 422000

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3121 FPGA | tx-array-carriers-frequency-reference-center: 0.000000

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3309 FPGA | tx-array-carriers-channel-bandwidth : 10000000

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3329 FPGA | tx-array-carriers-active : ACTIVE

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type : STATIC

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3604 FPGA | tx-array-carriers-gain : 0.000000

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3625 FPGA | tx-array-carriers-downlink-radio-frame-offset : 0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type : STATIC

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3646 FPGA | tx-array-carriers-downlink-sfn-offset : 0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:4137 END OF CHANGES

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1650 FPGA | lltx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:33 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.17.155:4334.

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2463 FPGA | llrx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask : 65024

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask : 448

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:33 mcb1 user.notice operations_manager[1334]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name : slltx-endpoint1

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type : STATIC

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask : 65024
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1650 FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask : 448
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask : 65024
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 1
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask : 448
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 2
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2889 FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name : slltx-endpoint2
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name : sllrx-endpoint1
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type : STATIC
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type : STATIC
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1650 FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask : 65024
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask : 448
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2463 FPGA |
llrx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 3

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint3

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2765 FPGA | llrx-ep-number-of-prb : 273

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
65024

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
448

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 4

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 2

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
sllrx-endpoint2

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2463 FPGA |
llrx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :

```

65024
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
448
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 6 05:41:33 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 3
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
sllrx-endpoint3
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2463 FPGA |
llrx-ep-offset-to-absolute-frequency-center : 0
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2765 FPGA | llrx-ep-number-of-prb : 273
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
65024
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
448
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 4
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1115 EVENT done CHANGES:
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1185 EVENT done CHANGES
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:2960 EVENT done CHANGES:
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3660 EVENT done CHANGES:
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:2986 FPGA | tx-array-carriers-name :
txarraycarrier0
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2063 EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3685 FPGA | rx-array-carriers-name :
rxarraycarrier0
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1255 EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3737 FPGA |
rx-array-carriers-absolute-frequency-center : 384000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3038 FPGA |
tx-array-carriers-absolute-frequency-center : 422000

```

```

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor 2000c893
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor 2d412d41
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor c8932000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor ef70c22e
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor 40000000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor ef703dd2
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor c893e000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor 2000c893
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor 2d412d41
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor c8932000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor ef70c22e
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor 40000000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor ef703dd2
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor c893e000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3121 FPGA |
tx-array-carriers-frequency-reference-center: 2110000000.000000
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:array_carrier_module_change_cb line:3823 FPGA |
rx-array-carriers-frequency-reference-center: 1920000000.000000
Oct 6 05:41:34 mcb1 user.info operations-manager[1334]: commBwSystemMonitor : CMD SENT TO SYS_MON SUCCESSFULLY
Oct 6 05:41:34 mcb1 user.info FAULT MANAGER[1001]: sendData : Source ID: 30
Oct 6 05:41:34 mcb1 user.info FAULT MANAGER[1001]: sendData : Fault ID: 11
Oct 6 05:41:34 mcb1 user.info FAULT MANAGER[1001]: sendData : FAULT_IS_CLEARED: False
Oct 6 05:41:34 mcb1 user.info FAULT MANAGER[1001]: sendData : FAULT_SEVERITY: 3
Oct 6 05:41:34 mcb1 user.info FAULT MANAGER[1001]: sendData : FAULT_TIME: 2035-10-06T05:41:34Z
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
sllrx-endpoint0
Oct 6 05:41:34 mcb1 user.info operations-manager[1334]: commBwSystemMonitor : CMD SENT TO SYS_MON SUCCESSFULLY
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint0
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC
Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4

```


Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1650 FPGA |

lltx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask : 65024

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask : 448

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2463 FPGA |

llrx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 1

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice file_manager[1365]: Process started

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name : slltx-endpoint1

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type : STATIC

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1650 FPGA |

lltx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask : 65024

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask : 448

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask : 65024

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask : 448

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 1

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 2

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :

slltx-endpoint2

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2889 FPGA |

llrx-ep-non-time-managed-delay-enabled: 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :

sllrx-endpoint1

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1650 FPGA |

lltx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:34 mcb1 user.notice file_manager[1365]: Listening for RPCs

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 3

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2463 FPGA |

llrx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :

slltx-endpoint3

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2765 FPGA | llrx-ep-number-of-prb : 273

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1650 FPGA |

lltx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :

65024

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask : 448

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask : 448

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 4

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 2

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2889 FPGA | llrx-ep-non-time-managed-delay-enabled: 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name : sllrx-endpoint2

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type : STATIC

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2463 FPGA | llrx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask : 65024

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask : 448

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 3

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2889 FPGA | llrx-ep-non-time-managed-delay-enabled: 0

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name : sllrx-endpoint3

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type : STATIC

Oct 6 05:41:34 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16

Oct 6 05:41:35 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4

Oct 6 05:41:35 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352

Oct 6 05:41:35 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288

Oct 6 05:41:35 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2463 FPGA | llrx-ep-offset-to-absolute-frequency-center : 0

Oct 6 05:41:35 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:35 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2765 FPGA | llrx-ep-number-of-prb : 273

Oct 6 05:41:35 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15

Oct 6 05:41:35 mcb1 user.notice UPLANECONF[1334]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 54

Page 55

Page 56

Page 57

Page 58

Page 59

Page 60

Page 61

Page 62

Page 63

Page 64

Page 65

Page 66

Page 67

Page 68

Page 69

Page 70

Page 71

Page 72

Page 73

Page 74

Page 75

Page 76

Page 77

Page 78

Page 79

Page 80

Page 81

Page 82

Page 83

Page 84

Page 85

Page 86

Page 87

Page 88

Page 89

Page 90

Page 91

Page 92

Page 93

Page 94

Page 95

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 97

Page 98

Page 99

Page 100

Page 101

Page 102

Page 103

Page 104

Page 105

Page 106

Page 107

Page 108

Page 109

Page 110

Page 111

Page 112

Page 113

Page 114

Page 115

Page 116

Page 117

Page 118

Page 119

Page 120

Page 121

Page 122

Page 123

Page 124

Page 125

Page 126

Page 127

Page 128

Page 129

Page 130

Page 131

Page 132

Page 133

Page 134

Page 135

Page 136

Page 137

Page 138

Page 139

Page 140

Page 141

Page 142

Page 143

Page 144

Page 145

Page 146

Page 147

Page 148

Page 149

Page 150

Page 151

Page 152

Page 153

Page 154

Page 155

Page 156

Page 157

Page 158

Page 159

Page 160

Page 161

Page 162

Page 163

Page 164

Page 165

Page 166

Page 167

Page 168

Page 169

Page 170

Page 171

Page 172

Page 173

Page 174

Page 175

Page 176

Page 177

Page 178

Page 179

Page 180

Page 181

Page 182

Page 183

Page 184

Page 185

Page 186

Page 187

Page 188

Page 189

Page 190

Page 191

Page 192

Page 193

Page 194

Page 195

Page 196

Page 197

Page 198

Page 199

Page 200

Page 201

Page 202

Page 203

Page 204

Page 205

Page 206

Page 207

Page 208

Page 209

Page 210

Page 211

Page 212

Page 213

Page 214

Page 215

Page 216

Page 217

Page 218

Page 219

Page 220

Page 221

Page 222

Page 223

Page 224

Page 225

Page 226

Page 227

Page 228

Page 229

Page 230

Page 231

Page 232

Page 233

Page 234

Page 235

Page 236

Page 237

Page 238

Page 239

Page 240

Page 241

Page 242

Page 243

Page 244

Page 245

Page 246

Page 247

Page 248

Page 249

Page 250

Page 251

Page 252

Page 253

Page 254

Page 255

Page 256

Page 257

Page 258

Page 259

Page 260

Page 261

Page 262

Page 263

Page 264

Page 265

Page 266

Page 267

Page 268

Page 269

Page 270

Page 271

Page 272

Page 273

Page 274

Page 275

Page 276

Page 277

Page 278

Page 279

Page 280

Page 281

Page 282

Page 283

Page 284

Page 285

Page 286

Page 287

Oct 6 05:41:38 mcb1 user.notice ald_controller[1413]: Process started
Oct 6 05:41:38 mcb1 user.notice ald_controller[1413]: Listening for RPCs
Oct 6 05:41:38 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Oct 6 05:41:39 mcb1 user.notice log_manager[1424]: Process started
Oct 6 05:41:39 mcb1 user.notice log_manager[1424]: Listening for RPCs
Oct 6 05:41:39 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.17.155:4334.
Oct 6 05:41:41 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:00:00 mcb1 daemon.info dhclient: Internet Systems Consortium DHCP Client 4.4.2
Nov 4 00:00:00 mcb1 daemon.info dhclient: Copyright 2004-2020 Internet Systems Consortium.
Nov 4 00:00:00 mcb1 daemon.info dhclient: All rights reserved.
Nov 4 00:00:00 mcb1 daemon.info dhclient: For info, please visit <https://www.isc.org/software/dhcp/>
Nov 4 00:00:00 mcb1 daemon.info dhclient:
Nov 4 00:00:00 mcb1 daemon.info dhclient: Listening on LPF/eth1/98:ae:71:00:8a:c2
Nov 4 00:00:00 mcb1 daemon.info dhclient: Sending on LPF/eth1/98:ae:71:00:8a:c2
Nov 4 00:00:00 mcb1 daemon.info dhclient: Sending on Socket/fallback
Nov 4 00:00:00 mcb1 daemon.info dhclient: DHCPDISCOVER on eth1 to 255.255.255.255 port 67 interval 3
Nov 4 00:00:00 mcb1 user.notice wd_manager[1458]: Started monitoring
Nov 4 00:00:00 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.17.155:4334.
Nov 4 00:00:02 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:00:03 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.17.155:4334.
Nov 4 00:00:03 mcb1 daemon.info dhclient: No DHCPOFFERS received.
Nov 4 00:00:03 mcb1 daemon.info dhclient: Unable to obtain a lease on first try. Exiting.
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:04 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.17.155:4334.
Nov 4 00:00:06 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 1070ms.
Nov 4 00:00:07 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 930ms.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).
Nov 4 00:00:08 mcb1 daemon.info dhclient: Max retransmission duration exceeded.
Nov 4 00:00:08 mcb1 daemon.info init: Entering runlevel: 5
Nov 4 00:00:09 mcb1 user.info vlan_scan[1491]: ICMPv6 Thread running started, func: icmpv6_flag_thread, LINE: 157
Nov 4 00:00:09 mcb1 user.notice vlan_scan[1491]: Lowest VLAN id : 1Highest VLAN id : 4096
Nov 4 00:00:09 mcb1 user.err vlan_scan[1491]: Unable to get range from sysrepo
Nov 4 00:00:09 mcb1 user.info vlan_scan[1491]: DHCP6 thread running started, func: run_dhcp6, LINE: 170
Nov 4 00:00:09 mcb1 user.info nw_manager[1491]: VLAN: Added VLAN with VID == 21 to IF -:eth1:- devname eth1.21
Nov 4 00:00:09 mcb1 daemon.info dhclient: DHCPREQUEST for 192.168.244.37 on eth1.21 to 255.255.255.255 port 67
Nov 4 00:00:09 mcb1 daemon.info dhclient: DHCPACK of 192.168.244.37 from 192.168.244.35
Nov 4 00:00:09 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.17.155:4334.
Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 3 priority 0 (remaining 22 subscribers).
Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (No route to host).

Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Nov 4 00:00:12 mcb1 user.info nw_manager[1020]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

Nov 4 00:00:12 mcb1 user.info nw_manager[1020]: Interface : eth1.21 Netmask : 255.255.255.0

Nov 4 00:00:12 mcb1 user.info nw_manager[1020]: Interface : eth1.21 O-RU port name ru-port1

Nov 4 00:00:12 mcb1 user.info nw_manager[1020]: Base interface : eth1.21 standard port : eth1 O-RU port-number : 1

Nov 4 00:00:12 mcb1 user.info nw_manager[1020]: Mplane: EVENT change CHANGES o-ran-mplane-int module name

Nov 4 00:00:12 mcb1 user.info nw_manager[1020]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Nov 4 00:00:12 mcb1 user.info nw_manager[1020]: VLAN: Added VLAN with VID == 21 to IF -:eth1:- devname eth1.21

Nov 4 00:00:12 mcb1 user.info nw_manager[1020]: Mplane: EVENT done CHANGES o-ran-mplane-int module name

Nov 4 00:00:13 mcb1 daemon.info dhclient[1539]: eth1.21 : IP=192.168.244.37/255.255.255.0 router=192.168.244.35 domain="vvdntech.com" dns="192.168.244.35" lease=6648

Nov 4 00:00:13 mcb1 daemon.info dhclient: bound to 192.168.244.37 -- renewal in 2726 seconds.

Nov 4 00:00:13 mcb1 user.notice vlan_scan[1491]: connection successful at sub-interface: 21

Nov 4 00:00:13 mcb1 user.err vlan_scan[1491]: Not obtained main, trying next condition

Nov 4 00:00:13 mcb1 user.err vlan_scan[1491]: if_name eth1.21

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1389]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.244.35:4334.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.244.35:4334 over IPv4.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Session 99 (user "root", CID 1) created.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session 1 established.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Session 100 (user "root", CID 1) created.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth1.11", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "11", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth1.21", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "21", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth1.100", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "100", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1",

but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:18 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Nov 4 00:00:18 mcb1 user.notice fw_manager[1076]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:00:19 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator

Nov 4 00:00:19 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe

Nov 4 00:00:19 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 1912/4096 bits entropy

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 2116/4096 bits entropy

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 2302/4096 bits entropy

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 2470/4096 bits entropy

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 2622/4096 bits entropy

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 2760/4096 bits entropy

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 2886/4096 bits entropy

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 2999/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3038/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3073/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3105/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3134/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3160/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3183/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3205/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3224/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3242/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3258/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3272/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3286/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3297/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3308/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3318/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3327/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3335/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3342/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3349/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3355/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3360/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3365/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3369/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3373/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3377/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3380/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3383/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3450/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3510/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3565/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3615/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator
Nov 4 00:00:19 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Nov 4 00:00:19 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3660/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3701/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3738/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3771/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3801/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3829/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3854/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3876/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3897/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3915/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3932/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3948/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3961/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3974/4096 bits entropy

Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3985/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 3996/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 4005/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 4013/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 4021/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 4028/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Added 4034/4096 bits entropy
Nov 4 00:00:19 mcb1 daemon.debug rngd: Pool full at 4096, sleeping!
Nov 4 00:00:19 mcb1 daemon.notice haveged: haveged starting up
Nov 4 00:00:19 mcb1 auth.info sshd[1753]: Server listening on 0.0.0.0 port 22.
Nov 4 00:00:19 mcb1 auth.info sshd[1753]: Server listening on :: port 22.
Nov 4 00:00:19 mcb1 daemon.info bluetoothd[1774]: Bluetooth daemon 5.50
Nov 4 00:00:19 mcb1 daemon.info bluetoothd[1774]: Starting SDP server
Nov 4 00:00:19 mcb1 daemon.info bluetoothd[1774]: Bluetooth management interface 1.14 initialized
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 1 priority 0 succeeded.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 3 event new RPC.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 2 event new RPC.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 2 event session terminated.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session terminated.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.244.35:4334.
Nov 4 00:00:19 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Nov 4 00:00:19 mcb1 authpriv.debug sshd[1921]: pam_unix(sshd:account): account operator has password changed in future
Nov 4 00:00:19 mcb1 auth.info sshd[1921]: Accepted password for operator from 192.168.244.35 port 41848 ssh2
Nov 4 00:00:19 mcb1 authpriv.info sshd[1921]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : 1. The status of the software slot used for software activation remains

VALID (it is unchanged) and the parameter "active" remains "True". The parameter "running" is set to True.

2. Status of the software slot containing the previous version of software used by device remains VALID, the parameter "active" remains False. The parameter "running" is set to False.

=====

***** Actual Result *****

=====

=====

Supplemental Reset after Software Activation	=	SUCCESS
---	----------	----------------

=====