



@ FILE NAME: M_CTC_ID_013.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.1

Test Description: The minimum functions of the TER described in section 2.1 that support validation of the M-Plane are operational, configured and connected to the O-RU



****** Connect to the NETCONF Server *******

> connect --ssh --host 192.168.170.40 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 3

Host : 192.168.170.40

Port: 830 Transport: SSH Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0 urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn: ietf: params: netconf: capability: yang-library: 1.1? revision = 2019-01-04 & content-id = 63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn: ietf: params: xml: ns: netconf: base: 1.0? module = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = ietf-netconf & revision

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn: ietf: params: xml: ns: yang: ietf-netconf-monitoring? module = ietf-netconf-monitoring & revision = 2010-10-04

urn: ietf: params: xml: ns: netconf: notification: 1.0? module = notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn: ietf: params: xml: ns: yang: ietf-x509-cert-to-name? module = ietf-x509-cert-to-name & revision = 2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

> subscribe

Ok



Step 1 The TER NI active-alarm-list.	TCONF Client sends the O-RU NETCONF Server a command to get the
======================================	an-fm:active-alarm-list/active-alarms



Oct 30 00:59:06 mcb1 daemon.info netopeer2-server[982]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:59:06 mcb1 daemon.info netopeer2-server[982]; getsockopt() error (Connection refused).

Oct 30 00:59:07 mcb1 daemon.info netopeer2-server[982]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:59:07 mcb1 daemon.info netopeer2-server[982]: getsockopt() error (Connection refused).

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Successfully connected to 192.168.170.85:4334 over IPv4.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Session 131 (user "root", CID 1) created.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Received an SSH message "request-auth" of subtype "password".

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: User "operator" authenticated.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Received an SSH message "request-channel-open" of subtype "session".

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Call Home client "default-client" session 3 established.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Session 132 (user "root", CID 1) created.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Generated new event (netconf-session-start).

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get" with ID 6 priority 0 for 1 subscribers.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 6 priority 0 succeeded.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Session 3: thread 3 event new RPC.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get" with ID 7 priority 0 for 1 subscribers.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 4.

Oct 30 00:59:08 mcb1 user.notice fw_manager[1065]: RPC #4 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Event "operational" with ID 4 succeeded.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There is no leafref



"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 7 priority 0 succeeded.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Session 3: thread 0 event new RPC.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get-config" with ID 4 priority 0 for 1 subscribers.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 4 priority 0 succeeded.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:08 mcb1 daemon.info netopeer2-server[982]: Session 3: thread 4 event new RPC.

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/notifications:create-subscription" with ID 3 priority 0 for 1 subscribers.

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: Processing "/notifications:create-subscription" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 3 priority 0 succeeded.

Oct 30 00:59:09 mcb1 daemon.info netopeer2-server[982]: Session 3: thread 0 event new RPC.

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Published event "rpc" "/ietf-netconf:get" with ID 8 priority 0 for 1 subscribers.



Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Processing "/ietf-netconf:get" "rpc" event with ID 8 priority 0 (remaining 1 subscribers).

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Published event "operational" "/o-ran-fm:active-alarm-list/active-alarms" with ID 2.

Oct 30 00:59:10 mcb1 user.info FAULT MANAGEMENT[1044]: ======= DATA FOR "o-ran-fm"

"/o-ran-fm:active-alarm-list/active-alarms" REQUESTED==========

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Event "operational" with ID 2 succeeded.

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Successful processing of "rpc" event with ID 8 priority 0 (remaining 0 subscribers).

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Event "rpc" with ID 8 priority 0 succeeded.

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Resolving unresolved data nodes and their constraints...

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: All data nodes and constraints resolved.

Oct 30 00:59:10 mcb1 daemon.info netopeer2-server[982]: Session 3: thread 0 event new RPC.

Oct 30 00:59:15 mcb1 daemon.info netopeer2-server[982]: Session 3: thread 0 event new RPC.

Oct 30 00:59:15 mcb1 daemon.info netopeer2-server[982]: Session 3: thread 0 event session terminated.

Oct 30 00:59:15 mcb1 daemon.info netopeer2-server[982]: Call Home client "default-client" session terminated.

Oct 30 00:59:15 mcb1 daemon.info netopeer2-server[982]: Trying to connect via IPv4 to 192.168.170.85:4334.

Oct 30 00:59:15 mcb1 daemon.info netopeer2-server[982]: getsockopt() error (Connection refused).

Oct 30 00:59:15 mcb1 daemon.info netopeer2-server[982]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 30 00:59:15 mcb1 daemon.info netopeer2-server[982]: Generated new event (netconf-session-end).

Oct 30 00:59:15 mcb1 auth.info sshd[15387]: Accepted password for operator from 192.168.170.85 port 40878 ssh2

Oct 30 00:59:15 mcb1 authpriv.info sshd[15387]: pam_unix(sshd:session): session opened for user operator by (uid=0)



Expected Result: The O-RU NETCONF Server responds with <rpc-reply><data> where <data> contains at least the same alarm as reported in measurement at least alarm 17: No external sync source

******* Actual Result **********		
======================================		
<pre><data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"></data></pre>		
<active-alarm-list xmlns="urn:o-ran:fm:1.0"></active-alarm-list>		
<active-alarms></active-alarms>		
<fault-id>18</fault-id>		
<fault-source>Module or antenna line</fault-source>		
<affected-objects></affected-objects>		
<name>Sync Module</name>		
<fault-severity>CRITICAL</fault-severity>		
<is-cleared>false</is-cleared>		
<fault-text>Synchronization Error</fault-text>		
<event-time>2103-10-29T23:49:29Z</event-time>		
	====	
Retrieval of Active Alarm List = FAIL		