



**@ FILE NAME: M\_CTC\_ID\_010.txt**

**@ TEST SCOPE: M PLANE O-RAN CONFORMANCE**

**@ Software Release for MC1: v1.0.5**

**Test Description : This scenario validates that the O-RU NETCONF Server properly executes a general get command.**

## =====

## \*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*

=====

&gt; listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '192.168.4.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

&gt; status

Current NETCONF session:

ID : 10

Host : 192.168.4.43

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&amp;also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&amp;revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&amp;revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&amp;revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&amp;revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&amp;content-id=63

urn:sysrepo:plugind?module=sysrepo-plugind&amp;revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&amp;revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&amp;revision=2013-09-29&amp;features=writable-running,candidate,rollback-on-error,valid

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&amp;revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&amp;revision=2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&amp;revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&amp;revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&amp;revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&amp;revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&amp;revision=2014-08-06 urn:notification\_history?module=notification\_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&amp;revision=2017-01-19

=====

&gt; subscribe

=====

Ok

=====

**Step 1 The TER NETCONF Client triggers <rpc><get> towards the O-RU NETCONF Server.**

=====

=====

**> get**

=====

=====

**Step 2 The O-RU NETCONF Server responds with <rpc-reply><data> where <data> contains all information elements that the O-RU NETCONF Server is able to expose**

=====

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <nacm xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-acm">
    <enable-nacm>true</enable-nacm>
    <read-default>deny</read-default>
    <write-default>deny</write-default>
    <exec-default>deny</exec-default>
    <enable-external-groups>false</enable-external-groups>
  </groups>
  <group>
    <name>sudo</name>
    <user-name>operator</user-name>
  </group>
  <group>
    <name>fm-pm</name>
    <user-name>observer</user-name>
  </group>
  <group>
    <name>nms</name>
    <user-name>installer</user-name>
  </group>
</groups>
<rule-list>
  <name>sudo-access</name>
  <group>sudo</group>
  <rule>
    <name>ietf-netconf-permission</name>
    <module-name>ietf-netconf</module-name>
    <access-operations>exec</access-operations>
    <action>permit</action>
  </rule>
  <rule>
    <name>o-ran-supervision-permission</name>
    <module-name>o-ran-supervision</module-name>
    <access-operations>exec</access-operations>
    <action>permit</action>
  </rule>
</rule-list>
```

```
</rule>
<rule>
  <name>o-ran-hardware-permission</name>
  <module-name>o-ran-hardware</module-name>
  <access-operations>read exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-hardware-permission</name>
  <module-name>ietf-hardware</module-name>
  <access-operations>create read update delete exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>iana-hardware-permission</name>
  <module-name>iana-hardware</module-name>
  <access-operations>create read update delete exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-usermgmt-permission1</name>
  <module-name>o-ran-usermgmt</module-name>
  <path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user</path>
  <access-operations>create update delete exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-usermgmt-permission2</name>
  <module-name>o-ran-usermgmt</module-name>
  <path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user/o-ran-usermgmt:name</path>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-usermgmt-permission3</name>
  <module-name>o-ran-usermgmt</module-name>
  <path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user/o-ran-usermgmt:account-type</path>
  <access-operations>create read update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-usermgmt-permission4</name>
  <module-name>o-ran-usermgmt</module-name>
  <path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user/o-ran-usermgmt:password</path>
  <access-operations>create update delete</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>o-ran-usermgmt-permission5</name>
```

```
<module-name>o-ran-usermgmt</module-name>
<path xmlns:o-ran-usermgmt="urn:o-ran:user-mgmt:1.0">/o-ran-usermgmt:users/o-ran-usermgmt:user/o-ran-usermgmt:enabled</path>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-fm-permission</name>
<module-name>o-ran-fm</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-sync-permission</name>
<module-name>o-ran-sync</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-delay-management-permission</name>
<module-name>o-ran-delay-management</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-module-cap-permission</name>
<module-name>o-ran-module-cap</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-udp-echo-permission</name>
<module-name>o-ran-udp-echo</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-operations-permission</name>
<module-name>o-ran-operations</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-uplane-conf</name>
<module-name>o-ran-uplane-conf</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-lbm-permission</name>
```

```
<module-name>o-ran-lbm</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-software-management-permission</name>
<module-name>o-ran-software-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-file-management-permission</name>
<module-name>o-ran-file-management</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-performance-management-permission</name>
<module-name>o-ran-performance-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-ald-port-permission</name>
<module-name>o-ran-ald-port</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-ald-permission</name>
<module-name>o-ran-ald</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-transceiver-permission</name>
<module-name>o-ran-transceiver</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-interfaces-permission</name>
<module-name>o-ran-interfaces</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-ip-permission</name>
<module-name>ietf-ip</module-name>
```

```
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-interfaces-permission</name>
<module-name>ietf-interfaces</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-if-type-permission</name>
<module-name>iana-if-type</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-inet-types-permission</name>
<module-name>ietf-inet-types</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-processing-elements-permission</name>
<module-name>o-ran-processing-element</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-mplane-interfaces-permission</name>
<module-name>o-ran-mplane-int</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-dhcp-permission</name>
<module-name>o-ran-dhcp</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-troubleshooting-permission</name>
<module-name>o-ran-troubleshooting</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-trace-permission</name>
<module-name>o-ran-trace</module-name>
<access-operations>exec</access-operations>
```

```
<action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-acm-permission</name>
  <module-name>ietf-netconf-acm</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-yang-library-permission</name>
  <module-name>ietf-yang-library</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-monitoring-permission</name>
  <module-name>ietf-netconf-monitoring</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-notifications-permission</name>
  <module-name>ietf-netconf-notifications</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>nc-notifications-permission</name>
  <module-name>nc-notifications</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>notifications-permission</name>
  <module-name>notifications</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
</rule-list>
<rule-list>
  <name>nms-access</name>
  <group>nms</group>
  <rule>
    <name>ietf-netconf-permission</name>
    <module-name>ietf-netconf</module-name>
    <access-operations>exec</access-operations>
    <action>permit</action>
  </rule>
</rule>
```



```
<name>o-ran-hardware-permission</name>
<module-name>o-ran-hardware</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-hardware-permission</name>
<module-name>ietf-hardware</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-hardware-permission</name>
<module-name>iana-hardware</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-fm-permission</name>
<module-name>o-ran-fm</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-sync-permission</name>
<module-name>o-ran-sync</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-delay-management-permission</name>
<module-name>o-ran-delay-management</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-module-cap-permission</name>
<module-name>o-ran-module-cap</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-udp-echo-permission</name>
<module-name>o-ran-udp-echo</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-operations-permission</name>
```

```
<module-name>o-ran-operations</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-uplane-conf</name>
<module-name>o-ran-uplane-conf</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-lbm-permission</name>
<module-name>o-ran-lbm</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-software-management-permission</name>
<module-name>o-ran-software-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-file-management-permission</name>
<module-name>o-ran-file-management</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-performance-management-permission</name>
<module-name>o-ran-performance-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-ald-port-permission</name>
<module-name>o-ran-ald-port</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-transceiver-permission</name>
<module-name>o-ran-transceiver</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-interfaces-permission</name>
<module-name>o-ran-interfaces</module-name>
```

```
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-ip-permission</name>
<module-name>ietf-ip</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-interfaces-permission</name>
<module-name>ietf-interfaces</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-if-type-permission</name>
<module-name>iana-if-type</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-inet-types-permission</name>
<module-name>ietf-inet-types</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-processing-elements-permission</name>
<module-name>o-ran-processing-element</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-mplane-interfaces-permission</name>
<module-name>o-ran-mplane-int</module-name>
<access-operations>create read update delete</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-dhcp-permission</name>
<module-name>o-ran-dhcp</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-troubleshooting-permission</name>
<module-name>o-ran-troubleshooting</module-name>
<access-operations>exec</access-operations>
```

```
<action>permit</action>
</rule>
<rule>
  <name>o-ran-trace-permission</name>
  <module-name>o-ran-trace</module-name>
  <access-operations>exec</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-acm-permission</name>
  <module-name>ietf-netconf-acm</module-name>
  <access-operations>read</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-yang-library-permission</name>
  <module-name>ietf-yang-library</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-monitoring-permission</name>
  <module-name>ietf-netconf-monitoring</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>ietf-netconf-notifications-permission</name>
  <module-name>ietf-netconf-notifications</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>nc-notifications-permission</name>
  <module-name>nc-notifications</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
<rule>
  <name>notifications-permission</name>
  <module-name>notifications</module-name>
  <access-operations>*</access-operations>
  <action>permit</action>
</rule>
</rule-list>
<rule-list>
  <name>fm-pm-access</name>
  <group>fm-pm</group>
  <rule>
```

```
<name>ietf-netconf-permission</name>
<module-name>ietf-netconf</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-hardware-permission</name>
<module-name>ietf-hardware</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-hardware-permission</name>
<module-name>iana-hardware</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-fm-permission</name>
<module-name>o-ran-fm</module-name>
<access-operations>read exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-sync-permission</name>
<module-name>o-ran-sync</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-delay-management-permission</name>
<module-name>o-ran-delay-management</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-module-cap-permission</name>
<module-name>o-ran-module-cap</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-operations-permission</name>
<module-name>o-ran-operations</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-uplane-conf</name>
```

```
<module-name>o-ran-uplane-conf</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-lbm-permission</name>
<module-name>o-ran-lbm</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-software-management-permission</name>
<module-name>o-ran-software-management</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-file-management-permission</name>
<module-name>o-ran-file-management</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-performance-management-permission</name>
<module-name>o-ran-performance-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-transceiver-permission</name>
<module-name>o-ran-transceiver</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-interfaces-permission</name>
<module-name>o-ran-interfaces</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-ip-permission</name>
<module-name>ietf-ip</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-interfaces-permission</name>
<module-name>ietf-interfaces</module-name>
```

```
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>iana-if-type-permission</name>
<module-name>iana-if-type</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-inet-types-permission</name>
<module-name>ietf-inet-types</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-processing-elements-permission</name>
<module-name>o-ran-processing-element</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-mplane-interfaces-permission</name>
<module-name>o-ran-mplane-int</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-dhcp-permission</name>
<module-name>o-ran-dhcp</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-troubleshooting-permission</name>
<module-name>o-ran-troubleshooting</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-trace-permission</name>
<module-name>o-ran-trace</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-acm-permission</name>
<module-name>ietf-netconf-acm</module-name>
<access-operations>read</access-operations>
```

```
<action>permit</action>
</rule>
<rule>
<name>ietf-yang-library-permission</name>
<module-name>ietf-yang-library</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-monitoring-permission</name>
<module-name>ietf-netconf-monitoring</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-notifications-permission</name>
<module-name>ietf-netconf-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>nc-notifications-permission</name>
<module-name>nc-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>notifications-permission</name>
<module-name>notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
</rule-list>
<rule-list>
<name>swm-access</name>
<group>swm</group>
<rule>
<name>ietf-netconf-permission</name>
<module-name>ietf-netconf</module-name>
<access-operations>exec</access-operations>
<action>permit</action>
</rule>
<rule>
<name>o-ran-software-management-permission</name>
<module-name>o-ran-software-management</module-name>
<access-operations>create read update delete exec</access-operations>
<action>permit</action>
</rule>
</rule>
```



```
<name>iana-if-type-permission</name>
<module-name>iana-if-type</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-inet-types-permission</name>
<module-name>ietf-inet-types</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-acm-permission</name>
<module-name>ietf-netconf-acm</module-name>
<access-operations>read</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-yang-library-permission</name>
<module-name>ietf-yang-library</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-monitoring-permission</name>
<module-name>ietf-netconf-monitoring</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>ietf-netconf-notifications-permission</name>
<module-name>ietf-netconf-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>nc-notifications-permission</name>
<module-name>nc-notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
<rule>
<name>notifications-permission</name>
<module-name>notifications</module-name>
<access-operations>*</access-operations>
<action>permit</action>
</rule>
</rule-list>
<denied-operations>0</denied-operations>
```

```
<denied-data-writes>0</denied-data-writes>
<denied-notifications>0</denied-notifications>
</nacm>
<hardware xmlns="urn:ietf:params:xml:ns:yang:ietf-hardware">
  <component>
    <name>ru-module</name>
    <class xmlns:o-ran-hw="urn:o-ran:hardware:1.0">o-ran-hw:O-RAN-RADIO</class>
    <state>
      <oper-state>disabled</oper-state>
      <usage-state>busy</usage-state>
      <availability-state xmlns="urn:o-ran:hardware:1.0">FAULTY</availability-state>
    </state>
    <o-ran-name xmlns="urn:o-ran:hardware:1.0">ru-module</o-ran-name>
    <description>VVDN-RU</description>
    <hardware-rev>A1-1209</hardware-rev>
    <software-rev>02-v1.0.5</software-rev>
    <serial-num>1012900122022</serial-num>
    <mfg-name>VVDN-LPRU</mfg-name>
    <model-name>RU_INDOOR_LPRU</model-name>
    <uuid>f81d4fae-7dec-11d0-a765-00a0c91e6bf6</uuid>
    <label-content xmlns="urn:o-ran:hardware:1.0">
      <model-name>true</model-name>
      <serial-number>true</serial-number>
    </label-content>
    <product-code xmlns="urn:o-ran:hardware:1.0">O-RAN RU PROD v1.0.4</product-code>
    <contains-child>ru-port0</contains-child>
    <contains-child>ru-port1</contains-child>
  </component>
  <component>
    <name>ru-port0</name>
    <class xmlns:ianahw="urn:ietf:params:xml:ns:yang:iana-hardware">ianahw:port</class>
    <parent>ru-module</parent>
    <parent-rel-pos>0</parent-rel-pos>
    <state>
      <oper-state>enabled</oper-state>
      <usage-state>busy</usage-state>
      <availability-state xmlns="urn:o-ran:hardware:1.0">FAULTY</availability-state>
    </state>
    <o-ran-name xmlns="urn:o-ran:hardware:1.0">ru-port0</o-ran-name>
    <description>VVDN_RU_PORT</description>
    <hardware-rev>A1-1209</hardware-rev>
    <is-fru>false</is-fru>
    <mfg-date>2020-05-27T09:00:00-05:30</mfg-date>
  </component>
  <component>
    <name>ru-port1</name>
    <class xmlns:ianahw="urn:ietf:params:xml:ns:yang:iana-hardware">ianahw:port</class>
    <parent>ru-module</parent>
    <parent-rel-pos>1</parent-rel-pos>
```

```
<state>
<oper-state>disabled</oper-state>
<usage-state>busy</usage-state>
<availability-state xmlns="urn:o-ran:hardware:1.0">FAULTY</availability-state>
</state>
<o-ran-name xmlns="urn:o-ran:hardware:1.0">ru-port1</o-ran-name>
<description>VVDN_RU_PORT</description>
<hardware-rev>A1-1209</hardware-rev>
<is-fru>false</is-fru>
<mfg-date>2020-05-27T09:00:00-05:30</mfg-date>
</component>
<last-change>2103-10-30T07:03:28+08:50</last-change>
</hardware>
<interfaces xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces">
<interface>
<name>lo</name>
<enabled>true</enabled>
<type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:ethernetCsmacd</type>
<ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
<address>
<ip>127.0.0.1</ip>
<netmask>255.0.0.0</netmask>
</address>
<enabled>true</enabled>
</ipv4>
<mac-address xmlns="urn:o-ran:interfaces:1.0">00:00:00:00:00:00</mac-address>
<statistics>
<in-octets>0</in-octets>
<in-discards>0</in-discards>
<in-errors>0</in-errors>
<out-octets>0</out-octets>
<out-errors>0</out-errors>
<out-discards>0</out-discards>
</statistics>
<oper-status>up</oper-status>
<phys-address>00:00:00:00:00:00</phys-address>
<last-cleared xmlns="urn:o-ran:interfaces:1.0">2020-05-19T16:39:57-08:00</last-cleared>
</interface>
<interface>
<name>eth0</name>
<enabled>true</enabled>
<type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:ethernetCsmacd</type>
<ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
<address>
<ip>192.168.1.10</ip>
<netmask>255.255.255.0</netmask>
</address>
<enabled>true</enabled>
</ipv4>
```

```
<l2-mtu xmlns="urn:o-ran:interfaces:1.0">1500</l2-mtu>
<mac-address xmlns="urn:o-ran:interfaces:1.0">98:ae:71:00:8a:c1</mac-address>
<statistics>
  <in-octets>0</in-octets>
  <in-discards>0</in-discards>
  <in-errors>0</in-errors>
  <out-octets>0</out-octets>
  <out-errors>0</out-errors>
  <out-discards>0</out-discards>
</statistics>
<oper-status>up</oper-status>
<phys-address>98:ae:71:00:8a:c1</phys-address>
<last-cleared xmlns="urn:o-ran:interfaces:1.0">2020-05-19T16:39:57-08:00</last-cleared>
</interface>
<interface>
  <name>eth1</name>
  <enabled>true</enabled>
  <type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:ethernetCsmacd</type>
  <ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
    <enabled>true</enabled>
    <forwarding>false</forwarding>
    <m-plane-marking xmlns="urn:o-ran:interfaces:1.0">18</m-plane-marking>
    <address>
      <ip>192.168.4.43</ip>
      <netmask>255.255.255.0</netmask>
    </address>
  </ipv4>
  <l2-mtu xmlns="urn:o-ran:interfaces:1.0">1500</l2-mtu>
  <vlan-tagging xmlns="urn:o-ran:interfaces:1.0">true</vlan-tagging>
  <class-of-service xmlns="urn:o-ran:interfaces:1.0">
    <u-plane-marking>7</u-plane-marking>
    <c-plane-marking>7</c-plane-marking>
    <m-plane-marking>2</m-plane-marking>
    <s-plane-marking>7</s-plane-marking>
    <other-marking>1</other-marking>
  </class-of-service>
  <mac-address xmlns="urn:o-ran:interfaces:1.0">98:ae:71:00:8a:c2</mac-address>
  <port-reference xmlns="urn:o-ran:interfaces:1.0">
    <port-name>ru-port1</port-name>
    <port-number>1</port-number>
  </port-reference>
  <statistics>
    <in-octets>254862</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
    <out-octets>1349679</out-octets>
    <out-errors>0</out-errors>
    <out-discards>0</out-discards>
  </statistics>
```

```
<oper-status>up</oper-status>
<phys-address>98:ae:71:00:8a:c2</phys-address>
<last-cleared xmlns="urn:o-ran:interfaces:1.0">2020-05-19T16:39:57-08:00</last-cleared>
</interface>
<interface>
  <name>eth1.100</name>
  <type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:l2vlan</type>
  <enabled>true</enabled>
  <ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
    <enabled>true</enabled>
    <forwarding>false</forwarding>
    <address>
      <ip>0.0.0.0</ip>
      <netmask>255.255.255.0</netmask>
    </address>
    <m-plane-marking xmlns="urn:o-ran:interfaces:1.0">18</m-plane-marking>
  </ipv4>
  <base-interface xmlns="urn:o-ran:interfaces:1.0">eth1</base-interface>
  <vlan-id xmlns="urn:o-ran:interfaces:1.0">100</vlan-id>
  <mac-address xmlns="urn:o-ran:interfaces:1.0">98:ae:71:00:8a:c2</mac-address>
  <port-reference xmlns="urn:o-ran:interfaces:1.0">
    <port-name>ru-port1</port-name>
    <port-number>1</port-number>
  </port-reference>
  <statistics>
    <in-octets>0</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
    <out-octets>1076</out-octets>
    <out-errors>0</out-errors>
    <out-discards>0</out-discards>
  </statistics>
  <oper-status>up</oper-status>
  <phys-address>98:ae:71:00:8a:c2</phys-address>
  <last-cleared xmlns="urn:o-ran:interfaces:1.0">2020-05-19T16:39:57-08:00</last-cleared>
</interface>
</interfaces>
<processing-elements xmlns="urn:o-ran:processing-element:1.0">
  <transport-session-type>ETH-INTERFACE</transport-session-type>
  <ru-elements>
    <name>element1</name>
    <transport-flow>
      <interface-name>eth1.100</interface-name>
      <eth-flow>
        <ru-mac-address>98:ae:71:00:8a:c2</ru-mac-address>
        <vlan-id>100</vlan-id>
        <o-du-mac-address>98:ae:71:00:8a:c5</o-du-mac-address>
      </eth-flow>
    </transport-flow>
  </ru-elements>
</processing-elements>
```

```
</ru-elements>
<maximum-number-of-transport-flows>4</maximum-number-of-transport-flows>
</processing-elements>
<ald-ports-io xmlns="urn:o-ran:ald-port:1.0">
  <over-current-supported>false</over-current-supported>
  <ald-port>
    <name>PORT0</name>
    <port-id>0</port-id>
    <dc-control-support>false</dc-control-support>
    <dc-enabled-status>true</dc-enabled-status>
    <supported-connector>RS485_PORT</supported-connector>
  </ald-port>
</ald-ports-io>
<users xmlns="urn:o-ran:user-mgmt:1.0">
  <user>
    <name>oranuser</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>operator</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>observer</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
  <user>
    <name>installer</name>
    <account-type>PASSWORD</account-type>
    <enabled>true</enabled>
  </user>
</users>
<sync xmlns="urn:o-ran:sync:1.0">
  <ptp-config>
    <domain-number>24</domain-number>
    <accepted-clock-classes>
      <clock-classes>255</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>248</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>165</clock-classes>
    </accepted-clock-classes>
    <accepted-clock-classes>
      <clock-classes>160</clock-classes>
    </accepted-clock-classes>
  </ptp-config>
</sync>
```

```
</accepted-clock-classes>
<accepted-clock-classes>
  <clock-classes>150</clock-classes>
</accepted-clock-classes>
<accepted-clock-classes>
  <clock-classes>140</clock-classes>
</accepted-clock-classes>
<accepted-clock-classes>
  <clock-classes>135</clock-classes>
</accepted-clock-classes>
<accepted-clock-classes>
  <clock-classes>7</clock-classes>
</accepted-clock-classes>
<accepted-clock-classes>
  <clock-classes>6</clock-classes>
</accepted-clock-classes>
<ptp-profile>G_8275_1</ptp-profile>
<g-8275-1-config>
  <multicast-mac-address>FORWARDABLE</multicast-mac-address>
  <delay-asymmetry>0</delay-asymmetry>
</g-8275-1-config>
</ptp-config>
<ptp-status>
  <reporting-period>10</reporting-period>
  <lock-state>UNLOCKED</lock-state>
  <clock-class>255</clock-class>
  <clock-identity>0x98AE71FFFE008AC2</clock-identity>
  <partial-timing-supported>false</partial-timing-supported>
  <sources>
    <local-port-number>0</local-port-number>
    <state>DISABLED</state>
    <two-step-flag>true</two-step-flag>
    <leap61>false</leap61>
    <leap59>false</leap59>
    <current-utc-offset-valid>false</current-utc-offset-valid>
    <ptp-timescale>true</ptp-timescale>
    <time-traceable>false</time-traceable>
    <frequency-traceable>false</frequency-traceable>
    <source-clock-identity>0x98AE71FFFE008AC2</source-clock-identity>
    <source-port-number>0</source-port-number>
    <current-utc-offset>37</current-utc-offset>
    <priority1>128</priority1>
    <clock-class>255</clock-class>
    <clock-accuracy>254</clock-accuracy>
    <offset-scaled-log-variance>65535</offset-scaled-log-variance>
    <priority2>255</priority2>
    <grandmaster-clock-identity>0x98AE71FFFE008AC2</grandmaster-clock-identity>
    <steps-removed>0</steps-removed>
    <time-source>160</time-source>
```

```
</sources>
</ptp-status>
<synce-config>
  <acceptance-list-of-ssm>PRC</acceptance-list-of-ssm>
  <acceptance-list-of-ssm>EEC1</acceptance-list-of-ssm>
  <acceptance-list-of-ssm>DNU</acceptance-list-of-ssm>
  <acceptance-list-of-ssm>NONE</acceptance-list-of-ssm>
  <ssm-timeout>5</ssm-timeout>
</synce-config>
<synce-status>
  <reporting-period>10</reporting-period>
  <lock-state>UNLOCKED</lock-state>
</synce-status>
<sources>
  <local-port-number>0</local-port-number>
  <state>DISABLED</state>
  <quality-level>0</quality-level>
</sources>
</synce-status>
<sync-status>
  <sync-state>FREERUN</sync-state>
  <supported-reference-types>
    <item>PTP</item>
  </supported-reference-types>
  <supported-reference-types>
    <item>SYNCE</item>
  </supported-reference-types>
</sync-status>
<sync-capability>
  <sync-t-tsc>ENCHANCED</sync-t-tsc>
</sync-capability>
</sync>
<module-capability xmlns="urn:o-ran:module-cap:1.0">
  <ru-capabilities>
    <ru-supported-category>CAT_A</ru-supported-category>
    <number-of-ru-ports>4</number-of-ru-ports>
    <number-of-spatial-streams>4</number-of-spatial-streams>
    <max-power-per-pa-antenna>43.0</max-power-per-pa-antenna>
    <min-power-per-pa-antenna>43.0</min-power-per-pa-antenna>
    <fronthaul-split-option>7</fronthaul-split-option>
    <format-of-iq-sample>
      <dynamic-compression-supported>false</dynamic-compression-supported>
      <realtime-variable-bit-width-supported>false</realtime-variable-bit-width-supported>
      <compression-method-supported>
        <iq-bitwidth>9</iq-bitwidth>
        <compression-type>STATIC</compression-type>
        <bitwidth>9</bitwidth>
        <exponent>4</exponent>
      </compression-method-supported>
      <compression-method-supported>
```



```
<iq-bitwidth>12</iq-bitwidth>
<compression-type>STATIC</compression-type>
<bitwidth>12</bitwidth>
<exponent>4</exponent>
</compression-method-supported>
<compression-method-supported>
  <iq-bitwidth>16</iq-bitwidth>
</compression-method-supported>
<variable-bit-width-per-channel-supported>false</variable-bit-width-per-channel-supported>
<syminc-supported>false</syminc-supported>
</format-of-iq-sample>
<energy-saving-by-transmission-blanks>false</energy-saving-by-transmission-blanks>
<dynamic-transport-delay-management-supported>false</dynamic-transport-delay-management-supported>
</ru-capabilities>
<band-capabilities>
  <band-number>1</band-number>
  <max-supported-frequency-dl>2170000000</max-supported-frequency-dl>
  <min-supported-frequency-dl>2110000000</min-supported-frequency-dl>
  <max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
  <max-num-carriers-dl>2</max-num-carriers-dl>
  <max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
  <min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
  <max-supported-frequency-ul>1980000000</max-supported-frequency-ul>
  <min-supported-frequency-ul>1920000000</min-supported-frequency-ul>
  <max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
  <max-num-carriers-ul>2</max-num-carriers-ul>
  <max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
  <min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
  <max-num-component-carriers>2</max-num-component-carriers>
  <max-num-bands>1</max-num-bands>
  <max-num-sectors>1</max-num-sectors>
  <max-power-per-antenna>43.0</max-power-per-antenna>
  <min-power-per-antenna>43.0</min-power-per-antenna>
</band-capabilities>
</module-capability>
<operational-info xmlns="urn:o-ran:operations:1.0">
  <clock>
    <timezone-utc-offset>0</timezone-utc-offset>
    <timezone-name>GMT</timezone-name>
  </clock>
  <declarations>
    <ru-instance-id>RUGS_RU_MODEL_2020_VVDN_RU_01</ru-instance-id>
    <supported-mplane-version>2.0.0</supported-mplane-version>
    <supported-cusplane-version>2.0.0</supported-cusplane-version>
    <supported-header-mechanism>
      <protocol>ECPRI</protocol>
      <protocol-version>1.0</protocol-version>
    </supported-header-mechanism>
  </declarations>
```

```
<operational-state>
  <restart-cause>POWER-ON</restart-cause>
  <restart-datetime>2103-10-30T07:03:33+08:50</restart-datetime>
</operational-state>
</operational-info>
<user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
  <low-level-tx-links>
    <name>lltxlink0</name>
    <processing-element>element1</processing-element>
    <tx-array-carrier>txarraycarrier0</tx-array-carrier>
    <low-level-tx-endpoint>slltx-endpoint0</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
    <name>lltxlink1</name>
    <processing-element>element1</processing-element>
    <tx-array-carrier>txarraycarrier0</tx-array-carrier>
    <low-level-tx-endpoint>slltx-endpoint1</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
    <name>lltxlink2</name>
    <processing-element>element1</processing-element>
    <tx-array-carrier>txarraycarrier0</tx-array-carrier>
    <low-level-tx-endpoint>slltx-endpoint2</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-tx-links>
    <name>lltxlink3</name>
    <processing-element>element1</processing-element>
    <tx-array-carrier>txarraycarrier0</tx-array-carrier>
    <low-level-tx-endpoint>slltx-endpoint3</low-level-tx-endpoint>
  </low-level-tx-links>
  <low-level-rx-links>
    <name>llrxlink0</name>
    <processing-element>element1</processing-element>
    <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
    <low-level-rx-endpoint>sllrx-endpoint0</low-level-rx-endpoint>
  </low-level-rx-links>
  <low-level-rx-links>
    <name>llrxlink1</name>
    <processing-element>element1</processing-element>
    <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
    <low-level-rx-endpoint>sllrx-endpoint1</low-level-rx-endpoint>
  </low-level-rx-links>
  <low-level-rx-links>
    <name>llrxlink2</name>
    <processing-element>element1</processing-element>
    <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
    <low-level-rx-endpoint>sllrx-endpoint2</low-level-rx-endpoint>
  </low-level-rx-links>
  <low-level-rx-links>
```

```
<name>llrxlink3</name>
<processing-element>element1</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint3</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-tx-endpoints>
<name>slltx-endpoint0</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
<exponent>4</exponent>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>1</eaxc-id>
</e-axcid>
<cp-type>NORMAL</cp-type>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
<name>slltx-endpoint1</name>
<compression>
<compression-type>STATIC</compression-type>
<iq-bitwidth>16</iq-bitwidth>
<exponent>4</exponent>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
<scs>KHZ_30</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>2</eaxc-id>
</e-axcid>
```

```
<cp-type>NORMAL</cp-type>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
    <exponent>4</exponent>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>3</eaxc-id>
  </e-axcid>
  <cp-type>NORMAL</cp-type>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
    <exponent>4</exponent>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>4</eaxc-id>
  </e-axcid>
  <cp-type>NORMAL</cp-type>
</low-level-tx-endpoints>
<low-level-rx-endpoints>
```

```
<name>sllrx-endpoint0</name>
<compression>
  <compression-type>STATIC</compression-type>
  <iq-bitwidth>16</iq-bitwidth>
  <exponent>4</exponent>
</compression>
<cp-length>352</cp-length>
<cp-length-other>288</cp-length-other>
<offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
<number-of-prb-per-scs>
  <scs>KHZ_30</scs>
</number-of-prb-per-scs>
<ul-fft-sampling-offsets>
  <scs>KHZ_30</scs>
</ul-fft-sampling-offsets>
<e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>1</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
<cp-type>NORMAL</cp-type>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
    <exponent>4</exponent>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>2</eaxc-id>
```

```
</e-axcid>
<non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
<cp-type>NORMAL</cp-type>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
    <exponent>4</exponent>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
</e-axcid>
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>3</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
<cp-type>NORMAL</cp-type>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
    <exponent>4</exponent>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_30</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_30</scs>
  </ul-fft-sampling-offsets>
</e-axcid>
```

```
<o-du-port-bitmask>65024</o-du-port-bitmask>
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>4</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
<cp-type>NORMAL</cp-type>
</low-level-rx-endpoints>
<tx-array-carriers>
  <name>txarraycarrier0</name>
  <absolute-frequency-center>151600</absolute-frequency-center>
  <center-of-channel-bandwidth>780500000</center-of-channel-bandwidth>
  <channel-bandwidth>20000000</channel-bandwidth>
  <gain>0.0</gain>
  <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
  <downlink-sfn-offset>0</downlink-sfn-offset>
  <state>READY</state>
  <type>NR</type>
  <duplex-scheme>FDD</duplex-scheme>
</tx-array-carriers>
<rx-array-carriers>
  <name>rxarraycarrier0</name>
  <absolute-frequency-center>140600</absolute-frequency-center>
  <center-of-channel-bandwidth>725500000</center-of-channel-bandwidth>
  <channel-bandwidth>20000000</channel-bandwidth>
  <active>ACTIVE</active>
  <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
  <downlink-sfn-offset>0</downlink-sfn-offset>
  <gain-correction>0.0</gain-correction>
  <n-ta-offset>25600</n-ta-offset>
  <state>READY</state>
  <type>NR</type>
  <duplex-scheme>FDD</duplex-scheme>
</rx-array-carriers>
<tx-arrays>
  <name>slltx-endpoint0</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
```

```
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>28</band-number>
<capabilities>
  <max-supported-frequency-dl>803000000</max-supported-frequency-dl>
</capabilities>
<capabilities>
  <min-supported-frequency-dl>758000000</min-supported-frequency-dl>
</capabilities>
<capabilities>
  <max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
</capabilities>
<capabilities>
  <max-num-carriers-dl>2</max-num-carriers-dl>
</capabilities>
<capabilities>
  <max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
</capabilities>
</tx-arrays>
<tx-arrays>
  <name>sltx-endpoint1</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>28</band-number>
  <capabilities>
    <max-supported-frequency-dl>803000000</max-supported-frequency-dl>
  </capabilities>
  <capabilities>
    <min-supported-frequency-dl>758000000</min-supported-frequency-dl>
  </capabilities>
  <capabilities>
    <max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
  </capabilities>
  <capabilities>
```



```
<max-num-carriers-dl>2</max-num-carriers-dl>
</capabilities>
<capabilities>
  <max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
</capabilities>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>28</band-number>
  <capabilities>
    <max-supported-frequency-dl>803000000</max-supported-frequency-dl>
  </capabilities>
  <capabilities>
    <min-supported-frequency-dl>758000000</min-supported-frequency-dl>
  </capabilities>
  <capabilities>
    <max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
  </capabilities>
  <capabilities>
    <max-num-carriers-dl>2</max-num-carriers-dl>
  </capabilities>
  <capabilities>
    <max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
  </capabilities>
  <capabilities>
    <min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
  </capabilities>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
```

```
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>28</band-number>
<capabilities>
<max-supported-frequency-dl>803000000</max-supported-frequency-dl>
</capabilities>
<capabilities>
<min-supported-frequency-dl>758000000</min-supported-frequency-dl>
</capabilities>
<capabilities>
<max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
</capabilities>
<capabilities>
<max-num-carriers-dl>2</max-num-carriers-dl>
</capabilities>
<capabilities>
<max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
</capabilities>
<capabilities>
<min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
</capabilities>
</tx-arrays>
<rx-arrays>
<name>sllrx-endpoint0</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>28</band-number>
```

```
<capabilities>
  <max-supported-frequency-ul>748000000</max-supported-frequency-ul>
</capabilities>
<capabilities>
  <min-supported-frequency-ul>703000000</min-supported-frequency-ul>
</capabilities>
<capabilities>
  <max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
</capabilities>
<capabilities>
  <max-num-carriers-ul>2</max-num-carriers-ul>
</capabilities>
<capabilities>
  <max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
</capabilities>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint 1</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>28</band-number>
  <capabilities>
    <max-supported-frequency-ul>748000000</max-supported-frequency-ul>
  </capabilities>
  <capabilities>
    <min-supported-frequency-ul>703000000</min-supported-frequency-ul>
  </capabilities>
  <capabilities>
    <max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
  </capabilities>
  <capabilities>
    <max-num-carriers-ul>2</max-num-carriers-ul>
  </capabilities>
  <capabilities>
```

```
<max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
</capabilities>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>28</band-number>
  <capabilities>
    <max-supported-frequency-ul>748000000</max-supported-frequency-ul>
  </capabilities>
  <capabilities>
    <min-supported-frequency-ul>703000000</min-supported-frequency-ul>
  </capabilities>
  <capabilities>
    <max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
  </capabilities>
  <capabilities>
    <max-num-carriers-ul>2</max-num-carriers-ul>
  </capabilities>
  <capabilities>
    <max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
  </capabilities>
  <capabilities>
    <min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
  </capabilities>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
```

```
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>28</band-number>
<capabilities>
<max-supported-frequency-ul>748000000</max-supported-frequency-ul>
</capabilities>
<capabilities>
<min-supported-frequency-ul>703000000</min-supported-frequency-ul>
</capabilities>
<capabilities>
<max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
</capabilities>
<capabilities>
<max-num-carriers-ul>2</max-num-carriers-ul>
</capabilities>
<capabilities>
<max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
</capabilities>
<capabilities>
<min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
</capabilities>
</rx-arrays>
<relations>
<entity>0</entity>
<array1>
<tx-array-name>slltx-endpoint0</tx-array-name>
</array1>
<array2>
<rx-array-name>sllrx-endpoint0</rx-array-name>
</array2>
<types/>
<types>
<relation-type>COALLOCATED</relation-type>
<pairs>
<element-array1>1</element-array1>
<element-array2>0</element-array2>
</pairs>
</types>
</relations>
<relations>
<entity>1</entity>
<array1>
```

```
<tx-array-name>slltx-endpoint1</tx-array-name>
</array1>
<array2>
  <rx-array-name>sllrx-endpoint1</rx-array-name>
</array2>
<types/>
<types>
  <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>1</element-array2>
  </pairs>
</types>
</relations>
<relations>
  <entity>2</entity>
  <array1>
    <tx-array-name>slltx-endpoint2</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint2</rx-array-name>
  </array2>
  <types/>
  <types>
    <relation-type>COALLOCATED</relation-type>
    <pairs>
      <element-array1>1</element-array1>
      <element-array2>2</element-array2>
    </pairs>
  </types>
</relations>
<relations>
  <entity>3</entity>
  <array1>
    <tx-array-name>slltx-endpoint3</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint3</rx-array-name>
  </array2>
  <types/>
  <types>
    <relation-type>COALLOCATED</relation-type>
    <pairs>
      <element-array1>1</element-array1>
      <element-array2>3</element-array2>
    </pairs>
  </types>
</relations>
<endpoint-types>
```

```
<id>1</id>
<supported-section-types>
  <section-type>1</section-type>
</supported-section-types>
<supported-section-types>
  <section-type>3</section-type>
</supported-section-types>
<supported-frame-structures>193</supported-frame-structures>
<managed-delay-support>MANAGED</managed-delay-support>
<multiple-numerology-supported>false</multiple-numerology-supported>
<max-sections-per-symbol>46</max-sections-per-symbol>
<max-sections-per-slot>644</max-sections-per-slot>
<max-prb-per-symbol>273</max-prb-per-symbol>
<max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-types>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint0</name>
  <array>slltx-endpoint0</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <array>slltx-endpoint1</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint2</name>
  <array>slltx-endpoint2</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint3</name>
  <array>slltx-endpoint3</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint0</name>
  <array>sllrx-endpoint0</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <array>sllrx-endpoint1</array>
  <endpoint-type>1</endpoint-type>
```

```
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <array>sllrx-endpoint2</array>
  <endpoint-type>1</endpoint-type>
</capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <array>sllrx-endpoint3</array>
  <endpoint-type>1</endpoint-type>
</capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<endpoint-capacity-sharing-groups/>
<endpoint-capacity-sharing-groups>
  <id>1</id>
  <max-managed-delay-endpoints>4</max-managed-delay-endpoints>
  <max-non-managed-delay-endpoints>0</max-non-managed-delay-endpoints>
  <max-endpoints>4</max-endpoints>
  <max-sections-per-symbol>46</max-sections-per-symbol>
  <max-sections-per-slot>644</max-sections-per-slot>
  <max-prb-per-symbol>273</max-prb-per-symbol>
  <max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-capacity-sharing-groups>
</user-plane-configuration>
<yang-library xmlns="urn:ietf:params:xml:ns:yang:ietf-yang-library">
  <module-set>
    <name>complete</name>
    <import-only-module>
      <name>ietf-yang-metadata</name>
      <revision>2016-08-05</revision>
      <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-metadata</namespace>
    </import-only-module>
    <module>
      <name>yang</name>
      <revision>2017-02-20</revision>
      <namespace>urn:ietf:params:xml:ns:yang:1</namespace>
    </module>
    <import-only-module>
      <name>ietf-inet-types</name>
      <revision>2013-07-15</revision>
      <namespace>urn:ietf:params:xml:ns:yang:ietf-inet-types</namespace>
      <location>file:///etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang</location>
    </import-only-module>
    <import-only-module>
      <name>ietf-yang-types</name>
      <revision>2013-07-15</revision>
      <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-types</namespace>
```



```
<location>file:///etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang</location>
</import-only-module>
<module>
  <name>sysrepo</name>
  <revision>2021-01-18</revision>
  <namespace>http://www.sysrepo.org/yang/sysrepo</namespace>
</module>
<module>
  <name>ietf-datastores</name>
  <revision>2018-02-14</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-datastores</namespace>
  <location>file:///etc/sysrepo/yang/ietf-datastores@2018-02-14.yang</location>
</module>
<module>
  <name>ietf-yang-library</name>
  <revision>2019-01-04</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-library</namespace>
  <location>file:///etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang</location>
</module>
<module>
  <name>sysrepo-monitoring</name>
  <revision>2021-01-15</revision>
  <namespace>http://www.sysrepo.org/yang/sysrepo-monitoring</namespace>
  <location>file:///etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang</location>
</module>
<module>
  <name>sysrepo-plugind</name>
  <revision>2020-12-10</revision>
  <namespace>urn:sysrepo:plugind</namespace>
  <location>file:///etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang</location>
</module>
<module>
  <name>ietf-netconf-acm</name>
  <revision>2018-02-14</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-acm</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang</location>
</module>
<module>
  <name>ietf-netconf</name>
  <revision>2013-09-29</revision>
  <namespace>urn:ietf:params:xml:ns:netconf:base:1.0</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf@2013-09-29.yang</location>
  <feature>writable-running</feature>
  <feature>candidate</feature>
  <feature>rollback-on-error</feature>
  <feature>validate</feature>
  <feature>startup</feature>
  <feature>url</feature>
  <feature>xpath</feature>
```

```
</module>
<module>
  <name>ietf-netconf-with-defaults</name>
  <revision>2011-06-01</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang</location>
</module>
<module>
  <name>ietf-netconf-notifications</name>
  <revision>2012-02-06</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang</location>
</module>
<module>
  <name>ietf-origin</name>
  <revision>2018-02-14</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-origin</namespace>
  <location>file:///etc/sysrepo/yang/ietf-origin@2018-02-14.yang</location>
</module>
<module>
  <name>ietf-netconf-monitoring</name>
  <revision>2010-10-04</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang</location>
</module>
<module>
  <name>ietf-netconf-nmda</name>
  <revision>2019-01-07</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-nmda</namespace>
  <location>file:///etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang</location>
  <feature>origin</feature>
  <feature>with-defaults</feature>
</module>
<module>
  <name>notifications</name>
  <revision>2008-07-14</revision>
  <namespace>urn:ietf:params:xml:ns:netconf:notification:1.0</namespace>
  <location>file:///etc/sysrepo/yang/notifications@2008-07-14.yang</location>
</module>
<module>
  <name>nc-notifications</name>
  <revision>2008-07-14</revision>
  <namespace>urn:ietf:params:xml:ns:netmod:notification</namespace>
  <location>file:///etc/sysrepo/yang/nc-notifications@2008-07-14.yang</location>
</module>
<module>
  <name>ietf-x509-cert-to-name</name>
  <revision>2014-12-10</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name</namespace>
```

```
<location>file:///etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang</location>
</module>
<module>
  <name>ietf-crypto-types</name>
  <revision>2019-07-02</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-crypto-types</namespace>
  <location>file:///etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang</location>
</module>
<module>
  <name>ietf-keystore</name>
  <revision>2019-07-02</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-keystore</namespace>
  <location>file:///etc/sysrepo/yang/ietf-keystore@2019-07-02.yang</location>
  <feature>keystore-supported</feature>
</module>
<module>
  <name>ietf-truststore</name>
  <revision>2019-07-02</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-truststore</namespace>
  <location>file:///etc/sysrepo/yang/ietf-truststore@2019-07-02.yang</location>
  <feature>truststore-supported</feature>
  <feature>x509-certificates</feature>
</module>
<module>
  <name>ietf-tcp-common</name>
  <revision>2019-07-02</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-common</namespace>
  <location>file:///etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang</location>
  <feature>keepalives-supported</feature>
</module>
<import-only-module>
  <name>ietf-ssh-common</name>
  <revision>2019-07-02</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-common</namespace>
  <location>file:///etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang</location>
</import-only-module>
<import-only-module>
  <name>iana-crypt-hash</name>
  <revision>2014-08-06</revision>
  <namespace>urn:ietf:params:xml:ns:yang:iana-crypt-hash</namespace>
  <location>file:///etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang</location>
</import-only-module>
<module>
  <name>ietf-ssh-server</name>
  <revision>2019-07-02</revision>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-server</namespace>
  <location>file:///etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang</location>
  <feature>local-client-auth-supported</feature>
</module>
```

```
<import-only-module>
<name>ietf-tls-common</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-common</namespace>
<location>file:///etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang</location>
</import-only-module>
<module>
<name>ietf-tls-server</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-server</namespace>
<location>file:///etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang</location>
<feature>local-client-auth-supported</feature>
</module>
<import-only-module>
<name>ietf-tcp-client</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-client</namespace>
<location>file:///etc/sysrepo/yang/ietf-tcp-client@2019-07-02.yang</location>
</import-only-module>
<import-only-module>
<name>ietf-tcp-server</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-server</namespace>
<location>file:///etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang</location>
</import-only-module>
<module>
<name>ietf-netconf-server</name>
<revision>2019-07-02</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-server</namespace>
<location>file:///etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang</location>
<feature>ssh-listen</feature>
<feature>tls-listen</feature>
<feature>ssh-call-home</feature>
<feature>tls-call-home</feature>
</module>
<module>
<name>vvdn_mcel-wdm</name>
<revision>2022-05-03</revision>
<namespace>urn:vvdn_mcel:wdm:1.1</namespace>
<location>file:///etc/sysrepo/yang/vvdn_mcel-wdm@2022-05-03.yang</location>
</module>
<module>
<name>vvdn_mcel-opm</name>
<revision>2020-11-08</revision>
<namespace>urn:vvdn_mcel-opm:1.1</namespace>
<location>file:///etc/sysrepo/yang/vvdn_mcel-opm@2020-11-08.yang</location>
</module>
<module>
<name>notification_history</name>
```

```
<namespace>urn:notification_history</namespace>
<location>file:///etc/sysrepo/yang/notification_history.yang</location>
</module>
<module>
<name>iana-hardware</name>
<revision>2018-03-13</revision>
<namespace>urn:ietf:params:xml:ns:yang:iana-hardware</namespace>
<location>file:///etc/sysrepo/yang/iana-hardware@2018-03-13.yang</location>
</module>
<module>
<name>ietf-hardware</name>
<revision>2018-03-13</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-hardware</namespace>
<location>file:///etc/sysrepo/yang/ietf-hardware@2018-03-13.yang</location>
<feature>hardware-state</feature>
</module>
<module>
<name>ietf-interfaces</name>
<revision>2018-02-20</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-interfaces</namespace>
<location>file:///etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang</location>
</module>
<module>
<name>iana-if-type</name>
<revision>2017-01-19</revision>
<namespace>urn:ietf:params:xml:ns:yang:iana-if-type</namespace>
<location>file:///etc/sysrepo/yang/iana-if-type@2017-01-19.yang</location>
</module>
<module>
<name>ietf-dhcpv6-types</name>
<revision>2018-01-30</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-dhcpv6-types</namespace>
<location>file:///etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang</location>
</module>
<module>
<name>ietf-ip</name>
<revision>2018-02-22</revision>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ip</namespace>
<location>file:///etc/sysrepo/yang/ietf-ip@2018-02-22.yang</location>
<feature>ipv4-non-contiguous-netmasks</feature>
</module>
<module>
<name>o-ran-dhcp</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:dhcp:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-interfaces</name>
```

```
<revision>2019-07-03</revision>
<namespace>urn:o-ran:interfaces:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang</location>
</module>
<module>
  <name>o-ran-mplane-int</name>
  <revision>2019-07-03</revision>
  <namespace>urn:o-ran:mplane-interfaces:1.0</namespace>
  <location>file:///etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang</location>
</module>
<module>
  <name>o-ran-transceiver</name>
  <revision>2019-07-03</revision>
  <namespace>urn:o-ran:transceiver:1.0</namespace>
  <location>file:///etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang</location>
</module>
<module>
  <name>o-ran-processing-element</name>
  <revision>2019-07-03</revision>
  <namespace>urn:o-ran:processing-element:1.0</namespace>
  <location>file:///etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang</location>
</module>
<module>
  <name>o-ran-ald-port</name>
  <revision>2019-07-03</revision>
  <namespace>urn:o-ran:ald-port:1.0</namespace>
  <location>file:///etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang</location>
</module>
<module>
  <name>o-ran-supervision</name>
  <revision>2019-07-03</revision>
  <namespace>urn:o-ran:supervision:1.0</namespace>
  <location>file:///etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang</location>
</module>
<module>
  <name>o-ran-hardware</name>
  <revision>2019-07-03</revision>
  <namespace>urn:o-ran:hardware:1.0</namespace>
  <location>file:///etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang</location>
</module>
<module>
  <name>o-ran-fm</name>
  <revision>2019-02-04</revision>
  <namespace>urn:o-ran:fm:1.0</namespace>
  <location>file:///etc/sysrepo/yang/o-ran-fm@2019-02-04.yang</location>
</module>
<module>
  <name>o-ran-usermgmt</name>
  <revision>2019-07-03</revision>
```

```
<namespace>urn:o-ran:user-mgmt:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-sync</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:sync:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-sync@2019-07-03.yang</location>
<feature>GNSS</feature>
</module>
<module>
<name>o-ran-compression-factors</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:compression-factors:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-module-cap</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:module-cap:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-delay-management</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:delay:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-operations</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:operations:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-operations@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-uplane-conf</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:uplane-conf:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-file-management</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:file-management:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-software-management</name>
<revision>2019-07-03</revision>
```

```
<namespace>urn:o-ran:software-management:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-performance-management</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:performance-management:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-ald</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:ald:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-ald@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-trace</name>
<revision>2019-07-03</revision>
<namespace>urn:o-ran:trace:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-trace@2019-07-03.yang</location>
</module>
<module>
<name>o-ran-troubleshooting</name>
<revision>2019-02-04</revision>
<namespace>urn:o-ran:troubleshooting:1.0</namespace>
<location>file:///etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang</location>
</module>
</module-set>
<schema>
<name>complete</name>
<module-set>complete</module-set>
</schema>
<content-id>63</content-id>
<datastore>
<name xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">ds:running</name>
<schema>complete</schema>
</datastore>
<datastore>
<name xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">ds:candidate</name>
<schema>complete</schema>
</datastore>
<datastore>
<name xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">ds:startup</name>
<schema>complete</schema>
</datastore>
<datastore>
<name xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">ds:operational</name>
<schema>complete</schema>
</datastore>
```



```
</yang-library>
<modules-state xmlns="urn:ietf:params:xml:ns:yang:ietf-yang-library">
  <module>
    <name>ietf-yang-metadata</name>
    <revision>2016-08-05</revision>
    <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-metadata</namespace>
    <conformance-type>import</conformance-type>
  </module>
  <module>
    <name>yang</name>
    <revision>2017-02-20</revision>
    <namespace>urn:ietf:params:xml:ns:yang:1</namespace>
    <conformance-type>implement</conformance-type>
  </module>
  <module>
    <name>ietf-inet-types</name>
    <revision>2013-07-15</revision>
    <schema>file:///etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang</schema>
    <namespace>urn:ietf:params:xml:ns:yang:ietf-inet-types</namespace>
    <conformance-type>import</conformance-type>
  </module>
  <module>
    <name>ietf-yang-types</name>
    <revision>2013-07-15</revision>
    <schema>file:///etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang</schema>
    <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-types</namespace>
    <conformance-type>import</conformance-type>
  </module>
  <module>
    <name>sysrepo</name>
    <revision>2021-01-18</revision>
    <namespace>http://www.sysrepo.org/yang/sysrepo</namespace>
    <conformance-type>implement</conformance-type>
  </module>
  <module>
    <name>ietf-datastores</name>
    <revision>2018-02-14</revision>
    <schema>file:///etc/sysrepo/yang/ietf-datastores@2018-02-14.yang</schema>
    <namespace>urn:ietf:params:xml:ns:yang:ietf-datastores</namespace>
    <conformance-type>implement</conformance-type>
  </module>
  <module>
    <name>ietf-yang-library</name>
    <revision>2019-01-04</revision>
    <schema>file:///etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang</schema>
    <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-library</namespace>
    <conformance-type>implement</conformance-type>
  </module>
</modules-state>
</module>
```

```
<name>sysrepo-monitoring</name>
<revision>2021-01-15</revision>
<schema>file:///etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang</schema>
<namespace>http://www.sysrepo.org/yang/sysrepo-monitoring</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>sysrepo-plugind</name>
<revision>2020-12-10</revision>
<schema>file:///etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang</schema>
<namespace>urn:sysrepo:plugind</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-acm</name>
<revision>2018-02-14</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-acm</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf</name>
<revision>2013-09-29</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf@2013-09-29.yang</schema>
<namespace>urn:ietf:params:xml:ns:netconf:base:1.0</namespace>
<feature>writable-running</feature>
<feature>candidate</feature>
<feature>rollback-on-error</feature>
<feature>validate</feature>
<feature>startup</feature>
<feature>url</feature>
<feature>xpath</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-with-defaults</name>
<revision>2011-06-01</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-notifications</name>
<revision>2012-02-06</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications</namespace>
<conformance-type>implement</conformance-type>
</module>
</module>
```

```
<name>ietf-origin</name>
<revision>2018-02-14</revision>
<schema>file:///etc/sysrepo/yang/ietf-origin@2018-02-14.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-origin</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-monitoring</name>
<revision>2010-10-04</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-netconf-nmda</name>
<revision>2019-01-07</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-nmda</namespace>
<feature>origin</feature>
<feature>with-defaults</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>notifications</name>
<revision>2008-07-14</revision>
<schema>file:///etc/sysrepo/yang/notifications@2008-07-14.yang</schema>
<namespace>urn:ietf:params:xml:ns:netconf:notification:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>nc-notifications</name>
<revision>2008-07-14</revision>
<schema>file:///etc/sysrepo/yang/nc-notifications@2008-07-14.yang</schema>
<namespace>urn:ietf:params:xml:ns:netmod:notification</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-x509-cert-to-name</name>
<revision>2014-12-10</revision>
<schema>file:///etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-crypto-types</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-crypto-types</namespace>
<conformance-type>implement</conformance-type>
```

```
</module>
<module>
  <name>ietf-keystore</name>
  <revision>2019-07-02</revision>
  <schema>file:///etc/sysrepo/yang/ietf-keystore@2019-07-02.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-keystore</namespace>
  <feature>keystore-supported</feature>
  <conformance-type>implement</conformance-type>
</module>
<module>
  <name>ietf-truststore</name>
  <revision>2019-07-02</revision>
  <schema>file:///etc/sysrepo/yang/ietf-truststore@2019-07-02.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-truststore</namespace>
  <feature>truststore-supported</feature>
  <feature>x509-certificates</feature>
  <conformance-type>implement</conformance-type>
</module>
<module>
  <name>ietf-tcp-common</name>
  <revision>2019-07-02</revision>
  <schema>file:///etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-common</namespace>
  <feature>keepalives-supported</feature>
  <conformance-type>implement</conformance-type>
</module>
<module>
  <name>ietf-ssh-common</name>
  <revision>2019-07-02</revision>
  <schema>file:///etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-common</namespace>
  <conformance-type>import</conformance-type>
</module>
<module>
  <name>iana-crypt-hash</name>
  <revision>2014-08-06</revision>
  <schema>file:///etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:iana-crypt-hash</namespace>
  <conformance-type>import</conformance-type>
</module>
<module>
  <name>ietf-ssh-server</name>
  <revision>2019-07-02</revision>
  <schema>file:///etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang</schema>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-server</namespace>
  <feature>local-client-auth-supported</feature>
  <conformance-type>implement</conformance-type>
</module>
<module>
```

```
<name>ietf-tls-common</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-common</namespace>
<conformance-type>import</conformance-type>
</module>
<module>
<name>ietf-tls-server</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-server</namespace>
<feature>local-client-auth-supported</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-tcp-client</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tcp-client@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-client</namespace>
<conformance-type>import</conformance-type>
</module>
<module>
<name>ietf-tcp-server</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-server</namespace>
<conformance-type>import</conformance-type>
</module>
<module>
<name>ietf-netconf-server</name>
<revision>2019-07-02</revision>
<schema>file:///etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-server</namespace>
<feature>ssh-listen</feature>
<feature>tls-listen</feature>
<feature>ssh-call-home</feature>
<feature>tls-call-home</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>vvdn_mcel-wdm</name>
<revision>2022-05-03</revision>
<schema>file:///etc/sysrepo/yang/vvdn_mcel-wdm@2022-05-03.yang</schema>
<namespace>urn:vvdn_mcel:wdm:1.1</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>vvdn_mcel-opm</name>
<revision>2020-11-08</revision>
```

```
<schema>file:///etc/sysrepo/yang/vvdn_mcel-opm@2020-11-08.yang</schema>
<namespace>urn:vvdn_mcel-opm:1.1</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>notification_history</name>
<revision/>
<schema>file:///etc/sysrepo/yang/notification_history.yang</schema>
<namespace>urn:notification_history</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>iana-hardware</name>
<revision>2018-03-13</revision>
<schema>file:///etc/sysrepo/yang/iana-hardware@2018-03-13.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:iana-hardware</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-hardware</name>
<revision>2018-03-13</revision>
<schema>file:///etc/sysrepo/yang/ietf-hardware@2018-03-13.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-hardware</namespace>
<feature>hardware-state</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-interfaces</name>
<revision>2018-02-20</revision>
<schema>file:///etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-interfaces</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>iana-if-type</name>
<revision>2017-01-19</revision>
<schema>file:///etc/sysrepo/yang/iana-if-type@2017-01-19.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:iana-if-type</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-dhcpv6-types</name>
<revision>2018-01-30</revision>
<schema>file:///etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-dhcpv6-types</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>ietf-ip</name>
```

```
<revision>2018-02-22</revision>
<schema>file:///etc/sysrepo/yang/ietf-ip@2018-02-22.yang</schema>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ip</namespace>
<feature>ipv4-non-contiguous-netmasks</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-dhcp</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang</schema>
<namespace>urn:o-ran:dhcp:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-interfaces</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang</schema>
<namespace>urn:o-ran:interfaces:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-mplane-int</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang</schema>
<namespace>urn:o-ran:mplane-interfaces:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-transceiver</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang</schema>
<namespace>urn:o-ran:transceiver:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-processing-element</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang</schema>
<namespace>urn:o-ran:processing-element:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-ald-port</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang</schema>
<namespace>urn:o-ran:ald-port:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
</module>
```

```
<name>o-ran-supervision</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang</schema>
<namespace>urn:o-ran:supervision:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-hardware</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang</schema>
<namespace>urn:o-ran:hardware:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-fm</name>
<revision>2019-02-04</revision>
<schema>file:///etc/sysrepo/yang/o-ran-fm@2019-02-04.yang</schema>
<namespace>urn:o-ran:fm:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-usermgmt</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang</schema>
<namespace>urn:o-ran:user-mgmt:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-sync</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-sync@2019-07-03.yang</schema>
<namespace>urn:o-ran:sync:1.0</namespace>
<feature>GNSS</feature>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-compression-factors</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang</schema>
<namespace>urn:o-ran:compression-factors:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-module-cap</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang</schema>
<namespace>urn:o-ran:module-cap:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
```



```
<module>
<name>o-ran-delay-management</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang</schema>
<namespace>urn:o-ran:delay:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-operations</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-operations@2019-07-03.yang</schema>
<namespace>urn:o-ran:operations:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-uplane-conf</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang</schema>
<namespace>urn:o-ran:uplane-conf:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-file-management</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang</schema>
<namespace>urn:o-ran:file-management:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-software-management</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang</schema>
<namespace>urn:o-ran:software-management:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-performance-management</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang</schema>
<namespace>urn:o-ran:performance-management:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-ald</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-ald@2019-07-03.yang</schema>
<namespace>urn:o-ran:ald:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
```

```
<module>
<name>o-ran-trace</name>
<revision>2019-07-03</revision>
<schema>file:///etc/sysrepo/yang/o-ran-trace@2019-07-03.yang</schema>
<namespace>urn:o-ran:trace:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module>
<name>o-ran-troubleshooting</name>
<revision>2019-02-04</revision>
<schema>file:///etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang</schema>
<namespace>urn:o-ran:troubleshooting:1.0</namespace>
<conformance-type>implement</conformance-type>
</module>
<module-set-id>63</module-set-id>
</modules-state>
<netconf-state xmlns="urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring">
<capabilities>
<capability>urn:ietf:params:netconf:base:1.0</capability>
<capability>urn:ietf:params:netconf:base:1.1</capability>
<capability>urn:ietf:params:netconf:capability:writable-running:1.0</capability>
<capability>urn:ietf:params:netconf:capability:candidate:1.0</capability>
<capability>urn:ietf:params:netconf:capability:rollback-on-error:1.0</capability>
<capability>urn:ietf:params:netconf:capability:validate:1.1</capability>
<capability>urn:ietf:params:netconf:capability:startup:1.0</capability>
<capability>urn:ietf:params:netconf:capability:xpath:1.0</capability>
<capability>urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit</capability>
<capability>urn:ietf:params:netconf:capability:notification:1.0</capability>
<capability>urn:ietf:params:netconf:capability:interleave:1.0</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05</capability>
<capability>urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15</capability>
<capability>urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63</capability>
<capability>urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14</capability>
<capability>urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04</capability>
<capability>urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14</capability>
<capability>urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14</capability>
<capability>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10</capability>
<capability>urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06</capability>
<capability>urn:notification_history?module=notification_history</capability>
<capability>urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19</capability>
</capabilities>
```

```
<datastores>
<datastore>
  <name>running</name>
</datastore>
<datastore>
  <name>startup</name>
</datastore>
<datastore>
  <name>candidate</name>
</datastore>
</datastores>
<schemas>
<schema>
  <identifier>ietf-yang-metadata</identifier>
  <version>2016-08-05</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-metadata</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-metadata</identifier>
  <version>2016-08-05</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-metadata</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>yang</identifier>
  <version>2017-02-20</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>yang</identifier>
  <version>2017-02-20</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-inet-types</identifier>
  <version>2013-07-15</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-inet-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-inet-types</identifier>
```

```
<version>2013-07-15</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-inet-types</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-types</identifier>
  <version>2013-07-15</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-types</identifier>
  <version>2013-07-15</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo</identifier>
  <version>2021-01-18</version>
  <format>yang</format>
  <namespace>http://www.sysrepo.org/yang/sysrepo</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo</identifier>
  <version>2021-01-18</version>
  <format>yin</format>
  <namespace>http://www.sysrepo.org/yang/sysrepo</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-datastores</identifier>
  <version>2018-02-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-datastores</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-datastores</identifier>
  <version>2018-02-14</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-datastores</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-library</identifier>
```

```
<version>2019-01-04</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-yang-library</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-yang-library</identifier>
  <version>2019-01-04</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-yang-library</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo-monitoring</identifier>
  <version>2021-01-15</version>
  <format>yang</format>
  <namespace>http://www.sysrepo.org/yang/sysrepo-monitoring</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo-monitoring</identifier>
  <version>2021-01-15</version>
  <format>yin</format>
  <namespace>http://www.sysrepo.org/yang/sysrepo-monitoring</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo-plugind</identifier>
  <version>2020-12-10</version>
  <format>yang</format>
  <namespace>urn:sysrepo:plugind</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>sysrepo-plugind</identifier>
  <version>2020-12-10</version>
  <format>yin</format>
  <namespace>urn:sysrepo:plugind</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-acm</identifier>
  <version>2018-02-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-acm</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-acm</identifier>
```

```
<version>2018-02-14</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-acm</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf</identifier>
  <version>2013-09-29</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:netconf:base:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf</identifier>
  <version>2013-09-29</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:netconf:base:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-with-defaults</identifier>
  <version>2011-06-01</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-with-defaults</identifier>
  <version>2011-06-01</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-notifications</identifier>
  <version>2012-02-06</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-notifications</identifier>
  <version>2012-02-06</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-notifications</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-origin</identifier>
```

```
<version>2018-02-14</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-origin</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-origin</identifier>
  <version>2018-02-14</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-origin</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-monitoring</identifier>
  <version>2010-10-04</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-monitoring</identifier>
  <version>2010-10-04</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-nmda</identifier>
  <version>2019-01-07</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-nmda</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-nmda</identifier>
  <version>2019-01-07</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-nmda</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>notifications</identifier>
  <version>2008-07-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:netconf:notification:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>notifications</identifier>
```

```
<version>2008-07-14</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:netconf:notification:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>nc-notifications</identifier>
  <version>2008-07-14</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:netmod:notification</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>nc-notifications</identifier>
  <version>2008-07-14</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:netmod:notification</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-x509-cert-to-name</identifier>
  <version>2014-12-10</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-x509-cert-to-name</identifier>
  <version>2014-12-10</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-crypto-types</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-crypto-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-crypto-types</identifier>
  <version>2019-07-02</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-crypto-types</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-keystore</identifier>
```



```
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-keystore</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-keystore</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-keystore</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-truststore</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-truststore</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-truststore</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-truststore</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tcp-common</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tcp-common</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ssh-common</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ssh-common</identifier>
```

```
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>iana-crypt-hash</identifier>
<version>2014-08-06</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:iana-crypt-hash</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>iana-crypt-hash</identifier>
<version>2014-08-06</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:iana-crypt-hash</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ssh-server</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-server</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ssh-server</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ssh-server</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tls-common</identifier>
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tls-common</identifier>
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-common</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-tls-server</identifier>
```

```
<version>2019-07-02</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-tls-server</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-tls-server</identifier>
  <version>2019-07-02</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tls-server</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-tcp-client</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-client</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-tcp-client</identifier>
  <version>2019-07-02</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-client</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-tcp-server</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-server</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-tcp-server</identifier>
  <version>2019-07-02</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-tcp-server</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-server</identifier>
  <version>2019-07-02</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-server</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-netconf-server</identifier>
```

```
<version>2019-07-02</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-netconf-server</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>vvdn_mcel-wdm</identifier>
  <version>2022-05-03</version>
  <format>yang</format>
  <namespace>urn:vvdn_mcel:wdm:1.1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>vvdn_mcel-wdm</identifier>
  <version>2022-05-03</version>
  <format>yin</format>
  <namespace>urn:vvdn_mcel:wdm:1.1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>vvdn_mcel-opm</identifier>
  <version>2020-11-08</version>
  <format>yang</format>
  <namespace>urn:vvdn_mcel-opm:1.1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>vvdn_mcel-opm</identifier>
  <version>2020-11-08</version>
  <format>yin</format>
  <namespace>urn:vvdn_mcel-opm:1.1</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>notification_history</identifier>
  <version/>
  <format>yang</format>
  <namespace>urn:notification_history</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>notification_history</identifier>
  <version/>
  <format>yin</format>
  <namespace>urn:notification_history</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>iana-hardware</identifier>
```

```
<version>2018-03-13</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:iana-hardware</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>iana-hardware</identifier>
  <version>2018-03-13</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:iana-hardware</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-hardware</identifier>
  <version>2018-03-13</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-hardware</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-hardware</identifier>
  <version>2018-03-13</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-hardware</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-interfaces</identifier>
  <version>2018-02-20</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-interfaces</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>ietf-interfaces</identifier>
  <version>2018-02-20</version>
  <format>yin</format>
  <namespace>urn:ietf:params:xml:ns:yang:ietf-interfaces</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>iana-if-type</identifier>
  <version>2017-01-19</version>
  <format>yang</format>
  <namespace>urn:ietf:params:xml:ns:yang:iana-if-type</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>iana-if-type</identifier>
```

```
<version>2017-01-19</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:iana-if-type</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-dhcpv6-types</identifier>
<version>2018-01-30</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-dhcpv6-types</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-dhcpv6-types</identifier>
<version>2018-01-30</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-dhcpv6-types</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ip</identifier>
<version>2018-02-22</version>
<format>yang</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ip</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>ietf-ip</identifier>
<version>2018-02-22</version>
<format>yin</format>
<namespace>urn:ietf:params:xml:ns:yang:ietf-ip</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-dhcp</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:dhcp:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-dhcp</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:dhcp:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-interfaces</identifier>
```

```
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:interfaces:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-interfaces</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:interfaces:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-mplane-int</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:mplane-interfaces:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-mplane-int</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:mplane-interfaces:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-transceiver</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:transceiver:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-transceiver</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:transceiver:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-processing-element</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:processing-element:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-processing-element</identifier>
```

```
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:processing-element:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-ald-port</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:ald-port:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-ald-port</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:ald-port:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-supervision</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:supervision:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-supervision</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:supervision:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-hardware</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:hardware:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-hardware</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:hardware:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-fm</identifier>
```



```
<version>2019-02-04</version>
<format>yang</format>
<namespace>urn:o-ran:fm:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-fm</identifier>
  <version>2019-02-04</version>
  <format>yin</format>
  <namespace>urn:o-ran:fm:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-usermgmt</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:user-mgmt:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-usermgmt</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:user-mgmt:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-sync</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:sync:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-sync</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:sync:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-compression-factors</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:compression-factors:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-compression-factors</identifier>
```

```
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:compression-factors:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-module-cap</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:module-cap:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-module-cap</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:module-cap:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-delay-management</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:delay:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-delay-management</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:delay:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-operations</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:operations:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-operations</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:operations:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-uplane-conf</identifier>
```

```
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:uplane-conf:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-uplane-conf</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:uplane-conf:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-file-management</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:file-management:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-file-management</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:file-management:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-software-management</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:software-management:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-software-management</identifier>
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:software-management:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-performance-management</identifier>
<version>2019-07-03</version>
<format>yang</format>
<namespace>urn:o-ran:performance-management:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
<identifier>o-ran-performance-management</identifier>
```

```
<version>2019-07-03</version>
<format>yin</format>
<namespace>urn:o-ran:performance-management:1.0</namespace>
<location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-ald</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:ald:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-ald</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:ald:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-trace</identifier>
  <version>2019-07-03</version>
  <format>yang</format>
  <namespace>urn:o-ran:trace:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-trace</identifier>
  <version>2019-07-03</version>
  <format>yin</format>
  <namespace>urn:o-ran:trace:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-troubleshooting</identifier>
  <version>2019-02-04</version>
  <format>yang</format>
  <namespace>urn:o-ran:troubleshooting:1.0</namespace>
  <location>NETCONF</location>
</schema>
<schema>
  <identifier>o-ran-troubleshooting</identifier>
  <version>2019-02-04</version>
  <format>yin</format>
  <namespace>urn:o-ran:troubleshooting:1.0</namespace>
  <location>NETCONF</location>
</schema>
</schemas>
<sessions>
```

```
<session>
<session-id>1</session-id>
<transport>netconf-ssh</transport>
<username>operator</username>
<source-host>::ffff:192.168.4.15</source-host>
<login-time>2103-10-29T22:14:40Z</login-time>
<in-rpcs>61</in-rpcs>
<in-bad-rpcs>0</in-bad-rpcs>
<out-rpc-errors>0</out-rpc-errors>
<out-notifications>0</out-notifications>
</session>
<session>
<session-id>10</session-id>
<transport>netconf-ssh</transport>
<username>operator</username>
<source-host>192.168.4.15</source-host>
<login-time>2103-10-29T22:32:20Z</login-time>
<in-rpcs>4</in-rpcs>
<in-bad-rpcs>0</in-bad-rpcs>
<out-rpc-errors>0</out-rpc-errors>
<out-notifications>0</out-notifications>
</session>
</sessions>
<statistics>
<netconf-start-time>2103-10-29T22:13:26Z</netconf-start-time>
<in-bad-hellos>0</in-bad-hellos>
<in-sessions>10</in-sessions>
<dropped-sessions>2</dropped-sessions>
<in-rpcs>93</in-rpcs>
<in-bad-rpcs>0</in-bad-rpcs>
<out-rpc-errors>0</out-rpc-errors>
<out-notifications>0</out-notifications>
</statistics>
</netconf-state>
<netconf xmlns="urn:ietf:params:xml:ns:netmod:notification">
<streams>
<stream>
<name>NETCONF</name>
<description>Default NETCONF stream containing notifications from all the modules. Replays only notifications for modules that support
replay.</description>
<replaySupport>true</replaySupport>
</stream>
<stream>
<name>yang</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>false</replaySupport>
</stream>
<stream>
<name>ietf-datastores</name>
```

```
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-yang-library</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>sysrepo-monitoring</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>sysrepo-plugind</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-netconf-with-defaults</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-netconf-notifications</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-origin</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-netconf-acm</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-netconf</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-netconf-monitoring</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
```

```
<name>ietf-netconf-nmda</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>nc-notifications</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>notifications</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-x509-cert-to-name</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-crypto-types</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-keystore</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-truststore</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-tcp-common</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-ssh-server</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-tls-server</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
```

```
<stream>
<name>ietf-netconf-server</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>vvdn_mcel-wdm</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>vvdn_mcel-opm</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>notification_history</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>iana-hardware</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-hardware</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-interfaces</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>iana-if-type</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-dhcpv6-types</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>ietf-ip</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
```



```
</stream>
<stream>
  <name>o-ran-dhcp</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-interfaces</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-mplane-int</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-transceiver</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-processing-element</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-ald-port</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-supervision</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-hardware</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-fm</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>>false</replaySupport>
</stream>
<stream>
  <name>o-ran-usermgmt</name>
  <description>Stream with all notifications of a module.</description>
```

```
<replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-sync</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-compression-factors</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-module-cap</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-delay-management</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-operations</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-uplane-conf</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-file-management</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-software-management</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-performance-management</name>
  <description>Stream with all notifications of a module.</description>
  <replaySupport>false</replaySupport>
</stream>
<stream>
  <name>o-ran-ald</name>
```

```
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-trace</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
<stream>
<name>o-ran-troubleshooting</name>
<description>Stream with all notifications of a module.</description>
<replaySupport>>false</replaySupport>
</stream>
</streams>
</netconf>
<interfaces-state xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces">
<interface>
<name>lo</name>
<oper-status>up</oper-status>
<phys-address>00:00:00:00:00:00</phys-address>
<statistics>
<in-octets>0</in-octets>
<in-discards>0</in-discards>
<in-errors>0</in-errors>
<out-octets>0</out-octets>
<out-errors>0</out-errors>
<out-discards>0</out-discards>
</statistics>
</interface>
<interface>
<name>eth0</name>
<oper-status>up</oper-status>
<phys-address>98:ae:71:00:8a:c1</phys-address>
<statistics>
<in-octets>0</in-octets>
<in-discards>0</in-discards>
<in-errors>0</in-errors>
<out-octets>0</out-octets>
<out-errors>0</out-errors>
<out-discards>0</out-discards>
</statistics>
</interface>
<interface>
<name>eth1</name>
<oper-status>up</oper-status>
<phys-address>98:ae:71:00:8a:c2</phys-address>
<statistics>
<in-octets>254862</in-octets>
<in-discards>0</in-discards>
```

```
<in-errors>0</in-errors>
<out-octets>1349679</out-octets>
<out-errors>0</out-errors>
<out-discards>0</out-discards>
</statistics>
</interface>
<interface>
  <name>eth1.100</name>
  <oper-status>up</oper-status>
  <phys-address>98:ae:71:00:8a:c2</phys-address>
  <statistics>
    <in-octets>0</in-octets>
    <in-discards>0</in-discards>
    <in-errors>0</in-errors>
    <out-octets>1076</out-octets>
    <out-errors>0</out-errors>
    <out-discards>0</out-discards>
  </statistics>
</interface>
</interfaces-state>
<dhcp xmlns="urn:o-ran:dhcp:1.0">
  <interfaces>
    <interface>eth1</interface>
    <dhcpv4>
      <dhcp-server-identifier>192.168.4.15</dhcp-server-identifier>
      <domain-name>vvdntech.com</domain-name>
      <domain-name-servers>192.168.4.15</domain-name-servers>
      <interface-mtu>1500</interface-mtu>
      <default-gateways>192.168.4.15</default-gateways>
      <netconf-clients>
        <client>192.168.4.15</client>
      </netconf-clients>
    </dhcpv4>
  </interfaces>
</dhcp>
<active-alarm-list xmlns="urn:o-ran:fm:1.0">
  <active-alarms>
    <fault-id>18</fault-id>
    <fault-source>Module or antenna line</fault-source>
    <affected-objects>
      <name>Sync Module</name>
    </affected-objects>
    <fault-severity>CRITICAL</fault-severity>
    <is-cleared>false</is-cleared>
    <fault-text>Synchronization Error</fault-text>
    <event-time>2103-10-29T22:14:31Z</event-time>
  </active-alarms>
</active-alarm-list>
<software-inventory xmlns="urn:o-ran:software-management:1.0">
```

```
<software-slot>
<name>swSlot1</name>
<status>VALID</status>
<active>true</active>
<running>true</running>
<access>READ_WRITE</access>
<product-code>VVDN=O-RU</product-code>
<vendor-code>VN</vendor-code>
<build-id>38578ed</build-id>
<build-name>Beta Release</build-name>
<build-version>1.0.5</build-version>
<files>
<name>boot</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/BOOT0001.BIN</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>kernel</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/image0001.ub</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>rootfs</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p2/</local-path>
<integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
<name>swSlot2</name>
<status>VALID</status>
<active>false</active>
<running>false</running>
<access>READ_WRITE</access>
<product-code>STL=O-RU</product-code>
<vendor-code>VN</vendor-code>
<build-id>factory_img</build-id>
<build-name>Beta Release</build-name>
<build-version>1.0.0</build-version>
<files>
<name>boot</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/BOOT0002.BIN</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>kernel</name>
```

```
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/image0002.ub</local-path>
<integrity>OK</integrity>
</files>
<files>
  <name>rootfs</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcb1k0p3/</local-path>
  <integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
  <name>swRecoverySlot</name>
  <status>VALID</status>
  <active>false</active>
  <running>false</running>
  <access>READ_ONLY</access>
  <product-code>STL=O-RU</product-code>
  <vendor-code>VN</vendor-code>
  <build-id>factory_img</build-id>
  <build-name>Beta Release</build-name>
  <build-version>1.0.0</build-version>
  <files>
    <name>boot</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/BOOT0003.BIN</local-path>
    <integrity>OK</integrity>
  </files>
  <files>
    <name>kernel</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/golden.ub</local-path>
    <integrity>OK</integrity>
  </files>
  <files>
    <name>rootfs</name>
    <version>1.0.0</version>
    <local-path>/media/sd-mmcb1k0p1/golden.ub</local-path>
    <integrity>OK</integrity>
  </files>
</software-slot>
</software-inventory>
</data>
```

## =====

**##### SYSTEM LOGS #####**

=====

Oct 29 22:32:18 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:32:18 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 22:32:19 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:32:19 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Session 211 (user "root", CID 1) created.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session 10 established.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Session 212 (user "root", CID 1) created.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 24 priority 0 for 1 subscribers.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 24 priority 0 (remaining 1 subscribers).

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 24 priority 0 (remaining 0 subscribers).

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 24 priority 0 succeeded.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Session 10: thread 1 event new RPC.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 25 priority 0 for 1 subscribers.

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 25 priority 0 (remaining 1 subscribers).

Oct 29 22:32:20 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Oct 29 22:32:20 mcb1 user.notice fw\_manager[1067]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 25 priority 0 (remaining 0 subscribers).

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 25 priority 0 succeeded.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Session 10: thread 0 event new RPC.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 3 priority 0 for 1 subscribers.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 3 priority 0 succeeded.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:21 mcb1 daemon.info netopeer2-server[986]: Session 10: thread 4 event new RPC.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 1 priority 0 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Session 10: thread 4 event new RPC.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 26 priority 0 for 1 subscribers.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 26 priority 0 (remaining 1 subscribers).

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.



Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-netconf-acm:nacm/denied-operations" with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Successful processing of "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-netconf-acm:nacm/denied-data-writes" with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Successful processing of "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-netconf-acm:nacm/denied-notifications" with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Successful processing of "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-netconf-monitoring:netconf-state" with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-monitoring" "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Successful processing of "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/nc-notifications:netconf" with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Processing "nc-notifications" "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Successful processing of "operational" event with ID 2.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-hardware:hardware" with ID 4.

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: SR\_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 4 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-interfaces:interfaces" with ID 10.

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces" REQUESTED

Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IF\_CFG: File./sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 10 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/ietf-interfaces:interfaces-state" with ID 10.

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: DATA FOR "ietf-interfaces" "/ietf-interfaces:interfaces-state" REQUESTED

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: /ietf-interfaces:interfaces-state

Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IFMNGR: getting state of interface : lo

Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IF\_CFG: File./sys/class/net/lo/speed reading failed errno:(Invalid argument)

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : lo in-octets: 0

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : lo in-discards: 0

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : lo in-errors: 0

Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IFMNGR: getting state of interface : eth0

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth0 in-octets: 0

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth0 in-discards: 0

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth0 in-errors: 0

Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IFMNGR: getting state of interface : eth1

Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IF\_CFG: File./sys/class/net/eth1/speed reading failed errno:(Invalid argument)

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth1 in-octets: 254862

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth1 in-discards: 0

Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth1 in-errors: 0  
Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IFMNGR: getting state of interface : eth1.100  
Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: IF\_CFG: File:/sys/class/net/eth1.100/speed reading failed errno:(Invalid argument)  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth1.100 in-octets: 0  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth1.100 in-discards: 0  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: IFMNGR: Interface : eth1.100 in-errors: 0  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 10 succeeded.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-dhcp:dhcp/interfaces" with ID 2.  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: Interface : eth1  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: Clientid :  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: Serverid : 192.168.4.15  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: MTU : 1500  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: Domain : vvdntech.com  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: DNS : 192.168.4.15  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: Gateway : 192.168.4.15  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: NC Client : 192.168.4.15  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: DHCP: DATA FOR "o-ran-dhcp" "/o-ran-dhcp:dhcp/interfaces" REQUESTED  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth1", but it is not required.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-mplane-int:mplane-info/m-plane-interfaces" with ID 2.  
Oct 29 22:32:26 mcb1 user.info nw\_manager[1019]: Mplane: DATA FOR "o-ran-mplane-int" "/o-ran-mplane-int:mplane-info/m-plane-interfaces" REQUESTED  
Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: Getting fqdn string  
Oct 29 22:32:26 mcb1 user.err nw\_manager[1019]: Unable to open fqdn file or file not created  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-transceiver:port-transceivers" with ID 2.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-processing-element:processing-elements" with ID 2.  
Oct 29 22:32:26 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe\_get\_items\_cb line:56 DATA FOR  
"o-ran-processing-element" "/o-ran-processing-element:processing-elements" REQUESTED  
Oct 29 22:32:26 mcb1 user.notice PROCESSING-ELEMENTS[1325]: @function:pe\_get\_items\_cb line:57  
get-maximum-number-of-transport-flow  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-ald-port:ald-ports-io" with ID 2.  
Oct 29 22:32:26 mcb1 user.notice ald\_controller[1403]: Operational data request #2 recieved. xpath -> /o-ran-ald-port:ald-ports-io  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-fm:active-alarm-list/active-alarms" with ID 2.  
Oct 29 22:32:26 mcb1 user.info FAULT MANAGEMENT[1046]: ===== DATA FOR "o-ran-fm"  
"/o-ran-fm:active-alarm-list/active-alarms" REQUESTED=====

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.  
Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-sync:sync" with ID 5.  
Oct 29 22:32:26 mcb1 user.notice SYNCMNGR[1313]: DATA FOR "o-ran-sync" "/o-ran-sync:sync" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-module-cap:module-capability" with ID 2.

Oct 29 22:32:26 mcb1 user.info radio\_manager[1427]: Data for "o-ran-module-cap" "/o-ran-module-cap:module-capability" requested

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-delay-management:delay-management" with ID 2.

Oct 29 22:32:26 mcb1 user.notice radio\_manager[1427]: DATA FOR "o-ran-delay-management" "/o-ran-delay-management:delay-management" REQUESTED

Oct 29 22:32:26 mcb1 user.notice radio\_manager[1427]: o-ran-delay-management: /o-ran-delay-management:delay-management

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-operations:operational-info" with ID 2.

Oct 29 22:32:26 mcb1 user.notice SR\_OP[1325]: @function:op\_dp\_get\_items\_cb line:233 Data for o-ran-operations on  
/o-ran-operations:operational-info requested

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/tx-arrays" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:uplane\_arrays\_get\_items\_cb line:356 DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/tx-arrays" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/rx-arrays" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:uplane\_arrays\_get\_items\_cb line:356 DATA FOR "o-ran-uplane-conf"  
"/o-ran-uplane-conf:user-plane-configuration/rx-arrays" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not

required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/relations" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:relation\_get\_items\_cb line:797 DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/relations" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint0", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint0", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint2", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint2", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint3", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint3", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:uplane\_endpoint\_get\_items\_cb line:180 DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:uplane\_array\_carriers\_get\_items\_cb line:923 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:uplane\_array\_carriers\_get\_items\_cb line:923 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:uplane\_static\_endpoint\_get\_items\_cb line:689 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint0", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint2", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint3", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint3", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:uplane\_static\_endpoint\_get\_items\_cb line:689 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint0", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.



Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint2", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint3", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" with ID 5.

Oct 29 22:32:26 mcb1 user.notice UPLANECONF[1325]: @function:uplane\_endpoint\_get\_items\_cb line:180 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" REQUESTED

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 5 succeeded.

Oct 29 22:32:26 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 3.

Oct 29 22:32:26 mcb1 user.notice fw\_manager[1067]: RPC #3 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 3 succeeded.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-performance-management:performance-measurement-objects" with ID 2.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 2 succeeded.

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fw\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fw\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/nw\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/nw\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/operations\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/operations\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/pm\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/pm\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/um\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/um\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sys\_monitor

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sys\_monitor", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/fault\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/fault\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 7.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/file\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/file\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 8.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/supervision

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/supervision", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 9.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/sync\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/sync\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 10.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/ald\_controller

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/ald\_controller", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 11.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/log\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/log\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 12.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/radio\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/radio\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 13.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 user.notice wd\_manager[1448]: Value is 1 for Xpath /vvdn\_mcel-wdm:system-apps/cli\_manager

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/cli\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 14.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 26 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 26 priority 0 succeeded.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/ietf-interfaces:interfaces/ietf-interfaces:interface/o-ran-interfaces:port-reference/o-ran-interfaces:port-number" with the value "0", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref  
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.



required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Session 10: thread 3 event new RPC.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/vvdn\_mcel-wdm:system-apps/file\_manager", but it is not required.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 15.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 15 priority 0 (remaining 0 subscribers).

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Session 10: thread 1 event new RPC.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Session 10: thread 1 event session terminated.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" session terminated.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 22:32:27 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 22:32:27 mcb1 auth.info sshd[14602]: Accepted password for operator from 192.168.4.15 port 39038 ssh2

Oct 29 22:32:27 mcb1 authpriv.info sshd[14602]: pam\_unix(sshd:session): session opened for user operator by (uid=0)

**Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where <data> contains all information elements that the O-RU NETCONF Server is able to expose**

=====  
\*\*\*\*\* **Actual Result** \*\*\*\*\*  
=====

=====  
**Retrieval without Filter Applied = SUCCESS**  
=====