



@ FILE NAME: M_CTC_ID_011.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.1

Test Description: This scenario validates that the O-RU NETCONF Server properly executes a get command with a filter applied.



****** Connect to the NETCONF Server *******

> connect --ssh --host 192.168.49.39 --port 830 --login operator

Interactive SSH Authentication

Type your password:

Password:

> status

Current NETCONF session:

ID : 5

Host : 192.168.49.39

Port: 830 Transport: SSH Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0 urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn: ietf: params: netconf: capability: yang-library: 1.1? revision = 2019-01-04 & content-id = 63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn: ietf: params: xml: ns: netconf: base: 1.0? module = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, candidate, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, valid = ietf-netconf & revision = 2013-09-29 & features = writable-running, rollback-on-error, rollback-on-error,

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn: ietf: params: xml: ns: yang: ietf-netconf-monitoring? module = ietf-netconf-monitoring & revision = 2010-10-04

urn: ietf: params: xml: ns: netconf: notification: 1.0? module = notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn: ietf: params: xml: ns: yang: ietf-x509-cert-to-name? module = ietf-x509-cert-to-name & revision = 2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

> subscribe

Ok



********step 1 and 2 Retrival of ru information with filter *******

get --filter-xpath /o-ran-usermgmt:users/user

```
<?xml version="1.0" ?>
```

<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">

```
<users xmlns="urn:o-ran:user-mgmt:1.0">
```

<user>

<name>oranuser</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>observer</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>installer</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>garuda</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator11302326379</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator44567591</name>

<account-type>PASSWORD</account-type>

<enabled>true</enabled>

</user>

<user>

<name>operator8075861281902</name>

<account-type>PASSWORD</account-type>



<enabled>true</enabled> </user> <user> <name>operator17619020756748090</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator86938204120707827368</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator7596639986022389968</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator0126795795152205</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>operator119986</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> <user> <name>stl</name> <account-type>PASSWORD</account-type> <enabled>true</enabled> </user> </users>

</data>





Expected Result : The O-RU NETCONF Server responds with <rpc-reply><data> where</data></rpc-reply>			
<data> contains details for objects as conforming to the <filter>.</filter></data>			
			:=====
******* Actual Result ************************************			
Retrieval with filter applied	=======================================	SUCCESS	=======================================