



@ FILE NAME: M_CTC_ID_014.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description: This test validates that the O-RU can successfully perform a software download and software install procedure.



****** Connect to the NETCONF Server *******

> listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.4.43' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 1

Host : 192.168.4.43

Port: 830 Transport: SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

 $urn: ietf: params: netconf: capability: candidate: 1.0\ urn: ietf: params: netconf: capability: rollback-on-error: 1.0\ urn: ietf: params: netconf: params: netconf$

 $urn: ietf: params: netconf: capability: validate: 1.1 \ urn: ietf: params: netconf: capability: startup: 1.0 \ urn: ietf: params: netconf: capability: xpath: 1.0 \ urn: ietf: params: netcon$

urn: ietf: params: netconf: capability: with-defaults: 1.0? basic-mode = explicit & also-supported = report-all, report-all-tagged, trim, explicit & also-supported = report-all-tagged, trim

 $urn: ietf: params: netconf: capability: notification: 1.0 \ urn: ietf: params: netconf: capability: interleave: 1.0 \ urn: ietf: params: netconf: capability: ne$

 $urn: ietf: params: xml: ns: yang: ietf-yang-metadata? module= ietf-yang-metadata \& revision = 2016-08-05 \\ ietf-yang-metadata = ietf-$

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn: ietf: params: xml: ns: yang: ietf-net conf-notifications? module = ietf-net conf-notifications & revision = 2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn: ietf: params: xml: ns: netmod: notification? module = nc-notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

 $urn: ietf: params: xml: ns: yang: iana-crypt-hash? module = iana-crypt-hash\& revision = 2014-08-06 \ urn: notification_history? module = notification_his$

urn: ietf: params: xml: ns: yang: iana-if-type? module = iana-if-type & revision = 2017-01-19

> subscribe

Ok



Initial Get Filter

> get --filter-xpath /o-ran-software-management:software-inventory

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<software-inventory xmlns="urn:o-ran:software-management:1.0">
<software-slot>
 <name>swSlot1</name>
 <status>VALID</status>
 <active>false</active>
 <running>false</running>
 <access>READ_WRITE</access>
 cproduct-code>VVDN=O-RU
 <vendor-code>VN</vendor-code>
 <build-id>38578ed</build-id>
 <build-name>Beta Release</build-name>
 <build-version>1.0.5</build-version>
 <files>
  <name>boot</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcblk0p1/BOOT0001.BIN</local-path>
  <integrity>OK</integrity>
 </files>
 <files>
  <name>kernel</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcblk0p1/image0001.ub</local-path>
  <integrity>OK</integrity>
 </files>
 <files>
  <name>rootfs</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcblk0p2/</local-path>
  <integrity>OK</integrity>
 </files>
 </software-slot>
<software-slot>
 <name>swSlot2</name>
 <status>VALID</status>
 <active>true</active>
 <running>true</running>
```

<access>READ_WRITE</access>

cproduct-code>VVDN O-RU



<vendor-code>VN</vendor-code> <build-id>90f0b6c</build-id> <build-name>Beta Release</build-name> <build-version>1.0.7</build-version> <files> <name>boot</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p1/BOOT0002.BIN</local-path> <integrity>OK</integrity> </files> <files> <name>kernel</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p1/image0002.ub</local-path> <integrity>OK</integrity> </files> <files> <name>rootfs</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p3/</local-path> <integrity>OK</integrity> </files> </software-slot> <software-slot> <name>swRecoverySlot</name> <status>VALID</status> <active>false</active> <running>false</running> <access>READ_ONLY</access> cproduct-code>STL=O-RU <vendor-code>VN</vendor-code> <build-id>factory_img</build-id> <build-name>Beta Release</build-name> <build-version>1.0.0</build-version> <files> <name>boot</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p1/BOOT0003.BIN</local-path> <integrity>OK</integrity> </files> <files> <name>kernel</name> <version>1.0.0</version> <local-path>/media/sd-mmcblk0p1/golden.ub</local-path> <integrity>OK</integrity> </files> <files> <name>rootfs</name> <version>1.0.0</version>



<local-path>/media/sd-mmcblk0p1/golden.ub</local-path>
<integrity>OK</integrity>
Step 1 : TER NETCONF Client triggers <rpc><software-download></software-download></rpc>
Name and the second sec
> user-rpc
****** Replace with below xml *******
<pre><software-download xmlns="urn:o-ran:software-management:1.0"></software-download></pre>
<pre><remote-file-path>sftp://vvdn@192.168.4.15:22/home/vvdn/binary/ORANUSER_SUDO_PERMISSION.zip</remote-file-path></pre>
<pre><pre><pre><pre><pre><pre><pre><pre></pre></pre></pre></pre></pre></pre></pre></pre>
<pre><password>vvdn</password></pre>
<pre><server></server></pre>
<keys></keys>
<algorithm>secp256r1</algorithm>
<pre><pre><pre><pre><pre><pre><pre><p< td=""></p<></pre></pre></pre></pre></pre></pre></pre>
+Zlz3oPipBBTcUq9GqIobokfogL/SQnwqscISIV97TFvmPwN6iVNl4ogWjf+McWr7ZWjU3rrLjB1y/dllpSQDV9g+b+IayIZN3hxH0HijKQSG/8q
45B5uFQAPEr3+s5k4DuZXP5il81iSbhzq0f7/uG/VeA2cKBrum+adqI3mvM/GCqfvoE2+S+ghK5Mtgx9gnNUQDvN8JcZRFm9C0ING66U73d+w
OgbaFF5VKT0X3iDWHj9AEW1j8sE8Q5ymtlW5gyVs/4mDZH7d1eCWiawOiiv
****** RPC Reply *******
<pre><nc:rpc-reply message-id="urn:uuid:d1f08ed0-fb7a-445e-adf6-a7c55ba80f14" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"><status< pre=""></status<></nc:rpc-reply></pre>
xmlns="urn:o-ran:software-management:1.0">STARTED <notification-timeout< td=""></notification-timeout<>
xmlns="urn:o-ran:software-management:1.0">30



Step 2: O-RU NETCONF Server sends <notification><download-event> with status COMPLETED to TER NETCONF Client <?xml version="1.0" ?> <notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0"> <eventTime>2000-11-04T00:00:31Z</eventTime> <download-event xmlns="urn:o-ran:software-management:1.0"> <file-name>ORANUSER_SUDO_PERMISSION.zip</file-name> <status>COMPLETED</status> </download-event> </notification> Step 3 : TER NETCONF Client triggers <rpc><software-install> Slot must have attributes active = **FALSE**, running = **FALSE**. SR_NO Slot_Name **Active Running** swSlot1 false false 2 swSlot2 true true > user-rpc ****** Replace with below xml ****** <software-install xmlns="urn:o-ran:software-management:1.0"> <slot-name>swSlot1</slot-name> <file-names>/home/vvdn/binary/ORANUSER_SUDO_PERMISSION.zip</file-names> </software-install> ***** RPC Reply ****** <nc:rpc-reply xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0" message-id="urn:uuid:2efa56c7-9e9a-4c26-81b9-2cf8e8485f76"><status xmlns="urn:o-ran:software-management:1.0">STARTED</status></nc:rpc-reply> _____ Step 4 and 5: O-RU NETCONF Server sends <notification><install-event> with status COMPLETED to TER NETCONF Client

<?xml version="1.0" ?>



- <notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
- <eventTime>2000-11-04T00:00:43Z</eventTime>
- <install-event xmlns="urn:o-ran:software-management:1.0">
- <slot-name>swSlot1</slot-name>
- <status>APPLICATION_ERROR</status>
- <error-message>Files missing from archive/error-message>
- </install-event>
- </notification>



- Nov 4 00:58:40 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Nov 4 00:58:40 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
- Nov 4 00:58:41 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Nov 4 00:58:41 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Successfully connected to 192.168.4.15:4334 over IPv4.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Session 100 (user "root", CID 1) created.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-auth" of subtype "password".
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: User "operator" authenticated.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel-open" of subtype "session".
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel" of subtype "subsystem".
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session 1 established.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Session 101 (user "root", CID 1) created.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-start).
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).
- Nov $4\,00:58:42\,$ mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 2 event new RPC.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.



Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-interfaces:interfaces:interfaces:interfaces:interfaces:name" with the value "eth1.100", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:interfaces:interfaces:name = current()/../../interface-name]/o-ran-interfaces:vlan-id" with the value "100", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with



the value "sllrx-endpoint2", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:42 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Nov 4 00:58:42 mcb1 user.notice fw_manager[1065]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 1 succeeded.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov $4\,00:58:43$ mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 0 event new RPC.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

 $Nov\ \ 4\ 00:58:43\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Event\ "rpc"\ with\ ID\ 1\ priority\ 0\ succeeded.$

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 4 event new RPC.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...



Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 1 for 1 subscribers.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Nov 4 00:58:43 mcb1 daemon.info netopeer2-server[985]: Successful processing of "operational" event with ID 1.

Nov 4 00:58:43 mcb1 user.notice supervision[1365]: Checking to enable supervision default-timer

Nov 4 00:58:43 mcb1 user.notice supervision[1365]: Received supervision-notification #1 from operator user.path

->/notifications:create-subscription

Nov 4 00:58:43 mcb1 user.notice supervision[1365]: Received supervision-notification

Nov 4 00:58:43 mcb1 user.notice supervision[1365]: Default supervision timer value : 60 seconds. Default Guard timer value : 10 seconds

Nov 4 00:58:43 mcb1 user.notice supervision[1365]: Internal Supervision timer value : 60 seconds. Internal Guard timer value : 10 seconds

Nov 4 00:58:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:58:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

 $Nov\ 4\ 00:58:43\ mcb1\ user.warn\ pm_manager[1377]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

Nov 4 00:58:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:58:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:58:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:58:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 1 succeeded.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:58:44 mcb1 user.notice SYNCMNGR[1311]: Received message from S-Plane

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 0 event new RPC.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

 $Nov\ \ 4\ 00:58:44\ mcb1\ user.notice\ fw_manager [1065]: RPC\ \#2\ recieved.\ xpath\ ->/o-ran-software-management: software-inventory$

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 2 succeeded.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 3 priority 0 succeeded.



Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 0 event new RPC.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/o-ran-software-management:software-download" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:58:44 mcb1 user.notice fw_manager[1065]: RPC #1 recieved. xpath -> /o-ran-software-management:software-download

Nov 4 00:58:44 mcb1 user.err fw_manager[1065]: swDownload failed :Reason: sw download performed using sftp only

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "o-ran-software-management" event with ID 1.

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:58:44 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 1 event new RPC.

Nov 4 00:58:46 mcb1 user.info FAULT MANAGER[999]: sendData : Source ID: 21

Nov 4 00:58:46 mcb1 user.info FAULT MANAGER[999]: sendData: Fault ID: 23

Nov 4 00:58:46 mcb1 user.info FAULT MANAGER[999]: sendData: FAULT_IS_CLEARED: False

Nov 4 00:58:46 mcb1 user.info FAULT MANAGER[999]: sendData : FAULT_SEVERITY: 2

Nov 4 00:58:46 mcb1 user.info FAULT MANAGER[999]: sendData : FAULT_TIME: 2000-11-04T00:58:46Z

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: There is no instance of

"/notification_history:history/module-notification[module-name='Module']/notif-error", but it is not required.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: There is no instance of

"/notification_history:history/module-notification[module-name='Module']/alert", but it is not required.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "o-ran-fm" event with ID 1.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: There is no instance of

"/notification_history:history/module-notification[module-name='Module']/epochtime", but it is not required.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 3.



```
Nov 4 00:58:46 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).
Nov 4 00:58:50 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 0 event new RPC.
Nov 4 00:58:50 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 0 event session terminated.
Nov 4 00:58:50 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.
Nov 4 00:58:50 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-end).
Nov 4 00:58:50 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session terminated.
Nov 4 00:58:50 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:50 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:50 mcb1 authpriv.debug sshd[2537]: pam_unix(sshd:account): account operator has password changed in future
Nov 4 00:58:50 mcb1 auth.info sshd[2537]: Accepted password for operator from 192.168.4.15 port 55970 ssh2
Nov 4 00:58:50 mcb1 authpriv.info sshd[2537]: pam_unix(sshd:session): session opened for user operator by (uid=0)
Nov 4 00:58:50 mcb1 authoriv.info sshd[2537]: pam_unix(sshd:session): session closed for user operator
Nov 4 00:58:50 mcb1 authpriv.info sshd[2073]: pam_unix(sshd:session): session closed for user root
Nov 4 00:58:51 mcb1 daemon.err netopeer2-server[985]: Session 1: waiting for Call Home thread failed (Connection timed out).
Nov 4 00:58:51 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:51 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:52 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:52 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:53 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:53 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:58:54 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:54 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:54 mcb1 user.notice SYNCMNGR[1311]: Received message from S-Plane
Nov 4 00:58:55 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:55 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:56 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:56 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:57 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:57 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:58 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:58 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:58:59 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:58:59 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:00 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:00 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:01 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:01 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:02 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:02 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
```

Nov 4 00:59:03 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.



```
Nov 4 00:59:03 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:03 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:03 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:03 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:03 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:03 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:03 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:03 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:03 mcb1 user.warn pm manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:03 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:04 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:04 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:04 mcb1 user.notice SYNCMNGR[1311]: Received message from S-Plane
Nov 4 00:59:05 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:05 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:06 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:06 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:07 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:07 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:08 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:08 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:09 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:09 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:10 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:10 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:11 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:11 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:12 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:12 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:13 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:13 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:13 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:14 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:14 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:14 mcb1 user.notice SYNCMNGR[1311]: Received message from S-Plane
Nov 4 00:59:15 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:15 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:16 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:16 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:17 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:17 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
```



```
Nov 4 00:59:18 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:18 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:19 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:19 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:20 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:20 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:21 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:21 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:22 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:22 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:23 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:23 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:23 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:24 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:24 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:24 mcb1 user.notice SYNCMNGR[1311]: Received message from S-Plane
Nov 4 00:59:25 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:25 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:26 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:26 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:27 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:27 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:28 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:28 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:29 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:29 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:30 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:30 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:31 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:31 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:32 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:32 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:33 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:33 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
```

Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...



```
Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:33 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:34 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:34 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:34 mcb1 user.notice SYNCMNGR[1311]: Received message from S-Plane
Nov 4 00:59:35 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:35 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:36 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:36 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:37 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:37 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:38 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:38 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:39 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:39 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:40 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:40 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:41 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:41 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:42 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:42 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:43 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:43 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:43 mcb1 user.notice supervision[1365]: Interval timer exceeded. Waiting on guard timer...
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:43 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:59:44 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:44 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:44 mcb1 user.notice SYNCMNGR[1311]: Received message from S-Plane
Nov 4 00:59:45 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:45 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:46 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:46 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:47 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:47 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:48 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:48 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:49 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:49 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:59:50 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:59:50 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
```

Nov 4 00:59:51 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.



```
Nov 4 00:59:51 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:59:52 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.

Nov 4 00:59:52 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:59:53 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.

Nov 4 00:59:53 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:59:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:59:53 mcb1 user.warn pm_manager[1377]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:59:53 mcb1 user.notice supervision[1365]: O-RU has entered "supervision-failure" state Resetting...

Nov 4 00:59:53 mcb1 user.notice supervision[1365]: Exiting

Nov 4 00:59:53 mcb1 user.notice supervision[1365]: Waiting for pending jobs

Nov 4 00:59:53 mcb1 user.info supervision[1365]: O-RU going for reboot

Oct 29 21:52:00 mcb1 user.info supervision[1365]: O-RU going for reboot

Oct 29 21:52:00 mcb1 user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)

Oct 29 21:52:00 mcb1 user.notice kernel: [ 0.000000] Booting Linux on physical CPU 0x00000000000 [0x410fd034]

Oct 29 21:52:00 mcb1 user.notice kernel: [ 0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP Thu Dec 29 10:48:51 UTC 2022
```

```
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] Booting Linux on physical CPU 0x0000000000 [0x410fd034]
Oct 29 21:52:00 mcb1 user.notice kernel: [ 0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP
Thu Dec 29 10:48:51 UTC 2022
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] Machine model: xlnx,zynqmp
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.000000] printk: bootconsole [cdns0] enabled
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.000000] efi: Getting EFI parameters from FDT:
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] efi: UEFI not found.
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] cma: Reserved 256 MiB at 0x000000006fc00000
Oct 29 21:52:00 mcb1 user.debug kernel: [
                                          0.000000] On node 0 totalpages: 524032
Oct 29 21:52:00 mcb1 user.debug kernel: [
                                          0.000000] DMA32 zone: 8188 pages used for memmap
Oct 29 21:52:00 mcb1 user.debug kernel: [
                                          0.000000] DMA32 zone: 0 pages reserved
Oct 29 21:52:00 mcb1 user.debug kernel: [
                                          0.000000] DMA32 zone: 524032 pages, LIFO batch:63
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] psci: probing for conduit method from DT.
                                        0.000000] psci: PSCIv1.1 detected in firmware.
Oct 29 21:52:00 mcb1 user.info kernel:
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.000000] psci: Using standard PSCI v0.2 function IDs
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.000000] psci: MIGRATE_INFO_TYPE not supported.
Oct 29 21:52:00 mcb1 user.info kernel:
                                        0.000000] psci: SMC Calling Convention v1.1
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112
Oct 29 21:52:00 mcb1 user.debug kernel: [
                                          0.000000] pcpu-alloc: s49880 r8192 d32040 u90112 alloc=22*4096
Oct 29 21:52:00 mcb1 user.debug kernel: [ 0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] Detected VIPT I-cache on CPU0
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.000000] CPU features: detected: ARM erratum 845719
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.000000] Speculative Store Bypass Disable mitigation not required
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.000000] Built 1 zonelists, mobility grouping on. Total pages: 515844
Oct 29 21:52:00 mcb1 user.notice kernel: [ 0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1
root=/dev/mmcblk0p3 rw rootwait
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] Dentry cache hash table entries: 262144 (order: 9, 2097152 bytes, linear)
                                        0.000000] Inode-cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel:
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off
```

Oct 29 21:52:00 mcb1 user.info kernel: [0.000000] Memory: 1775432K/2096128K available (12092K kernel code, 742K rwdata, 3772K rodata,



```
768K init, 560K bss, 58552K reserved, 262144K cma-reserved)
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] rcu: Hierarchical RCU implementation.
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] rcu: RCU event tracing is enabled.
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irqs: 0
Oct 29 21:52:00 mcb1 user.warn kernel: [ 0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] GIC: Using split EOI/Deactivate mode
Oct 29 21:52:00 mcb1 user.notice kernel: [ 0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] arch timer: cp15 timer(s) running at 50.00MHz (phys).
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffff max_cycles: 0xb8812736b,
max idle ns: 440795202655 ns
Oct 29 21:52:00 mcb1 user.info kernel:
                                        0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns
Oct 29 21:52:00 mcb1 user.info kernel:
                                         0.008248] Console: colour dummy device 80x25
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.012388] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00 BogoMIPS
(lpj=200000)
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.022753] pid_max: default: 32768 minimum: 301
Oct 29 21:52:00 mcb1 user.info kernel:
                                         0.027466] Mount-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.034696] Mountpoint-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.043362] ASID allocator initialised with 32768 entries
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.047890] rcu: Hierarchical SRCU implementation.
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         0.052810] EFI services will not be available.
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.057219] smp: Bringing up secondary CPUs ...
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         0.061906] Detected VIPT I-cache on CPU1
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         0.061937] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         0.062262] Detected VIPT I-cache on CPU2
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.062279] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.062580] Detected VIPT I-cache on CPU3
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.062597] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.062639] smp: Brought up 1 node, 4 CPUs
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.097055] SMP: Total of 4 processors activated.
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.101727] CPU features: detected: 32-bit EL0 Support
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.106831] CPU features: detected: CRC32 instructions
                                        0.111960] CPU: All CPU(s) started at EL2
Oct 29 21:52:00 mcb1 user.info kernel: [
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.116009] alternatives: patching kernel code
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.121351] devtmpfs: initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.127845] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns:
7645041785100000 ns
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.133398] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.145309] xor: measuring software checksum speed
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.184289] 8regs : 2622.000 MB/sec
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.224313] 32regs : 3008.000 MB/sec
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.264343] arm64_neon: 2612.000 MB/sec
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.264379] xor: using function: 32regs (3008.000 MB/sec)
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.268280] pinctrl core: initialized pinctrl subsystem
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.273785] DMI not present or invalid.
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.277458] NET: Registered protocol family 16
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.282791] DMA: preallocated 256 KiB pool for atomic allocations
Oct 29 21:52:00 mcb1 user.info kernel: [ 0.287732] audit: initializing netlink subsys (disabled)
Oct 29 21:52:00 mcb1 user.notice kernel: [ 0.293139] audit: type=2000 audit(0.232:1): state=initialized audit_enabled=0 res=1
```



```
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.293531] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         0.307643] Serial: AMBA PL011 UART driver
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.322998] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.324053] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         0.330710] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        0.337370] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        1.306329] cryptd: max_cpu_qlen set to 1000
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         1.327304] DRBG: Continuing without Jitter RNG
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        1.402166] raid6: neonx8 gen() 1727 MB/s
Oct 29 21:52:00 mcb1 user.info kernel:
                                         1.470193] raid6: neonx8 xor() 1601 MB/s
Oct 29 21:52:00 mcb1 user.info kernel:
                                        1.538219] raid6: neonx4 gen() 1643 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         1.606264] raid6: neonx4 xor() 1553 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         1.674351] raid6: neonx2 gen() 1233 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         1.742357] raid6: neonx2 xor() 1236 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        1.810429] raid6: neonx1 gen() 809 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                         1.878463] raid6: neonx1 xor() 821 MB/s
Oct 29 21:52:00 mcb1 user.info kernel:
                                        1.946511] raid6: int64x8 gen() 1287 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.014542] raid6: int64x8 xor() 837 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.082557] raid6: int64x4 gen() 1068 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.150604] raid6: int64x4 xor() 784 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.218660] raid6: int64x2 gen() 735 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.286717] raid6: int64x2 xor() 587 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.354829] raid6: int64x1 gen() 485 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.422795] raid6: int64x1 xor() 401 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.422831] raid6: using algorithm neonx8 gen() 1727 MB/s
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.426786] raid6: .... xor() 1601 MB/s, rmw enabled
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.431716] raid6: using neon recovery algorithm
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.436612] iommu: Default domain type: Translated
Oct 29 21:52:00 mcb1 user.notice kernel: [ 2.441337] SCSI subsystem initialized
Oct 29 21:52:00 mcb1 user.debug kernel: [ 2.444882] libata version 3.00 loaded.
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.444989] usbcore: registered new interface driver usbfs
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.450338] usbcore: registered new interface driver hub
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.455615] usbcore: registered new device driver usb
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.460633] mc: Linux media interface: v0.10
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.464860] videodev: Linux video capture interface: v2.00
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.470310] pps_core: LinuxPPS API ver. 1 registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.475226] pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.484318] PTP clock support registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.488211] EDAC MC: Ver: 3.0.0
Oct 29 21:52:00 mcb1 user.info kernel:
                                        2.491656] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX channels.
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.499949] FPGA manager framework
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.503271] Advanced Linux Sound Architecture Driver Initialized.
Oct 29 21:52:00 mcb1 user.info kernel:
                                        2.509460] Bluetooth: Core ver 2.22
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.512781] NET: Registered protocol family 31
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.517180] Bluetooth: HCI device and connection manager initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.523496] Bluetooth: HCI socket layer initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.528338] Bluetooth: L2CAP socket layer initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.533359] Bluetooth: SCO socket layer initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.538509] clocksource: Switched to clocksource arch_sys_counter
```



```
Oct 29 21:52:00 mcb1 user.notice kernel: [ 2.544341] VFS: Disk quotas dquot_6.6.0
Oct 29 21:52:00 mcb1 user.info kernel: 2.548181] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.558637] NET: Registered protocol family 2
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.559609] tcp_listen_portaddr_hash hash table entries: 1024 (order: 2, 16384 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.567818] TCP established hash table entries: 16384 (order: 5, 131072 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.575747] TCP bind hash table entries: 16384 (order: 6, 262144 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.583094] TCP: Hash tables configured (established 16384 bind 16384)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.589469] UDP hash table entries: 1024 (order: 3, 32768 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.596101] UDP-Lite hash table entries: 1024 (order: 3, 32768 bytes, linear)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.603270] NET: Registered protocol family 1
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.607707] RPC: Registered named UNIX socket transport module.
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.613372] RPC: Registered udp transport module.
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.618041] RPC: Registered tcp transport module.
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.622710] RPC: Registered tcp NFSv4.1 backchannel transport module.
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.629327] PCI: CLS 0 bytes, default 64
Oct 29 21:52:00 mcb1 user.notice kernel: [ 2.659713] Initialise system trusted keyrings
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.659835] workingset: timestamp_bits=46 max_order=19 bucket_order=0
Oct 29 21:52:00 mcb1 user.notice kernel: [ 2.665759] NFS: Registering the id_resolver key type
Oct 29 21:52:00 mcb1 user.notice kernel: [ 2.669951] Key type id_resolver registered
Oct 29 21:52:00 mcb1 user.notice kernel: [ 2.674104] Key type id_legacy registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.678076] nfs4filelayout_init: NFSv4 File Layout Driver Registering...
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.684744] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.702635] NET: Registered protocol family 38
Oct 29 21:52:00 mcb1 user.notice kernel: [ 2.702675] Key type asymmetric registered
Oct 29 21:52:00 mcb1 user.notice kernel: [ 2.705502] Asymmetric key parser 'x509' registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.710371] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 246)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.717705] io scheduler mq-deadline registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.722201] io scheduler kyber registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.727708] ps_pcie_dma init()
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.751550] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.753198] Serial: AMBA driver
Oct 29 21:52:00 mcb1 user.warn kernel: [ 2.757188] cacheinfo: Unable to detect cache hierarchy for CPU 0
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.765284] brd: module loaded
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.769353] loop: module loaded
Oct 29 21:52:00 mcb1 user.err kernel: [ 2.770068] mtdoops: mtd device (mtddev=name/number) must be supplied
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.775134] libphy: Fixed MDIO Bus: probed
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.779031] tun: Universal TUN/TAP device driver, 1.6
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.783128] CAN device driver interface
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.787741] usbcore: registered new interface driver asix
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.792264] usbcore: registered new interface driver ax88179 178a
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.798296] usbcore: registered new interface driver cdc_ether
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.804091] usbcore: registered new interface driver net1080
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.809714] usbcore: registered new interface driver cdc_subset
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.815598] usbcore: registered new interface driver zaurus
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.821144] usbcore: registered new interface driver cdc_ncm
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.827436] usbcore: registered new interface driver uas
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.832042] usbcore: registered new interface driver usb-storage
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.838362] rtc_zynqmp ffa60000.rtc: registered as rtc0
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.843215] i2c /dev entries driver
```



```
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.847997] usbcore: registered new interface driver uvcvideo
Oct 29 21:52:00 mcb1 user.info kernel:
                                        2.852341] USB Video Class driver (1.1.1)
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.856611] pps pps0: new PPS source ptp0
Oct 29 21:52:00 mcb1 user.info kernel:
                                        2.860409] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.867898] Bluetooth: HCI UART driver ver 2.3
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.871896] Bluetooth: HCI UART protocol H4 registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.876995] Bluetooth: HCI UART protocol BCSP registered
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.882282] Bluetooth: HCI UART protocol LL registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.887373] Bluetooth: HCI UART protocol ATH3K registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.892748] Bluetooth: HCI UART protocol Three-wire (H5) registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.898997] Bluetooth: HCI UART protocol Intel registered
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        2.904340] Bluetooth: HCI UART protocol OCA registered
Oct 29 21:52:00 mcb1 user.info kernel:
                                        2.909539] usbcore: registered new interface driver bcm203x
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.915160] usbcore: registered new interface driver bpa10x
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.920699] usbcore: registered new interface driver bfusb
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.926145] usbcore: registered new interface driver btusb
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.931606] usbcore: registered new interface driver ath3k
Oct 29 21:52:00 mcb1 user.warn kernel: [ 2.937170] EDAC MC0: 15 CE Bit Position: 50 Data: 0xefefefef
Oct 29 21:52:00 mcb1 user.warn kernel: [ 2.937170] on mc#0csrow#0channel#0 (csrow:0 channel:0 page:0x0 offset:0x0 grain:1 syndrome:0x0)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.937235] EDAC MC0: Giving out device to module 1 controller synps_ddr_controller: DEV
synps_edac (INTERRUPT)
Oct 29 21:52:00 mcb1 user.warn kernel: [ 2.951558] EDAC MC0: 15 UE BankGroup Number 0 Block Number 0 on mc#0csrow#0channel#0
(csrow:0 channel:0 page:0x0 offset:0x0 grain:1)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.973661] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller zynqmp_ocm:
DEV ff960000.memory-controller (INTERRUPT)
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.986027] sdhci: Secure Digital Host Controller Interface driver
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.991781] sdhci: Copyright(c) Pierre Ossman
Oct 29 21:52:00 mcb1 user.info kernel: [ 2.996103] sdhci-pltfm: SDHCI platform and OF driver helper
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.001990] ledtrig-cpu: registered to indicate activity on CPUs
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.007734] zynqmp_firmware_probe Platform Management API v1.1
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.013492] zynqmp_firmware_probe Trustzone version v1.0
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.041407] securefw securefw: securefw probed^M
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.041606] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)
Oct 29 21:52:00 mcb1 user.info kernel:
                                        3.045967] zynqmp_aes zynqmp_aes: AES Successfully Registered
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.045967] ^M
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.053336] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)
Oct 29 21:52:00 mcb1 user.info kernel:
                                        3.059552] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.065088] usbcore: registered new interface driver usbhid
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.070402] usbhid: USB HID core driver
                                        3.076315] ARM CCI_400_r1 PMU driver probed
Oct 29 21:52:00 mcb1 user.info kernel:
Oct 29 21:52:00 mcb1 user.info kernel:
                                        3.076758] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.085191] usbcore: registered new interface driver snd-usb-audio
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.091683] pktgen: Packet Generator for packet performance testing. Version: 2.75
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.099039] Initializing XFRM netlink socket
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.102827] NET: Registered protocol family 10
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.107522] Segment Routing with IPv6
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.110898] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.116974] NET: Registered protocol family 17
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.121097] NET: Registered protocol family 15
```



```
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.125515] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to
load br netfilter if you need this.
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.138388] can: controller area network core (rev 20170425 abi 9)
Oct 29 21:52:00 mcb1 user.info kernel:
                                        3.144553] NET: Registered protocol family 29
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.148943] can: raw protocol (rev 20170425)
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.153179] can: broadcast manager protocol (rev 20170425 t)
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.158804] can: netlink gateway (rev 20190810) max_hops=1
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.164336] Bluetooth: RFCOMM TTY layer initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.169101] Bluetooth: RFCOMM socket layer initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.174208] Bluetooth: RFCOMM ver 1.11
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.177921] Bluetooth: BNEP (Ethernet Emulation) ver 1.3
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.183194] Bluetooth: BNEP filters: protocol multicast
Oct 29 21:52:00 mcb1 user.info kernel:
                                        3.188387] Bluetooth: BNEP socket layer initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.193315] Bluetooth: HIDP (Human Interface Emulation) ver 1.2
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.199198] Bluetooth: HIDP socket layer initialized
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.204154] 8021q: 802.1Q VLAN Support v1.8
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.208365] 9pnet: Installing 9P2000 support
Oct 29 21:52:00 mcb1 user.notice kernel: [ 3.212534] Key type dns_resolver registered
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.217009] registered taskstats version 1
Oct 29 21:52:00 mcb1 user.notice kernel: [ 3.220827] Loading compiled-in X.509 certificates
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.226477] Btrfs loaded, crc32c=crc32c-generic
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.237810] ff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a xuartps
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.246826] printk: console [ttyPS0] enabled
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.251122] printk: bootconsole [cdns0] disabled
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.260385] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a xuartps
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.273821] of-fpga-region fpga-full: FPGA Region probed
Oct 29 21:52:00 mcb1 user.info kernel:
                                        3.279674] XGpio: gpio@b0040000: registered, base is 509
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.285351] XGpio: gpio@b0040000: dual channel registered, base is 497
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.292434] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.299523] xilinx-zyngmp-dma fd510000.dma: ZyngMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.306622] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
                                        3.313720] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.320815] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel:
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.327907] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.334998] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
                                        3.342082] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel:
Oct 29 21:52:00 mcb1 user.info kernel:
                                        3.349236] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.356316] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.363408] xilinx-zyngmp-dma ffaa0000.dma: ZyngMP DMA driver Probe success
                                        3.370495] xilinx-zyngmp-dma ffab0000.dma: ZyngMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
Oct 29 21:52:00 mcb1 user.info kernel:
                                        3.377588] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.384677] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.391765] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.info kernel: [
                                        3.398853] xilinx-zynqmp-dma ffaf0000.dma: ZynqMP DMA driver Probe success
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.406926] -----[ cut here ]-----
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.411541] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
                                         3.418886] WARNING: CPU: 3 PID: 65 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.426870] Modules linked in:
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.429912] CPU: 3 PID: 65 Comm: kworker/3:1 Not tainted 5.4.0-xilinx-v2020.2 #1
```



```
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.437295] Hardware name: xlnx,zynqmp (DT)
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.441467] Workqueue: events deferred_probe_work_func
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.446593] pstate: 60000005 (nZCv daif -PAN -UAO)
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.451367] pc : spidev_probe+0xf8/0x1c8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.455273] lr: spidev_probe+0xf8/0x1c8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.459177] sp: ffff8000113cb7d0
                                        3.462475] x29: ffff8000113cb7d0 x28: ffff00006faeacd8
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.467770] x27: ffff00006d26a410 x26: ffff00006bdf2c00
                                        3.473065] x25: 0000000000000000 x24: 000000000000019
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.478359] x23: ffff80001112a140 x22: 00000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.483654] x21: ffff80001112a120 x20: ffff00006bdf2000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.488949] x19: 0000000000000000 x18: 00000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.494244] x17: 0000000000000000 x16: 0000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.499539] x15: ffff00006d3e86a8 x14: 6e6920796c746365
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.504833] x13: 7269642064657473 x12: 696c207665646970
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.510128] x11: 73203a5444207967 x10: 677562203a304076
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.515423] x9 : ffff800011193000 x8 : 0000000000000105
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.520718] x7:0000000000000006 x6:ffff8000111930f2
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.526012] x5: 000000000000001 x4: 0000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.531307] x3:000000000000000 x2:00000000ffffffff
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.536602] x1 : 8cd4c35f6e797400 x0 : 00000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.541897] Call trace:
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.544330] spidev_probe+0xf8/0x1c8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.547888] spi_drv_probe+0x7c/0xd8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.551447] really_probe+0xd8/0x2f8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.555006] driver_probe_device+0x54/0xe8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.559086] __device_attach_driver+0x80/0xb8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.563426] bus_for_each_drv+0x74/0xc0
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.5672451 device attach+0xdc/0x138
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.571064] device_initial_probe+0x10/0x18
                                        3.575230] bus_probe_device+0x90/0x98
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.579049] device_add+0x334/0x600
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.582520] spi_add_device+0xac/0x170
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.586253] of_register_spi_device+0x204/0x388
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.590768] spi_register_controller+0x4b4/0x718
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.595369] cdns_spi_probe+0x28c/0x368
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.599187] platform_drv_probe+0x50/0xa0
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.603180] really_probe+0xd8/0x2f8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.606739] driver_probe_device+0x54/0xe8
                                        3.610818] __device_attach_driver+0x80/0xb8
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.615158] bus_for_each_drv+0x74/0xc0
                                        3.618977] __device_attach+0xdc/0x138
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.622797] device_initial_probe+0x10/0x18
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.626963] bus_probe_device+0x90/0x98
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.630782] deferred_probe_work_func+0x6c/0xa0
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.635297] process_one_work+0x1c4/0x338
                                        3.639288] worker_thread+0x260/0x488
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.643022] kthread+0x120/0x128
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.646234] ret_from_fork+0x10/0x18
```



```
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.649790] ---[ end trace 3a103bf38a460e96 ]---
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.654523] zynqmp_pll_disable() clock disable failed for dpll_int, ret = -13
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.661846] -----[ cut here ]-----
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.666455] /amba/spi@ff050000/spidev@1: buggy DT: spidev listed directly in DT
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.673783] WARNING: CPU: 3 PID: 65 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.681766] Modules linked in:
                                         3.684807] CPU: 3 PID: 65 Comm: kworker/3:1 Tainted: G
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                                                                                            5.4.0-xilinx-v2020.2 #1
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.693571] Hardware name: xlnx,zyngmp (DT)
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.697740] Workqueue: events deferred probe work func
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.702860] pstate: 60000005 (nZCv daif -PAN -UAO)
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.707635] pc : spidev_probe+0xf8/0x1c8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.711541] lr: spidev_probe+0xf8/0x1c8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.715445] sp: ffff8000113cb7d0
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.718744] x29: ffff8000113cb7d0 x28: ffff00006faeacd8
                                         3.724038] x27: ffff00006d26a410 x26: ffff00006bdf2c00
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.729333] x25: 0000000000000000 x24: 00000000000001a
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.734628] x23: ffff80001112a140 x22: 00000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.739923] x21: ffff80001112a120 x20: ffff00006bdf8800
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.745217] x19: 0000000000000000 x18: 0000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.750512] x17: 0000000000000000 x16: 0000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.755807] x15: ffff00006d3e86a8 x14: ffffffffffff
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.761102] x13: ffff8000913cb517 x12: ffff8000113cb51f
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.766397] x11: ffff8000110f5000 x10: 00000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.771691] x9: ffff800011193000 x8: 000000000000013d
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.776986] x7:0000000000000006 x6:ffff8000111930f2
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.782281] x5: 0000000000000001 x4: 0000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.787576] x3:000000000000000 x2:00000000ffffffff
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.792871] x1 : 8cd4c35f6e797400 x0 : 00000000000000000
Oct 29 21:52:00 mcb1 user.warn kernel:
                                         3.7981651 Call trace:
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.800598] spidev_probe+0xf8/0x1c8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.804156] spi_drv_probe+0x7c/0xd8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.807715] really_probe+0xd8/0x2f8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.811274] driver_probe_device+0x54/0xe8
                                         3.815354] __device_attach_driver+0x80/0xb8
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.819694] bus_for_each_drv+0x74/0xc0
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.823513] __device_attach+0xdc/0x138
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.827332] device_initial_probe+0x10/0x18
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.831498] bus_probe_device+0x90/0x98
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.835317] device_add+0x334/0x600
                                         3.838789] spi_add_device+0xac/0x170
Oct 29 21:52:00 mcb1 user.warn kernel: [
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.842522] of_register_spi_device+0x204/0x388
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.847036] spi_register_controller+0x4b4/0x718
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.851636] cdns_spi_probe+0x28c/0x368
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.855455] platform_drv_probe+0x50/0xa0
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.859448] really_probe+0xd8/0x2f8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.863007] driver_probe_device+0x54/0xe8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.867087] __device_attach_driver+0x80/0xb8
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                        3.871426] bus_for_each_drv+0x74/0xc0
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.875246] __device_attach+0xdc/0x138
```



```
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.879065] device_initial_probe+0x10/0x18
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.883231] bus_probe_device+0x90/0x98
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.887051] deferred_probe_work_func+0x6c/0xa0
Oct 29 21:52:00 mcb1 user.warn kernel: [
                                         3.891563] process_one_work+0x1c4/0x338
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.895556] worker_thread+0x260/0x488
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.899290] kthread+0x120/0x128
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.902501] ret_from_fork+0x10/0x18
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.906058] --- [ end trace 3a103bf38a460e97 ]---
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.911108] macb ff0d0000.ethernet: Not enabling partial store and forward
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.918446] libphy: MACB_mii_bus: probed
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.925054] Atheros 8031 ethernet ff0d0000.ethernet-ffffffff:04: attached PHY driver [Atheros 8031
ethernet] (mii_bus:phy_addr=ff0d0000.ethernet-ffffffff:04, irq=POLL)
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.940004] macb ff0d0000.ethernet eth0: Cadence GEM rev 0x50070106 at 0xff0d0000 irq 30
(98:ae:71:00:8a:c1)
Oct 29 21:52:00 mcb1 user.err kernel: [ 3.950116] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.956376] xilinx axienet b0000000.ethernet: Ethernet core IRQ not defined
Oct 29 21:52:00 mcb1 user.warn kernel: [ 3.963331] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.970097] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.976590] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.983054] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.989522] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Oct 29 21:52:00 mcb1 user.info kernel: [ 3.996224] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.002514] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.008739] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.016158] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Oct 29 21:52:00 mcb1 user.warn kernel: [ 4.023707] cpufreq: cpufreq online: CPU0: Running at unlisted freq: 1325000 KHz
Oct 29 21:52:00 mcb1 user.err kernel: [ 4.031103] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Oct 29 21:52:00 mcb1 user.warn kernel: [ 4.039835] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz
Oct 29 21:52:00 mcb1 user.err kernel: [ 4.048362] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.090353] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.100195] rtc_zynqmp ffa60000.rtc: setting system clock to 2103-10-29T21:51:42 UTC (4223137902)
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.109061] of_cfs_init
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.111517] of_cfs_init: OK
Oct 29 21:52:00 mcb1 user.notice kernel: [ 4.114425] cfg80211: Loading compiled-in X.509 certificates for regulatory database
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.189284] mmc0: new HS200 MMC card at address 0001
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.194634] mmcblk0: mmc0:0001 Q2J55L 7.09 GiB
Oct 29 21:52:00 mcb1 user.notice kernel: [ 4.198960] random: fast init done
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.199352] mmcblk0boot0: mmc0:0001 Q2J55L partition 1 16.0 MiB
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.208631] mmcblk0boot1: mmc0:0001 Q2J55L partition 2 16.0 MiB
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.214619] mmcblk0rpmb: mmc0:0001 Q2J55L partition 3 4.00 MiB, chardey (244:0)
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.223044] mmcblk0: p1 p2 p3 p4
Oct 29 21:52:00 mcb1 user.notice kernel: [ 4.243325] cfg80211: Loaded X.509 cert 'sforshee: 00b28ddf47aef9cea7'
Oct 29 21:52:00 mcb1 user.warn kernel: [ 4.249853] clk: Not disabling unused clocks
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.254326] ALSA device list:
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.257283] No soundcards found.
Oct 29 21:52:00 mcb1 user.warn kernel: [ 4.260969] platform regulatory.0: Direct firmware load for regulatory.db failed with error -2
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.269579] cfg80211: failed to load regulatory.db
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.426363] EXT4-fs (mmcblk0p3): recovery complete
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.431994] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)
```



```
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.440113] VFS: Mounted root (ext4 filesystem) on device 179:3.
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.446713] devtmpfs: mounted
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.449870] Freeing unused kernel memory: 768K
Oct 29 21:52:00 mcb1 user.info kernel: [ 4.454346] Run /sbin/init as init process
Oct 29 21:52:00 mcb1 daemon.info kernel: [ 4.686221] udevd[357]: starting version 3.2.8
Oct 29 21:52:00 mcb1 user.notice kernel: [ 4.695134] random: udevd: uninitialized urandom read (16 bytes read)
Oct 29 21:52:00 mcb1 user.notice kernel: [4.701943] random: udevd: uninitialized urandom read (16 bytes read)
Oct 29 21:52:00 mcb1 user.notice kernel: [ 4.708406] random: udevd: uninitialized urandom read (16 bytes read)
Oct 29 21:52:00 mcb1 daemon.info kernel: [ 4.732616] udevd[359]: starting eudev-3.2.8
Oct 29 21:52:00 mcb1 user.info kernel: [ 5.209266] EXT4-fs (mmcblk0p2): recovery complete
Oct 29 21:52:00 mcb1 user.info kernel: [ 5.214064] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)
Oct 29 21:52:00 mcb1 user.warn kernel: [ 5.269625] vfat filesystem being mounted at /media/sd-mmcblk0p1 supports timestamps until 2107
(0x10391447e)
Oct 29 21:52:00 mcb1 user.info kernel: [ 5.483471] EXT4-fs (mmcblk0p4): 1 orphan inode deleted
Oct 29 21:52:00 mcb1 user.info kernel: [ 5.488698] EXT4-fs (mmcblk0p4): recovery complete
Oct 29 21:52:00 mcb1 user.info kernel: [ 5.575141] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)
Oct 29 21:52:00 mcb1 user.info kernel: [ 5.640943] EXT4-fs (mmcblk0p3): re-mounted. Opts: (null)
Oct 29 21:52:03 mcb1 user.info kernel: [ 24.729608] pps pps1: new PPS source ptp1
Oct 29 21:52:03 mcb1 user.info kernel: [ 24.733641] macb ff0d0000.ethernet: gem-ptp-timer ptp clock registered.
Oct 29 21:52:03 mcb1 user.notice kernel: [ 25.471692] random: crng init done
Oct 29 21:52:03 mcb1 user.notice kernel: [ 25.475903] random: 7 urandom warning(s) missed due to ratelimiting
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Plugin "/usr/lib/libyang1/user_types/user_inet_types.so" successfully loaded.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Plugin "/usr/lib/libyang1/user_types/user_yang_types.so" successfully loaded.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Reading module "ietf-yang-metadata".
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Reading module "yang".
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Resolving "yang" unresolved schema nodes and their constraints...
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: All "yang" schema nodes and constraints resolved.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Module "yang@2017-02-20" successfully parsed as implemented.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Reading module "ietf-inet-types".
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Resolving derived type "union" failed, it will be attempted later.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Resolving derived type "union" failed, it will be attempted later.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Resolving derived type "union" failed, it will be attempted later.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Resolving derived type "union" failed, it will be attempted later.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: All "ietf-inet-types" schema nodes and constraints resolved.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Reading module "ietf-yang-types".
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
```



```
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang" file.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Module "ietf-yang-types@2013-07-15" already in context.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Resolving "sysrepo" unresolved schema nodes and their constraints...
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: All "sysrepo" schema nodes and constraints resolved.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Module "sysrepo@2021-01-18" successfully parsed as implemented.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe38" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe34" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe17" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe43" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe42" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe32" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe3" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe9" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe39" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe56" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe10" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe33" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe13" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe18" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe1" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe15" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe21" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe54" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe30" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe4" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe2" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe28" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe29" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe7" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe55" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe31" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe26" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe20" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe24" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe57" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe62" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe25" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe63" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe8" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe59" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe27" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe37" after a crashed subscription.
```



```
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe44" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe23" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe64" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe46" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe47" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe58" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe53" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe22" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe11" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe51" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe19" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe5" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe60" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe41" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe16" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe6" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe52" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe12" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe35" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe36" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe61" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe14" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe40" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Removing event pipe "sr_evpipe45" after a crashed subscription.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 11 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 7 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 6 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 1 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 2 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 8 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 14 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 3 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 13 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 5 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 9 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 4 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 20 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 12 is dead.
Oct 29 21:52:07 mcb1 daemon.warn netopeer2-server[985]: Connection with CID 15 is dead.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Applying scheduled changes.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang models.
```



```
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:07 mcb1 daemon.info netopeer2-server[985]: Loading schema from
"/etc/sysrepo/yang/yang models/imported/ietf/ietf-inet-types.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-inet-types@2013-07-15" already in context.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "sysrepo-monitoring" schema nodes and constraints resolved.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang"
file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported.
```



Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/iana. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/ietf. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/custom. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/operations. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/sync. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/radio. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/interfaces. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/system. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/iana. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/ietf. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-netconf@2013-09-29" successfully parsed as imported. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints... Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints... Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "ietf-netconf-notifications" schema nodes and constraints resolved. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/custom. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/operations. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/sync. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/radio. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/interfaces. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/system. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-vang-metadata" in /etc/sysrepo/yang/yang_models/imported. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/iana. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/ietf. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "ietf-origin" unresolved schema nodes and their constraints... Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "ietf-origin" schema nodes and constraints resolved. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-origin@2018-02-14" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-netconf-acm@2018-02-14" now implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang"

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.



- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/custom.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/operations.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/sync.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/radio.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/system.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/iana.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/ietf.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/custom.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in

 $/etc/sysrepo/yang/yang_models/o\text{-}ran/operations.$

- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/sync.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/radio.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/system.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/iana.
- /etc/sysrepo/yang/yang_models/imported/iana.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/ietf.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "ietf-netconf-nmda" schema nodes and constraints resolved.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "nc-notifications" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/custom.
- $Oct\ 29\ 21:52:08\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Searching\ for\ "notifications"\ in\ /etc/sysrepo/yang/yang_models/o-ran.$
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/operations.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/sync.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/radio.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.



```
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "notifications@2008-07-14" successfully parsed as imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "notifications@2008-07-14" now implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang"
file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "ietf-keystore" schema nodes and constraints resolved.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-keystore@2019-07-02" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-truststore@2019-07-02" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-tcp-common@2019-07-02" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ssh-server" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ssh-common" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-ssh-common@2019-07-02" successfully parsed as imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/operations.
```



```
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "iana-crypt-hash@2014-08-06" successfully parsed as imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-ssh-server@2019-07-02" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tls-server" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tls-common" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-tls-common@2019-07-02" successfully parsed as imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-tls-server@2019-07-02" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-netconf-server" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in
```



/etc/sysrepo/yang/yang_models/o-ran/operations.

```
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/sync.
```

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in

/etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in

/etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-client@2019-07-02.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-tcp-client@2019-07-02" successfully parsed as imported.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported.



```
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-tcp-server@2019-07-02" successfully parsed as imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "ietf-netconf-server" unresolved schema nodes and their constraints...
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "ietf-netconf-server" schema nodes and constraints resolved.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-netconf-server@2019-07-02" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "vvdn_mcel-wdm" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/vvdn_mcel-wdm@2022-05-03.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "vvdn_mcel-wdm@2022-05-03" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "vvdn_mcel-opm" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/vvdn_mcel-opm@2020-11-08.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "vvdn_mcel-opm@2020-11-08" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in
/etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/notification_history.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "notification_history" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "ietf-hardware" schema nodes and constraints resolved.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.
```



Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-interfaces@2018-02-20" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/custom. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "iana-if-type@2017-01-19" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-dhcpv6-types" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-dhcpv6-types@2018-01-30" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "ietf-ip@2018-02-22" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-dhcp" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-dhcp@2019-07-03" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/custom. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/operations. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/sync. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/radio. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/interfaces. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/system. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/iana. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/ietf. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/custom. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/sync.



```
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-interfaces" schema nodes and constraints resolved.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-mplane-int" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-mplane-int@2019-07-03" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-transceiver" schema nodes and constraints resolved.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang"
file.
Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...
```

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-processing-element" schema nodes and constraints resolved.



- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-ald-port" unresolved schema nodes and their constraints...
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-ald-port" schema nodes and constraints resolved.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-ald-port@2019-07-03" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-hardware" schema nodes and constraints resolved.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-fm" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-usermgmt" schema nodes and constraints resolved.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-sync" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-sync" schema nodes and constraints resolved.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from
- "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/custom.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran.
- $Oct\ 29\ 21:52:08\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Searching\ for\ "o-ran-compression-factors"\ in$
- /etc/sysrepo/yang/yang_models/o-ran/operations.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in
- /etc/sysrepo/yang/yang_models/o-ran/sync.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in
- $/etc/sysrepo/yang/yang_models/o-ran/radio.\\$
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in
- $/etc/sysrepo/yang/yang_models/o-ran/interfaces.\\$
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in
- /etc/sysrepo/yang/yang_models/o-ran/system.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in



/etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-compression-factors" in

/etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from

"/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-module-cap" schema nodes and constraints resolved.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-operations" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-operations" schema nodes and constraints resolved.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in

 $/etc/sysrepo/yang/yang_models/o\text{-}ran/operations.$

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/sync.

 $Oct\ 29\ 21:52:08\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Searching\ for\ "o-ran-processing-element"\ in$

 $/etc/sysrepo/yang/yang_models/o-ran/radio.\\$

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in

/etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in

 $/etc/sysrepo/yang/yang_models/o\text{-}ran/system.$

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported.

 $Oct\ 29\ 21:52:08\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Searching\ for\ "o-ran-processing-element"\ in$

/etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-processing-element" in

 $/etc/sysrepo/yang/yang_models/imported/ietf.\\$

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-uplane-conf" schema nodes and constraints resolved.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-file-management" schema nodes and constraints resolved.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.



Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from

"/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

 $Oct\ 29\ 21:52:08\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Searching\ for\ "o-ran-hardware"\ in\ /etc/sysrepo/yang/yang_models/o-ran/interfaces.$

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported.

 $Oct\ 29\ 21:52:08\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Searching\ for\ "o-ran-hardware"\ in\ /etc/sysrepo/yang/yang_models/imported/iana.$

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in

/etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in

 $/etc/sysrepo/yang/yang_models/o-ran/interfaces.\\$

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in

/etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-file-management" in

 $/etc/sysrepo/yang/yang_models/imported/ietf.\\$

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-software-management" schema nodes and constraints resolved.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from

"/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-performance-management@2019-07-03" successfully parsed as implemented.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-ald@2019-07-03.yang" file.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/custom.



Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/operations. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/sync. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/radio. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/interfaces. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/system. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported/iana. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported/ietf. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-ald" unresolved schema nodes and their constraints... Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-ald" schema nodes and constraints resolved. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-ald@2019-07-03" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-trace" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-trace" unresolved schema nodes and their constraints... Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-trace" schema nodes and constraints resolved. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang" Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints... Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All "o-ran-troubleshooting" schema nodes and constraints resolved. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: No scheduled changes. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Datastore copied from <startup> to <running>. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Connection 1 created. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Session 1 (user "root", CID 1) created. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints... Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Listening on :::830 for SSH connections. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data. Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.



- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-server" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-keystore" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-truststore" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-acm" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-acm" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-acm" "done" event on enabled data.
- Oct 29 21:52:08 mcb1 daemon.info netopeer2-server[985]: Triggering "ietf-netconf-acm" "done" event on enabled data.
- Oct 29 21:52:09 mcb1 user.err SYS_MONITOR[999]: previous boot not done by BMC
- Oct 29 21:52:09 mcb1 user.debug SYS_MONITOR[999]: GPIO initialization successfull
- Oct 29 21:52:09 mcb1 user.debug SYS_MONITOR[999]: GPIO initialization successfull
- Oct 29 21:52:09 mcb1 user.debug SYS_MONITOR[999]: GPIO initialization successfull
- Oct 29 21:52:09 mcb1 user.debug SYS_MONITOR[999]: GPIO initialization successfull
- Oct 29 21:52:09 mcb1 user.debug SYS_MONITOR[999]: GPIO initialization successfull
- Oct 29 21:52:09 mcb1 user.debug SYS_MONITOR[999]: GPIO initialization successfull
- Oct 29 21:52:09 mcb1 user.debug SYS_MONITOR[999]: GPIO initialization successfull
- Oct 29 21:52:09 mcb1 user.err SYSTEM MONITOR[999]: PA Temp File operation failure
- Oct 29 21:52:09 mcb1 user.notice nw_manager[1017]: Process started
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-acm" "done" event with ID 1 priority 0 (remaining 4 subscribers).
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.
- Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.



Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-keystore" "done" event with ID 1 priority 0 (remaining 1 subscribers).

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-server" "done" event with ID 1 priority 0 (remaining 22 subscribers).

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 21:52:10 mcb1 user.notice nw_manager[1017]: Replaced the running datastore with basic user configuration

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Listening on :::830 for SSH connections.

Oct 29 21:52:10 mcb1 daemon.info netopeer2-server[985]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 21:52:10 mcb1 user.notice nw_manager[1017]: Read basic system interface details



Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: Event change changes to: ietf-hardware Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component : ru-module for component ru-module Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component ru-module Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component oran name: ru-module for component ru-module Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component : ru-port0 for component ru-port0 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component class: iana-hardware:port for component ru-port0 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component parent: ru-module for component ru-port0 Oct 29 21:52:10 mcb1 user.info nw manager[1017]: SR HW: [config] component parent rel pos: 0 for component ru-port0 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component oran name: ru-port0 for component ru-port0 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component: ru-port1 for component ru-port1 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component class: iana-hardware:port for component ru-port1 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component parent: ru-module for component ru-port1 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component parent rel pos: 1 for component ru-port1 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: [config] component oran name: ru-port1 for component ru-port1 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: Event done changes to: ietf-hardware Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: Config has changed in :ietf-hardware Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: Interface: eth1.100 Netmask: 255.255.255.0 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: Interface: eth1.100 O-RU port name ru-port1 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: Base interface : eth1.100 standard port : eth1 O-RU port-number : 1 Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: VLAN: Added VLAN with VID == 100 to IF -:eth1:- devname eth1.100 Oct 29 21:52:10 mcb1 user.notice nw_manager[1017]: Application subscribed for edit-config,get Oct 29 21:52:10 mcb1 user.warn nw_manager[1017]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested Oct 29 21:52:10 mcb1 user.warn nw_manager[1017]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Oct 29 21:52:10 mcb1 user.info nw_manager[1017]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested Oct 29 21:52:10 mcb1 user.warn nw manager[1017]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value... Oct 29 21:52:10 mcb1 user.err nw_manager[1017]: SR_HW: HW status notification sending failed RU Oct 29 21:52:10 mcb1 user.err nw_manager[1017]: SR_HW: HW change monitoring thread failed Oct 29 21:52:11 mcb1 user.info FAULT MANAGEMENT[1044]: ========= LISTENING FOR CHANGES ========= Oct 29 21:52:12 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4 subscribers). Oct 29 21:52:12 mcb1 daemon.info netopeer2-server[985]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers). Oct 29 21:52:12 mcb1 user.notice USERMGMT[1054]: Complete copying o-ran-usermgmt startup configurations Oct 29 21:52:12 mcb1 user.notice USERMGMT[1054]: LISTENING FOR CHANGES Oct 29 21:52:12 mcb1 user.notice fw_manager[1065]: Process started Oct 29 21:52:13 mcb1 user.notice fw_manager[1065]: Listening for RPCs Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: LISTENING FOR CHANGES Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: EVENT change CHANGES Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 255 Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 248 Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 165 Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 160 Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 150 Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 140 Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 135 Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 7



```
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Accepted-clock-classes: 6
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM PRC
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM EEC1
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM DNU
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM NONE
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM PRC
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM EEC1
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM DNU
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM NONE
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM PRC
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM EEC1
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM DNU
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Acceptance SSM NONE
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: ssm_timeout : 5
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Change in Configuration of S plane
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: END OF CHANGES
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: EVENT done CHANGES
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: Writing Configuration of S plane
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: END OF CHANGES
Oct 29 21:52:14 mcb1 user.notice SYNCMNGR[1311]: SYNC-LOCK-STATE CHANGE NOTIFICATION
Oct 29 21:52:15 mcb1 user.notice OPM[1322]: @function:main line:153 Operation manager init :subscribed for edit-config, get, rpc on
o-ran-operations
Oct 29 21:52:15 mcb1 user.notice OPM[1322]: @function:main line:189 Operation manager init :subscribed for edit-config, get, rpc on
o-ran-processing-element
Oct 29 21:52:15 mcb1 user.notice OPM[1322]: @function:main line:312 Operation manager init :subscribed for edit-config, get, rpc on
o-ran-uplane-conf
Oct 29 21:52:15 mcb1 user.notice SR_OP[1322]: @function:op_module_change_cb line:137 Event change detected on o-ran-operations
Oct 29 21:52:15 mcb1 user.notice SR_OP[1322]: @function:op_module_change_cb line:150 [config]timezone name changed to GMT [event:
Oct 29 21:52:15 mcb1 user.notice SR_OP[1322]: @function:op_module_change_cb line:137 Event change detected on o-ran-operations
Oct 29 21:52:15 mcb1 user.notice SR_OP[1322]: @function:op_module_change_cb line:150 [config]timezone name changed to GMT [event:
Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:132 EVENT change CHANGES
Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:159 FPGA interface element1:
interface name: eth1.100
Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:168 FPGA interface element1:
ru-mac: 98:ae:71:00:8a:c2
Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:197 FPGA interface element1:
VLAN-ID: 100
Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:234 FPGA interface element1:
du-mac: 54:48:10:cc:e2:57
Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:132 EVENT done CHANGES
Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:159 FPGA interface element1:
interface name: eth1.100
Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:168 FPGA interface element1:
ru-mac: 98:ae:71:00:8a:c2
```

Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:197 FPGA interface element1:

Oct 29 21:52:15 mcb1 user.notice PROCESSING-ELEMENTS[1322]: @function:pe_module_change_cb line:234 FPGA interface element1:

VLAN-ID: 100



```
du-mac: 54:48:10:cc:e2:57
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1115 EVENT change CHANGES:
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier :
txarraycarrier0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink1
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3660 EVENT change CHANGES:
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element :
element1
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier :
txarraycarrier0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint1
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink2
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier :
txarraycarrier0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint: slltx-endpoint2
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink3
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier :
txarraycarrier0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint: slltx-endpoint3
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3685 FPGA | rx-array-carriers-name :
rxarraycarrier0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:2960 EVENT change CHANGES:
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2063 EVENT change CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:2986 FPGA | tx-array-carriers-name :
txarraycarrier0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3737 FPGA |
rx-array-carriers-absolute-frequency-center
                                                 : 390000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3823 FPGA |
rx-array-carriers-frequency-reference-center: 0.000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:4012 FPGA |
rx-array-carriers-channel-bandwidth: 10000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:4032 FPGA | rx-array-carriers-active :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:4063 FPGA |
rx-array-carriers-downlink-radio-frame-offset: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:4084 FPGA |
rx-array-carriers-downlink-sfn-offset: 0
```

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:4105 FPGA |

rx-array-carriers-gain-correction: 0.000000



Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:4126 FPGA | rx-array-carriers-n-ta-offset: 25600 Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:4137 END OF CHANGES

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1255 EVENT change CHANGES:

/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3038 FPGA |

tx-array-carriers-absolute-frequency-center: 428000

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3121 FPGA |

tx-array-carriers-frequency-reference-center: 0.000000

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1185 EVENT change CHANGES

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3309 FPGA |

tx-array-carriers-channel-bandwidth: 10000000

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element : element1

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier : rxarraycarrier0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink1

Oct 29 21:52:15 mcb1 user.notice operations_manager[1322]: @function:array_carrier_module_change_cb line:3329 FPGA |

tx-array-carriers-active: ACTIVE

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element :

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier : rxarraycarrier0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint 1

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink2

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element :

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier : rxarraycarrier0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint2

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink3

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element : element1

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier : rxarraycarrier0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint: sllrx-endpoint3

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2901 END OF CHANGES

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3604 FPGA | tx-array-carriers-gain : 0.000000

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3625 FPGA | tx-array-carriers-downlink-radio-frame-offset: 0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3646 FPGA |

tx-array-carriers-downlink-sfn-offset: 0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:4137 END OF CHANGES

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name : slltx-endpoint0

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :



```
sllrx-endpoint0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1650 FPGA |
lltx\hbox{-ep-offset-to-absolute-frequency-center}\ : 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2463 FPGA |
llrx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 1
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ 15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint1
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273
```

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :

Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56 Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :

65024



```
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 1
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 2
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint2
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
sllrx-endpoint1
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 3
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2463 FPGA |
llrx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint3
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2765 FPGA | llrx-ep-number-of-prb : 273
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ 15
```



```
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 2
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2463 FPGA |
llrx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ 15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
448
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 3
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
sllrx-endpoint3
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2230 FPGA | llrx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2463 FPGA |
```



```
llrx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2765 FPGA | llrx-ep-number-of-prb : 273
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3660 EVENT done CHANGES:
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1185 EVENT done CHANGES
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3685 FPGA | rx-array-carriers-name :
rxarraycarrier0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2063 EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1255 EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3737 FPGA |
rx-array-carriers-absolute-frequency-center
                                                : 390000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:2960 EVENT done CHANGES:
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1115 EVENT done CHANGES:
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:2986 FPGA | tx-array-carriers-name :
txarraycarrier0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3804 rx-compt-factor 40000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor d2bf2d41
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3804 rx-compt-factor c000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 2d412d41
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor c00000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3804 rx-compt-factor 2d41d2bf
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 40000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier module change cb line:3787 rx-comp-factor d2bf2d41
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3804 rx-compt-factor c000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 2d412d41
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3804 rx-compt-factor c00000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3804 rx-compt-factor 2d41d2bf
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3787 rx-comp-factor 4000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3823 FPGA |
rx-array-carriers-frequency-reference-center: 195000000.000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint0
```

Oct 29 21:52:15 mcb1 user.info operations-manager[1322]: commBwSystemMonitor: CMD SENT TO SYS_MON SUCCESSFULLY



```
Oct 29 21:52:15 mcb1 user.info FAULT MANAGER[999]: sendData : Source ID: 30
Oct 29 21:52:15 mcb1 user.info FAULT MANAGER[999]: sendData: Fault ID: 11
Oct 29 21:52:15 mcb1 user.info FAULT MANAGER[999]: sendData: FAULT_IS_CLEARED: False
Oct 29 21:52:15 mcb1 user.info FAULT MANAGER[999]: sendData: FAULT_SEVERITY: 3
Oct 29 21:52:15 mcb1 user.info FAULT MANAGER[999]: sendData : FAULT_TIME: 2103-10-29T21:52:15Z
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3038 FPGA |
tx-array-carriers-absolute-frequency-center: 428000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor 376d2000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor 40000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor 376de000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor 2000c893
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor c000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor e000c893
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor c893e000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor 376d2000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3084 tx-comp-factor 40000000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor 376de000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor 2000c893
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor_c000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor e000c893
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3101 tx-comp-factor c893e000
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:array_carrier_module_change_cb line:3121 FPGA |
tx-array-carriers-frequency-reference-center: 2140000000.000000
Oct 29 21:52:15 mcb1 user.info operations-manager[1322]: commBwSystemMonitor: CMD SENT TO SYS_MON SUCCESSFULLY
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
sllrx-endpoint0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2230 FPGA | llrx-ep-exponent : 4
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct\ 29\ 21:52:15\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function:uplane\_module\_change\_cb\ line: 1682\ FPGA\ |\ lltx-ep-o-du-port-bitmask\ :\ lltx-ep-o-du-por
65024
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2463 FPGA |
```



```
llrx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 1
Oct 29 21:52:15 mcb1 user.notice file_manager[1354]: Process started
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ 15
Oct 29 21:52:15 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 2
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 1
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint2
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 29 21:52:16 mcb1 user.notice file_manager[1354]: Listening for RPCs
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ 15
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC
```



```
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2230 FPGA | llrx-ep-exponent : 4
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 3
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint3
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2463 FPGA |
llrx-ep-offset-to-absolute-frequency-center: 0
Oct\ 29\ 21:52:16\ mcb1\ user.notice\ UPLANECONF[1322]:\ @function:uplane\_module\_change\_cb\ line: 1325\ FPGA\ |\ lltx-ep-compression-type: 1325\ properties of the propertie
STATIC
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1443 FPGA | lltx-ep-exponent : 4
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2765 FPGA | llrx-ep-number-of-prb : 273
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center: 0
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ _15
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448
Oct\ 29\ 21:52:16\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function:uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function:uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function: uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function: uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function: uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function: uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function: uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function: uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ UPLANECONF [1322]:\ @function: uplane\_module\_change\_cb\ line: 1779\ FPGA\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ user.notice\ uplaneLune(label-bitmask)\ |\ lltx-ep-ccid-bitmask\ :56\ mcb1\ us
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
65024
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 4
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2901 END OF CHANGES
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 2
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
sllrx-endpoint2
Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
```



STATIC Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2463 FPGA | llrx-ep-offset-to-absolute-frequency-center: 0 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask : 65024 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask : 448 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 3 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2889 FPGA | llrx-ep-non-time-managed-delay-enabled: 0 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name : sllrx-endpoint3 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type : **STATIC** Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2230 FPGA | llrx-ep-exponent : 4 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2463 FPGA | llrx-ep-offset-to-absolute-frequency-center: 0 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ 15 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2765 FPGA | llrx-ep-number-of-prb : 273 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask : 65024 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask : 448 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7 Oct 29 21:52:16 mcb1 user.info FAULT MANAGER[999]: sendData : Source ID: 30 Oct 29 21:52:16 mcb1 user.info FAULT MANAGER[999]: sendData: Fault ID: 11 Oct 29 21:52:16 mcb1 user.info FAULT MANAGER[999]: sendData : FAULT IS_CLEARED: False Oct 29 21:52:16 mcb1 user.info FAULT MANAGER[999]: sendData: FAULT_SEVERITY: 3 Oct 29 21:52:16 mcb1 user.info FAULT MANAGER[999]: sendData : FAULT_TIME: 2103-10-29T21:52:16Z Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 4 Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane_module_change_cb line:2889 FPGA | llrx-ep-non-time-managed-delay-enabled: 0

Oct 29 21:52:16 mcb1 user.notice UPLANECONF[1322]: @function:uplane module change cb line:2901 END OF CHANGES

Oct 29 21:52:18 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Oct 29 21:52:17 mcb1 user.notice supervision[1365]: Process started Oct 29 21:52:17 mcb1 user.notice supervision[1365]: Listening for RPCs





































































































































































































































































































































































































































































































































































































































































































































































































































```
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:19 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Oct 29 21:52:20 mcb1 user.notice ald_controller[1400]: Process started
Oct 29 21:52:20 mcb1 user.notice ald_controller[1400]: Listening for RPCs
Oct 29 21:52:21 mcb1 user.notice log_manager[1411]: Process started
Oct 29 21:52:21 mcb1 user.notice log_manager[1411]: Listening for RPCs
Nov 4 00:00:00 mcb1 daemon.info dhclient: Internet Systems Consortium DHCP Client 4.4.2
Nov 4 00:00:00 mcb1 daemon.info dhclient: Copyright 2004-2020 Internet Systems Consortium.
Nov 4 00:00:00 mcb1 daemon.info dhclient: All rights reserved.
Nov 4 00:00:00 mcb1 daemon.info dhclient: For info, please visit https://www.isc.org/software/dhcp/
Nov 4 00:00:00 mcb1 daemon.info dhclient:
Nov 4 00:00:00 mcb1 daemon.info dhclient: Listening on LPF/eth1/98:ae:71:00:8a:c2
Nov 4 00:00:00 mcb1 daemon.info dhclient: Sending on LPF/eth1/98:ae:71:00:8a:c2
Nov 4 00:00:00 mcb1 daemon.info dhclient: Sending on Socket/fallback
Nov 4 00:00:00 mcb1 daemon.info dhclient: DHCPREQUEST for 192.168.4.43 on eth1 to 255.255.255.255 port 67
Nov 4 00:00:00 mcb1 daemon.info dhclient: DHCPACK of 192.168.4.43 from 192.168.4.15
Nov 4 00:00:00 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:00 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not
required.
Nov 4 00:00:00 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
Nov 4 00:00:00 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-server" "done" event with ID 3 priority 0 (remaining 22
subscribers).
Nov 4 00:00:00 mcb1 daemon.info netopeer2-server[985]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).
Nov 4 00:00:01 mcb1 user.info nw_manager[1017]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Nov 4 00:00:01 mcb1 user.info nw_manager[1017]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Nov 4 00:00:01 mcb1 user.info nw_manager[1017]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
```

Nov 4 00:00:01 mcb1 user.info nw_manager[1017]: Interface: eth1 Netmask: 255.255.255.0



```
Nov 4 00:00:01 mcb1 user.info nw_manager[1017]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Nov 4 00:00:01 mcb1 daemon.info dhclient[1453]: eth1:: IP=192.168.4.43/255.255.255.0 router=192.168.4.15 domain="vvdntech.com"
dns="192.168.4.15" lease=6841
Nov 4 00:00:01 mcb1 daemon.info dhclient: bound to 192.168.4.43 -- renewal in 3186 seconds.
Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" connecting...
Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:02 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:02 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:03 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:03 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:04 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 1040ms.
Nov 4 00:00:04 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:04 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:04 mcb1 user.notice ADRV[1392]: No change in Tx Frequency.
Nov 4 00:00:04 mcb1 user.notice ADRV[1392]: No change in Rx Frequency.
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:05 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 960ms.
Nov 4 00:00:05 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:05 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:06 mcb1 daemon.info dhclient: Max retransmission duration exceeded.
Nov 4 00:00:06 mcb1 daemon.info init: Entering runlevel: 5
Nov 4 00:00:06 mcb1 user.err vlan_scan[1530]: if_name eth1
Nov 4 00:00:06 mcb1 user.info vlan_scan[1530]: ICMPv6 Thread runnig started, func: icmpv6_flag_thread, LINE: 157
Nov 4 00:00:06 mcb1 user.info vlan_scan[1530]: DHCP6 thread running started, func: run_dhcp6, LINE: 170
Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:07 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:07 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:09 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:09 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:10 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:10 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Successfully connected to 192.168.4.15:4334 over IPv4.
Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Session 88 (user "root", CID 1) created.
```

Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-service" of subtype "ssh-userauth". Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: User "operator" authenticated.



- Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel-open" of subtype "session".
- Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel" of subtype "subsystem".
- Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session 1 established.
- Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Session 89 (user "root", CID 1) created.
- Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Nov 4 00:00:11 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-start).
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 0 event new RPC.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- $"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name"\ with\ the\ value\ "ru-port1",\ but\ it\ is\ not\ required.$
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth1.100", but it is not required.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../../interface-name]/o-ran-interfaces:vlan-id" with the value "100", but it is not required.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1",



but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:12 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Nov 4 00:00:12 mcb1 user.notice fw_manager[1065]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov $4\,00:00:13\,$ mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: There is no leafref



"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 3 event new RPC.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:13 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 2 event new RPC.

 $Nov\ \ 4\ 00:00:14\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$

Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 1 for 1 subscribers.

Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Nov 4 00:00:14 mcb1 daemon.info netopeer2-server[985]: Successful processing of "operational" event with ID 1.

Nov 4 00:00:14 mcb1 user.notice supervision[1365]: Checking to enable supervision default-timer

Nov 4 00:00:14 mcb1 user.notice supervision[1365]: Received supervision-notification #1 from operator user.path

->/notifications:create-subscription

Nov 4 00:00:14 mcb1 user.notice supervision[1365]: Received supervision-notification

Nov 4 00:00:14 mcb1 user.notice supervision[1365]: Default supervision timer value : 60 seconds. Default Guard timer value : 10 seconds

Nov 4 00:00:14 mcb1 user.notice supervision[1365]: Internal Supervision timer value: 60 seconds. Internal Guard timer value: 10 seconds

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 1 succeeded.

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0



(remaining 1 subscribers).

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 3 event new RPC.

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:00:15 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Nov 4 00:00:15 mcb1 user.notice fw_manager[1065]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 2 succeeded.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov $4\,00:00:16\,$ mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov $\,4\,00{:}00{:}16\,mcb1$ daemon.info netopeer2-server[985]: There is no leafref

 $"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code"\ with\ the\ value\ "VVDN\ O-RU",\ but\ it\ is\ not\ required.$

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 3 priority 0 succeeded.

 $Nov\ 4\ 00:00:16\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Resolving\ unresolved\ data\ nodes\ and\ their\ constraints...$

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov $\,4\,00{:}00{:}16\,mcb1$ daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:16 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 1 event new RPC.

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.



Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/o-ran-software-management:software-download" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:17 mcb1 user.notice fw_manager[1065]: RPC #1 recieved. xpath -> /o-ran-software-management:software-download

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:17 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 4 event new RPC.

Nov 4 00:00:17 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator

Nov 4 00:00:17 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe

Nov 4 00:00:17 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 1881/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 2089/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 2277/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 2447/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 2602/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 2742/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 2869/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 2984/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3024/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3060/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3093/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3123/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3150/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3175/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3197/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3217/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3235/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3252/4096 bits entropy Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3267/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3281/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3293/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3304/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3314/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3323/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3332/4096 bits entropy

Nov $4\,00:00:17\,$ mcb1 daemon.debug rngd: Added 3339/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3346/4096 bits entropy Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3352/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3358/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3363/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3368/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3372/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3376/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3379/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3382/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3449/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3510/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3564/4096 bits entropy

Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3614/4096 bits entropy



```
Nov 4 00:00:17 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator
Nov 4 00:00:17 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Nov 4 00:00:17 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3659/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3700/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3737/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3771/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3801/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3829/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3854/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3876/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3897/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3915/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3932/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3947/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3961/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3974/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3985/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 3995/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 4005/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 4013/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 4021/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 4028/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Added 4034/4096 bits entropy
Nov 4 00:00:17 mcb1 daemon.debug rngd: Pool full at 4096, sleeping!
Nov 4 00:00:17 mcb1 daemon.notice haveged: haveged starting up
Nov 4 00:00:17 mcb1 auth.info sshd[2060]: Server listening on 0.0.0.0 port 22.
Nov 4 00:00:17 mcb1 auth.info sshd[2060]: Server listening on :: port 22.
Nov 4 00:00:17 mcb1 daemon.info bluetoothd[2066]: Bluetooth daemon 5.50
Nov 4 00:00:17 mcb1 daemon.info bluetoothd[2066]: Starting SDP server
Nov 4 00:00:17 mcb1 daemon.info bluetoothd[2066]: Bluetooth management interface 1.14 initialized
Nov 4 00:00:18 mcb1 daemon.info haveged: haveged: ver: 1.9.5; arch: generic; vend: ; build: (gcc 9.2.0 CTV); collect: 128K
Nov 4 00:00:18 mcb1 daemon.info haveged: haveged: cpu: (VC); data: 16K (D); inst: 16K (D); idx: 11/40; sz: 15456/64452
Nov 4 00:00:18 mcb1 daemon.info haveged: tot tests(BA8): A:1/1 B:1/1 continuous tests(B): last entropy estimate 8.00086
Nov 4 00:00:18 mcb1 daemon.info haveged: haveged: fills: 0, generated: 0
Nov 4 00:00:22 mcb1 user.notice fw_manager[1065]: Function isDownloadCompleted setting error code 0
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:25 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "o-ran-software-management" event with ID 1.
Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).
Nov 4 00:00:31 mcb1 authoriv.debug login[2168]: pam_unix(login:account): account root has password changed in future
Nov 4 00:00:31 mcb1 authpriv.info login[2168]: pam_unix(login:session): session opened for user root by LOGIN(uid=0)
```



Nov 4 00:00:31 mcb1 authpriv.notice login[2169]: ROOT LOGIN on '/dev/ttyPS0'

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Must condition "/software-inventory/software-slot[name = current()][active = 'false' and running = 'false']" not satisfied, but it is not required.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 3

Nov 4 00:00:31 mcb1 user.notice fw_manager[1065]: RPC #3 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 3 succeeded.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/o-ran-software-management:software-install" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:31 mcb1 user.notice fw_manager[1065]: RPC #1 recieved. xpath ->/o-ran-software-management:software-install

Nov 4 00:00:31 mcb1 user.notice fw_manager[1065]: swSlot1 selected

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:31 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 4 event new RPC.

Nov 4 00:00:35 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:35 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:35 mcb1 user.warn pm_manager[1376]Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:35 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

 $Nov\ 4\ 00:00:35\ mcb1\ user.warn\ pm_manager[1376]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

 $Nov\ 4\ 00:00:35\ mcb1\ user.warn\ pm_manager [1376]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

 $Nov\ 4\ 00:00:35\ mcb1\ user.warn\ pm_manager [1376]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

 $Nov\ 4\ 00:00:35\ mcb1\ user.warn\ pm_manager[1376]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

Nov 4 00:00:35 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:36 mcb1 user.err fw_manager[1065]: 'manifest.xml' not found

Nov 4 00:00:43 mcb1 user.err fw_manager[1065]: swInstall failed :Reason: Files missing from archive

Nov 4 00:00:43 mcb1 user.notice fw_manager[1065]: RPC #4 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:00:43 mcb1 user.info FAULT MANAGER[999]: sendData: Source ID: 21

Nov 4 00:00:43 mcb1 user.info FAULT MANAGER[999]: sendData : Fault ID: 23

Nov 4 00:00:43 mcb1 user.info FAULT MANAGER[999]: sendData : FAULT_IS_CLEARED: False

Nov 4 00:00:43 mcb1 user.info FAULT MANAGER[999]: sendData: FAULT_SEVERITY: 2

Nov 4 00:00:43 mcb1 user.info FAULT MANAGER[999]: sendData : FAULT_TIME: 2000-11-04T00:00:43Z

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: There is no instance of

"/notification_history:history/module-notification[module-name='Module']/notif-error", but it is not required.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 1.



Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: There is no instance of

"/notification_history:history/module-notification[module-name='Module']/alert", but it is not required.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "o-ran-fm" event with ID 1.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: There is no instance of

"/notification_history:history/module-notification[module-name='Module']/epochtime", but it is not required.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: There is no leafref "/software-inventory/software-slot/name" with the value "swSlot1", but it is not required.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "o-ran-software-management" event with ID 2.

Nov 4 00:00:43 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:45 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:45 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:45 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

 $Nov\ 4\ 00:00:45\ mcb1\ user.warn\ pm_manager [1376]:\ Failed\ to\ open\ / media/sd-mmcblk 0p4/O-RAN/log/timezone.\ Using\ default\ value...$

Nov 4 00:00:45 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:45 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

 $Nov\ 4\ 00:00:45\ mcb1\ user.warn\ pm_manager [1376]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

 $Nov\ 4\ 00:00:45\ mcb1\ user.warn\ pm_manager [1376]:\ Failed\ to\ open\ / media/sd-mmcblk0p4/O-RAN/log/timezone.\ Using\ default\ value...$

Nov 4 00:00:45 mcb1 user.warn pm_manager[1376]: Failed to open /media/sd-mmcblk0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 4 event new RPC.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Session 1: thread 4 event session terminated.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-end).

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session terminated.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:00:48 mcb1 authpriv.debug sshd[3016]: pam_unix(sshd:account): account operator has password changed in future

Nov 4 00:00:48 mcb1 auth.info sshd[3016]: Accepted password for operator from 192.168.4.15 port 45856 ssh2

Nov 4 00:00:48 mcb1 authpriv.info sshd[3016]: pam_unix(sshd:session): session opened for user operator by (uid=0)



Expected Result : The O-RU NETCONF Server sends
<notification><install-event><status> to the TER NETCONF Client. Field <status></status></status></install-event></notification>
contains the value COMPLETED to indicate the successful installation of software to the
desired slot.

APPLICATION_ERROR
O-RU Software Update and Install = FAIL

U-RU Software Update and Install = FAII
