



@ FILE NAME: M\_CTC\_ID\_009.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for Garuda: v4.2.0

Test Description: This test validates that the O-RU manages the connection supervision process correctly.



\_\_\_\_\_

## \*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*

\_\_\_\_\_\_

> listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.208.37' cannot be established. ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 1

Host : 192.168.208.37

Port: 830 Transport: SSH Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

 $urn: ietf: params: netconf: capability: validate: 1.1 \ urn: ietf: params: netconf: capability: startup: 1.0 \ urn: ietf: params: netconf: capability: xpath: 1.0 \ urn: ietf: params: netcon$ 

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

 $urn: ietf: params: netconf: capability: notification: 1.0 \ urn: ietf: params: netconf: capability: interleave: 1.0 \ urn: ietf: params: netconf: capability: ne$ 

urn: ietf: params: xml: ns: yang: ietf-yang-metadata? module = ietf-yang-metadata & revision = 2016-08-05 + 1000

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn: ietf: params: xml: ns: yang: ietf-yang-types? module = ietf-yang-types & revision = 2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn: ietf: params: xml: ns: yang: ietf-net conf-notifications? module = ietf-net conf-notifications & revision = 2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn: ietf: params: xml: ns: netmod: notification? module = nc-notifications & revision = 2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

 $urn: ietf: params: xml: ns: yang: iana-crypt-hash? module = iana-crypt-hash\& revision = 2014-08-06 \ urn: notification\_history? module = notification\_his$ 

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19



**************************************
> subscribe
Ok
TER NETCONF Client responds with <rpc supervision-watchdog-reset=""></rpc> to the O-RU NETCONF Server
> user-rpc
****** Replace with below xml *******
<pre><supervision-watchdog-reset xmlns="urn:o-ran:supervision:1.0"></supervision-watchdog-reset></pre>
<supervision-notification-interval>1</supervision-notification-interval>
<pre><guard-timer-overhead>2</guard-timer-overhead></pre>
O-RU NETCONF Server sends a reply to the TER NETCONF Client <pre><rpc-reply><next-update-at>date-time</next-update-at></rpc-reply></pre>
<pre><nc:rpc-reply <="" pre="" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"></nc:rpc-reply></pre>
message-id="urn:uuid:39beb9d2-f277-4256-88e4-8c124020bd0b"> <next-update-at< td=""></next-update-at<>
xmlns="urn:o-ran:supervision:1.0">2027-04-14T05:28:51Z



\_\_\_\_\_\_

## 

- Apr 14 05:28:29 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:29 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:29 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:29 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:30 garuda user.err FAULT MANAGER[875]: sendData: Source ID: 15
- Apr 14 05:28:30 garuda user.err FAULT MANAGER[875]: sendData: Fault ID: 18
- Apr 14 05:28:30 garuda user.err FAULT MANAGER[875]: sendData: FAULT\_IS\_CLEARED: FALSE
- Apr 14 05:28:30 garuda user.err FAULT MANAGER[875]: sendData: FAULT\_SEVERITY: 3
- Apr 14 05:28:30 garuda user.err FAULT MANAGER[875]: sendData: FAULT\_TIME: 2027-04-14T05:28:30Z
- Apr 14 05:28:30 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:30 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:30 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:30 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Successfully connected to 192.168.208.15:4334 over IPv4.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Session 93 (user "root", CID 1) created.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Received an SSH message "request-auth" of subtype "password".
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: User "operator" authenticated.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Received an SSH message "request-channel-open" of subtype "session".
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Received an SSH message "request-channel" of subtype "subsystem".
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Call Home client "default-client" session 1 established.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Session 94 (user "root", CID 1) created.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Generated new event (netconf-session-start).
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Event "rpc" with ID 1 priority 0 succeeded.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Session 1: thread 4 event new RPC.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1



subscribers).

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:name" with the value "eth0.21", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-interfaces:interfaces:interfaces:interfaces:interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "21", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:name" with the value "eth0.100", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-interfaces:interfaces/ietf-interfaces:interfaces:interfaces:interfaces:name = current()/../../interface-name]/o-ran-interfaces:vlan-id" with the value "100", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.



Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Apr 14 05:28:31 garuda user.notice fw\_manager[937]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Event "operational" with ID 1 succeeded.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Event "rpc" with ID 2 priority 0 succeeded.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "", but it is not required.

Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.



- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:31 garuda daemon.info netopeer2-server[860]: Session 1: thread 4 event new RPC.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Event "rpc" with ID 1 priority 0 succeeded.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Session 1: thread 3 event new RPC.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:32 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:33 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:33 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:34 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:34 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:35 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:35 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:36 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:36 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:37 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:37 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:38 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:38 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:39 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:39 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:40 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:40 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:41 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:41 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:42 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:42 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:42 garuda user.notice SYNCMNGR[1183]: Received message from S-Plane
- Apr 14 05:28:43 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:43 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).
- Apr 14 05:28:44 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
- Apr 14 05:28:44 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).



```
Apr 14 05:28:45 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.
```

Apr 14 05:28:45 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:46 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:46 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:47 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:47 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:48 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:48 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:49 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:49 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Event "rpc" with ID 1 priority 0 succeeded.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Session 1: thread 4 event new RPC.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Published event "rpc" "/o-ran-supervision:supervision-watchdog-reset" with ID 1 priority 0 for 1 subscribers.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Successful processing of "operational" event with ID 1.

Apr 14 05:28:50 garuda user.notice supervision[1236]: RPC #1 recieved from "operator" user. xpath ->

/o-ran-supervision:supervision-watchdog-reset

Apr 14 05:28:50 garuda user.info supervision[1236]: "watchdog-reset" received from user 'operator'. Expecting next one at 2027-04-14T05:28:51Z

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Event "rpc" with ID 1 priority 0 succeeded.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Resolving unresolved data nodes and their constraints...

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: All data nodes and constraints resolved.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Session 1: thread 4 event new RPC.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Session 1: thread 4 event new RPC.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Session 1: thread 4 event session terminated.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: There are no subscribers for "ietf-netconf-notifications" notifications.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Generated new event (netconf-session-end).

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Call Home client "default-client" session terminated.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:50 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:51 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:51 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:51 garuda user.notice supervision[1236]: Interval timer exceeded. Waiting on guard timer...

Apr 14 05:28:51 garuda daemon.err netopeer2-server[860]: Session 1: waiting for Call Home thread failed (Connection timed out).



Apr 14 05:28:51 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:51 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:52 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:52 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:52 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:52 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:53 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:53 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:53 garuda user.notice supervision[1236]: O-RU has entered "supervision-failure" state Resetting...

Apr 14 05:28:53 garuda user.notice supervision[1236]: Exiting

Apr 14 05:28:53 garuda user.notice supervision[1236]: Waiting for pending jobs

Apr 14 05:28:53 garuda user.info supervision[1236]: O-RU going for reboot

Apr 14 05:28:53 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:53 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:54 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:54 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:54 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:54 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:55 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:55 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:55 garuda daemon.info netopeer2-server[860]: Trying to connect via IPv4 to 192.168.208.15:4334.

Apr 14 05:28:55 garuda daemon.info netopeer2-server[860]: getsockopt() error (Connection refused).

Apr 14 05:28:55 garuda auth.info sshd[2523]: Accepted password for operator from 192.168.208.15 port 41418 ssh2

Apr 14 05:28:55 garuda authpriv.info sshd[2523]: pam\_unix(sshd:session): session opened for user operator by (uid=0)



Expected Result: TER NETCONF Client can change the value of the supervision timer in the supervision watchdog reset message. The O-RU NETCONF server must adjust the timer accordingly if this optional test is performed.

**************************************	=======================================		=====
			=====
M-Plane Connection Supervision (negative case)	======	SUCCESS	
wi-Flane Connection Supervision (negative case)	=	SUCCESS	