



@ FILE NAME: M_FTC_ID_040.txt

@ TEST SCOPE: M PLANE O-RAN FUNCTIONAL

@ Software Release for B40: v5.0.4

Test Description : Test to validate the success file download process.

```
=====
***** Connect to the NETCONF Server *****
=====
```

```
> connect --ssh --host 192.168.4.41 --port 830 --login operator
```

```
Interactive SSH Authentication
```

```
Type your password:
```

```
Password:
```

```
> status
```

```
Current NETCONF session:
```

```
ID      : 2
```

```
Host     : 192.168.4.41
```

```
Port     : 830
```

```
Transport : SSH
```

```
Capabilities:
```

```
urn:ietf:params:netconf:base:1.0urn:ietf:params:netconf:base:1.1urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1urn:ietf:params:netconf:capability:startup:1.0urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=61
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valida
te,startup,url,xpathurn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

```
=====
***** Create Subscription *****
=====
```

```
>subscribe
=====
```

```
Ok
```

Initial Get Filter

```
> get --filter-xpath /o-ran-software-management:software-inventory
```

Step 3 : TER NETCONF Client sends <rpc><reset></rpc> to the O-RU NETCONF Server..

```
> user-rpc
```

***** Replace with below xml *****

```
<reset xmlns="urn:o-ran:operations:1.0"></reset>
```

Step 4 : O-RU NETCONF Server responds with rpc-reply.

```
<nc:rpc-reply xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0"
message-id="urn:uuid:40f39fc5-0620-46f3-8ef1-f3b6ff0d203d"><nc:ok/></nc:rpc-reply><?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<software-inventory xmlns="urn:o-ran:software-management:1.0">
<software-slot>
<name>swSlot1</name>
<status>VALID</status>
<active>false</active>
<running>false</running>
<access>READ_WRITE</access>
<product-code>STL=O-RU</product-code>
<vendor-code>VN</vendor-code>
<build-id>factory_img</build-id>
<build-name>Beta Release</build-name>
<build-version>4.2.0</build-version>
<files>
<name>boot</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcbk0p1/BOOT0001.BIN</local-path>
<integrity>OK</integrity>
</files>
</files>
```

```
<name>kernel</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/image0001.ub</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>rootfs</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p2/</local-path>
<integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
<name>swSlot2</name>
<status>VALID</status>
<active>true</active>
<running>true</running>
<access>READ_WRITE</access>
<product-code>STL O-RU</product-code>
<vendor-code>VN</vendor-code>
<build-id>90f0b6c</build-id>
<build-name>Beta Release</build-name>
<build-version>5.0.4</build-version>
<files>
<name>boot</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/BOOT0002.BIN</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>kernel</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p1/image0002.ub</local-path>
<integrity>OK</integrity>
</files>
<files>
<name>rootfs</name>
<version>1.0.0</version>
<local-path>/media/sd-mmcb1k0p3/</local-path>
<integrity>OK</integrity>
</files>
</software-slot>
<software-slot>
<name>swRecoverySlot</name>
<status>VALID</status>
<active>false</active>
<running>false</running>
<access>READ_ONLY</access>
<product-code>STL=O-RU</product-code>
```

```
<vendor-code>VN</vendor-code>
<build-id>factory_img</build-id>
<build-name>Beta Release</build-name>
<build-version>1.3.4</build-version>
<files>
  <name>boot</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcbk0p1/BOOT0003.BIN</local-path>
  <integrity>OK</integrity>
</files>
<files>
  <name>kernel</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcbk0p1/golden.ub</local-path>
  <integrity>OK</integrity>
</files>
<files>
  <name>rootfs</name>
  <version>1.0.0</version>
  <local-path>/media/sd-mmcbk0p1/golden.ub</local-path>
  <integrity>OK</integrity>
</files>
</software-slot>
</software-inventory>
</data>
```

```
=====
##### SYSTEM LOGS #####
=====
```

```
Sep  5 13:50:56 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:50:56 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:50:56 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:50:56 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:50:57 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:50:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:50:57 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:50:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:50:58 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:50:58 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:50:58 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:50:58 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:50:58 garuda user.notice SYNCMNGR[1181]: Received message from S-Plane
Sep  5 13:50:59 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:50:59 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:50:59 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:50:59 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:51:00 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep  5 13:51:00 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep  5 13:51:00 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
```

Page 6

Page 7

Page 8

Page 9

Page 10

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 13

Page 14

Page 15

Page 16

Page 17

Page 18

Page 19

Page 20

Page 21

Page 22

Page 23

Page 24

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:49 garuda auth.info sshd[7896]: Accepted password for root from 192.168.4.15 port 54920 ssh2

Sep 5 13:54:49 garuda authpriv.info sshd[7896]: pam_unix(sshd:session): session opened for user root by (uid=0)

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Accepted a connection on :::830.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Session 92 (user "root", CID 1) created.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: User "operator" authenticated.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Session 93 (user "root", CID 1) created.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 2 priority 0 succeeded.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Session 2: thread 3 event new RPC.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Sep 5 13:54:49 garuda user.notice fw_manager[935]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 3 priority 0 succeeded.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Session 2: thread 0 event new RPC.

Sep 5 13:54:51 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:51 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:51 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:51 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:52 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:52 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:52 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:52 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:53 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:53 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:53 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:53 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:54 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:54 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:54 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:54 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 3.

Sep 5 13:54:55 garuda user.notice fw_manager[935]: RPC #3 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 3 succeeded.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 4 priority 0 succeeded.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Session 2: thread 2 event new RPC.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/o-ran-operations:reset" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:54:56 garuda user.notice SR_OP[1192]: RPC recived on /o-ran-operations:reset for mplane-triggered reset

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.
Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event session terminated.
Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.
Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).
Sep 5 13:54:56 garuda authpriv.debug sshd[8417]: pam_unix(sshd:account): account operator has password changed in future
Sep 5 13:54:56 garuda auth.info sshd[8417]: Accepted password for operator from 192.168.4.15 port 53264 ssh2
Sep 5 13:54:56 garuda authpriv.info sshd[8417]: pam_unix(sshd:session): session opened for user operator by (uid=0)
Sep 5 13:54:56 garuda user.notice SYNCMNGR[1181]: Received message from S-Plane
Sep 5 13:54:57 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:57 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:58 garuda user.info operations_manager[1192]: O-RU going for reboot
Sep 5 13:44:55 garuda syslog.info syslogd started: BusyBox v1.31.0
Sep 5 13:44:55 garuda user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)
Sep 5 13:44:55 garuda user.info kernel: [0.000000] Booting Linux on physical CPU 0x0000000000 [0x410fd034]
Sep 5 13:44:55 garuda user.notice kernel: [0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP
Mon Sep 5 13:40:07 UTC 2022
Sep 5 13:44:55 garuda user.info kernel: [0.000000] Machine model: xlnx,zynqmp
Sep 5 13:44:55 garuda user.info kernel: [0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')
Sep 5 13:44:55 garuda user.info kernel: [0.000000] printk: bootconsole [cdns0] enabled
Sep 5 13:44:55 garuda user.info kernel: [0.000000] efi: Getting EFI parameters from FDT:
Sep 5 13:44:55 garuda user.info kernel: [0.000000] efi: UEFI not found.
Sep 5 13:44:55 garuda user.info kernel: [0.000000] cma: Reserved 256 MiB at 0x000000002fc00000
Sep 5 13:44:55 garuda user.debug kernel: [0.000000] On node 0 totalpages: 261888
Sep 5 13:44:55 garuda user.debug kernel: [0.000000] DMA32 zone: 4092 pages used for memmap
Sep 5 13:44:55 garuda user.debug kernel: [0.000000] DMA32 zone: 0 pages reserved
Sep 5 13:44:55 garuda user.debug kernel: [0.000000] DMA32 zone: 261888 pages, LIFO batch:63
Sep 5 13:44:55 garuda user.info kernel: [0.000000] psci: probing for conduit method from DT.
Sep 5 13:44:55 garuda user.info kernel: [0.000000] psci: PSCIv1.1 detected in firmware.
Sep 5 13:44:55 garuda user.info kernel: [0.000000] psci: Using standard PSCI v0.2 function IDs
Sep 5 13:44:55 garuda user.info kernel: [0.000000] psci: MIGRATE_INFO_TYPE not supported.
Sep 5 13:44:55 garuda user.info kernel: [0.000000] psci: SMC Calling Convention v1.1
Sep 5 13:44:55 garuda user.info kernel: [0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112
Sep 5 13:44:55 garuda user.debug kernel: [0.000000] pcpu-alloc: s49880 r8192 d32040 u90112 alloc=22*4096
Sep 5 13:44:55 garuda user.debug kernel: [0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Sep 5 13:44:55 garuda user.info kernel: [0.000000] Detected VIPT I-cache on CPU0
Sep 5 13:44:55 garuda user.info kernel: [0.000000] CPU features: detected: ARM erratum 845719
Sep 5 13:44:55 garuda user.info kernel: [0.000000] Speculative Store Bypass Disable mitigation not required
Sep 5 13:44:55 garuda user.info kernel: [0.000000] Built 1 zonelists, mobility grouping on. Total pages: 257796
Sep 5 13:44:55 garuda user.notice kernel: [0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1
root=/dev/mmcblk0p3 rw rootwait
Sep 5 13:44:55 garuda user.info kernel: [0.000000] Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [0.000000] Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off

```

Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Memory: 749684K/1047552K available (10172K kernel code, 656K rdata, 3016K rodata,
704K init, 539K bss, 35724K reserved, 262144K cma-reserved)
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: Hierarchical RCU implementation.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: RCU event tracing is enabled.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irq: 0
Sep 5 13:44:55 garuda user.warn kernel: [ 0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] GIC: Using split EOI/Deactivate mode
Sep 5 13:44:55 garuda user.notice kernel: [ 0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] arch_timer: cp15 timer(s) running at 50.00MHz (phys).
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffffff max_cycles: 0xb8812736b,
max_idle_ns: 440795202655 ns
Sep 5 13:44:55 garuda user.info kernel: [ 0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns
Sep 5 13:44:55 garuda user.info kernel: [ 0.008269] Console: colour dummy device 80x25
Sep 5 13:44:55 garuda user.info kernel: [ 0.012390] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00
BogoMIPS (lpj=200000)
Sep 5 13:44:55 garuda user.info kernel: [ 0.022753] pid_max: default: 32768 minimum: 301
Sep 5 13:44:55 garuda user.info kernel: [ 0.027474] Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.034695] Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.043445] ASID allocator initialised with 32768 entries
Sep 5 13:44:55 garuda user.info kernel: [ 0.047895] rcu: Hierarchical SRCU implementation.
Sep 5 13:44:55 garuda user.info kernel: [ 0.052829] EFI services will not be available.
Sep 5 13:44:55 garuda user.info kernel: [ 0.057227] smp: Bringing up secondary CPUs ...
Sep 5 13:44:55 garuda user.info kernel: [ 0.061916] Detected VIPT I-cache on CPU1
Sep 5 13:44:55 garuda user.info kernel: [ 0.061947] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]
Sep 5 13:44:55 garuda user.info kernel: [ 0.062282] Detected VIPT I-cache on CPU2
Sep 5 13:44:55 garuda user.info kernel: [ 0.062300] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]
Sep 5 13:44:55 garuda user.info kernel: [ 0.062608] Detected VIPT I-cache on CPU3
Sep 5 13:44:55 garuda user.info kernel: [ 0.062625] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]
Sep 5 13:44:55 garuda user.info kernel: [ 0.062668] smp: Brought up 1 node, 4 CPUs
Sep 5 13:44:55 garuda user.info kernel: [ 0.097055] SMP: Total of 4 processors activated.
Sep 5 13:44:55 garuda user.info kernel: [ 0.101727] CPU features: detected: 32-bit EL0 Support
Sep 5 13:44:55 garuda user.info kernel: [ 0.106831] CPU features: detected: CRC32 instructions
Sep 5 13:44:55 garuda user.info kernel: [ 0.111962] CPU: All CPU(s) started at EL2
Sep 5 13:44:55 garuda user.info kernel: [ 0.116011] alternatives: patching kernel code
Sep 5 13:44:55 garuda user.info kernel: [ 0.121206] devtmpfs: initialized
Sep 5 13:44:55 garuda user.info kernel: [ 0.127926] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns:
764504178510000 ns
Sep 5 13:44:55 garuda user.info kernel: [ 0.133399] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.145615] xor: measuring software checksum speed
Sep 5 13:44:55 garuda user.info kernel: [ 0.184299] 8regs : 2622.000 MB/sec
Sep 5 13:44:55 garuda user.info kernel: [ 0.224323] 32regs : 3008.000 MB/sec
Sep 5 13:44:55 garuda user.info kernel: [ 0.264352] arm64_neon: 2612.000 MB/sec
Sep 5 13:44:55 garuda user.info kernel: [ 0.264389] xor: using function: 32regs (3008.000 MB/sec)
Sep 5 13:44:55 garuda user.info kernel: [ 0.268297] pinctrl core: initialized pinctrl subsystem
Sep 5 13:44:55 garuda user.info kernel: [ 0.273833] DMI not present or invalid.
Sep 5 13:44:55 garuda user.info kernel: [ 0.277488] NET: Registered protocol family 16
Sep 5 13:44:55 garuda user.info kernel: [ 0.282825] DMA: preallocated 256 KiB pool for atomic allocations
Sep 5 13:44:55 garuda user.info kernel: [ 0.287743] audit: initializing netlink subsys (disabled)

```

```

Sep 5 13:44:55 garuda user.notice kernel: [ 0.293151] audit: type=2000 audit(0.232:1): state=initialized audit_enabled=0 res=1
Sep 5 13:44:55 garuda user.info kernel: [ 0.293537] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.
Sep 5 13:44:55 garuda user.info kernel: [ 0.307655] Serial: AMBA PL011 UART driver
Sep 5 13:44:55 garuda user.info kernel: [ 0.321793] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages
Sep 5 13:44:55 garuda user.info kernel: [ 0.322844] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages
Sep 5 13:44:55 garuda user.info kernel: [ 0.329511] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages
Sep 5 13:44:55 garuda user.info kernel: [ 0.336168] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages
Sep 5 13:44:55 garuda user.info kernel: [ 0.347411] cryptd: max_cpu_qlen set to 1000
Sep 5 13:44:55 garuda user.info kernel: [ 0.421568] raid6: neonx8 gen() 1708 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.489615] raid6: neonx8 xor() 1619 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.557663] raid6: neonx4 gen() 1640 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.625686] raid6: neonx4 xor() 1578 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.693769] raid6: neonx2 gen() 1252 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.761777] raid6: neonx2 xor() 1313 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.829826] raid6: neonx1 gen() 815 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.897855] raid6: neonx1 xor() 989 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.965937] raid6: int64x8 gen() 1286 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.033947] raid6: int64x8 xor() 842 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.102003] raid6: int64x4 gen() 1085 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.170049] raid6: int64x4 xor() 817 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.238113] raid6: int64x2 gen() 754 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.306119] raid6: int64x2 xor() 664 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.374248] raid6: int64x1 gen() 499 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.442233] raid6: int64x1 xor() 510 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.442271] raid6: using algorithm neonx8 gen() 1708 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.446222] raid6: .... xor() 1619 MB/s, rmw enabled
Sep 5 13:44:55 garuda user.info kernel: [ 1.451152] raid6: using neon recovery algorithm
Sep 5 13:44:55 garuda user.info kernel: [ 1.456099] iommu: Default domain type: Translated
Sep 5 13:44:55 garuda user.notice kernel: [ 1.460794] SCSI subsystem initialized
Sep 5 13:44:55 garuda user.debug kernel: [ 1.464322] libata version 3.00 loaded.
Sep 5 13:44:55 garuda user.info kernel: [ 1.464430] usbcore: registered new interface driver usbfs
Sep 5 13:44:55 garuda user.info kernel: [ 1.469774] usbcore: registered new interface driver hub
Sep 5 13:44:55 garuda user.info kernel: [ 1.475050] usbcore: registered new device driver usb
Sep 5 13:44:55 garuda user.info kernel: [ 1.480081] pps_core: LinuxPPS API ver. 1 registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.484974] pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Sep 5 13:44:55 garuda user.info kernel: [ 1.494063] PTP clock support registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.497959] EDAC MC: Ver: 3.0.0
Sep 5 13:44:55 garuda user.info kernel: [ 1.501436] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX
channels.
Sep 5 13:44:55 garuda user.info kernel: [ 1.509762] FPGA manager framework
Sep 5 13:44:55 garuda user.info kernel: [ 1.513555] clocksource: Switched to clocksource arch_sys_counter
Sep 5 13:44:55 garuda user.notice kernel: [ 1.519063] VFS: Disk quotas dquot_6.6.0
Sep 5 13:44:55 garuda user.info kernel: [ 1.522900] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Sep 5 13:44:55 garuda user.info kernel: [ 1.533404] NET: Registered protocol family 2
Sep 5 13:44:55 garuda user.info kernel: [ 1.534360] tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.542356] TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.550072] TCP bind hash table entries: 8192 (order: 5, 131072 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.557303] TCP: Hash tables configured (established 8192 bind 8192)
Sep 5 13:44:55 garuda user.info kernel: [ 1.563584] UDP hash table entries: 512 (order: 2, 16384 bytes, linear)

```

```
Sep 5 13:44:55 garuda user.info kernel: [ 1.570111] UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.577195] NET: Registered protocol family 1
Sep 5 13:44:55 garuda user.info kernel: [ 1.581671] RPC: Registered named UNIX socket transport module.
Sep 5 13:44:55 garuda user.info kernel: [ 1.587308] RPC: Registered udp transport module.
Sep 5 13:44:55 garuda user.info kernel: [ 1.591976] RPC: Registered tcp transport module.
Sep 5 13:44:55 garuda user.info kernel: [ 1.596647] RPC: Registered tcp NFSv4.1 backchannel transport module.
Sep 5 13:44:55 garuda user.info kernel: [ 1.603054] PCI: CLS 0 bytes, default 64
Sep 5 13:44:55 garuda user.info kernel: [ 1.632875] workingset: timestamp_bits=46 max_order=18 bucket_order=0
Sep 5 13:44:55 garuda user.notice kernel: [ 1.634411] NFS: Registering the id_resolver key type
Sep 5 13:44:55 garuda user.notice kernel: [ 1.638713] Key type id_resolver registered
Sep 5 13:44:55 garuda user.notice kernel: [ 1.642847] Key type id_legacy registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.646830] nfs4filelayout_init: NFSv4 File Layout Driver Registering...
Sep 5 13:44:55 garuda user.info kernel: [ 1.653500] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.
Sep 5 13:44:55 garuda user.info kernel: [ 1.660760] NET: Registered protocol family 38
Sep 5 13:44:55 garuda user.info kernel: [ 1.664929] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 247)
Sep 5 13:44:55 garuda user.info kernel: [ 1.672272] io scheduler mq-deadline registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.676754] io scheduler kyber registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.682408] ps_pcie_dma init()
Sep 5 13:44:55 garuda user.info kernel: [ 1.706246] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Sep 5 13:44:55 garuda user.info kernel: [ 1.707982] Serial: AMBA driver
Sep 5 13:44:55 garuda user.warn kernel: [ 1.712168] cacheinfo: Unable to detect cache hierarchy for CPU 0
Sep 5 13:44:55 garuda user.info kernel: [ 1.720172] brd: module loaded
Sep 5 13:44:55 garuda user.info kernel: [ 1.724501] loop: module loaded
Sep 5 13:44:55 garuda user.err kernel: [ 1.725282] mtdoops: mtd device (mtddev=name/number) must be supplied
Sep 5 13:44:55 garuda user.info kernel: [ 1.729894] libphy: Fixed MDIO Bus: probed
Sep 5 13:44:55 garuda user.info kernel: [ 1.733752] tun: Universal TUN/TAP device driver, 1.6
Sep 5 13:44:55 garuda user.info kernel: [ 1.738672] usbcore: registered new interface driver asix
Sep 5 13:44:55 garuda user.info kernel: [ 1.743153] usbcore: registered new interface driver ax88179_178a
Sep 5 13:44:55 garuda user.info kernel: [ 1.749194] usbcore: registered new interface driver cdc_ether
Sep 5 13:44:55 garuda user.info kernel: [ 1.754986] usbcore: registered new interface driver net1080
Sep 5 13:44:55 garuda user.info kernel: [ 1.760612] usbcore: registered new interface driver cdc_subset
Sep 5 13:44:55 garuda user.info kernel: [ 1.766489] usbcore: registered new interface driver zaurs
Sep 5 13:44:55 garuda user.info kernel: [ 1.772035] usbcore: registered new interface driver cdc_ncm
Sep 5 13:44:55 garuda user.info kernel: [ 1.778391] usbcore: registered new interface driver uas
Sep 5 13:44:55 garuda user.info kernel: [ 1.782934] usbcore: registered new interface driver usb-storage
Sep 5 13:44:55 garuda user.info kernel: [ 1.789282] rtc_zynqmp ffa60000.rtc: registered as rtc0
Sep 5 13:44:55 garuda user.info kernel: [ 1.794111] SFP: i2c device initialization
Sep 5 13:44:55 garuda user.info kernel: [ 1.798047] SFP: alloc_chrdev_region completed, Major number : 245
Sep 5 13:44:55 garuda user.info kernel: [ 1.804192] SFP: class_create() completed
Sep 5 13:44:55 garuda user.info kernel: [ 1.808165] SFP: Device memory allocation completed
Sep 5 13:44:55 garuda user.info kernel: [ 1.813020] SFP: i2c_add_driver() completed
Sep 5 13:44:55 garuda user.info kernel: [ 1.817161] SFP: sfp_i2c_init_driver() Completed Successfully
Sep 5 13:44:55 garuda user.info kernel: [ 1.822869] i2c /dev entries driver
Sep 5 13:44:55 garuda user.info kernel: [ 1.826740] pps pps0: new PPS source ptp0
Sep 5 13:44:55 garuda user.info kernel: [ 1.830333] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33
Sep 5 13:44:55 garuda user.info kernel: [ 1.837847] EDAC MC: ECC not enabled
Sep 5 13:44:55 garuda user.info kernel: [ 1.841075] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller zynqmp_ocm:
DEV ff960000.memory-controller (INTERRUPT)
Sep 5 13:44:55 garuda user.info kernel: [ 1.853455] sdhci: Secure Digital Host Controller Interface driver
```



```

Sep 5 13:44:55 garuda user.info kernel: [ 1.859202] sdhci: Copyright(c) Pierre Ossman
Sep 5 13:44:55 garuda user.info kernel: [ 1.863525] sdhci-pltfm: SDHCI platform and OF driver helper
Sep 5 13:44:55 garuda user.info kernel: [ 1.869393] zynqmp_firmware_probe Platform Management API v1.1
Sep 5 13:44:55 garuda user.info kernel: [ 1.874947] zynqmp_firmware_probe Trustzone version v1.0
Sep 5 13:44:55 garuda user.info kernel: [ 1.903162] securefw securefw: securefw probed^M
Sep 5 13:44:55 garuda user.info kernel: [ 1.903389] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)
Sep 5 13:44:55 garuda user.info kernel: [ 1.907751] zynqmp_aes zynqmp_aes: AES Successfully Registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.907751] ^M
Sep 5 13:44:55 garuda user.info kernel: [ 1.915097] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)
Sep 5 13:44:55 garuda user.info kernel: [ 1.921301] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)
Sep 5 13:44:55 garuda user.info kernel: [ 1.926852] usbcore: registered new interface driver usbbhid
Sep 5 13:44:55 garuda user.info kernel: [ 1.932157] usbbhid: USB HID core driver
Sep 5 13:44:55 garuda user.info kernel: [ 1.938155] ARM CCI_400_r1 PMU driver probed
Sep 5 13:44:55 garuda user.info kernel: [ 1.938609] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.946888] pktgen: Packet Generator for packet performance testing. Version: 2.75
Sep 5 13:44:55 garuda user.info kernel: [ 1.954645] Initializing XFRM netlink socket
Sep 5 13:44:55 garuda user.info kernel: [ 1.958449] NET: Registered protocol family 10
Sep 5 13:44:55 garuda user.info kernel: [ 1.963176] Segment Routing with IPv6
Sep 5 13:44:55 garuda user.info kernel: [ 1.966520] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver
Sep 5 13:44:55 garuda user.info kernel: [ 1.972600] NET: Registered protocol family 17
Sep 5 13:44:55 garuda user.info kernel: [ 1.976713] NET: Registered protocol family 15
Sep 5 13:44:55 garuda user.info kernel: [ 1.981130] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to
load br_netfilter if you need this.
Sep 5 13:44:55 garuda user.info kernel: [ 1.994031] 8021q: 802.1Q VLAN Support v1.8
Sep 5 13:44:55 garuda user.info kernel: [ 1.998241] 9pnet: Installing 9P2000 support
Sep 5 13:44:55 garuda user.notice kernel: [ 2.002411] Key type dns_resolver registered
Sep 5 13:44:55 garuda user.info kernel: [ 2.006886] registered taskstats version 1
Sep 5 13:44:55 garuda user.info kernel: [ 2.011634] Btrfs loaded, crc32c=crc32c-generic
Sep 5 13:44:55 garuda user.info kernel: [ 2.023671] ff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a uartps
Sep 5 13:44:55 garuda user.info kernel: [ 2.032689] printk: console [ttyPS0] enabled
Sep 5 13:44:55 garuda user.info kernel: [ 2.036983] printk: bootconsole [cdns0] disabled
Sep 5 13:44:55 garuda user.info kernel: [ 2.046329] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a uartps
Sep 5 13:44:55 garuda user.info kernel: [ 2.059695] of-fpga-region fpga-full: FPGA Region probed
Sep 5 13:44:55 garuda user.info kernel: [ 2.065586] XGpio: gpio@b0040000: registered, base is 509
Sep 5 13:44:55 garuda user.info kernel: [ 2.071272] XGpio: gpio@b0040000: dual channel registered, base is 497
Sep 5 13:44:55 garuda user.info kernel: [ 2.078384] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.085478] xilinx-zynqmp-dma fd510000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.092572] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.099662] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.106749] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.113840] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.120927] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.128020] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.135181] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.142273] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.149365] xilinx-zynqmp-dma ffaa0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.156456] xilinx-zynqmp-dma ffab0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.163550] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.170646] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success

```



```

Sep 5 13:44:55 garuda user.info kernel: [ 2.177741] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.184827] xilinx-zynqmp-dma ffaf0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.warn kernel: [ 2.192914] -----[ cut here ]-----
Sep 5 13:44:55 garuda user.warn kernel: [ 2.197525] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
Sep 5 13:44:55 garuda user.warn kernel: [ 2.204882] WARNING: CPU: 1 PID: 31 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.212870] Modules linked in:
Sep 5 13:44:55 garuda user.warn kernel: [ 2.215912] CPU: 1 PID: 31 Comm: kworker/1:1 Not tainted 5.4.0-xilinx-v2020.2 #1
Sep 5 13:44:55 garuda user.warn kernel: [ 2.223294] Hardware name: xlnx,zynqmp (DT)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.227467] Workqueue: events deferred_probe_work_func
Sep 5 13:44:55 garuda user.warn kernel: [ 2.232592] pstate: 60000005 (nZCv daif -PAN -UAO)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.237366] pc : spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.241272] lr : spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.245176] sp : ffff8000110537d0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.248475] x29: ffff8000110537d0 x28: ffff00003fcea270
Sep 5 13:44:55 garuda user.warn kernel: [ 2.253770] x27: ffff00002e69f410 x26: ffff00002d118c00
Sep 5 13:44:55 garuda user.warn kernel: [ 2.259064] x25: 0000000000000000 x24: 0000000000000019
Sep 5 13:44:55 garuda user.warn kernel: [ 2.264359] x23: ffff800010e778c8 x22: 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.269654] x21: ffff800010e778a8 x20: ffff00002d118000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.274949] x19: 0000000000000000 x18: 0000000000000010
Sep 5 13:44:55 garuda user.warn kernel: [ 2.280243] x17: 00000000a5195545 x16: 0000000078f4d30d
Sep 5 13:44:55 garuda user.warn kernel: [ 2.285538] x15: ffff00002e680868 x14: ffffffff
Sep 5 13:44:55 garuda user.warn kernel: [ 2.290833] x13: ffff800091053517 x12: ffff80001105351f
Sep 5 13:44:55 garuda user.warn kernel: [ 2.296128] x11: ffff800010e44000 x10: 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.301423] x9 : ffff800010ece000 x8 : 00000000000000dc
Sep 5 13:44:55 garuda user.warn kernel: [ 2.306717] x7 : 0000000000000006 x6 : ffff800010ece0f2
Sep 5 13:44:55 garuda user.warn kernel: [ 2.312012] x5 : 0000000000000007 x4 : 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.317307] x3 : 0000000000000000 x2 : 00000000ffffff
Sep 5 13:44:55 garuda user.warn kernel: [ 2.322602] x1 : 7e1c81ebe5b9b500 x0 : 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.327897] Call trace:
Sep 5 13:44:55 garuda user.warn kernel: [ 2.330329] spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.333889] spi_drv_probe+0x7c/0xd8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.337446] really_probe+0xd8/0x2f8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.341005] driver_probe_device+0x54/0xe8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.345084] __device_attach_driver+0x80/0xb8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.349427] bus_for_each_drv+0x74/0xc0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.353252] __device_attach+0xdc/0x138
Sep 5 13:44:55 garuda user.warn kernel: [ 2.357071] device_initial_probe+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.361238] bus_probe_device+0x90/0x98
Sep 5 13:44:55 garuda user.warn kernel: [ 2.365058] device_add+0x334/0x600
Sep 5 13:44:55 garuda user.warn kernel: [ 2.368529] spi_add_device+0xac/0x170
Sep 5 13:44:55 garuda user.warn kernel: [ 2.372262] of_register_spi_device+0x204/0x388
Sep 5 13:44:55 garuda user.warn kernel: [ 2.376778] spi_register_controller+0x4b4/0x718
Sep 5 13:44:55 garuda user.warn kernel: [ 2.381385] cdns_spi_probe+0x28c/0x368
Sep 5 13:44:55 garuda user.warn kernel: [ 2.385205] platform_drv_probe+0x50/0xa0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.389196] really_probe+0xd8/0x2f8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.392755] driver_probe_device+0x54/0xe8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.396835] __device_attach_driver+0x80/0xb8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.401176] bus_for_each_drv+0x74/0xc0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.404994] __device_attach+0xdc/0x138

```

```

Sep 5 13:44:55 garuda user.warn kernel: [ 2.408813] device_initial_probe+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.412979] bus_probe_device+0x90/0x98
Sep 5 13:44:55 garuda user.warn kernel: [ 2.416799] deferred_probe_work_func+0x6c/0xa0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.421314] process_one_work+0x1c4/0x338
Sep 5 13:44:55 garuda user.warn kernel: [ 2.425314] worker_thread+0x260/0x488
Sep 5 13:44:55 garuda user.warn kernel: [ 2.429048] kthread+0x120/0x128
Sep 5 13:44:55 garuda user.warn kernel: [ 2.432260] ret_from_fork+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.435816] ---[ end trace 870840a8699d0003 ]---
Sep 5 13:44:55 garuda user.warn kernel: [ 2.440556] zynqmp_pll_disable() clock disable failed for dppll_int, ret = -13
Sep 5 13:44:55 garuda user.info kernel: [ 2.448093] macb ff0d0000.ethernet: Not enabling partial store and forward
Sep 5 13:44:55 garuda user.info kernel: [ 2.455473] libphy: MACB_mii_bus: probed
Sep 5 13:44:55 garuda user.err kernel: [ 2.461513] macb ff0d0000.ethernet eth0: no PHY found
Sep 5 13:44:55 garuda user.err kernel: [ 2.482254] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Sep 5 13:44:55 garuda user.info kernel: [ 2.488517] xilinx_axienet b0000000.ethernet: Ethernet core IRQ not defined
Sep 5 13:44:55 garuda user.warn kernel: [ 2.495478] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Sep 5 13:44:55 garuda user.info kernel: [ 2.502229] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.508750] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.515230] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.521714] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.528349] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Sep 5 13:44:55 garuda user.info kernel: [ 2.534724] SFP: In sfp_i2c device probe
Sep 5 13:44:55 garuda user.info kernel: [ 2.538638] SFP: device name : sfp0
Sep 5 13:44:55 garuda user.info kernel: [ 2.542119] SFP: minor number : 00
Sep 5 13:44:55 garuda user.info kernel: [ 2.545504] SFP: Driver name : sfp0
Sep 5 13:44:55 garuda user.info kernel: [ 2.548982] SFP: I2C Bus number : 1
Sep 5 13:44:55 garuda user.info kernel: [ 2.552516] SFP: construct_sfp_device() with minor number 0 completed
Sep 5 13:44:55 garuda user.info kernel: [ 2.558949] SFP: add i2c client : 0
Sep 5 13:44:55 garuda user.info kernel: [ 2.562450] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Sep 5 13:44:55 garuda user.info kernel: [ 2.568648] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s
Sep 5 13:44:55 garuda user.info kernel: [ 2.576056] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Sep 5 13:44:55 garuda user.warn kernel: [ 2.583624] cpufreq: cpufreq_online: CPU0: Running at unlisted freq: 1325000 KHz
Sep 5 13:44:55 garuda user.err kernel: [ 2.591023] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.599755] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz
Sep 5 13:44:55 garuda user.err kernel: [ 2.608286] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Sep 5 13:44:55 garuda user.info kernel: [ 2.650272] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit
Sep 5 13:44:55 garuda user.info kernel: [ 2.660306] rtc_zynqmp ffa60000.rtc: setting system clock to 2022-09-05T13:44:38 UTC (1662385478)
Sep 5 13:44:55 garuda user.info kernel: [ 2.669172] of_cfs_init
Sep 5 13:44:55 garuda user.info kernel: [ 2.671634] of_cfs_init: OK
Sep 5 13:44:55 garuda user.warn kernel: [ 2.674537] clk: Not disabling unused clocks
Sep 5 13:44:55 garuda user.info kernel: [ 2.679516] Waiting for root device /dev/mmcblk0p3...
Sep 5 13:44:55 garuda user.info kernel: [ 2.759457] mmc0: new HS200 MMC card at address 0001
Sep 5 13:44:55 garuda user.info kernel: [ 2.764845] mmcblk0: mmc0:0001 DG4008 7.28 GiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.769577] mmcblk0boot0: mmc0:0001 DG4008 partition 1 4.00 MiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.775694] mmcblk0boot1: mmc0:0001 DG4008 partition 2 4.00 MiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.781670] mmcblk0rpbm: mmc0:0001 DG4008 partition 3 4.00 MiB, chardev (244:0)
Sep 5 13:44:55 garuda user.info kernel: [ 2.789793] mmcblk0: p1 p2 p3 p4
Sep 5 13:44:55 garuda user.notice kernel: [ 2.832782] random: fast init done
Sep 5 13:44:55 garuda user.info kernel: [ 2.858324] EXT4-fs (mmcblk0p3): recovery complete
Sep 5 13:44:55 garuda user.info kernel: [ 2.863657] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)

```

Sep 5 13:44:55 garuda user.info kernel: [2.871779] VFS: Mounted root (ext4 filesystem) on device 179:3.

Sep 5 13:44:55 garuda user.info kernel: [2.878362] devtmpfs: mounted

Sep 5 13:44:55 garuda user.info kernel: [2.881530] Freeing unused kernel memory: 704K

Sep 5 13:44:55 garuda user.info kernel: [2.886022] Run /sbin/init as init process

Sep 5 13:44:55 garuda daemon.info kernel: [3.082902] udevd[315]: starting version 3.2.8

Sep 5 13:44:55 garuda user.notice kernel: [3.089728] random: udevd: uninitialized urandom read (16 bytes read)

Sep 5 13:44:55 garuda user.notice kernel: [3.096462] random: udevd: uninitialized urandom read (16 bytes read)

Sep 5 13:44:55 garuda user.notice kernel: [3.103232] random: udevd: uninitialized urandom read (16 bytes read)

Sep 5 13:44:55 garuda daemon.info kernel: [3.122916] udevd[316]: starting eudev-3.2.8

Sep 5 13:44:55 garuda user.warn kernel: [3.478327] EXT4-fs (mmcblk0p2): warning: mounting fs with errors, running e2fsck is recommended

Sep 5 13:44:55 garuda user.info kernel: [3.490222] EXT4-fs (mmcblk0p2): recovery complete

Sep 5 13:44:55 garuda user.info kernel: [3.495020] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)

Sep 5 13:44:55 garuda user.info kernel: [3.572460] EXT4-fs (mmcblk0p4): recovery complete

Sep 5 13:44:55 garuda user.info kernel: [3.577782] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)

Sep 5 13:44:55 garuda user.info kernel: [3.645252] EXT4-fs (mmcblk0p3): re-mounted. Opts: (null)

Sep 5 13:44:55 garuda user.warn kernel: [13.818978] urandom_read: 4 callbacks suppressed

Sep 5 13:44:55 garuda user.notice kernel: [13.818983] random: dd: uninitialized urandom read (512 bytes read)

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/user_types/user_inet_types.so" successfully loaded.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/user_types/user_yang_types.so" successfully loaded.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Reading module "ietf-yang-metadata".

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Reading module "yang".

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "yang" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "yang" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "yang@2017-02-20" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Reading module "ietf-inet-types".

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving derived type "union" failed, it will be attempted later.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving derived type "union" failed, it will be attempted later.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving derived type "union" failed, it will be attempted later.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving derived type "union" failed, it will be attempted later.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-inet-types" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Reading module "ietf-yang-types".

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-types@2013-07-15" already in context.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "sysrepo" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "sysrepo" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "sysrepo@2021-01-18" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe55" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe53" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe15" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe36" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe56" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe58" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe45" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe23" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe5" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe10" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe49" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe29" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe3" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe39" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe30" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe19" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe17" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe51" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe6" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe4" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe43" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe60" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe54" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe18" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe16" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe42" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe2" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe35" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe28" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe20" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe38" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe48" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe12" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe1" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe11" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe8" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe44" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe50" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe13" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe52" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe32" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe33" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe14" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe46" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe21" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe31" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe34" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe40" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe37" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe26" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe9" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe47" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe25" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe24" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe7" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe22" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe59" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe41" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe27" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe57" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 3 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 20 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 15 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 5 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 11 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 9 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 8 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 10 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 13 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 14 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 6 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 12 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 7 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 1 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 2 is dead.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 4 is dead.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Applying scheduled changes.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-inet-types@2013-07-15" already in context.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "sysrepo-monitoring" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf@2013-09-29" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-netconf-notifications" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-origin" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-origin" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-origin@2018-02-14" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-acm@2018-02-14" now implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-netconf-nmda" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "nc-notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "notifications@2008-07-14" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "notifications@2008-07-14" now implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-keystore" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-keystore@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-truststore@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-tcp-common@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ssh-server" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ssh-common" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-ssh-common@2019-07-02" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/system.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/iana.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/ietf.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/custom.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/system.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "iana-crypt-hash@2014-08-06" successfully parsed as imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-ssh-server@2019-07-02" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tls-server" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tls-common" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-tls-common@2019-07-02" successfully parsed as imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/iana.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/ietf.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/custom.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/system.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-tls-server@2019-07-02" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-server" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/iana.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/ietf.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/custom.

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-tcp-server@2019-07-02" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-netconf-server" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-netconf-server" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-server@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "stli_giru-wdm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/stli_giru-wdm@2021-05-06.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "stli_giru-wdm@2021-05-06" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "stli_giru-opm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/stli_giru-opm@2020-11-08.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "stli_giru-opm@2020-11-08" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/notification_history.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "notification_history" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-hardware" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.

Page 45

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-interfaces" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-mplane-int" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-mplane-int@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-transceiver" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-processing-element" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-hardware" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-fm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-usermgmt" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-sync" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-sync" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-module-cap" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-operations" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-operations" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-uplane-conf" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-file-management" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-software-management" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-performance-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-trace" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-trace" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-trace" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang"

```
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints...
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-troubleshooting" schema nodes and constraints resolved.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: No scheduled changes.
Sep 5 13:45:00 garuda user.notice kernel: [ 25.135739] random: crng init done
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Datastore copied from <startup> to <running>.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Connection 1 created.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Session 1 (user "root", CID 1) created.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Listening on :::830 for SSH connections.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-keystore" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-truststore" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-acm" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-acm" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-acm" "done" event on enabled data.
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-acm" "done" event on enabled data.
Sep 5 13:45:01 garuda user.err SYS_MONITOR[873]: previous boot not done by BMC
Sep 5 13:45:01 garuda user.notice nw_manager[887]: Process started
Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
```

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Processing "ietf-netconf-server" "done" event with ID 1 priority 0 (remaining 22 subscribers).

Sep 5 13:45:01 garuda daemon.err netopeer2-server[858]: Call Home client "default-client" was not found.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda user.notice nw_manager[887]: Replaced the running datastore with basic user configuration

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Listening on :::830 for SSH connections.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda user.notice nw_manager[887]: Read basic system interface details

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: Event change changes to: ietf-hardware

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component : ru-module for component ru-module

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component ru-module

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component oran name: ru-module for component ru-module

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component : ru-port0 for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component class: iana-hardware:port for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component parent: ru-module for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component parent rel pos: 0 for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component oran name: ru-port0 for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component : ru-port1 for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component class: iana-hardware:port for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component parent: ru-module for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component parent rel pos: 1 for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component oran name: ru-port1 for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: Event done changes to: ietf-hardware

Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: Config has changed in :ietf-hardware

Sep 5 13:45:01 garuda user.info nw_manager[887]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

Sep 5 13:45:01 garuda user.info nw_manager[887]: Interface : eth0 Netmask : 255.255.255.0

Sep 5 13:45:01 garuda user.info nw_manager[887]: Interface : eth0 O-RU port name ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[887]: Interface : eth0.100 O-RU port name ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[887]: Base interface : eth0.100 standard port : eth0 O-RU port-number : 0

Sep 5 13:45:01 garuda user.info nw_manager[887]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Sep 5 13:45:01 garuda user.info nw_manager[887]: VLAN: Added VLAN with VID == 100 to IF -:eth0:- devname eth0.100

Sep 5 13:45:01 garuda user.notice nw_manager[887]: Application subscribed for edit-config.get

Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Call Home client "default-client" connecting...

Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:02 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:02 garuda user.info FAULT MANAGEMENT[914]: ===== LISTENING FOR CHANGES =====

Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4 subscribers).

Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:45:02 garuda user.notice USERMGMT[924]: Complete copying o-ran-usermgmt startup configurations

Sep 5 13:45:02 garuda user.notice USERMGMT[924]: LISTENING FOR CHANGES

Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Call Home client "default-client" connecting...

Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:02 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:03 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:03 garuda user.notice fw_manager[935]: Process started

Sep 5 13:45:03 garuda user.notice fw_manager[935]: Listening for RPCs

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: LISTENING FOR CHANGES

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: EVENT change CHANGES

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 255

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 248

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 165

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 160

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 150

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 140

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 135

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 7

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 6

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM PRC

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM EEC1

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM DNU

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM NONE

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM PRC

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM EEC1

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM DNU

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM NONE

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM PRC

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM EEC1

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM DNU

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM NONE

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: ssm_timeout : 5

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Change in Configuration of S plane

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: END OF CHANGES

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: EVENT done CHANGES

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Writing Configuration of S plane

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: END OF CHANGES

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: SYNC-LOCK-STATE CHANGE NOTIFICATION

Sep 5 13:45:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:03 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:04 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:04 garuda user.notice OPM[1192]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-operations

Sep 5 13:45:04 garuda user.notice OPM[1192]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-processing-element

Sep 5 13:45:04 garuda user.notice OPM[1192]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-uplane-conf

Sep 5 13:45:04 garuda user.notice SR_OP[1192]: Event change detected on o-ran-operations

Sep 5 13:45:04 garuda user.notice SR_OP[1192]: [config]timezone name changed to GMT [event: change]

Sep 5 13:45:04 garuda user.notice SR_OP[1192]: Event change detected on o-ran-operations

Sep 5 13:45:04 garuda user.notice SR_OP[1192]: [config]timezone name changed to GMT [event: done]

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: EVENT change CHANGES

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: interface name : eth0.100

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: ru-mac : 98:ae:71:01:64:d8

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: VLAN-ID : 100

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: du-mac : f8:f2:1e:a8:07:6d

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: EVENT done CHANGES

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: interface name : eth0.100

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: ru-mac : 98:ae:71:01:64:d8

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: VLAN-ID : 100

Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: du-mac : f8:f2:1e:a8:07:6d

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-link name : lltxlink0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-processing element : element0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-array-carrier : txarraycarrier0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint : slltx-endpoint0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-link name : lltxlink1

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-processing element : element0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-array-carrier : txarraycarrier0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint : slltx-endpoint1

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-link name : lltxlink2

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-processing element : element0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-array-carrier : txarraycarrier0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint : slltx-endpoint2

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-link name : lltxlink3

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-processing element : element0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-array-carrier : txarraycarrier0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint : slltx-endpoint3

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-name : rxarraycarrier0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:

/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-absolute-frequency-center : 646667

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-frequency-reference-center: 0.000000

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-center-of-channel-bandwidth : 3600000000

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-channel-bandwidth : 100000000

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-active : ACTIVE
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-gain-correction : 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-n-ta-offset : 25600
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-name : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-link name : llrxlink0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice operations_manager[1192]: FPGA | tx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-frequency-reference-center: 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint : sllrx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-link name : llrxlink1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint : sllrx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-link name : llrxlink2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint : sllrx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-link name : llrxlink3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint : sllrx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-active : ACTIVE
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-gain : 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice file_manager[1223]: Process started
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 4
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 3
Sep 5 13:45:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:04 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:04 garuda user.notice file_manager[1223]: Listening for RPCs
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:05 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 4
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-name : txarraycarrier0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-name : rxarraycarrier0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : sltx-endpoint0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor f50f3f0f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor af13f0f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 3179d766
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor ce87d766
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor c005fe6e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3ffbfe6e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 2f6c2afb
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor d0942afb
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor f82ac07b
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 7d6c07b
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor dc723537
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 238e3537
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 3dafeeee
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c251eeee
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor c625e4a3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 39dbe4a3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 19ef3a82
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor e6113a82
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 1294c2c1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor ed6cc2c1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor c9ee223d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3612223d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 3f4f0964
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c0b10964
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor d632cf8a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 29cecf8a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 4000

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 4000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor af1c0f1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor f50fc0f1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor ce87289a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3179289a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 3ffb0192
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c0050192
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor d094d505
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 2f6cd505
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 7d63f85
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor f82a3f85
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 238ecac9
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor dc72cac9
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor c2511112
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3daf1112
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 39db1b5d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c6251b5d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor e611c57e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 19efc57e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor ed6c3d3f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 12943d3f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 3612ddc3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c9eeddc3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor c0b1f69c
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3f4ff69c
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 29ce3076
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor d6323076
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor c000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-frequency-reference-center: 3700005000.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-frequency-reference-center: 3700005000.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-center-of-channel-bandwidth : 3600000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-active : ACTIVE
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-gain-correction : 0.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-n-ta-offset : 25600
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-active : ACTIVE
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-gain : 0.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice supervision[1234]: Process started
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice supervision[1234]: Listening for RPCs
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 4
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-number-of-prb : 273

Sep 5 13:45:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:05 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024

Sep 5 13:45:05 garuda user.notice PM_MNGER[1244]: Waiting for performance manager results

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7

Sep 5 13:45:06 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 4

Sep 5 13:45:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:06 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:06 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0

Sep 5 13:45:06 garuda user.notice UPLANECONF[1192]: END OF CHANGES

Sep 5 13:45:06 garuda user.notice log_manager[1271]: Process started

Sep 5 13:45:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:06 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:07 garuda user.notice log_manager[1271]: Listening for RPCs

Sep 5 13:45:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:07 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:07 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:08 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:08 garuda user.notice wd_manager[1305]: Started monitoring

Sep 5 13:45:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:08 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:09 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:09 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:09 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:09 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:10 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:10 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:10 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:10 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:11 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:11 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).

Sep 5 13:45:11 garuda daemon.info dhclient: Internet Systems Consortium DHCP Client 4.4.2

Sep 5 13:45:11 garuda daemon.info dhclient: Copyright 2004-2020 Internet Systems Consortium.

Sep 5 13:45:11 garuda daemon.info dhclient: All rights reserved.

Sep 5 13:45:11 garuda daemon.info dhclient: For info, please visit <https://www.isc.org/software/dhcp/>

Sep 5 13:45:11 garuda daemon.info dhclient:

Sep 5 13:45:11 garuda daemon.info dhclient: Listening on LPF/eth0/98:ae:71:01:64:d8

Sep 5 13:45:11 garuda daemon.info dhclient: Sending on LPF/eth0/98:ae:71:01:64:d8

Sep 5 13:45:11 garuda daemon.info dhclient: Sending on Socket/fallback

Sep 5 13:45:11 garuda daemon.info dhclient: DHCPREQUEST for 192.168.4.41 on eth0 to 255.255.255.255 port 67

Sep 5 13:45:11 garuda daemon.info dhclient: DHCPACK of 192.168.4.41 from 192.168.4.15


```
Sep 5 13:45:11 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:11 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:12 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:12 garuda user.info nw_manager[887]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[887]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[887]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[887]: Interface : eth0 Netmask : 255.255.255.0
Sep 5 13:45:12 garuda user.info nw_manager[887]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda daemon.info dhclient[1320]: eth0: : IP=192.168.4.41/255.255.255.0 router=192.168.4.15 domain="vvdntech.com"
dns="192.168.4.15" lease=6315
Sep 5 13:45:12 garuda daemon.info dhclient: bound to 192.168.4.41 -- renewal in 2782 seconds.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:13 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:13 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:13 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:13 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:14 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:14 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:14 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:14 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:15 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:15 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:15 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:15 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:16 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:16 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:16 garuda daemon.info dhclient: XMT: Confirm on eth0, interval 930ms.
Sep 5 13:45:16 garuda daemon.info dhclient: RCV: Reply message on eth0 from fe80::5bb2:44e5:874e:988a.
Sep 5 13:45:16 garuda daemon.info dhclient: message status code Success: "All addresses still on link."
Sep 5 13:45:16 garuda daemon.info init: Entering runlevel: 5
Sep 5 13:45:16 garuda user.err vlan_scan[1421]: if_name eth0
Sep 5 13:45:16 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:16 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Successfully connected to 192.168.4.15:4334 over IPv4.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Session 85 (user "root", CID 1) created.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: User "operator" authenticated.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Call Home client "default-client" session 1 established.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Session 86 (user "root", CID 1) created.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
```

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth0.100", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "100", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Sep 5 13:45:17 garuda user.notice fw_manager[935]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:18 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Session 1: thread 1 event new RPC.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Session 1: thread 4 event new RPC.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Session 1: thread 4 event session terminated.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:20 garuda daemon.err netopeer2-server[858]: Session 1: waiting for Call Home thread failed (Connection timed out).

Sep 5 13:45:20 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:20 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:20 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:20 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:21 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:21 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:21 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:21 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:22 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:22 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:22 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:22 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:23 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:23 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:23 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:23 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:24 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:24 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:24 garuda daemon.debug rngd: Reading entropy from JITTER Entropy generator

Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter requests 2500 bytes from pipe

Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter gets 2500 bytes

Sep 5 13:45:24 garuda daemon.debug rngd: Added 2559/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 2703/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 2834/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 2952/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3059/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3092/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3122/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3150/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3174/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3197/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3217/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3235/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3252/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3267/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3280/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3293/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3304/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3314/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3323/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3332/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3339/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3346/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3352/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3358/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3363/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3368/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3372/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3376/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3379/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3382/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3385/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3388/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3454/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3514/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3569/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3618/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3663/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3703/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3740/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Reading entropy from JITTER Entropy generator
Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter gets 2500 bytes
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3773/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3803/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3831/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3855/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3878/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3898/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3917/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3933/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3949/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3962/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3975/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3986/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3996/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4005/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4014/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4021/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4028/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4035/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Pool full at 4096, sleeping!
Sep 5 13:45:24 garuda daemon.notice haveged: haveged starting up
Sep 5 13:45:24 garuda auth.info sshd[1815]: Server listening on 0.0.0.0 port 22.
Sep 5 13:45:24 garuda auth.info sshd[1815]: Server listening on :: port 22.
Sep 5 13:45:24 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:24 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:25 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:25 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:25 garuda daemon.info haveged: haveged: ver: 1.9.5; arch: generic; vend: ; build: (gcc 9.2.0 CTV); collect: 128K
Sep 5 13:45:25 garuda daemon.info haveged: haveged: cpu: (VC); data: 16K (D); inst: 16K (D); idx: 11/40; sz: 15456/64452
Sep 5 13:45:25 garuda daemon.info haveged: haveged: tot tests(BA8): A:1/1 B:1/1 continuous tests(B): last entropy estimate 7.99721
Sep 5 13:45:25 garuda daemon.info haveged: haveged: fills: 0, generated: 0
Sep 5 13:45:25 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:25 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:26 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:26 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:26 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:26 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:27 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:27 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:27 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:27 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:28 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:28 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:28 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:28 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:29 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:29 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:29 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:29 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:30 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:30 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:30 garuda user.info ADRV[1260]: JESD Link established successfully!
Sep 5 13:45:30 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:30 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:31 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:31 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:31 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:31 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:32 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:32 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:32 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:32 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:33 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:33 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:33 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:33 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:34 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:34 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:34 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:34 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:35 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:35 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:35 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:35 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Page 69

Page 70

Sep 5 13:46:00 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:00 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:00 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:01 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:01 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:01 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:01 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:02 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:02 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:03 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:03 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:04 garuda user.notice SYNCMNGR[1181]: Received message from S-Plane

Sep 5 13:46:04 garuda user.notice SYNCMNGR[1181]: SYNC Lock state : FREE RUN

Sep 5 13:46:04 garuda user.notice SYNCMNGR[1181]: SYNCE Lock state : UNLOCKED

Sep 5 13:46:04 garuda user.notice SYNCMNGR[1181]: PTP Lock state : UNLOCKED

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : Source ID: 15

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : Fault ID: 18

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : FAULT_IS_CLEARED: FALSE

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : FAULT_SEVERITY: 3

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : FAULT_TIME: 2022-09-05T13:46:04Z

Sep 5 13:46:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:04 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:04 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:05 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:05 garuda user.err FAULT MANAGER[873]: sendData : Source ID: 15

Sep 5 13:46:05 garuda user.err FAULT MANAGER[873]: sendData : Fault ID: 18

Sep 5 13:46:05 garuda user.err FAULT MANAGER[873]: sendData : FAULT_IS_CLEARED: FALSE

Sep 5 13:46:05 garuda user.err FAULT MANAGER[873]: sendData : FAULT_SEVERITY: 3

Sep 5 13:46:05 garuda user.err FAULT MANAGER[873]: sendData : FAULT_TIME: 2022-09-05T13:46:05Z

Sep 5 13:46:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:05 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:06 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:06 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:07 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:07 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:08 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:08 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Page 72

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 74

Page 75

Page 76

Page 77

Page 78

Page 79

Page 80

Sep 5 13:47:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:47:58 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:47:58 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:47:58 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:47:58 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:47:59 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:47:59 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:47:59 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:47:59 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:00 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:00 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:00 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:00 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:01 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:01 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:01 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:01 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:02 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:02 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:03 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:03 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:04 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:04 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:05 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:05 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:06 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:06 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:07 garuda auth.info sshd[3633]: Accepted password for root from 192.168.4.15 port 42644 ssh2

Sep 5 13:48:07 garuda authpriv.info sshd[3633]: pam_unix(sshd:session): session opened for user root by (uid=0)

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Accepted a connection on :::830.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Session 92 (user "root", CID 1) created.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: User "operator" authenticated.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Session 93 (user "root", CID 1) created.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 2 priority 0 succeeded.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Session 2: thread 3 event new RPC.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Sep 5 13:48:07 garuda user.notice fw_manager[935]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 3 priority 0 succeeded.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Session 2: thread 3 event new RPC.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:09 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:09 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:09 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:09 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:10 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:10 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:10 garuda user.notice SYNCMNGR[1181]: Received message from S-Plane

Sep 5 13:48:10 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:10 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:11 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:11 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:11 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:11 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:12 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:12 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:12 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:12 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0

(remaining 1 subscribers).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Session 2: thread 3 event new RPC.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 3.

Sep 5 13:48:13 garuda user.notice fw_manager[935]: RPC #3 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 3 succeeded.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 4 priority 0 succeeded.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/o-ran-operations:reset" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:48:13 garuda user.notice SR_OP[1192]: RPC recieved on /o-ran-operations:reset for mplane-triggered reset

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Session 2: thread 2 event new RPC.

Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event session terminated.

Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Sep 5 13:48:14 garuda authpriv.debug sshd[4151]: pam_unix(sshd:account): account operator has password changed in future

Sep 5 13:48:14 garuda auth.info sshd[4151]: Accepted password for operator from 192.168.4.15 port 50664 ssh2

Sep 5 13:48:14 garuda authpriv.info sshd[4151]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Page 85

Page 86

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 89

Page 90

Page 91

Page 92

Page 93

Page 94

Page 95

Page 96

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Page 98

Page 99

Page 100

Page 101

Page 102

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Sep 5 13:54:44 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:44 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:45 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:45 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:45 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:45 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:46 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:46 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:46 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:46 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:47 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:47 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:47 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:47 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:48 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:48 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:48 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:48 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:54:49 garuda auth.info sshd[7896]: Accepted password for root from 192.168.4.15 port 54920 ssh2
Sep 5 13:54:49 garuda authpriv.info sshd[7896]: pam_unix(sshd:session): session opened for user root by (uid=0)
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Accepted a connection on :::830.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Session 92 (user "root", CID 1) created.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: User "operator" authenticated.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Session 93 (user "root", CID 1) created.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 2 priority 0 succeeded.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Session 2: thread 3 event new RPC.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Sep 5 13:54:49 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Sep 5 13:54:49 garuda user.notice fw_manager[935]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 3 priority 0 succeeded.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:50 garuda daemon.info netopeer2-server[858]: Session 2: thread 0 event new RPC.

Sep 5 13:54:51 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:51 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:51 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:51 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:52 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:52 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:52 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:52 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:53 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:53 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:53 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:53 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:54 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:54 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:54 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:54 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 3.

Sep 5 13:54:55 garuda user.notice fw_manager[935]: RPC #3 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 3 succeeded.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 4 priority 0 succeeded.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:54:55 garuda daemon.info netopeer2-server[858]: Session 2: thread 2 event new RPC.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/o-ran-operations:reset" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:54:56 garuda user.notice SR_OP[1192]: RPC recived on /o-ran-operations:reset for mplane-triggered reset

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event session terminated.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:54:56 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Sep 5 13:54:56 garuda authpriv.debug sshd[8417]: pam_unix(sshd:account): account operator has password changed in future

Sep 5 13:54:56 garuda auth.info sshd[8417]: Accepted password for operator from 192.168.4.15 port 53264 ssh2

Sep 5 13:54:56 garuda authpriv.info sshd[8417]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Sep 5 13:54:56 garuda user.notice SYNCMNGR[1181]: Received message from S-Plane

Sep 5 13:54:57 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:57 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:54:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:54:58 garuda user.info operations_manager[1192]: O-RU going for reboot

Sep 5 13:44:55 garuda syslog.info syslogd started: BusyBox v1.31.0

Sep 5 13:44:55 garuda user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)

Sep 5 13:44:55 garuda user.info kernel: [0.000000] Booting Linux on physical CPU 0x0000000000 [0x410fd034]

Sep 5 13:44:55 garuda user.notice kernel: [0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP

Mon Sep 5 13:40:07 UTC 2022

Sep 5 13:44:55 garuda user.info kernel: [0.000000] Machine model: xlnx,zynqmp

Sep 5 13:44:55 garuda user.info kernel: [0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')

Sep 5 13:44:55 garuda user.info kernel: [0.000000] printk: bootconsole [cdns0] enabled

Sep 5 13:44:55 garuda user.info kernel: [0.000000] efi: Getting EFI parameters from FDT:

Sep 5 13:44:55 garuda user.info kernel: [0.000000] efi: UEFI not found.

Sep 5 13:44:55 garuda user.info kernel: [0.000000] cma: Reserved 256 MiB at 0x000000002fc00000

Sep 5 13:44:55 garuda user.debug kernel: [0.000000] On node 0 totalpages: 261888

```

Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] DMA32 zone: 4092 pages used for memmap
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] DMA32 zone: 0 pages reserved
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] DMA32 zone: 261888 pages, LIFO batch:63
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: probing for conduit method from DT.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: PSCIv1.1 detected in firmware.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: Using standard PSCI v0.2 function IDs
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: MIGRATE_INFO_TYPE not supported.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: SMC Calling Convention v1.1
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] pcpu-alloc: s49880 r8192 d32040 u90112 alloc=22*4096
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Detected VIPT I-cache on CPU0
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] CPU features: detected: ARM erratum 845719
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Speculative Store Bypass Disable mitigation not required
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Built 1 zonelists, mobility grouping on. Total pages: 257796
Sep 5 13:44:55 garuda user.notice kernel: [ 0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1
root=/dev/mmcblk0p3 rw rootwait
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Memory: 749684K/1047552K available (10172K kernel code, 656K rwd data, 3016K ro data,
704K init, 539K bss, 35724K reserved, 262144K cma-reserved)
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: Hierarchical RCU implementation.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: RCU event tracing is enabled.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irq: 0
Sep 5 13:44:55 garuda user.warn kernel: [ 0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] GIC: Using split EOI/Deactivate mode
Sep 5 13:44:55 garuda user.notice kernel: [ 0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] arch_timer: cp15 timer(s) running at 50.00MHz (phys).
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffffff max_cycles: 0xb8812736b,
max_idle_ns: 440795202655 ns
Sep 5 13:44:55 garuda user.info kernel: [ 0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns
Sep 5 13:44:55 garuda user.info kernel: [ 0.008269] Console: colour dummy device 80x25
Sep 5 13:44:55 garuda user.info kernel: [ 0.012390] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00
BogoMIPS (lpj=200000)
Sep 5 13:44:55 garuda user.info kernel: [ 0.022753] pid_max: default: 32768 minimum: 301
Sep 5 13:44:55 garuda user.info kernel: [ 0.027474] Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.034695] Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.043445] ASID allocator initialised with 32768 entries
Sep 5 13:44:55 garuda user.info kernel: [ 0.047895] rcu: Hierarchical SRCU implementation.
Sep 5 13:44:55 garuda user.info kernel: [ 0.052829] EFI services will not be available.
Sep 5 13:44:55 garuda user.info kernel: [ 0.057227] smp: Bringing up secondary CPUs ...
Sep 5 13:44:55 garuda user.info kernel: [ 0.061916] Detected VIPT I-cache on CPU1
Sep 5 13:44:55 garuda user.info kernel: [ 0.061947] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]
Sep 5 13:44:55 garuda user.info kernel: [ 0.062282] Detected VIPT I-cache on CPU2
Sep 5 13:44:55 garuda user.info kernel: [ 0.062300] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]
Sep 5 13:44:55 garuda user.info kernel: [ 0.062608] Detected VIPT I-cache on CPU3
Sep 5 13:44:55 garuda user.info kernel: [ 0.062625] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]

```

```

Sep  5 13:44:55 garuda user.info kernel: [ 0.062668] smp: Brought up 1 node, 4 CPUs
Sep  5 13:44:55 garuda user.info kernel: [ 0.097055] SMP: Total of 4 processors activated.
Sep  5 13:44:55 garuda user.info kernel: [ 0.101727] CPU features: detected: 32-bit EL0 Support
Sep  5 13:44:55 garuda user.info kernel: [ 0.106831] CPU features: detected: CRC32 instructions
Sep  5 13:44:55 garuda user.info kernel: [ 0.111962] CPU: All CPU(s) started at EL2
Sep  5 13:44:55 garuda user.info kernel: [ 0.116011] alternatives: patching kernel code
Sep  5 13:44:55 garuda user.info kernel: [ 0.121206] devtmpfs: initialized
Sep  5 13:44:55 garuda user.info kernel: [ 0.127926] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns:
7645041785100000 ns
Sep  5 13:44:55 garuda user.info kernel: [ 0.133399] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)
Sep  5 13:44:55 garuda user.info kernel: [ 0.145615] xor: measuring software checksum speed
Sep  5 13:44:55 garuda user.info kernel: [ 0.184299] 8regs   : 2622.000 MB/sec
Sep  5 13:44:55 garuda user.info kernel: [ 0.224323] 32regs  : 3008.000 MB/sec
Sep  5 13:44:55 garuda user.info kernel: [ 0.264352] arm64_neon: 2612.000 MB/sec
Sep  5 13:44:55 garuda user.info kernel: [ 0.264389] xor: using function: 32regs (3008.000 MB/sec)
Sep  5 13:44:55 garuda user.info kernel: [ 0.268297] pinctrl core: initialized pinctrl subsystem
Sep  5 13:44:55 garuda user.info kernel: [ 0.273833] DMI not present or invalid.
Sep  5 13:44:55 garuda user.info kernel: [ 0.277488] NET: Registered protocol family 16
Sep  5 13:44:55 garuda user.info kernel: [ 0.282825] DMA: preallocated 256 KiB pool for atomic allocations
Sep  5 13:44:55 garuda user.info kernel: [ 0.287743] audit: initializing netlink subsys (disabled)
Sep  5 13:44:55 garuda user.notice kernel: [ 0.293151] audit: type=2000 audit(0.232:1): state=initialized audit_enabled=0 res=1
Sep  5 13:44:55 garuda user.info kernel: [ 0.293537] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.
Sep  5 13:44:55 garuda user.info kernel: [ 0.307655] Serial: AMBA PL011 UART driver
Sep  5 13:44:55 garuda user.info kernel: [ 0.321793] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages
Sep  5 13:44:55 garuda user.info kernel: [ 0.322844] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages
Sep  5 13:44:55 garuda user.info kernel: [ 0.329511] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages
Sep  5 13:44:55 garuda user.info kernel: [ 0.336168] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages
Sep  5 13:44:55 garuda user.info kernel: [ 0.347411] cryptd: max_cpu_qlen set to 1000
Sep  5 13:44:55 garuda user.info kernel: [ 0.421568] raid6: neonx8  gen() 1708 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 0.489615] raid6: neonx8  xor() 1619 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 0.557663] raid6: neonx4  gen() 1640 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 0.625686] raid6: neonx4  xor() 1578 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 0.693769] raid6: neonx2  gen() 1252 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 0.761777] raid6: neonx2  xor() 1313 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 0.829826] raid6: neonx1  gen() 815 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 0.897855] raid6: neonx1  xor() 989 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 0.965937] raid6: int64x8 gen() 1286 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.033947] raid6: int64x8 xor() 842 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.102003] raid6: int64x4 gen() 1085 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.170049] raid6: int64x4 xor() 817 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.238113] raid6: int64x2 gen() 754 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.306119] raid6: int64x2 xor() 664 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.374248] raid6: int64x1 gen() 499 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.442233] raid6: int64x1 xor() 510 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.442271] raid6: using algorithm neonx8 gen() 1708 MB/s
Sep  5 13:44:55 garuda user.info kernel: [ 1.446222] raid6: .... xor() 1619 MB/s, rmw enabled
Sep  5 13:44:55 garuda user.info kernel: [ 1.451152] raid6: using neon recovery algorithm
Sep  5 13:44:55 garuda user.info kernel: [ 1.456099] iommu: Default domain type: Translated
Sep  5 13:44:55 garuda user.notice kernel: [ 1.460794] SCSI subsystem initialized

```



```
Sep 5 13:44:55 garuda user.debug kernel: [ 1.464322] libata version 3.00 loaded.
Sep 5 13:44:55 garuda user.info kernel: [ 1.464430] usbcore: registered new interface driver usbfs
Sep 5 13:44:55 garuda user.info kernel: [ 1.469774] usbcore: registered new interface driver hub
Sep 5 13:44:55 garuda user.info kernel: [ 1.475050] usbcore: registered new device driver usb
Sep 5 13:44:55 garuda user.info kernel: [ 1.480081] pps_core: LinuxPPS API ver. 1 registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.484974] pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Sep 5 13:44:55 garuda user.info kernel: [ 1.494063] PTP clock support registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.497959] EDAC MC: Ver: 3.0.0
Sep 5 13:44:55 garuda user.info kernel: [ 1.501436] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX
channels.
Sep 5 13:44:55 garuda user.info kernel: [ 1.509762] FPGA manager framework
Sep 5 13:44:55 garuda user.info kernel: [ 1.513555] clocksource: Switched to clocksource arch_sys_counter
Sep 5 13:44:55 garuda user.notice kernel: [ 1.519063] VFS: Disk quotas dquot_6.6.0
Sep 5 13:44:55 garuda user.info kernel: [ 1.522900] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Sep 5 13:44:55 garuda user.info kernel: [ 1.533404] NET: Registered protocol family 2
Sep 5 13:44:55 garuda user.info kernel: [ 1.534360] tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.542356] TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.550072] TCP bind hash table entries: 8192 (order: 5, 131072 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.557303] TCP: Hash tables configured (established 8192 bind 8192)
Sep 5 13:44:55 garuda user.info kernel: [ 1.563584] UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.570111] UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 1.577195] NET: Registered protocol family 1
Sep 5 13:44:55 garuda user.info kernel: [ 1.581671] RPC: Registered named UNIX socket transport module.
Sep 5 13:44:55 garuda user.info kernel: [ 1.587308] RPC: Registered udp transport module.
Sep 5 13:44:55 garuda user.info kernel: [ 1.591976] RPC: Registered tcp transport module.
Sep 5 13:44:55 garuda user.info kernel: [ 1.596647] RPC: Registered tcp NFSv4.1 backchannel transport module.
Sep 5 13:44:55 garuda user.info kernel: [ 1.603054] PCI: CLS 0 bytes, default 64
Sep 5 13:44:55 garuda user.info kernel: [ 1.632875] workingset: timestamp_bits=46 max_order=18 bucket_order=0
Sep 5 13:44:55 garuda user.notice kernel: [ 1.634411] NFS: Registering the id_resolver key type
Sep 5 13:44:55 garuda user.notice kernel: [ 1.638713] Key type id_resolver registered
Sep 5 13:44:55 garuda user.notice kernel: [ 1.642847] Key type id_legacy registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.646830] nfs4filelayout_init: NFSv4 File Layout Driver Registering...
Sep 5 13:44:55 garuda user.info kernel: [ 1.653500] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.
Sep 5 13:44:55 garuda user.info kernel: [ 1.660760] NET: Registered protocol family 38
Sep 5 13:44:55 garuda user.info kernel: [ 1.664929] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 247)
Sep 5 13:44:55 garuda user.info kernel: [ 1.672272] io scheduler mq-deadline registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.676754] io scheduler kyber registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.682408] ps_pcie_dma init()
Sep 5 13:44:55 garuda user.info kernel: [ 1.706246] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Sep 5 13:44:55 garuda user.info kernel: [ 1.707982] Serial: AMBA driver
Sep 5 13:44:55 garuda user.warn kernel: [ 1.712168] cacheinfo: Unable to detect cache hierarchy for CPU 0
Sep 5 13:44:55 garuda user.info kernel: [ 1.720172] brd: module loaded
Sep 5 13:44:55 garuda user.info kernel: [ 1.724501] loop: module loaded
Sep 5 13:44:55 garuda user.err kernel: [ 1.725282] mtdoops: mtd device (mtddev=name/number) must be supplied
Sep 5 13:44:55 garuda user.info kernel: [ 1.729894] libphy: Fixed MDIO Bus: probed
Sep 5 13:44:55 garuda user.info kernel: [ 1.733752] tun: Universal TUN/TAP device driver, 1.6
Sep 5 13:44:55 garuda user.info kernel: [ 1.738672] usbcore: registered new interface driver asix
Sep 5 13:44:55 garuda user.info kernel: [ 1.743153] usbcore: registered new interface driver ax88179_178a
Sep 5 13:44:55 garuda user.info kernel: [ 1.749194] usbcore: registered new interface driver cdc_ether
```

```

Sep  5 13:44:55 garuda user.info kernel: [ 1.754986] usbcore: registered new interface driver net1080
Sep  5 13:44:55 garuda user.info kernel: [ 1.760612] usbcore: registered new interface driver cdc_subset
Sep  5 13:44:55 garuda user.info kernel: [ 1.766489] usbcore: registered new interface driver zaurs
Sep  5 13:44:55 garuda user.info kernel: [ 1.772035] usbcore: registered new interface driver cdc_ncm
Sep  5 13:44:55 garuda user.info kernel: [ 1.778391] usbcore: registered new interface driver uas
Sep  5 13:44:55 garuda user.info kernel: [ 1.782934] usbcore: registered new interface driver usb-storage
Sep  5 13:44:55 garuda user.info kernel: [ 1.789282] rtc_zynqmp ffa60000.rtc: registered as rtc0
Sep  5 13:44:55 garuda user.info kernel: [ 1.794111] SFP: i2c device initialization
Sep  5 13:44:55 garuda user.info kernel: [ 1.798047] SFP: alloc_chrdev_region completed, Major number : 245
Sep  5 13:44:55 garuda user.info kernel: [ 1.804192] SFP: class_create() completed
Sep  5 13:44:55 garuda user.info kernel: [ 1.808165] SFP: Device memory allocation completed
Sep  5 13:44:55 garuda user.info kernel: [ 1.813020] SFP: i2c_add_driver() completed
Sep  5 13:44:55 garuda user.info kernel: [ 1.817161] SFP: sfp_i2c_init_driver() Completed Successfully
Sep  5 13:44:55 garuda user.info kernel: [ 1.822869] i2c /dev entries driver
Sep  5 13:44:55 garuda user.info kernel: [ 1.826740] pps pps0: new PPS source ptp0
Sep  5 13:44:55 garuda user.info kernel: [ 1.830333] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33
Sep  5 13:44:55 garuda user.info kernel: [ 1.837847] EDAC MC: ECC not enabled
Sep  5 13:44:55 garuda user.info kernel: [ 1.841075] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller zynqmp_ocm:
DEV ff960000.memory-controller (INTERRUPT)
Sep  5 13:44:55 garuda user.info kernel: [ 1.853455] sdhci: Secure Digital Host Controller Interface driver
Sep  5 13:44:55 garuda user.info kernel: [ 1.859202] sdhci: Copyright(c) Pierre Ossman
Sep  5 13:44:55 garuda user.info kernel: [ 1.863525] sdhci-pltfm: SDHCI platform and OF driver helper
Sep  5 13:44:55 garuda user.info kernel: [ 1.869393] zynqmp_firmware_probe Platform Management API v1.1
Sep  5 13:44:55 garuda user.info kernel: [ 1.874947] zynqmp_firmware_probe Trustzone version v1.0
Sep  5 13:44:55 garuda user.info kernel: [ 1.903162] securefw securefw: securefw probed^M
Sep  5 13:44:55 garuda user.info kernel: [ 1.903389] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)
Sep  5 13:44:55 garuda user.info kernel: [ 1.907751] zynqmp_aes zynqmp_aes: AES Successfully Registered
Sep  5 13:44:55 garuda user.info kernel: [ 1.907751] ^M
Sep  5 13:44:55 garuda user.info kernel: [ 1.915097] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)
Sep  5 13:44:55 garuda user.info kernel: [ 1.921301] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)
Sep  5 13:44:55 garuda user.info kernel: [ 1.926852] usbcore: registered new interface driver usbbid
Sep  5 13:44:55 garuda user.info kernel: [ 1.932157] usbbid: USB HID core driver
Sep  5 13:44:55 garuda user.info kernel: [ 1.938155] ARM CCI_400_r1 PMU driver probed
Sep  5 13:44:55 garuda user.info kernel: [ 1.938609] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered
Sep  5 13:44:55 garuda user.info kernel: [ 1.946888] pktgen: Packet Generator for packet performance testing. Version: 2.75
Sep  5 13:44:55 garuda user.info kernel: [ 1.954645] Initializing XFRM netlink socket
Sep  5 13:44:55 garuda user.info kernel: [ 1.958449] NET: Registered protocol family 10
Sep  5 13:44:55 garuda user.info kernel: [ 1.963176] Segment Routing with IPv6
Sep  5 13:44:55 garuda user.info kernel: [ 1.966520] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver
Sep  5 13:44:55 garuda user.info kernel: [ 1.972600] NET: Registered protocol family 17
Sep  5 13:44:55 garuda user.info kernel: [ 1.976713] NET: Registered protocol family 15
Sep  5 13:44:55 garuda user.info kernel: [ 1.981130] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to
load br_netfilter if you need this.
Sep  5 13:44:55 garuda user.info kernel: [ 1.994031] 8021q: 802.1Q VLAN Support v1.8
Sep  5 13:44:55 garuda user.info kernel: [ 1.998241] 9pnet: Installing 9P2000 support
Sep  5 13:44:55 garuda user.notice kernel: [ 2.002411] Key type dns_resolver registered
Sep  5 13:44:55 garuda user.info kernel: [ 2.006886] registered taskstats version 1
Sep  5 13:44:55 garuda user.info kernel: [ 2.011634] Btrfs loaded, crc32c=crc32c-generic
Sep  5 13:44:55 garuda user.info kernel: [ 2.023671] fff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a uartps

```

```

Sep 5 13:44:55 garuda user.info kernel: [ 2.032689] printk: console [ttyPS0] enabled
Sep 5 13:44:55 garuda user.info kernel: [ 2.036983] printk: bootconsole [cdns0] disabled
Sep 5 13:44:55 garuda user.info kernel: [ 2.046329] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a xuartps
Sep 5 13:44:55 garuda user.info kernel: [ 2.059695] of-fpga-region fpga-full: FPGA Region probed
Sep 5 13:44:55 garuda user.info kernel: [ 2.065586] XGpio: gpio@b0040000: registered, base is 509
Sep 5 13:44:55 garuda user.info kernel: [ 2.071272] XGpio: gpio@b0040000: dual channel registered, base is 497
Sep 5 13:44:55 garuda user.info kernel: [ 2.078384] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.085478] xilinx-zynqmp-dma fd510000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.092572] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.099662] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.106749] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.113840] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.120927] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.128020] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.135181] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.142273] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.149365] xilinx-zynqmp-dma ffaa0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.156456] xilinx-zynqmp-dma ffab0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.163550] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.170646] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.177741] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.184827] xilinx-zynqmp-dma ffaf0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.warn kernel: [ 2.192914] -----[ cut here ]-----
Sep 5 13:44:55 garuda user.warn kernel: [ 2.197525] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
Sep 5 13:44:55 garuda user.warn kernel: [ 2.204882] WARNING: CPU: 1 PID: 31 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.212870] Modules linked in:
Sep 5 13:44:55 garuda user.warn kernel: [ 2.215912] CPU: 1 PID: 31 Comm: kworker/1:1 Not tainted 5.4.0-xilinx-v2020.2 #1
Sep 5 13:44:55 garuda user.warn kernel: [ 2.223294] Hardware name: xlnx,zynqmp (DT)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.227467] Workqueue: events deferred_probe_work_func
Sep 5 13:44:55 garuda user.warn kernel: [ 2.232592] pstate: 60000005 (nZCv daif -PAN -UAO)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.237366] pc : spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.241272] lr : spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.245176] sp : ffff8000110537d0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.248475] x29: ffff8000110537d0 x28: ffff00003fcea270
Sep 5 13:44:55 garuda user.warn kernel: [ 2.253770] x27: ffff00002e69f410 x26: ffff00002d118c00
Sep 5 13:44:55 garuda user.warn kernel: [ 2.259064] x25: 0000000000000000 x24: 0000000000000019
Sep 5 13:44:55 garuda user.warn kernel: [ 2.264359] x23: ffff800010e778c8 x22: 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.269654] x21: ffff800010e778a8 x20: ffff00002d118000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.274949] x19: 0000000000000000 x18: 0000000000000010
Sep 5 13:44:55 garuda user.warn kernel: [ 2.280243] x17: 00000000a5195545 x16: 0000000078f4d30d
Sep 5 13:44:55 garuda user.warn kernel: [ 2.285538] x15: ffff00002e680868 x14: ffffffff
Sep 5 13:44:55 garuda user.warn kernel: [ 2.290833] x13: ffff800091053517 x12: ffff80001105351f
Sep 5 13:44:55 garuda user.warn kernel: [ 2.296128] x11: ffff800010e44000 x10: 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.301423] x9 : ffff800010ece000 x8 : 00000000000000dc
Sep 5 13:44:55 garuda user.warn kernel: [ 2.306717] x7 : 0000000000000006 x6 : ffff800010ece0f2
Sep 5 13:44:55 garuda user.warn kernel: [ 2.312012] x5 : 0000000000000007 x4 : 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.317307] x3 : 0000000000000000 x2 : 00000000ffffff
Sep 5 13:44:55 garuda user.warn kernel: [ 2.322602] x1 : 7e1c81ebe5b9b500 x0 : 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.327897] Call trace:

```

```

Sep 5 13:44:55 garuda user.warn kernel: [ 2.330329] spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.333889] spi_drv_probe+0x7c/0xd8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.337446] really_probe+0xd8/0x2f8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.341005] driver_probe_device+0x54/0xe8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.345084] __device_attach_driver+0x80/0xb8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.349427] bus_for_each_drv+0x74/0xc0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.353252] __device_attach+0xdc/0x138
Sep 5 13:44:55 garuda user.warn kernel: [ 2.357071] device_initial_probe+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.361238] bus_probe_device+0x90/0x98
Sep 5 13:44:55 garuda user.warn kernel: [ 2.365058] device_add+0x334/0x600
Sep 5 13:44:55 garuda user.warn kernel: [ 2.368529] spi_add_device+0xac/0x170
Sep 5 13:44:55 garuda user.warn kernel: [ 2.372262] of_register_spi_device+0x204/0x388
Sep 5 13:44:55 garuda user.warn kernel: [ 2.376778] spi_register_controller+0x4b4/0x718
Sep 5 13:44:55 garuda user.warn kernel: [ 2.381385] cdns_spi_probe+0x28c/0x368
Sep 5 13:44:55 garuda user.warn kernel: [ 2.385205] platform_drv_probe+0x50/0xa0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.389196] really_probe+0xd8/0x2f8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.392755] driver_probe_device+0x54/0xe8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.396835] __device_attach_driver+0x80/0xb8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.401176] bus_for_each_drv+0x74/0xc0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.404994] __device_attach+0xdc/0x138
Sep 5 13:44:55 garuda user.warn kernel: [ 2.408813] device_initial_probe+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.412979] bus_probe_device+0x90/0x98
Sep 5 13:44:55 garuda user.warn kernel: [ 2.416799] deferred_probe_work_func+0x6c/0xa0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.421314] process_one_work+0x1c4/0x338
Sep 5 13:44:55 garuda user.warn kernel: [ 2.425314] worker_thread+0x260/0x488
Sep 5 13:44:55 garuda user.warn kernel: [ 2.429048] kthread+0x120/0x128
Sep 5 13:44:55 garuda user.warn kernel: [ 2.432260] ret_from_fork+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.435816] ---[ end trace 870840a8699d0003 ]---
Sep 5 13:44:55 garuda user.warn kernel: [ 2.440556] zynqmp_pll_disable() clock disable failed for dppll_int, ret = -13
Sep 5 13:44:55 garuda user.info kernel: [ 2.448093] macb ff0d0000.ethernet: Not enabling partial store and forward
Sep 5 13:44:55 garuda user.info kernel: [ 2.455473] libphy: MACB_mii_bus: probed
Sep 5 13:44:55 garuda user.err kernel: [ 2.461513] macb ff0d0000.ethernet eth0: no PHY found
Sep 5 13:44:55 garuda user.err kernel: [ 2.482254] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Sep 5 13:44:55 garuda user.info kernel: [ 2.488517] xilinx_axienet b0000000.ethernet: Ethernet core IRQ not defined
Sep 5 13:44:55 garuda user.warn kernel: [ 2.495478] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Sep 5 13:44:55 garuda user.info kernel: [ 2.502229] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.508750] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.515230] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.521714] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.528349] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Sep 5 13:44:55 garuda user.info kernel: [ 2.534724] SFP: In sfp_i2c device probe
Sep 5 13:44:55 garuda user.info kernel: [ 2.538638] SFP: device name : sfp0
Sep 5 13:44:55 garuda user.info kernel: [ 2.542119] SFP: minor number : 00
Sep 5 13:44:55 garuda user.info kernel: [ 2.545504] SFP: Driver name : sfp0
Sep 5 13:44:55 garuda user.info kernel: [ 2.548982] SFP: I2C Bus number : 1
Sep 5 13:44:55 garuda user.info kernel: [ 2.552516] SFP: construct_sfp_device() with minor number 0 completed
Sep 5 13:44:55 garuda user.info kernel: [ 2.558949] SFP: add i2c client : 0
Sep 5 13:44:55 garuda user.info kernel: [ 2.562450] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Sep 5 13:44:55 garuda user.info kernel: [ 2.568648] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s

```



```
Sep 5 13:44:55 garuda user.info kernel: [ 2.576056] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Sep 5 13:44:55 garuda user.warn kernel: [ 2.583624] cpufreq: cpufreq_online: CPU0: Running at unlisted freq: 1325000 KHz
Sep 5 13:44:55 garuda user.err kernel: [ 2.591023] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.599755] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz
Sep 5 13:44:55 garuda user.err kernel: [ 2.608286] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Sep 5 13:44:55 garuda user.info kernel: [ 2.650272] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit
Sep 5 13:44:55 garuda user.info kernel: [ 2.660306] rtc_zynqmp ffa60000.rtc: setting system clock to 2022-09-05T13:44:38 UTC (1662385478)
Sep 5 13:44:55 garuda user.info kernel: [ 2.669172] of_cfs_init
Sep 5 13:44:55 garuda user.info kernel: [ 2.671634] of_cfs_init: OK
Sep 5 13:44:55 garuda user.warn kernel: [ 2.674537] clk: Not disabling unused clocks
Sep 5 13:44:55 garuda user.info kernel: [ 2.679516] Waiting for root device /dev/mmcblk0p3...
Sep 5 13:44:55 garuda user.info kernel: [ 2.759457] mmc0: new HS200 MMC card at address 0001
Sep 5 13:44:55 garuda user.info kernel: [ 2.764845] mmcblk0: mmc0:0001 DG4008 7.28 GiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.769577] mmcblk0boot0: mmc0:0001 DG4008 partition 1 4.00 MiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.775694] mmcblk0boot1: mmc0:0001 DG4008 partition 2 4.00 MiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.781670] mmcblk0rmpb: mmc0:0001 DG4008 partition 3 4.00 MiB, chardev (244:0)
Sep 5 13:44:55 garuda user.info kernel: [ 2.789793] mmcblk0: p1 p2 p3 p4
Sep 5 13:44:55 garuda user.notice kernel: [ 2.832782] random: fast init done
Sep 5 13:44:55 garuda user.info kernel: [ 2.858324] EXT4-fs (mmcblk0p3): recovery complete
Sep 5 13:44:55 garuda user.info kernel: [ 2.863657] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)
Sep 5 13:44:55 garuda user.info kernel: [ 2.871779] VFS: Mounted root (ext4 filesystem) on device 179:3.
Sep 5 13:44:55 garuda user.info kernel: [ 2.878362] devtmpfs: mounted
Sep 5 13:44:55 garuda user.info kernel: [ 2.881530] Freeing unused kernel memory: 704K
Sep 5 13:44:55 garuda user.info kernel: [ 2.886022] Run /sbin/init as init process
Sep 5 13:44:55 garuda daemon.info kernel: [ 3.082902] udevd[315]: starting version 3.2.8
Sep 5 13:44:55 garuda user.notice kernel: [ 3.089728] random: udevd: uninitialized urandom read (16 bytes read)
Sep 5 13:44:55 garuda user.notice kernel: [ 3.096462] random: udevd: uninitialized urandom read (16 bytes read)
Sep 5 13:44:55 garuda user.notice kernel: [ 3.103232] random: udevd: uninitialized urandom read (16 bytes read)
Sep 5 13:44:55 garuda daemon.info kernel: [ 3.122916] udevd[316]: starting eudev-3.2.8
Sep 5 13:44:55 garuda user.warn kernel: [ 3.478327] EXT4-fs (mmcblk0p2): warning: mounting fs with errors, running e2fsck is recommended
Sep 5 13:44:55 garuda user.info kernel: [ 3.490222] EXT4-fs (mmcblk0p2): recovery complete
Sep 5 13:44:55 garuda user.info kernel: [ 3.495020] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)
Sep 5 13:44:55 garuda user.info kernel: [ 3.572460] EXT4-fs (mmcblk0p4): recovery complete
Sep 5 13:44:55 garuda user.info kernel: [ 3.577782] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)
Sep 5 13:44:55 garuda user.info kernel: [ 3.645252] EXT4-fs (mmcblk0p3): re-mounted. Opts: (null)
Sep 5 13:44:55 garuda user.warn kernel: [ 13.818978] urandom_read: 4 callbacks suppressed
Sep 5 13:44:55 garuda user.notice kernel: [ 13.818983] random: dd: uninitialized urandom read (512 bytes read)
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/user_types/user_inet_types.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Plugin "/usr/lib/libyang1/user_types/user_yang_types.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Reading module "ietf-yang-metadata".
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Reading module "yang".
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "yang" unresolved schema nodes and their constraints...
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "yang" schema nodes and constraints resolved.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "yang@2017-02-20" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Reading module "ietf-inet-types".
```

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving derived type "union" failed, it will be attempted later.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving derived type "union" failed, it will be attempted later.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving derived type "union" failed, it will be attempted later.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving derived type "union" failed, it will be attempted later.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-inet-types" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Reading module "ietf-yang-types".

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-types@2013-07-15" already in context.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "sysrepo" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "sysrepo" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "sysrepo@2021-01-18" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe55" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe53" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe15" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe36" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe56" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe58" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe45" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe23" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe5" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe10" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe49" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe29" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe3" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe39" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe30" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe19" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe17" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe51" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe6" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe4" after a crashed subscription.

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Removing event pipe "sr_evpipe43" after a crashed subscription.

Page 116

Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 13 is dead.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 14 is dead.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 6 is dead.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 12 is dead.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 7 is dead.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 1 is dead.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 2 is dead.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[858]: Connection with CID 4 is dead.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Applying scheduled changes.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/custom.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-inet-types@2013-07-15" already in context.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/iana.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/ietf.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/custom.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/system.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "sysrepo-monitoring" schema nodes and constraints resolved.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf@2013-09-29" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-netconf-notifications" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-origin" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-origin" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-origin@2018-02-14" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-acm@2018-02-14" now implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-netconf-nmda" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "nc-notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "notifications@2008-07-14" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "notifications@2008-07-14" now implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-keystore" schema nodes and constraints resolved.

Page 121

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-tls-server@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-netconf-server" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-client@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-tcp-client@2019-07-02" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-tcp-server@2019-07-02" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-netconf-server" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-netconf-server" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-netconf-server@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "stli_giru-wdm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/stli_giru-wdm@2021-05-06.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "stli_giru-wdm@2021-05-06" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "stli_giru-opm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/stli_giru-opm@2020-11-08.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "stli_giru-opm@2020-11-08" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/notification_history.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "notification_history" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "ietf-hardware" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-interfaces@2018-02-20" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "iana-if-type@2017-01-19" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-dhcpv6-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-dhcpv6-types@2018-01-30" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "ietf-ip@2018-02-22" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-dhcp" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-dhcp@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-interfaces" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-mplane-int" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-mplane-int@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-transceiver" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-processing-element" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-hardware" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-fm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-usermgmt" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-sync" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-sync" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from
"/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-module-cap" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-operations" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-operations" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-uplane-conf" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-file-management" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-software-management" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-performance-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-trace" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-trace" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-trace" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All "o-ran-troubleshooting" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: No scheduled changes.

Sep 5 13:45:00 garuda user.notice kernel: [25.135739] random: crng init done

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Datastore copied from <startup> to <running>.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Connection 1 created.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Session 1 (user "root", CID 1) created.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: There is no leafref "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: There is no leafref "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Listening on :::830 for SSH connections.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Triggering "ietf-netconf-server" "done" event on enabled data.

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Processing "ietf-keystore" "done" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Processing "ietf-netconf-server" "done" event with ID 1 priority 0 (remaining 22 subscribers).

Sep 5 13:45:01 garuda daemon.err netopeer2-server[858]: Call Home client "default-client" was not found.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda user.notice nw_manager[887]: Replaced the running datastore with basic user configuration

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Listening on :::830 for SSH connections.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda user.notice nw_manager[887]: Read basic system interface details

```
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: Event change changes to: ietf-hardware
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component : ru-module for component ru-module
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component
ru-module
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component oran name: ru-module for component ru-module
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component : ru-port0 for component ru-port0
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component class: iana-hardware:port for component ru-port0
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component parent: ru-module for component ru-port0
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component parent rel pos: 0 for component ru-port0
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component oran name: ru-port0 for component ru-port0
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component : ru-port1 for component ru-port1
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component class: iana-hardware:port for component ru-port1
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component parent: ru-module for component ru-port1
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component parent rel pos: 1 for component ru-port1
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: [config] component oran name: ru-port1 for component ru-port1
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: Event done changes to: ietf-hardware
Sep 5 13:45:01 garuda user.info nw_manager[887]: SR_HW: Config has changed in :ietf-hardware
Sep 5 13:45:01 garuda user.info nw_manager[887]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Sep 5 13:45:01 garuda user.info nw_manager[887]: Interface : eth0 Netmask : 255.255.255.0
Sep 5 13:45:01 garuda user.info nw_manager[887]: Interface : eth0 O-RU port name ru-port0
Sep 5 13:45:01 garuda user.info nw_manager[887]: Interface : eth0.100 O-RU port name ru-port0
Sep 5 13:45:01 garuda user.info nw_manager[887]: Base interface : eth0.100 standard port : eth0 O-RU port-number : 0
Sep 5 13:45:01 garuda user.info nw_manager[887]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Sep 5 13:45:01 garuda user.info nw_manager[887]: VLAN: Added VLAN with VID == 100 to IF -:eth0:- devname eth0.100
Sep 5 13:45:01 garuda user.notice nw_manager[887]: Application subscribed for edit-config,get
Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Call Home client "default-client" connecting...
Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:02 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:02 garuda user.info FAULT MANAGEMENT[914]: ===== LISTENING FOR CHANGES =====
Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4
subscribers).
Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).
Sep 5 13:45:02 garuda user.notice USERMGMT[924]: Complete copying o-ran-usermgmt startup configurations
Sep 5 13:45:02 garuda user.notice USERMGMT[924]: LISTENING FOR CHANGES
Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Call Home client "default-client" connecting...
Sep 5 13:45:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:02 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:03 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:03 garuda user.notice fw_manager[935]: Process started
Sep 5 13:45:03 garuda user.notice fw_manager[935]: Listening for RPCs
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: LISTENING FOR CHANGES
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: EVENT change CHANGES
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 255
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 248
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 165
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 160
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 150
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 140
```

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 135
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 7
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Accepted-clock-classes : 6
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM PRC
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM EEC1
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM DNU
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM NONE
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM PRC
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM EEC1
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM DNU
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM NONE
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM PRC
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM EEC1
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM DNU
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Acceptance SSM NONE
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: ssm_timeout : 5
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Change in Configuration of S plane
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: END OF CHANGES
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: EVENT done CHANGES
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: Writing Configuration of S plane
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: END OF CHANGES
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1181]: SYNC-LOCK-STATE CHANGE NOTIFICATION
Sep 5 13:45:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:03 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:04 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:04 garuda user.notice OPM[1192]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-operations
Sep 5 13:45:04 garuda user.notice OPM[1192]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-processing-element
Sep 5 13:45:04 garuda user.notice OPM[1192]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-uplane-conf
Sep 5 13:45:04 garuda user.notice SR_OP[1192]: Event change detected on o-ran-operations
Sep 5 13:45:04 garuda user.notice SR_OP[1192]: [config]timezone name changed to GMT [event: change]
Sep 5 13:45:04 garuda user.notice SR_OP[1192]: Event change detected on o-ran-operations
Sep 5 13:45:04 garuda user.notice SR_OP[1192]: [config]timezone name changed to GMT [event: done]
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: EVENT change CHANGES
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: interface name : eth0.100
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: ru-mac : 98:ae:71:01:64:d8
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: VLAN-ID : 100
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: du-mac : f8:f2:1e:a8:07:6d
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: EVENT done CHANGES
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: interface name : eth0.100
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: ru-mac : 98:ae:71:01:64:d8
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: VLAN-ID : 100
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1192]: FPGA interface element0: du-mac : f8:f2:1e:a8:07:6d
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-link name : lltxlink0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-array-carrier : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint : slltx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-link name : lltxlink1

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-array-carrier : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint : slltx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-link name : lltxlink2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]EVENT change CHANGES:
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-array-carrier : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint : slltx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-link name : lltxlink3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-array-carrier : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint : slltx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-name : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-frequency-reference-center: 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-center-of-channel-bandwidth : 3600000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-active : ACTIVE
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-gain-correction : 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-n-ta-offset : 25600
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-name : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-link name : llrxlink0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice operations_manager[1192]: FPGA | tx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-frequency-reference-center: 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: EVENT change CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint : sllrx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-link name : llrxlink1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint : sllrx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-link name : llrxlink2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint : sllrx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-link name : llrxlink3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint : sllrx-endpoint3

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-channel-bandwidth : 100000000

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-active : ACTIVE

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-gain : 0.000000

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-downlink-radio-frame-offset : 0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-downlink-sfn-offset : 0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 1

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint1

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 1

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 2

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint2

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC

Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice file_manager[1223]: Process started
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 4
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30

```
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 3
Sep 5 13:45:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:04 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:04 garuda user.notice file_manager[1223]: Listening for RPCs
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:05 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 4
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-name : txarraycarrier0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-name : rxarraycarrier0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor f50f3f0f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor af13f0f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 3179d766
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor ce87d766
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor c005fe6e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3ffbfe6e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 2f6c2afb
```


Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor d0942afb
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor f82ac07b
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 7d6c07b
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor dc723537
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 238e3537
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 3dafeeee
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c251eeee
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor c625e4a3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 39dbe4a3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 19ef3a82
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor e6113a82
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 1294c2c1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor ed6cc2c1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor c9ee223d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3612223d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 3f4f0964
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c0b10964
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor d632cf8a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 29cecf8a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 4000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 4000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor af1c0f1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor f50fc0f1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor ce87289a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3179289a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 3ffb0192
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c0050192
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor d094d505
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 2f6cd505
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 7d63f85
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor f82a3f85
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 238ecac9
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor dc72cac9
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor c2511112
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3daf1112
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 39db1b5d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c6251b5d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor e611c57e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 19efc57e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor ed6c3d3f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 12943d3f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor 3612ddc3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c9eeddc3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor c0b1f69c
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor 3f4ff69c
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-comp-factor 29ce3076
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor d6323076
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: rx-compt-factor c000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: tx-comp-factor c000

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-frequency-reference-center: 3700005000.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-frequency-reference-center: 3700005000.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-center-of-channel-bandwidth : 3600000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-active : ACTIVE
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-gain-correction : 0.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | rx-array-carriers-n-ta-offset : 25600
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-active : ACTIVE
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-gain : 0.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | tx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice supervision[1234]: Process started

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-endpoint name : slltx-endpoint3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice supervision[1234]: Listening for RPCs
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | lltx-ep-eaxc-id : 4
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 2

Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-endpoint name : sllrx-endpoint3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:05 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice PM_MNGER[1244]: Waiting for performance manager results
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:06 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-eaxc-id : 4
Sep 5 13:45:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:06 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:06 garuda user.notice UPLANECONF[1192]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:06 garuda user.notice UPLANECONF[1192]: END OF CHANGES
Sep 5 13:45:06 garuda user.notice log_manager[1271]: Process started
Sep 5 13:45:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:06 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:07 garuda user.notice log_manager[1271]: Listening for RPCs
Sep 5 13:45:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:07 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:07 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:08 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:08 garuda user.notice wd_manager[1305]: Started monitoring
Sep 5 13:45:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:08 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).


```
Sep 5 13:45:09 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:09 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:09 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:09 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:10 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:10 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:10 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:10 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:11 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:11 garuda daemon.err netopeer2-server[858]: connect() failed (Network is unreachable).
Sep 5 13:45:11 garuda daemon.info dhclient: Internet Systems Consortium DHCP Client 4.4.2
Sep 5 13:45:11 garuda daemon.info dhclient: Copyright 2004-2020 Internet Systems Consortium.
Sep 5 13:45:11 garuda daemon.info dhclient: All rights reserved.
Sep 5 13:45:11 garuda daemon.info dhclient: For info, please visit https://www.isc.org/software/dhcp/
Sep 5 13:45:11 garuda daemon.info dhclient:
Sep 5 13:45:11 garuda daemon.info dhclient: Listening on LPF/eth0/98:ae:71:01:64:d8
Sep 5 13:45:11 garuda daemon.info dhclient: Sending on LPF/eth0/98:ae:71:01:64:d8
Sep 5 13:45:11 garuda daemon.info dhclient: Sending on Socket/fallback
Sep 5 13:45:11 garuda daemon.info dhclient: DHCPREQUEST for 192.168.4.41 on eth0 to 255.255.255.255 port 67
Sep 5 13:45:11 garuda daemon.info dhclient: DHCPACK of 192.168.4.41 from 192.168.4.15
Sep 5 13:45:11 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:11 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:12 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:12 garuda user.info nw_manager[887]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[887]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[887]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[887]: Interface : eth0 Netmask : 255.255.255.0
Sep 5 13:45:12 garuda user.info nw_manager[887]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda daemon.info dhclient[1320]: eth0: : IP=192.168.4.41/255.255.255.0 router=192.168.4.15 domain="vvdntech.com"
dns="192.168.4.15" lease=6315
Sep 5 13:45:12 garuda daemon.info dhclient: bound to 192.168.4.41 -- renewal in 2782 seconds.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:13 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:13 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:13 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:13 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:14 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:14 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:14 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:14 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:15 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:15 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:15 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:15 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:16 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:16 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:16 garuda daemon.info dhclient: XMT: Confirm on eth0, interval 930ms.
```

Sep 5 13:45:16 garuda daemon.info dhclient: RCV: Reply message on eth0 from fe80::5bb2:44e5:874e:988a.

Sep 5 13:45:16 garuda daemon.info dhclient: message status code Success: "All addresses still on link."

Sep 5 13:45:16 garuda daemon.info init: Entering runlevel: 5

Sep 5 13:45:16 garuda user.err vlan_scan[1421]: if_name eth0

Sep 5 13:45:16 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:16 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Successfully connected to 192.168.4.15:4334 over IPv4.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Session 85 (user "root", CID 1) created.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: User "operator" authenticated.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Call Home client "default-client" session 1 established.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Session 86 (user "root", CID 1) created.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth0.100", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "100", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0",
but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0",
but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0",
but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0",
but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0",
but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0",
but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0",
but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0",
but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with
the value "slltx-endpoint0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with
the value "slltx-endpoint1", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with
the value "slltx-endpoint2", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with
the value "slltx-endpoint3", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with
the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with
the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with
the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with
the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with
ID 1.

Sep 5 13:45:17 garuda user.notice fw_manager[935]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:18 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 1 succeeded.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Session 1: thread 1 event new RPC.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Session 1: thread 4 event new RPC.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Session 1: thread 4 event session terminated.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Call Home client "default-client" session terminated.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:20 garuda daemon.err netopeer2-server[858]: Session 1: waiting for Call Home thread failed (Connection timed out).

Sep 5 13:45:20 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:20 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:20 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:20 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:21 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:21 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:21 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:21 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:22 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:22 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:22 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:22 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:23 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:23 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:23 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:23 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:24 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:24 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:24 garuda daemon.debug rngd: Reading entropy from JITTER Entropy generator
Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter gets 2500 bytes
Sep 5 13:45:24 garuda daemon.debug rngd: Added 2559/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 2703/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 2834/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 2952/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3059/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3092/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3122/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3150/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3174/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3197/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3217/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3235/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3252/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3267/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3280/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3293/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3304/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3314/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3323/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3332/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3339/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3346/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3352/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3358/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3363/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3368/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3372/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3376/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3379/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3382/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3385/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3388/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3454/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3514/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3569/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3618/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3663/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3703/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3740/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Reading entropy from JITTER Entropy generator
Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter gets 2500 bytes
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3773/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3803/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3831/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3855/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3878/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3898/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3917/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3933/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3949/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3962/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3975/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3986/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3996/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4005/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4014/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4021/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4028/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4035/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Pool full at 4096, sleeping!
Sep 5 13:45:24 garuda daemon.notice haveged: haveged starting up
Sep 5 13:45:24 garuda auth.info sshd[1815]: Server listening on 0.0.0.0 port 22.
Sep 5 13:45:24 garuda auth.info sshd[1815]: Server listening on :: port 22.
Sep 5 13:45:24 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:24 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:25 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:25 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:25 garuda daemon.info haveged: haveged: ver: 1.9.5; arch: generic; vend: ; build: (gcc 9.2.0 CTV); collect: 128K
Sep 5 13:45:25 garuda daemon.info haveged: haveged: cpu: (VC); data: 16K (D); inst: 16K (D); idx: 11/40; sz: 15456/64452
Sep 5 13:45:25 garuda daemon.info haveged: haveged: tot tests(BA8): A:1/1 B:1/1 continuous tests(B): last entropy estimate 7.99721
Sep 5 13:45:25 garuda daemon.info haveged: haveged: fills: 0, generated: 0
Sep 5 13:45:25 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:25 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:26 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:26 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:26 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:26 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:27 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:27 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:27 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:27 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:28 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:28 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:28 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:28 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:29 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:29 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:29 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:29 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:30 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:30 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:45:30 garuda user.info ADRV[1260]: JESD Link established successfully!
Sep 5 13:45:30 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:30 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Page 148

Page 149

Sep 5 13:45:55 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:55 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:55 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:56 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:56 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:56 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:56 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:57 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:57 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:57 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:58 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:58 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:58 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:58 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:59 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:59 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:45:59 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:59 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:00 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:00 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:00 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:00 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:01 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:01 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:01 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:01 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:02 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:02 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:02 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:03 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:03 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:03 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:04 garuda user.notice SYNCMNGR[1181]: Received message from S-Plane

Sep 5 13:46:04 garuda user.notice SYNCMNGR[1181]: SYNC Lock state : FREE RUN

Sep 5 13:46:04 garuda user.notice SYNCMNGR[1181]: SYNCE Lock state : UNLOCKED

Sep 5 13:46:04 garuda user.notice SYNCMNGR[1181]: PTP Lock state : UNLOCKED

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : Source ID: 15

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : Fault ID: 18

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : FAULT_IS_CLEARED: FALSE

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : FAULT_SEVERITY: 3

Sep 5 13:46:04 garuda user.err FAULT MANAGER[873]: sendData : FAULT_TIME: 2022-09-05T13:46:04Z

Sep 5 13:46:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:04 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:04 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:46:04 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:46:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Page 151

Page 152

Page 153

Page 154

Page 155

Page 156

Page 157

Page 158

Page 159

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Sep 5 13:48:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:05 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:05 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:05 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:06 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:06 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:06 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:07 garuda auth.info sshd[3633]: Accepted password for root from 192.168.4.15 port 42644 ssh2
Sep 5 13:48:07 garuda authpriv.info sshd[3633]: pam_unix(sshd:session): session opened for user root by (uid=0)
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Accepted a connection on :::830.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Session 92 (user "root", CID 1) created.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-service" of subtype "ssh-userauth".
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-auth" of subtype "password".
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: User "operator" authenticated.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel-open" of subtype "session".
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Received an SSH message "request-channel" of subtype "subsystem".
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Session 93 (user "root", CID 1) created.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-start).
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 2 priority 0 succeeded.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Session 2: thread 3 event new RPC.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.
Sep 5 13:48:07 garuda user.notice fw_manager[935]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 2 succeeded.
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...
Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 3 priority 0 succeeded.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:07 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Session 2: thread 3 event new RPC.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:08 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:09 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:09 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:09 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:09 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:10 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:10 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:10 garuda user.notice SYNCMNGR[1181]: Received message from S-Plane

Sep 5 13:48:10 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:10 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:11 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:11 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:11 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:11 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:12 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:12 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:12 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:12 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Session 2: thread 3 event new RPC.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 3.

Sep 5 13:48:13 garuda user.notice fw_manager[935]: RPC #3 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Event "operational" with ID 3 succeeded.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 4 priority 0 succeeded.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Resolving unresolved data nodes and their constraints...

Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref

```

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.
Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: All data nodes and constraints resolved.
Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.
Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Published event "rpc" "/o-ran-operations:reset" with ID 1 priority 0 for 1 subscribers.
Sep 5 13:48:13 garuda user.notice SR_OP[1192]: RPC received on /o-ran-operations:reset for mplane-triggered reset
Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Event "rpc" with ID 1 priority 0 succeeded.
Sep 5 13:48:13 garuda daemon.info netopeer2-server[858]: Session 2: thread 2 event new RPC.
Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event new RPC.
Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Session 2: thread 1 event session terminated.
Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: There are no subscribers for "ietf-netconf-notifications" notifications.
Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Generated new event (netconf-session-end).
Sep 5 13:48:14 garuda authpriv.debug sshd[4151]: pam_unix(sshd:account): account operator has password changed in future
Sep 5 13:48:14 garuda auth.info sshd[4151]: Accepted password for operator from 192.168.4.15 port 50664 ssh2
Sep 5 13:48:14 garuda authpriv.info sshd[4151]: pam_unix(sshd:session): session opened for user operator by (uid=0)
Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:14 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:15 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:15 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:15 garuda daemon.info netopeer2-server[858]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:48:15 garuda daemon.info netopeer2-server[858]: getsockopt() error (Connection refused).
Sep 5 13:48:15 garuda user.info operations_manager[1192]: O-RU going for reboot
Sep 5 13:44:55 garuda syslog.info syslogd started: BusyBox v1.31.0
Sep 5 13:44:55 garuda user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Booting Linux on physical CPU 0x0000000000 [0x410fd034]
Sep 5 13:44:55 garuda user.notice kernel: [ 0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP
Mon Sep 5 13:40:07 UTC 2022
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Machine model: xlnx,zynqmp
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] printk: bootconsole [cdns0] enabled
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] efi: Getting EFI parameters from FDT:
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] efi: UEFI not found.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] cma: Reserved 256 MiB at 0x000000002fc00000
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] On node 0 totalpages: 261888
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] DMA32 zone: 4092 pages used for memmap
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] DMA32 zone: 0 pages reserved
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] DMA32 zone: 261888 pages, LIFO batch:63
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: probing for conduit method from DT.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: PSCIv1.1 detected in firmware.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: Using standard PSCI v0.2 function IDs
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: MIGRATE_INFO_TYPE not supported.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] psci: SMC Calling Convention v1.1
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] percpu-alloc: s49880 r8192 d32040 u90112 alloc=22*4096

```

```
Sep 5 13:44:55 garuda user.debug kernel: [ 0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Detected VIPT I-cache on CPU0
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] CPU features: detected: ARM erratum 845719
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Speculative Store Bypass Disable mitigation not required
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Built 1 zonelists, mobility grouping on. Total pages: 257796
Sep 5 13:44:55 garuda user.notice kernel: [ 0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1
root=/dev/mmcbk0p3 rw rootwait
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] Memory: 749684K/1047552K available (10172K kernel code, 656K rwddata, 3016K rodata,
704K init, 539K bss, 35724K reserved, 262144K cma-reserved)
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: Hierarchical RCU implementation.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: RCU event tracing is enabled.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irqs: 0
Sep 5 13:44:55 garuda user.warn kernel: [ 0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] GIC: Using split EOI/Deactivate mode
Sep 5 13:44:55 garuda user.notice kernel: [ 0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] arch_timer: cp15 timer(s) running at 50.00MHz (phys).
Sep 5 13:44:55 garuda user.info kernel: [ 0.000000] clocksource: arch_sys_counter: mask: 0xfffffffffff max_cycles: 0xb8812736b,
max_idle_ns: 440795202655 ns
Sep 5 13:44:55 garuda user.info kernel: [ 0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns
Sep 5 13:44:55 garuda user.info kernel: [ 0.008270] Console: colour dummy device 80x25
Sep 5 13:44:55 garuda user.info kernel: [ 0.012390] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00
BogoMIPS (lpj=200000)
Sep 5 13:44:55 garuda user.info kernel: [ 0.022753] pid_max: default: 32768 minimum: 301
Sep 5 13:44:55 garuda user.info kernel: [ 0.027475] Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.034695] Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Sep 5 13:44:55 garuda user.info kernel: [ 0.043450] ASID allocator initialised with 32768 entries
Sep 5 13:44:55 garuda user.info kernel: [ 0.047895] rcu: Hierarchical SRCU implementation.
Sep 5 13:44:55 garuda user.info kernel: [ 0.052829] EFI services will not be available.
Sep 5 13:44:55 garuda user.info kernel: [ 0.057226] smp: Bringing up secondary CPUs ...
Sep 5 13:44:55 garuda user.info kernel: [ 0.061913] Detected VIPT I-cache on CPU1
Sep 5 13:44:55 garuda user.info kernel: [ 0.061944] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]
Sep 5 13:44:55 garuda user.info kernel: [ 0.062280] Detected VIPT I-cache on CPU2
Sep 5 13:44:55 garuda user.info kernel: [ 0.062298] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]
Sep 5 13:44:55 garuda user.info kernel: [ 0.062605] Detected VIPT I-cache on CPU3
Sep 5 13:44:55 garuda user.info kernel: [ 0.062622] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]
Sep 5 13:44:55 garuda user.info kernel: [ 0.062665] smp: Brought up 1 node, 4 CPUs
Sep 5 13:44:55 garuda user.info kernel: [ 0.097055] SMP: Total of 4 processors activated.
Sep 5 13:44:55 garuda user.info kernel: [ 0.101727] CPU features: detected: 32-bit EL0 Support
Sep 5 13:44:55 garuda user.info kernel: [ 0.106831] CPU features: detected: CRC32 instructions
Sep 5 13:44:55 garuda user.info kernel: [ 0.111963] CPU: All CPU(s) started at EL2
Sep 5 13:44:55 garuda user.info kernel: [ 0.116010] alternatives: patching kernel code
Sep 5 13:44:55 garuda user.info kernel: [ 0.121207] devtmpfs: initialized
Sep 5 13:44:55 garuda user.info kernel: [ 0.127936] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns:
7645041785100000 ns
Sep 5 13:44:55 garuda user.info kernel: [ 0.133399] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)
```



```
Sep 5 13:44:55 garuda user.info kernel: [ 0.145652] xor: measuring software checksum speed
Sep 5 13:44:55 garuda user.info kernel: [ 0.184300] 8regs : 2622.000 MB/sec
Sep 5 13:44:55 garuda user.info kernel: [ 0.224324] 32regs : 3008.000 MB/sec
Sep 5 13:44:55 garuda user.info kernel: [ 0.264353] arm64_neon: 2612.000 MB/sec
Sep 5 13:44:55 garuda user.info kernel: [ 0.264391] xor: using function: 32regs (3008.000 MB/sec)
Sep 5 13:44:55 garuda user.info kernel: [ 0.268297] pinctrl core: initialized pinctrl subsystem
Sep 5 13:44:55 garuda user.info kernel: [ 0.273835] DMI not present or invalid.
Sep 5 13:44:55 garuda user.info kernel: [ 0.277489] NET: Registered protocol family 16
Sep 5 13:44:55 garuda user.info kernel: [ 0.282833] DMA: preallocated 256 KiB pool for atomic allocations
Sep 5 13:44:55 garuda user.info kernel: [ 0.287743] audit: initializing netlink subsys (disabled)
Sep 5 13:44:55 garuda user.notice kernel: [ 0.293151] audit: type=2000 audit(0.232:1): state=initialized audit_enabled=0 res=1
Sep 5 13:44:55 garuda user.info kernel: [ 0.293535] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.
Sep 5 13:44:55 garuda user.info kernel: [ 0.307656] Serial: AMBA PL011 UART driver
Sep 5 13:44:55 garuda user.info kernel: [ 0.321793] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages
Sep 5 13:44:55 garuda user.info kernel: [ 0.322844] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages
Sep 5 13:44:55 garuda user.info kernel: [ 0.329512] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages
Sep 5 13:44:55 garuda user.info kernel: [ 0.336168] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages
Sep 5 13:44:55 garuda user.info kernel: [ 0.347390] cryptd: max_cpu_qlen set to 1000
Sep 5 13:44:55 garuda user.info kernel: [ 0.421569] raid6: neonx8 gen() 1708 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.489620] raid6: neonx8 xor() 1619 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.557647] raid6: neonx4 gen() 1640 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.625705] raid6: neonx4 xor() 1579 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.693772] raid6: neonx2 gen() 1252 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.761774] raid6: neonx2 xor() 1313 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.829870] raid6: neonx1 gen() 816 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.897878] raid6: neonx1 xor() 989 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 0.965900] raid6: int64x8 gen() 1285 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.033948] raid6: int64x8 xor() 842 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.101989] raid6: int64x4 gen() 1085 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.170034] raid6: int64x4 xor() 817 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.238120] raid6: int64x2 gen() 754 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.306118] raid6: int64x2 xor() 665 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.374205] raid6: int64x1 gen() 498 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.442189] raid6: int64x1 xor() 510 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.442227] raid6: using algorithm neonx8 gen() 1708 MB/s
Sep 5 13:44:55 garuda user.info kernel: [ 1.446178] raid6: .... xor() 1619 MB/s, rmw enabled
Sep 5 13:44:55 garuda user.info kernel: [ 1.451110] raid6: using neon recovery algorithm
Sep 5 13:44:55 garuda user.info kernel: [ 1.456058] iommu: Default domain type: Translated
Sep 5 13:44:55 garuda user.notice kernel: [ 1.460748] SCSI subsystem initialized
Sep 5 13:44:55 garuda user.debug kernel: [ 1.464279] libata version 3.00 loaded.
Sep 5 13:44:55 garuda user.info kernel: [ 1.464386] usbcore: registered new interface driver usbfs
Sep 5 13:44:55 garuda user.info kernel: [ 1.469730] usbcore: registered new interface driver hub
Sep 5 13:44:55 garuda user.info kernel: [ 1.475006] usbcore: registered new device driver usb
Sep 5 13:44:55 garuda user.info kernel: [ 1.480037] pps_core: LinuxPPS API ver. 1 registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.484931] pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Sep 5 13:44:55 garuda user.info kernel: [ 1.494020] PTP clock support registered
Sep 5 13:44:55 garuda user.info kernel: [ 1.497915] EDAC MC: Ver: 3.0.0
Sep 5 13:44:55 garuda user.info kernel: [ 1.501391] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX channels.
```

```

Sep  5 13:44:55 garuda user.info kernel: [ 1.509713] FPGA manager framework
Sep  5 13:44:55 garuda user.info kernel: [ 1.513513] clocksource: Switched to clocksource arch_sys_counter
Sep  5 13:44:55 garuda user.notice kernel: [ 1.519018] VFS: Disk quotas dquot_6.6.0
Sep  5 13:44:55 garuda user.info kernel: [ 1.522858] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Sep  5 13:44:55 garuda user.info kernel: [ 1.533355] NET: Registered protocol family 2
Sep  5 13:44:55 garuda user.info kernel: [ 1.534319] tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
Sep  5 13:44:55 garuda user.info kernel: [ 1.542312] TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
Sep  5 13:44:55 garuda user.info kernel: [ 1.550029] TCP bind hash table entries: 8192 (order: 5, 131072 bytes, linear)
Sep  5 13:44:55 garuda user.info kernel: [ 1.557259] TCP: Hash tables configured (established 8192 bind 8192)
Sep  5 13:44:55 garuda user.info kernel: [ 1.563543] UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
Sep  5 13:44:55 garuda user.info kernel: [ 1.570069] UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Sep  5 13:44:55 garuda user.info kernel: [ 1.577152] NET: Registered protocol family 1
Sep  5 13:44:55 garuda user.info kernel: [ 1.581628] RPC: Registered named UNIX socket transport module.
Sep  5 13:44:55 garuda user.info kernel: [ 1.587265] RPC: Registered udp transport module.
Sep  5 13:44:55 garuda user.info kernel: [ 1.591933] RPC: Registered tcp transport module.
Sep  5 13:44:55 garuda user.info kernel: [ 1.596604] RPC: Registered tcp NFSv4.1 backchannel transport module.
Sep  5 13:44:55 garuda user.info kernel: [ 1.603009] PCI: CLS 0 bytes, default 64
Sep  5 13:44:55 garuda user.info kernel: [ 1.632930] workingset: timestamp_bits=46 max_order=18 bucket_order=0
Sep  5 13:44:55 garuda user.notice kernel: [ 1.634529] NFS: Registering the id_resolver key type
Sep  5 13:44:55 garuda user.notice kernel: [ 1.638767] Key type id_resolver registered
Sep  5 13:44:55 garuda user.notice kernel: [ 1.642899] Key type id_legacy registered
Sep  5 13:44:55 garuda user.info kernel: [ 1.646882] nfs4filelayout_init: NFSv4 File Layout Driver Registering...
Sep  5 13:44:55 garuda user.info kernel: [ 1.653550] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.
Sep  5 13:44:55 garuda user.info kernel: [ 1.660819] NET: Registered protocol family 38
Sep  5 13:44:55 garuda user.info kernel: [ 1.664981] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 247)
Sep  5 13:44:55 garuda user.info kernel: [ 1.672311] io scheduler mq-deadline registered
Sep  5 13:44:55 garuda user.info kernel: [ 1.676806] io scheduler kyber registered
Sep  5 13:44:55 garuda user.info kernel: [ 1.682454] ps_pcie_dma init()
Sep  5 13:44:55 garuda user.info kernel: [ 1.706252] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Sep  5 13:44:55 garuda user.info kernel: [ 1.707984] Serial: AMBA driver
Sep  5 13:44:55 garuda user.warn kernel: [ 1.712168] cacheinfo: Unable to detect cache hierarchy for CPU 0
Sep  5 13:44:55 garuda user.info kernel: [ 1.720174] brd: module loaded
Sep  5 13:44:55 garuda user.info kernel: [ 1.724503] loop: module loaded
Sep  5 13:44:55 garuda user.err kernel: [ 1.725284] mtdoops: mtd device (mtddev=name/number) must be supplied
Sep  5 13:44:55 garuda user.info kernel: [ 1.729906] libphy: Fixed MDIO Bus: probed
Sep  5 13:44:55 garuda user.info kernel: [ 1.733741] tun: Universal TUN/TAP device driver, 1.6
Sep  5 13:44:55 garuda user.info kernel: [ 1.738660] usbcore: registered new interface driver asix
Sep  5 13:44:55 garuda user.info kernel: [ 1.743152] usbcore: registered new interface driver ax88179_178a
Sep  5 13:44:55 garuda user.info kernel: [ 1.749190] usbcore: registered new interface driver cdc_ether
Sep  5 13:44:55 garuda user.info kernel: [ 1.754985] usbcore: registered new interface driver net1080
Sep  5 13:44:55 garuda user.info kernel: [ 1.760607] usbcore: registered new interface driver cdc_subset
Sep  5 13:44:55 garuda user.info kernel: [ 1.766487] usbcore: registered new interface driver zaaurus
Sep  5 13:44:55 garuda user.info kernel: [ 1.772035] usbcore: registered new interface driver cdc_ncm
Sep  5 13:44:55 garuda user.info kernel: [ 1.778391] usbcore: registered new interface driver uas
Sep  5 13:44:55 garuda user.info kernel: [ 1.782933] usbcore: registered new interface driver usb-storage
Sep  5 13:44:55 garuda user.info kernel: [ 1.789276] rtc_zynqmp ffa60000.rtc: registered as rtc0
Sep  5 13:44:55 garuda user.info kernel: [ 1.794114] SFP: i2c device initialization
Sep  5 13:44:55 garuda user.info kernel: [ 1.798046] SFP: alloc_chrdev_region completed, Major number : 245
Sep  5 13:44:55 garuda user.info kernel: [ 1.804195] SFP: class_create() completed

```

```

Sep  5 13:44:55 garuda user.info kernel: [ 1.808164] SFP: Device memory allocation completed
Sep  5 13:44:55 garuda user.info kernel: [ 1.813022] SFP: i2c_add_driver() completed
Sep  5 13:44:55 garuda user.info kernel: [ 1.817160] SFP: sfp_i2c_init_driver() Completed Successfully
Sep  5 13:44:55 garuda user.info kernel: [ 1.822868] i2c /dev entries driver
Sep  5 13:44:55 garuda user.info kernel: [ 1.826733] pps pps0: new PPS source ptp0
Sep  5 13:44:55 garuda user.info kernel: [ 1.830333] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33
Sep  5 13:44:55 garuda user.info kernel: [ 1.837846] EDAC MC: ECC not enabled
Sep  5 13:44:55 garuda user.info kernel: [ 1.841077] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller zynqmp_ocm:
DEV ff960000.memory-controller (INTERRUPT)
Sep  5 13:44:55 garuda user.info kernel: [ 1.853448] sdhci: Secure Digital Host Controller Interface driver
Sep  5 13:44:55 garuda user.info kernel: [ 1.859200] sdhci: Copyright(c) Pierre Ossman
Sep  5 13:44:55 garuda user.info kernel: [ 1.863524] sdhci-pltfm: SDHCI platform and OF driver helper
Sep  5 13:44:55 garuda user.info kernel: [ 1.869393] zynqmp_firmware_probe Platform Management API v1.1
Sep  5 13:44:55 garuda user.info kernel: [ 1.874947] zynqmp_firmware_probe Trustzone version v1.0
Sep  5 13:44:55 garuda user.info kernel: [ 1.903130] securefw securefw: securefw probed^M
Sep  5 13:44:55 garuda user.info kernel: [ 1.903352] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)
Sep  5 13:44:55 garuda user.info kernel: [ 1.907706] zynqmp_aes zynqmp_aes: AES Successfully Registered
Sep  5 13:44:55 garuda user.info kernel: [ 1.907706] ^M
Sep  5 13:44:55 garuda user.info kernel: [ 1.915061] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)
Sep  5 13:44:55 garuda user.info kernel: [ 1.921312] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)
Sep  5 13:44:55 garuda user.info kernel: [ 1.926811] usbcore: registered new interface driver usbhid
Sep  5 13:44:55 garuda user.info kernel: [ 1.932124] usbhid: USB HID core driver
Sep  5 13:44:55 garuda user.info kernel: [ 1.938109] ARM CCI_400_r1 PMU driver probed
Sep  5 13:44:55 garuda user.info kernel: [ 1.938557] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered
Sep  5 13:44:55 garuda user.info kernel: [ 1.946856] pktgen: Packet Generator for packet performance testing. Version: 2.75
Sep  5 13:44:55 garuda user.info kernel: [ 1.954616] Initializing XFRM netlink socket
Sep  5 13:44:55 garuda user.info kernel: [ 1.958411] NET: Registered protocol family 10
Sep  5 13:44:55 garuda user.info kernel: [ 1.963151] Segment Routing with IPv6
Sep  5 13:44:55 garuda user.info kernel: [ 1.966481] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver
Sep  5 13:44:55 garuda user.info kernel: [ 1.972561] NET: Registered protocol family 17
Sep  5 13:44:55 garuda user.info kernel: [ 1.976677] NET: Registered protocol family 15
Sep  5 13:44:55 garuda user.info kernel: [ 1.981095] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to
load br_netfilter if you need this.
Sep  5 13:44:55 garuda user.info kernel: [ 1.993994] 8021q: 802.1Q VLAN Support v1.8
Sep  5 13:44:55 garuda user.info kernel: [ 1.998204] 9pnet: Installing 9P2000 support
Sep  5 13:44:55 garuda user.notice kernel: [ 2.002374] Key type dns_resolver registered
Sep  5 13:44:55 garuda user.info kernel: [ 2.006851] registered taskstats version 1
Sep  5 13:44:55 garuda user.info kernel: [ 2.011598] Btrfs loaded, crc32c=crc32c-generic
Sep  5 13:44:55 garuda user.info kernel: [ 2.023628] ff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a uartps
Sep  5 13:44:55 garuda user.info kernel: [ 2.032645] printk: console [ttyPS0] enabled
Sep  5 13:44:55 garuda user.info kernel: [ 2.036941] printk: bootconsole [cdns0] disabled
Sep  5 13:44:55 garuda user.info kernel: [ 2.046290] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a uartps
Sep  5 13:44:55 garuda user.info kernel: [ 2.059653] of-fpga-region fpga-full: FPGA Region probed
Sep  5 13:44:55 garuda user.info kernel: [ 2.065543] XGpio: gpio@b0040000: registered, base is 509
Sep  5 13:44:55 garuda user.info kernel: [ 2.071230] XGpio: gpio@b0040000: dual channel registered, base is 497
Sep  5 13:44:55 garuda user.info kernel: [ 2.078339] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Sep  5 13:44:55 garuda user.info kernel: [ 2.085434] xilinx-zynqmp-dma fd510000.dma: ZynqMP DMA driver Probe success
Sep  5 13:44:55 garuda user.info kernel: [ 2.092529] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
Sep  5 13:44:55 garuda user.info kernel: [ 2.099622] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success

```

```

Sep 5 13:44:55 garuda user.info kernel: [ 2.106709] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.113809] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.120902] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.127993] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.135155] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.142247] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.149338] xilinx-zynqmp-dma ffaa0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.156434] xilinx-zynqmp-dma ffab0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.163526] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.170613] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.177708] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.info kernel: [ 2.184796] xilinx-zynqmp-dma ffaf0000.dma: ZynqMP DMA driver Probe success
Sep 5 13:44:55 garuda user.warn kernel: [ 2.192871] -----[ cut here ]-----
Sep 5 13:44:55 garuda user.warn kernel: [ 2.197480] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
Sep 5 13:44:55 garuda user.warn kernel: [ 2.204835] WARNING: CPU: 1 PID: 31 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.212818] Modules linked in:
Sep 5 13:44:55 garuda user.warn kernel: [ 2.215861] CPU: 1 PID: 31 Comm: kworker/1:1 Not tainted 5.4.0-xilinx-v2020.2 #1
Sep 5 13:44:55 garuda user.warn kernel: [ 2.223243] Hardware name: xlnx,zynqmp (DT)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.227415] Workqueue: events deferred_probe_work_func
Sep 5 13:44:55 garuda user.warn kernel: [ 2.232541] pstate: 60000005 (nZCv daif -PAN -UAO)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.237314] pc : spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.241220] lr : spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.245125] sp : ffff8000110537d0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.248423] x29: ffff8000110537d0 x28: ffff00003fcea270
Sep 5 13:44:55 garuda user.warn kernel: [ 2.253718] x27: ffff00002e69f410 x26: ffff00002d1d8c00
Sep 5 13:44:55 garuda user.warn kernel: [ 2.259013] x25: 0000000000000000 x24: 0000000000000019
Sep 5 13:44:55 garuda user.warn kernel: [ 2.264308] x23: ffff800010e778c8 x22: 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.269602] x21: ffff800010e778a8 x20: ffff00002d1d8000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.274897] x19: 0000000000000000 x18: 0000000000000010
Sep 5 13:44:55 garuda user.warn kernel: [ 2.280192] x17: 00000000ce1c3d6a x16: 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.285487] x15: ffff00002e680868 x14: ffffffff
Sep 5 13:44:55 garuda user.warn kernel: [ 2.290782] x13: ffff800091053517 x12: ffff80001105351f
Sep 5 13:44:55 garuda user.warn kernel: [ 2.296076] x11: ffff800010e44000 x10: 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.301371] x9 : ffff800010ece000 x8 : 00000000000000dc
Sep 5 13:44:55 garuda user.warn kernel: [ 2.306666] x7 : 0000000000000006 x6 : ffff800010ece0f2
Sep 5 13:44:55 garuda user.warn kernel: [ 2.311960] x5 : 0000000000000007 x4 : 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.317255] x3 : 0000000000000000 x2 : 00000000ffffff
Sep 5 13:44:55 garuda user.warn kernel: [ 2.322550] x1 : 0353aa1704bd7500 x0 : 0000000000000000
Sep 5 13:44:55 garuda user.warn kernel: [ 2.327845] Call trace:
Sep 5 13:44:55 garuda user.warn kernel: [ 2.330277] spidev_probe+0xf8/0x1c8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.333837] spi_drv_probe+0x7c/0xd8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.337395] really_probe+0xd8/0x2f8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.340954] driver_probe_device+0x54/0xe8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.345033] __device_attach_driver+0x80/0xb8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.349376] bus_for_each_drv+0x74/0xc0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.353201] __device_attach+0xdc/0x138
Sep 5 13:44:55 garuda user.warn kernel: [ 2.357020] device_initial_probe+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.361186] bus_probe_device+0x90/0x98
Sep 5 13:44:55 garuda user.warn kernel: [ 2.365006] device_add+0x334/0x600

```



```

Sep 5 13:44:55 garuda user.warn kernel: [ 2.368478] spi_add_device+0xac/0x170
Sep 5 13:44:55 garuda user.warn kernel: [ 2.372210] of_register_spi_device+0x204/0x388
Sep 5 13:44:55 garuda user.warn kernel: [ 2.376726] spi_register_controller+0x4b4/0x718
Sep 5 13:44:55 garuda user.warn kernel: [ 2.381334] cdns_spi_probe+0x28c/0x368
Sep 5 13:44:55 garuda user.warn kernel: [ 2.385153] platform_drv_probe+0x50/0xa0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.389145] really_probe+0xd8/0x2f8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.392703] driver_probe_device+0x54/0xe8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.396783] __device_attach_driver+0x80/0xb8
Sep 5 13:44:55 garuda user.warn kernel: [ 2.401124] bus_for_each_drv+0x74/0xc0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.404942] __device_attach+0xdc/0x138
Sep 5 13:44:55 garuda user.warn kernel: [ 2.408761] device_initial_probe+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.412927] bus_probe_device+0x90/0x98
Sep 5 13:44:55 garuda user.warn kernel: [ 2.416747] deferred_probe_work_func+0x6c/0xa0
Sep 5 13:44:55 garuda user.warn kernel: [ 2.421263] process_one_work+0x1c4/0x338
Sep 5 13:44:55 garuda user.warn kernel: [ 2.425262] worker_thread+0x260/0x488
Sep 5 13:44:55 garuda user.warn kernel: [ 2.428996] kthread+0x120/0x128
Sep 5 13:44:55 garuda user.warn kernel: [ 2.432208] ret_from_fork+0x10/0x18
Sep 5 13:44:55 garuda user.warn kernel: [ 2.435765] ---[ end trace c1aaa062f9193484 ]---
Sep 5 13:44:55 garuda user.warn kernel: [ 2.440503] zynqmp_pll_disable() clock disable failed for dpll_int, ret = -13
Sep 5 13:44:55 garuda user.info kernel: [ 2.448041] macb ff0d0000.ethernet: Not enabling partial store and forward
Sep 5 13:44:55 garuda user.info kernel: [ 2.455426] libphy: MACB_mii_bus: probed
Sep 5 13:44:55 garuda user.err kernel: [ 2.461471] macb ff0d0000.ethernet eth0: no PHY found
Sep 5 13:44:55 garuda user.err kernel: [ 2.482212] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Sep 5 13:44:55 garuda user.info kernel: [ 2.488473] xilinx_axienet b0000000.ethernet: Ethernet core IRQ not defined
Sep 5 13:44:55 garuda user.warn kernel: [ 2.495435] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Sep 5 13:44:55 garuda user.info kernel: [ 2.502190] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.508699] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.515175] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.521663] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Sep 5 13:44:55 garuda user.info kernel: [ 2.528296] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Sep 5 13:44:55 garuda user.info kernel: [ 2.534674] SFP: In sfp_i2c device probe
Sep 5 13:44:55 garuda user.info kernel: [ 2.538586] SFP: device name : sfp0
Sep 5 13:44:55 garuda user.info kernel: [ 2.542067] SFP: minor number : 00
Sep 5 13:44:55 garuda user.info kernel: [ 2.545453] SFP: Driver name : sfp0
Sep 5 13:44:55 garuda user.info kernel: [ 2.548931] SFP: I2C Bus number : 1
Sep 5 13:44:55 garuda user.info kernel: [ 2.552465] SFP: construct_sfp_device() with minor number 0 completed
Sep 5 13:44:55 garuda user.info kernel: [ 2.558897] SFP: add i2c client : 0
Sep 5 13:44:55 garuda user.info kernel: [ 2.562398] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Sep 5 13:44:55 garuda user.info kernel: [ 2.568603] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s
Sep 5 13:44:55 garuda user.info kernel: [ 2.576015] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Sep 5 13:44:55 garuda user.warn kernel: [ 2.583581] cpufreq: cpufreq_online: CPU0: Running at unlisted freq: 1325000 KHz
Sep 5 13:44:55 garuda user.err kernel: [ 2.590982] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Sep 5 13:44:55 garuda user.warn kernel: [ 2.599713] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz
Sep 5 13:44:55 garuda user.err kernel: [ 2.608241] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Sep 5 13:44:55 garuda user.info kernel: [ 2.650233] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit
Sep 5 13:44:55 garuda user.info kernel: [ 2.660275] rtc_zynqmp ffa60000.rtc: setting system clock to 2022-09-05T13:44:38 UTC (1662385478)
Sep 5 13:44:55 garuda user.info kernel: [ 2.669147] of_cfs_init
Sep 5 13:44:55 garuda user.info kernel: [ 2.671609] of_cfs_init: OK
Sep 5 13:44:55 garuda user.warn kernel: [ 2.674513] clk: Not disabling unused clocks

```

```
Sep 5 13:44:55 garuda user.info kernel: [ 2.679494] Waiting for root device /dev/mmcblk0p3...
Sep 5 13:44:55 garuda user.info kernel: [ 2.759233] mmc0: new HS200 MMC card at address 0001
Sep 5 13:44:55 garuda user.info kernel: [ 2.764621] mmcblk0: mmc0:0001 DG4008 7.28 GiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.769344] mmcblk0boot0: mmc0:0001 DG4008 partition 1 4.00 MiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.775458] mmcblk0boot1: mmc0:0001 DG4008 partition 2 4.00 MiB
Sep 5 13:44:55 garuda user.info kernel: [ 2.781433] mmcblk0rpmc: mmc0:0001 DG4008 partition 3 4.00 MiB, chardev (244:0)
Sep 5 13:44:55 garuda user.info kernel: [ 2.792072] mmcblk0: p1 p2 p3 p4
Sep 5 13:44:55 garuda user.notice kernel: [ 2.832694] random: fast init done
Sep 5 13:44:55 garuda user.info kernel: [ 2.857678] EXT4-fs (mmcblk0p3): recovery complete
Sep 5 13:44:55 garuda user.info kernel: [ 2.862993] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)
Sep 5 13:44:55 garuda user.info kernel: [ 2.871117] VFS: Mounted root (ext4 filesystem) on device 179:3.
Sep 5 13:44:55 garuda user.info kernel: [ 2.877565] devtmpfs: mounted
Sep 5 13:44:55 garuda user.info kernel: [ 2.880756] Freeing unused kernel memory: 704K
Sep 5 13:44:55 garuda user.info kernel: [ 2.885261] Run /sbin/init as init process
Sep 5 13:44:55 garuda daemon.info kernel: [ 3.080164] udevd[315]: starting version 3.2.8
Sep 5 13:44:55 garuda user.notice kernel: [ 3.086948] random: udevd: uninitialized urandom read (16 bytes read)
Sep 5 13:44:55 garuda user.notice kernel: [ 3.093682] random: udevd: uninitialized urandom read (16 bytes read)
Sep 5 13:44:55 garuda user.notice kernel: [ 3.100452] random: udevd: uninitialized urandom read (16 bytes read)
Sep 5 13:44:55 garuda daemon.info kernel: [ 3.120185] udevd[316]: starting eudev-3.2.8
Sep 5 13:44:55 garuda user.warn kernel: [ 3.480484] EXT4-fs (mmcblk0p2): warning: mounting fs with errors, running e2fsck is recommended
Sep 5 13:44:55 garuda user.info kernel: [ 3.491899] EXT4-fs (mmcblk0p2): recovery complete
Sep 5 13:44:55 garuda user.info kernel: [ 3.496703] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)
Sep 5 13:44:55 garuda user.info kernel: [ 3.553768] EXT4-fs (mmcblk0p4): recovery complete
Sep 5 13:44:55 garuda user.info kernel: [ 3.559232] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)
Sep 5 13:44:55 garuda user.info kernel: [ 3.629190] EXT4-fs (mmcblk0p3): re-mounted. Opts: (null)
Sep 5 13:44:55 garuda user.warn kernel: [ 13.807948] urandom_read: 4 callbacks suppressed
Sep 5 13:44:55 garuda user.notice kernel: [ 13.807953] random: dd: uninitialized urandom read (512 bytes read)
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Plugin "/usr/lib/libyang1/user_types/user_inet_types.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Plugin "/usr/lib/libyang1/user_types/user_yang_types.so" successfully loaded.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Reading module "ietf-yang-metadata".
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Reading module "yang".
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "yang" unresolved schema nodes and their constraints...
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "yang" schema nodes and constraints resolved.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "yang@2017-02-20" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Reading module "ietf-inet-types".
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving derived type "union" failed, it will be attempted later.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving derived type "union" failed, it will be attempted later.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving derived type "union" failed, it will be attempted later.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving derived type "union" failed, it will be attempted later.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "ietf-inet-types" schema nodes and constraints resolved.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Reading module "ietf-yang-types".
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.
```

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/custom.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-yang-types@2013-07-15" already in context.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "sysrepo" unresolved schema nodes and their constraints...
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "sysrepo" schema nodes and constraints resolved.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "sysrepo@2021-01-18" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe55" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe53" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe15" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe36" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe56" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe58" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe45" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe23" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe5" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe10" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe49" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe29" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe3" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe39" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe30" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe19" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe17" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe51" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe6" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe4" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe43" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe60" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe54" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe18" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe16" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe42" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe2" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe35" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe28" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe20" after a crashed subscription.
Sep 5 13:45:00 garuda daemon.warn netopeer2-server[859]: Removing event pipe "sr_evpipe38" after a crashed subscription.

Page 173

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-inet-types@2013-07-15" already in context.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "sysrepo-monitoring" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from
"/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-netconf@2013-09-29" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "ietf-netconf-notifications" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "ietf-origin" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "ietf-origin" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-origin@2018-02-14" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-netconf-acm@2018-02-14" now implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "ietf-netconf-nmda" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "nc-notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/iana.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/ietf.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/custom.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/system.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "notifications@2008-07-14" successfully parsed as imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "notifications@2008-07-14" now implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-keystore" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/custom.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "ietf-keystore" schema nodes and constraints resolved.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-keystore@2019-07-02" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-truststore" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-truststore@2019-07-02" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-tcp-common@2019-07-02" successfully parsed as implemented.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ssh-server" in /etc/sysrepo/yang.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang" file.
Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ssh-common" in /etc/sysrepo/yang.

Page 178

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-tcp-server@2019-07-02" successfully parsed as imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "ietf-netconf-server" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "ietf-netconf-server" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-netconf-server@2019-07-02" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "stli_giru-wdm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/stli_giru-wdm@2021-05-06.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "stli_giru-wdm@2021-05-06" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "stli_giru-opm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/stli_giru-opm@2020-11-08.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "stli_giru-opm@2020-11-08" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/notification_history.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "notification_history" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "ietf-hardware" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-interfaces@2018-02-20" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "iana-if-type@2017-01-19" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-dhcpv6-types" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-dhcpv6-types@2018-01-30" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "ietf-ip@2018-02-22" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-dhcp" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-dhcp@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-interfaces" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-mlplane-int" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-mlplane-int@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-mlplane-int@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-transceiver" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from
"/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-processing-element" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-hardware" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-fm" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-usermgmt" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-sync" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-sync" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from
"/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-module-cap" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-operations" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-operations" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-uplane-conf" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-file-management" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/iana.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/ietf.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/custom.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/system.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-software-management" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from

"/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-performance-management@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-trace" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-trace" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-trace" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang" file.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints...

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: All "o-ran-troubleshooting" schema nodes and constraints resolved.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: No scheduled changes.

Sep 5 13:45:00 garuda user.notice kernel: [25.130176] random: crng init done

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Datastore copied from <startup> to <running>.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Connection 1 created.

Sep 5 13:45:00 garuda daemon.info netopeer2-server[859]: Session 1 (user "root", CID 1) created.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Listening on :::830 for SSH connections.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-server" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-keystore" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-truststore" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Sep 5 13:45:01 garuda user.err SYS_MONITOR[874]: previous boot not done by BMC

Sep 5 13:45:01 garuda user.notice nw_manager[888]: Process started

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Processing "ietf-netconf-acm" "done" event with ID 1 priority 0 (remaining 4 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Processing "ietf-keystore" "done" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Processing "ietf-netconf-server" "done" event with ID 1 priority 0 (remaining 22 subscribers).

Sep 5 13:45:01 garuda daemon.err netopeer2-server[859]: Call Home client "default-client" was not found.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda user.notice nw_manager[888]: Replaced the running datastore with basic user configuration

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Listening on :::830 for SSH connections.

Sep 5 13:45:01 garuda daemon.info netopeer2-server[859]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:45:01 garuda user.notice nw_manager[888]: Read basic system interface details

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: Event change changes to: ietf-hardware

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component : ru-module for component ru-module

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component ru-module

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component oran name: ru-module for component ru-module

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component : ru-port0 for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component class: iana-hardware:port for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component parent: ru-module for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component parent rel pos: 0 for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component oran name: ru-port0 for component ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component : ru-port1 for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component class: iana-hardware:port for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component parent: ru-module for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component parent rel pos: 1 for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: [config] component oran name: ru-port1 for component ru-port1

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: Event done changes to: ietf-hardware

Sep 5 13:45:01 garuda user.info nw_manager[888]: SR_HW: Config has changed in :ietf-hardware

Sep 5 13:45:01 garuda user.info nw_manager[888]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

Sep 5 13:45:01 garuda user.info nw_manager[888]: Interface : eth0 Netmask : 255.255.255.0

Sep 5 13:45:01 garuda user.info nw_manager[888]: Interface : eth0 O-RU port name ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[888]: Interface : eth0.100 O-RU port name ru-port0

Sep 5 13:45:01 garuda user.info nw_manager[888]: Base interface : eth0.100 standard port : eth0 O-RU port-number : 0

Sep 5 13:45:01 garuda user.info nw_manager[888]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Sep 5 13:45:01 garuda user.info nw_manager[888]: VLAN: Added VLAN with VID == 100 to IF -:eth0:- devname eth0.100

Sep 5 13:45:01 garuda user.notice nw_manager[888]: Application subscribed for edit-config,get

Sep 5 13:45:02 garuda daemon.info netopeer2-server[859]: Call Home client "default-client" connecting...

Sep 5 13:45:02 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:02 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).

Sep 5 13:45:02 garuda user.info FAULT MANAGEMENT[915]: ===== LISTENING FOR CHANGES =====

Sep 5 13:45:02 garuda daemon.info netopeer2-server[859]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4 subscribers).

Sep 5 13:45:02 garuda daemon.info netopeer2-server[859]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Sep 5 13:45:02 garuda user.notice USERMGMT[925]: Complete copying o-ran-usermgmt startup configurations

Sep 5 13:45:02 garuda user.notice USERMGMT[925]: LISTENING FOR CHANGES

Sep 5 13:45:02 garuda daemon.info netopeer2-server[859]: Call Home client "default-client" connecting...

Sep 5 13:45:02 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:02 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).

Sep 5 13:45:03 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:03 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).

Sep 5 13:45:03 garuda user.notice fw_manager[936]: Process started

Sep 5 13:45:03 garuda user.notice fw_manager[936]: Listening for RPCs

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: LISTENING FOR CHANGES

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: EVENT change CHANGES

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 255

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 248

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 165

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 160

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 150

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 140

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 135

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 7

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Accepted-clock-classes : 6

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM PRC

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM EEC1

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM DNU

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM NONE

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM PRC

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM EEC1

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM DNU

Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM NONE
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM PRC
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM EEC1
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM DNU
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Acceptance SSM NONE
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: ssm_timeout : 5
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Change in Configuration of S plane
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: END OF CHANGES
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: EVENT done CHANGES
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: Writing Configuration of S plane
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: END OF CHANGES
Sep 5 13:45:03 garuda user.notice SYNCMNGR[1182]: SYNC-LOCK-STATE CHANGE NOTIFICATION
Sep 5 13:45:03 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:03 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:04 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:04 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:04 garuda user.notice OPM[1193]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-operations
Sep 5 13:45:04 garuda user.notice OPM[1193]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-processing-element
Sep 5 13:45:04 garuda user.notice OPM[1193]: Operation manager init :subscribed for edit-config, get, rpc on o-ran-uplane-conf
Sep 5 13:45:04 garuda user.notice SR_OP[1193]: Event change detected on o-ran-operations
Sep 5 13:45:04 garuda user.notice SR_OP[1193]: [config]timezone name changed to GMT [event: change]
Sep 5 13:45:04 garuda user.notice SR_OP[1193]: Event change detected on o-ran-operations
Sep 5 13:45:04 garuda user.notice SR_OP[1193]: [config]timezone name changed to GMT [event: done]
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: EVENT change CHANGES
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: FPGA interface element0: interface name : eth0.100
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: FPGA interface element0: ru-mac : 98:ae:71:01:64:d8
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: FPGA interface element0: VLAN-ID : 100
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: FPGA interface element0: du-mac : f8:f2:1e:a8:07:6d
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: EVENT done CHANGES
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: FPGA interface element0: interface name : eth0.100
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: FPGA interface element0: ru-mac : 98:ae:71:01:64:d8
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: FPGA interface element0: VLAN-ID : 100
Sep 5 13:45:04 garuda user.notice PROCESSING-ELEMENTS[1193]: FPGA interface element0: du-mac : f8:f2:1e:a8:07:6d
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: EVENT change CHANGES:
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-link name : lltxlink0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-array-carrier : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint : slltx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-link name : lltxlink1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: EVENT change CHANGES:
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-array-carrier : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint : slltx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-link name : lltxlink2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-array-carrier : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint : slltx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-link name : lltxlink3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-processing element : element0

Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-array-carrier : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint : slltx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: EVENT change CHANGES:
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-name : txarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-name : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-frequency-reference-center: 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-center-of-channel-bandwidth : 3600000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-active : ACTIVE
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-gain-correction : 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-n-ta-offset : 25600
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: EVENT change CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-frequency-reference-center: 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: EVENT change CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: EVENT change CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-link name : llrxlink0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint : sllrx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-link name : llrxlink1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint : sllrx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-link name : llrxlink2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint : sllrx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-link name : llrxlink3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-processing element : element0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-array-carrier : rxarraycarrier0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint : sllrx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-active : ACTIVE
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint name : slltx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-gain : 0.000000
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint name : sllrx-endpoint0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-compression-type : STATIC

Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-eaxc-id : 1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint name : slltx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-eaxc-id : 1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-eaxc-id : 2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint name : slltx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint name : sllrx-endpoint1
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-o-du-port-bitmask : 65024

Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-eaxc-id : 3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint name : slltx-endpoint3
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice file_manager[1224]: Process started
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-eaxc-id : 4
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-eaxc-id : 2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint name : sllrx-endpoint2
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-eaxc-id : 3
Sep 5 13:45:04 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:04 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:04 garuda user.notice file_manager[1224]: Listening for RPCs
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint name : sllrx-endpoint3


```
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:04 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:05 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-eaxc-id : 4
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: EVENT done CHANGES:
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-name : rxarraycarrier0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: EVENT done CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-name : txarraycarrier0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-absolute-frequency-center : 646667
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: EVENT done CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor f50f3f0f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor af13f0f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor 3179d766
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor ce87d766
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor c005fe6e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 3ffbf6e6
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor 2f6c2afb
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor d0942afb
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor f82ac07b
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 7d6c07b
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor dc723537
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 238e3537
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor 3dafeeee
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor c251eeee
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor c625e4a3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 39dbe4a3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor 19ef3a82
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor e6113a82
```

Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor 1294c2c1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor ed6cc2c1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor c9ee223d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 3612223d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor 3f4f0964
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor c0b10964
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor d632cf8a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 29cecf8a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor 4000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 4000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor af1c0f1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor f50fc0f1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor ce87289a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 3179289a
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor 3ffb0192
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor c0050192
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor d094d505
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 2f6cd505
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor 7d63f85
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor f82a3f85
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor 238ecac9
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor dc72cac9
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor c2511112
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 3daf1112
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor 39db1b5d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor c6251b5d
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor e611c57e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 19efc57e
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor ed6c3d3f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 12943d3f
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor 3612ddc3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor c9eeddc3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor c0b1f69c
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor 3f4ff69c
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-comp-factor 29ce3076
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor d6323076
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: rx-compt-factor c000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: tx-comp-factor c000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-frequency-reference-center: 3700005000.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-frequency-reference-center: 3700005000.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-center-of-channel-bandwidth : 3600000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-active : ACTIVE
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-gain-correction : 0.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | rx-array-carriers-n-ta-offset : 25600
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint name : slltx-endpoint0

Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-channel-bandwidth : 100000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-active : ACTIVE
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-gain : 0.000000
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-downlink-radio-frame-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | tx-array-carriers-downlink-sfn-offset : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint name : sllrx-endpoint0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-eaxc-id : 1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint name : slltx-endpoint1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice supervision[1235]: Process started
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-eaxc-id : 2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-eaxc-id : 1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint name : slltx-endpoint2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-iq-bitwidth : 16

Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint name : sllrx-endpoint1
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-eaxc-id : 3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-endpoint name : slltx-endpoint3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice supervision[1235]: Listening for RPCs
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | lltx-ep-eaxc-id : 4
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-eaxc-id : 2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint name : sllrx-endpoint2
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-o-du-port-bitmask : 65024

Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-eaxc-id : 3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-endpoint name : sllrx-endpoint3
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-compression-type : STATIC
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-iq-bitwidth : 16
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length : 352
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-cp-length-other : 288
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-offset-to-absolute-frequency-center : 0
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-number-of-prb : 273
Sep 5 13:45:05 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:05 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-scs : KHZ_30
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-o-du-port-bitmask : 65024
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-band-sector-bitmask : 448
Sep 5 13:45:05 garuda user.notice PM_MNGER[1245]: Waiting for performance manager results
Sep 5 13:45:05 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ccid-bitmask : 56
Sep 5 13:45:06 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-ru-port-bitmask : 7
Sep 5 13:45:06 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-eaxc-id : 4
Sep 5 13:45:06 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:06 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:06 garuda user.notice UPLANECONF[1193]: FPGA | llrx-ep-non-time-managed-delay-enabled: 0
Sep 5 13:45:06 garuda user.notice UPLANECONF[1193]: END OF CHANGES
Sep 5 13:45:06 garuda user.notice log_manager[1272]: Process started
Sep 5 13:45:06 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:06 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:06 garuda user.notice log_manager[1272]: Listening for RPCs
Sep 5 13:45:07 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:07 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:07 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:07 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:08 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:08 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:08 garuda user.notice wd_manager[1306]: Started monitoring
Sep 5 13:45:08 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:08 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:09 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:09 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:09 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:09 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:10 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:10 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:10 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:10 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).
Sep 5 13:45:11 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:11 garuda daemon.err netopeer2-server[859]: connect() failed (Network is unreachable).

```
Sep 5 13:45:11 garuda daemon.info dhclient: Internet Systems Consortium DHCP Client 4.4.2
Sep 5 13:45:11 garuda daemon.info dhclient: Copyright 2004-2020 Internet Systems Consortium.
Sep 5 13:45:11 garuda daemon.info dhclient: All rights reserved.
Sep 5 13:45:11 garuda daemon.info dhclient: For info, please visit https://www.isc.org/software/dhcp/
Sep 5 13:45:11 garuda daemon.info dhclient:
Sep 5 13:45:11 garuda daemon.info dhclient: Listening on LPF/eth0/98:ae:71:01:64:d8
Sep 5 13:45:11 garuda daemon.info dhclient: Sending on LPF/eth0/98:ae:71:01:64:d8
Sep 5 13:45:11 garuda daemon.info dhclient: Sending on Socket/fallback
Sep 5 13:45:11 garuda daemon.info dhclient: DHCPREQUEST for 192.168.4.41 on eth0 to 255.255.255.255 port 67
Sep 5 13:45:11 garuda daemon.info dhclient: DHCPACK of 192.168.4.41 from 192.168.4.15
Sep 5 13:45:11 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:11 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:12 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:12 garuda user.info nw_manager[888]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[888]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[888]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda user.info nw_manager[888]: Interface : eth0 Netmask : 255.255.255.0
Sep 5 13:45:12 garuda user.info nw_manager[888]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces
Sep 5 13:45:12 garuda daemon.info dhclient[1321]: eth0: : IP=192.168.4.41/255.255.255.0 router=192.168.4.15 domain="vvdntech.com"
dns="192.168.4.15" lease=6081
Sep 5 13:45:12 garuda daemon.info dhclient: bound to 192.168.4.41 -- renewal in 2441 seconds.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:12 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:13 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:13 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:13 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:13 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:14 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:14 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:14 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:14 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:15 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:15 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:15 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:15 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:16 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:16 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:16 garuda daemon.info dhclient: XMT: Confirm on eth0, interval 920ms.
Sep 5 13:45:16 garuda daemon.info dhclient: RCV: Reply message on eth0 from fe80::5bb2:44e5:874e:988a.
Sep 5 13:45:16 garuda daemon.info dhclient: message status code Success: "All addresses still on link."
Sep 5 13:45:16 garuda daemon.info init: Entering runlevel: 5
Sep 5 13:45:16 garuda user.err vlan_scan[1422]: if_name eth0
Sep 5 13:45:16 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:16 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).
Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Successfully connected to 192.168.4.15:4334 over IPv4.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Session 85 (user "root", CID 1) created.
Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Received an SSH message "request-service" of subtype "ssh-userauth".
```

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Received an SSH message "request-auth" of subtype "password".

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: User "operator" authenticated.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Received an SSH message "request-channel-open" of subtype "session".

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Received an SSH message "request-channel" of subtype "subsystem".

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Call Home client "default-client" session 1 established.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Session 86 (user "root", CID 1) created.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Generated new event (netconf-session-start).

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth0.100", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "100", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref
"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref

"/o-ran-processing-element:processing-elements/o-ran-processing-element:ru-elements/o-ran-processing-element:name" with the value "element0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint1", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint2", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-tx-endpoints/name" with the value "slltx-endpoint3", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint0", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint1", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint2", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: There is no leafref "/user-plane-configuration/static-low-level-rx-endpoints/name" with the value "sllrx-endpoint3", but it is not required.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Sep 5 13:45:17 garuda user.notice fw_manager[936]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:17 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: Event "operational" with ID 1 succeeded.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: Event "rpc" with ID 1 priority 0 succeeded.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: Resolving unresolved data nodes and their constraints...

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL O-RU", but it is not required.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: All data nodes and constraints resolved.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: Session 1: thread 4 event new RPC.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:18 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: Session 1: thread 4 event new RPC.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: Session 1: thread 4 event session terminated.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: There are no subscribers for "ietf-netconf-notifications" notifications.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: Generated new event (netconf-session-end).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: Call Home client "default-client" session terminated.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:19 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:20 garuda daemon.err netopeer2-server[859]: Session 1: waiting for Call Home thread failed (Connection timed out).

Sep 5 13:45:20 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:20 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:20 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:20 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:21 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:21 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:21 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:21 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:22 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:22 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:22 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:22 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:23 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:23 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:23 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:23 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:24 garuda daemon.info netopeer2-server[859]: Trying to connect via IPv4 to 192.168.4.15:4334.

Sep 5 13:45:24 garuda daemon.info netopeer2-server[859]: getsockopt() error (Connection refused).

Sep 5 13:45:24 garuda daemon.debug rngd: Reading entropy from JITTER Entropy generator

Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter requests 2500 bytes from pipe

Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter gets 2500 bytes

Sep 5 13:45:24 garuda daemon.debug rngd: Added 2668/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 2802/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 2923/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3033/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3069/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3101/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3130/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 3157/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3181/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3202/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3222/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3240/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3256/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3271/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3284/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3296/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3307/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3317/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3326/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3334/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3341/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3348/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3354/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3359/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3364/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3369/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3373/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3377/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3380/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3383/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3386/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3452/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3512/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3567/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3617/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3661/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3702/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3739/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3772/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Reading entropy from JITTER Entropy generator
Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Sep 5 13:45:24 garuda daemon.debug rngd: xread_jitter gets 2500 bytes
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3803/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3830/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3855/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3877/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3898/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3916/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3933/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3948/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3962/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3974/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3986/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 3996/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4005/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4013/4096 bits entropy

Sep 5 13:45:24 garuda daemon.debug rngd: Added 4021/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4028/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Added 4034/4096 bits entropy
Sep 5 13:45:24 garuda daemon.debug rngd: Pool full at 4096, sleeping!
Sep 5 13:45:24 garuda daemon.notice haveged: haveged starting up
Sep 5 13:45:24 garuda auth.info sshd[1816]: Server listening on 0.0.0.0 port 22.
Sep 5 13:45:24 garuda auth.info sshd[1816]: Server listening on :: port 22.
Sep 5 13:45:24 garuda authpriv.debug sshd[1817]: pam_unix(sshd:account): account operator has password changed in future
Sep 5 13:45:24 garuda auth.info sshd[1817]: Accepted password for operator from 192.168.4.15 port 36928 ssh2
Sep 5 13:45:24 garuda authpriv.info sshd[1817]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : 1. Verify NETCONF client opened successfully.

2. Check O-RU output status respond with success in the request

3. O-RU send the notification for success..

=====
***** **Actual Result** *****
=====

=====
Success file Management Operation Download = PASS
=====

=====
Excution_time : 71.73602318763733
=====