



@ FILE NAME: M_CTC_ID_003.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.5

Test Description : This scenario validates that the O-RU properly executes the session establishment procedure with VLANs and a DHCPv4 server. This test is applicable to IPv4 environments. Two negative flows are included in this test:

The TER NETCONF Client uses improper credentials when trying to establish a SSH session with the RU NETCONF Server.

Interfaces Present in DU Side

eth0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1500
inet 192.168.6.15 netmask 255.255.255.0 broadcast 192.168.6.255
ether 64:9d:99:ff:f5:12 txqueuelen 1000 (Ethernet)
RX packets 0 bytes 0 (0.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 0 bytes 0 (0.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth1: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
inet 192.168.4.15 netmask 255.255.255.0 broadcast 192.168.4.255
inet6 fe80::af68:bb13:894f:e285 prefixlen 64 scopeid 0x20<link>
ether 64:9d:99:ff:f5:13 txqueuelen 1000 (Ethernet)
RX packets 50858 bytes 22765665 (22.7 MB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 42734 bytes 4411096 (4.4 MB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth2: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
inet 172.25.96.163 netmask 255.255.254.0 broadcast 172.25.97.255
inet6 fe80::a7de:bea9:9091:a5f0 prefixlen 64 scopeid 0x20<link>
ether b4:2e:99:60:73:8c txqueuelen 1000 (Ethernet)
RX packets 1544261 bytes 263255039 (263.2 MB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 3783889 bytes 5398610459 (5.3 GB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0
device interrupt 16 memory 0xb1400000-b1420000

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
inet 127.0.0.1 netmask 255.0.0.0
inet6 ::1 prefixlen 128 scopeid 0x10<host>
loop txqueuelen 1000 (Local Loopback)
RX packets 331095 bytes 5056900805 (5.0 GB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 331095 bytes 5056900805 (5.0 GB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

```
=====
```

DHCP Status

```
=====
```

```
=====
```

DHCP Status

```
=====
```

isc-dhcp-server.service - ISC DHCP IPv4 server

Loaded: loaded (/lib/systemd/system/isc-dhcp-server.service; enabled; vendor preset: enabled)

Active: active (running) since Wed 2022-12-14 16:44:02 IST; 1h 11min ago

Docs: man:dhcpd(8)

Main PID: 24693 (dhcpd)

Tasks: 1 (limit: 4915)

CGroup: /system.slice/isc-dhcp-server.service

693 dhcpd -user dhcpd -group dhcpd -f -4 -pf /run/dhcp-server/dhcpd.pid -cf /etc/dhcp/dhcpd.conf eth1

Dec 14 17:40:55 vvdn dhcpd[24693]: DHCPACK on 192.168.4.39 to 98:ae:71:00:8a:c2 (mcb1) via eth1

Dec 14 17:51:46 vvdn dhcpd[24693]: reuse_lease: lease age 651 (secs) under 25% threshold, reply with unaltered, existing lease for 192.168.4.39

Dec 14 17:51:46 vvdn dhcpd[24693]: DHCPREQUEST for 192.168.4.39 from 98:ae:71:00:8a:c2 (mcb1) via eth1

Dec 14 17:51:46 vvdn dhcpd[24693]: DHCPACK on 192.168.4.39 to 98:ae:71:00:8a:c2 (mcb1) via eth1

Dec 14 17:54:11 vvdn dhcpd[24693]: reuse_lease: lease age 796 (secs) under 25% threshold, reply with unaltered, existing lease for 192.168.4.39

Dec 14 17:54:11 vvdn dhcpd[24693]: DHCPDISCOVER from 98:ae:71:00:8a:c2 (mcb1) via eth1

Dec 14 17:54:12 vvdn dhcpd[24693]: DHCPPOFFER on 192.168.4.39 to 98:ae:71:00:8a:c2 (mcb1) via eth1

Dec 14 17:54:12 vvdn dhcpd[24693]: reuse_lease: lease age 797 (secs) under 25% threshold, reply with unaltered, existing lease for 192.168.4.39

Dec 14 17:54:12 vvdn dhcpd[24693]: DHCPREQUEST for 192.168.4.39 (192.168.4.15) from 98:ae:71:00:8a:c2 (mcb1) via eth1

Dec 14 17:54:12 vvdn dhcpd[24693]: DHCPACK on 192.168.4.39 to 98:ae:71:00:8a:c2 (mcb1) via eth1

```
=====
```

Pinging

```
=====
```

PING 192.168.4.39 (192.168.4.39) 56(84) bytes of data.

64 bytes from 192.168.4.39: icmp_seq=1 ttl=64 time=0.193 ms

64 bytes from 192.168.4.39: icmp_seq=2 ttl=64 time=0.184 ms

64 bytes from 192.168.4.39: icmp_seq=3 ttl=64 time=0.196 ms

--- 192.168.4.39 ping statistics ---

5 packets transmitted, 3 received, 40% packet loss, time 4091ms

rtt min/avg/max/mdev = 0.184/0.191/0.196/0.005 ms

The O-RU NETCONF Serve establishes TCP connection and performs a Call Home procedure towards the NETCONF Client and not establishes a SSH.

> listen --ssh --login observer

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.4.39' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? yes

observer@::ffff:192.168.4.39 password:

nc ERROR: Unable to authenticate to the remote server (all attempts via supported authentication methods failed).

cmd_listen: Receiving SSH Call Home on port 4334 as user "observer" failed.

> listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.4.39' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? yes

operator@::ffff:192.168.4.39 password:

nc ERROR: Unable to authenticate to the remote server (all attempts via supported authentication methods failed).

cmd_listen: Receiving SSH Call Home on port 4334 as user "operator" failed.

> listen --ssh --login installerr

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.4.39' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? yes

installerr@::ffff:192.168.4.39 password:

nc ERROR: Unable to authenticate to the remote server (all attempts via supported authentication methods failed).

cmd_listen: Receiving SSH Call Home on port 4334 as user "installerr" failed.

> listen --ssh --login installer

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.4.39' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? yes

installer@::ffff:192.168.4.39 password:

nc ERROR: Unable to authenticate to the remote server (all attempts via supported authentication methods failed).

cmd_listen: Receiving SSH Call Home on port 4334 as user "installer" failed.

> listen --ssh --login operator1

Waiting 60s for an SSH Call Home connection on port 4334...The authenticity of the host '::ffff:192.168.4.39' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83.

Are you sure you want to continue connecting (yes/no)? yes

operator1@::ffff:192.168.4.39 password:

nc ERROR: Unable to authenticate to the remote server (all attempts via supported authentication methods failed).

cmd_listen: Receiving SSH Call Home on port 4334 as user "operator1" failed.

=====

SYSTEM LOGS

=====

Oct 26 12:15:02 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 26 12:15:02 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Oct 26 12:15:03 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 26 12:15:03 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Oct 26 12:15:03 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Oct 26 12:15:03 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Oct 26 12:15:03 mcb1 user.notice wd_manager[1439]: Value is 2 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager

Oct 26 12:15:03 mcb1 user.notice wd_manager[1439]: Stopped monitoring

Oct 26 12:15:03 mcb1 user.info wd_manager[1439]: O-RU going for reboot

Oct 26 12:15:03 mcb1 user.crit kernel: [130.087782] watchdog: watchdog0: watchdog did not stop!

Oct 29 13:02:55 mcb1 syslog.info syslogd started: BusyBox v1.31.0

Oct 29 13:02:55 mcb1 user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] Booting Linux on physical CPU 0x0000000000 [0x410fd034]

Oct 29 13:02:55 mcb1 user.notice kernel: [0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP

Mon Dec 12 05:32:57 UTC 2022

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] Machine model: xlnx,zynqmp

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] printk: bootconsole [cdns0] enabled

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] efi: Getting EFI parameters from FDT:

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] efi: UEFI not found.

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] cma: Reserved 256 MiB at 0x0000000006fc0000

Oct 29 13:02:55 mcb1 user.debug kernel: [0.000000] On node 0 totalpages: 524032

Oct 29 13:02:55 mcb1 user.debug kernel: [0.000000] DMA32 zone: 8188 pages used for memmap

Oct 29 13:02:55 mcb1 user.debug kernel: [0.000000] DMA32 zone: 0 pages reserved

Oct 29 13:02:55 mcb1 user.debug kernel: [0.000000] DMA32 zone: 524032 pages, LIFO batch:63

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] psci: probing for conduit method from DT.

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] psci: PSCIv1.1 detected in firmware.

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] psci: Using standard PSCI v0.2 function IDs

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] psci: MIGRATE_INFO_TYPE not supported.

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] psci: SMC Calling Convention v1.1

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112

Oct 29 13:02:55 mcb1 user.debug kernel: [0.000000] pcpu-alloc: s49880 r8192 d32040 u90112 alloc=22*4096

Oct 29 13:02:55 mcb1 user.debug kernel: [0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] Detected VIPT I-cache on CPU0

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] CPU features: detected: ARM erratum 845719

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] Speculative Store Bypass Disable mitigation not required

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] Built 1 zonelists, mobility grouping on. Total pages: 515844

Oct 29 13:02:55 mcb1 user.notice kernel: [0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1

root=/dev/mmcblk0p2 rw rootwait

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] Dentry cache hash table entries: 262144 (order: 9, 2097152 bytes, linear)

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] Inode-cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] Memory: 1775432K/2096128K available (12092K kernel code, 742K rwdata, 3772K rodata, 768K init, 560K bss, 58552K reserved, 262144K cma-reserved)

Oct 29 13:02:55 mcb1 user.info kernel: [0.000000] rcu: Hierarchical RCU implementation.

```
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.000000] rcu: RCU event tracing is enabled.
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irq: 0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.000000] GIC: Using split EOI/Deactivate mode
Oct 29 13:02:55 mcb1 user.notice kernel: [ 0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.000000] arch_timer: cp15 timer(s) running at 50.00MHz (phys).
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffffff max_cycles: 0xb8812736b,
max_idle_ns: 440795202655 ns
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.008247] Console: colour dummy device 80x25
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.012388] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00 BogoMIPS
(lpj=200000)
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.022753] pid_max: default: 32768 minimum: 301
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.027465] Mount-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.034697] Mountpoint-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.043368] ASID allocator initialised with 32768 entries
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.047892] rcu: Hierarchical SRCU implementation.
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.052813] EFI services will not be available.
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.057220] smp: Bringing up secondary CPUs ...
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.061905] Detected VIPT I-cache on CPU1
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.061935] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.062261] Detected VIPT I-cache on CPU2
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.062279] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.062580] Detected VIPT I-cache on CPU3
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.062597] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.062640] smp: Brought up 1 node, 4 CPUs
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.097055] SMP: Total of 4 processors activated.
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.101728] CPU features: detected: 32-bit EL0 Support
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.106831] CPU features: detected: CRC32 instructions
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.111963] CPU: All CPU(s) started at EL2
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.116011] alternatives: patching kernel code
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.121359] devtmpfs: initialized
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.127844] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns:
7645041785100000 ns
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.133398] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.145337] xor: measuring software checksum speed
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.184287] 8regs : 2622.000 MB/sec
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.224311] 32regs : 3008.000 MB/sec
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.264341] arm64_neon: 2612.000 MB/sec
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.264377] xor: using function: 32regs (3008.000 MB/sec)
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.268280] pinctrl core: initialized pinctrl subsystem
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.273781] DMI not present or invalid.
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.277467] NET: Registered protocol family 16
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.282855] DMA: preallocated 256 KiB pool for atomic allocations
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.287732] audit: initializing netlink subsys (disabled)
Oct 29 13:02:55 mcb1 user.notice kernel: [ 0.293138] audit: type=2000 audit(0.232:1): state=initialized audit_enabled=0 res=1
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.293529] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.
Oct 29 13:02:55 mcb1 user.info kernel: [ 0.307645] Serial: AMBA PL011 UART driver
```


Oct 29 13:02:55 mcb1 user.info kernel: [0.322968] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages
Oct 29 13:02:55 mcb1 user.info kernel: [0.324027] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages
Oct 29 13:02:55 mcb1 user.info kernel: [0.330685] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages
Oct 29 13:02:55 mcb1 user.info kernel: [0.337344] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages
Oct 29 13:02:55 mcb1 user.info kernel: [1.306497] cryptd: max_cpu_qlen set to 1000
Oct 29 13:02:55 mcb1 user.info kernel: [1.327831] DRBG: Continuing without Jitter RNG
Oct 29 13:02:55 mcb1 user.info kernel: [1.402138] raid6: neonx8 gen() 1726 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [1.470175] raid6: neonx8 xor() 1602 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [1.538226] raid6: neonx4 gen() 1643 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [1.606242] raid6: neonx4 xor() 1553 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [1.674315] raid6: neonx2 gen() 1233 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [1.742336] raid6: neonx2 xor() 1236 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [1.810395] raid6: neonx1 gen() 809 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [1.878422] raid6: neonx1 xor() 821 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [1.946480] raid6: int64x8 gen() 1287 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.014513] raid6: int64x8 xor() 837 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.082551] raid6: int64x4 gen() 1067 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.150573] raid6: int64x4 xor() 784 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.218656] raid6: int64x2 gen() 737 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.286686] raid6: int64x2 xor() 587 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.354824] raid6: int64x1 gen() 485 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.422742] raid6: int64x1 xor() 400 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.422778] raid6: using algorithm neonx8 gen() 1726 MB/s
Oct 29 13:02:55 mcb1 user.info kernel: [2.426734] raid6: xor() 1602 MB/s, rmw enabled
Oct 29 13:02:55 mcb1 user.info kernel: [2.431664] raid6: using neon recovery algorithm
Oct 29 13:02:55 mcb1 user.info kernel: [2.436563] iommu: Default domain type: Translated
Oct 29 13:02:55 mcb1 user.notice kernel: [2.441281] SCSI subsystem initialized
Oct 29 13:02:55 mcb1 user.debug kernel: [2.444833] libata version 3.00 loaded.
Oct 29 13:02:55 mcb1 user.info kernel: [2.444936] usbcore: registered new interface driver usbfs
Oct 29 13:02:55 mcb1 user.info kernel: [2.450288] usbcore: registered new interface driver hub
Oct 29 13:02:55 mcb1 user.info kernel: [2.455562] usbcore: registered new device driver usb
Oct 29 13:02:55 mcb1 user.info kernel: [2.460581] mc: Linux media interface: v0.10
Oct 29 13:02:55 mcb1 user.info kernel: [2.464810] videodev: Linux video capture interface: v2.00
Oct 29 13:02:55 mcb1 user.info kernel: [2.470258] pps_core: LinuxPPS API ver. 1 registered
Oct 29 13:02:55 mcb1 user.info kernel: [2.475174] pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Oct 29 13:02:55 mcb1 user.info kernel: [2.484263] PTP clock support registered
Oct 29 13:02:55 mcb1 user.info kernel: [2.488158] EDAC MC: Ver: 3.0.0
Oct 29 13:02:55 mcb1 user.info kernel: [2.491607] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX channels.
Oct 29 13:02:55 mcb1 user.info kernel: [2.499913] FPGA manager framework
Oct 29 13:02:55 mcb1 user.info kernel: [2.503222] Advanced Linux Sound Architecture Driver Initialized.
Oct 29 13:02:55 mcb1 user.info kernel: [2.509405] Bluetooth: Core ver 2.22
Oct 29 13:02:55 mcb1 user.info kernel: [2.512728] NET: Registered protocol family 31
Oct 29 13:02:55 mcb1 user.info kernel: [2.517128] Bluetooth: HCI device and connection manager initialized
Oct 29 13:02:55 mcb1 user.info kernel: [2.523444] Bluetooth: HCI socket layer initialized
Oct 29 13:02:55 mcb1 user.info kernel: [2.528287] Bluetooth: L2CAP socket layer initialized
Oct 29 13:02:55 mcb1 user.info kernel: [2.533308] Bluetooth: SCO socket layer initialized
Oct 29 13:02:55 mcb1 user.info kernel: [2.538448] clocksource: Switched to clocksource arch_sys_counter
Oct 29 13:02:55 mcb1 user.notice kernel: [2.544288] VFS: Disk quotas dquot_6.6.0
Oct 29 13:02:55 mcb1 user.info kernel: [2.548132] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)

Oct 29 13:02:55 mcb1 user.info kernel: [2.558646] NET: Registered protocol family 2

Oct 29 13:02:55 mcb1 user.info kernel: [2.559552] tcp_listen_portaddr_hash hash table entries: 1024 (order: 2, 16384 bytes, linear)

Oct 29 13:02:55 mcb1 user.info kernel: [2.567769] TCP established hash table entries: 16384 (order: 5, 131072 bytes, linear)

Oct 29 13:02:55 mcb1 user.info kernel: [2.575695] TCP bind hash table entries: 16384 (order: 6, 262144 bytes, linear)

Oct 29 13:02:55 mcb1 user.info kernel: [2.583042] TCP: Hash tables configured (established 16384 bind 16384)

Oct 29 13:02:55 mcb1 user.info kernel: [2.589417] UDP hash table entries: 1024 (order: 3, 32768 bytes, linear)

Oct 29 13:02:55 mcb1 user.info kernel: [2.596050] UDP-Lite hash table entries: 1024 (order: 3, 32768 bytes, linear)

Oct 29 13:02:55 mcb1 user.info kernel: [2.603218] NET: Registered protocol family 1

Oct 29 13:02:55 mcb1 user.info kernel: [2.607653] RPC: Registered named UNIX socket transport module.

Oct 29 13:02:55 mcb1 user.info kernel: [2.613321] RPC: Registered udp transport module.

Oct 29 13:02:55 mcb1 user.info kernel: [2.617988] RPC: Registered tcp transport module.

Oct 29 13:02:55 mcb1 user.info kernel: [2.622660] RPC: Registered tcp NFSv4.1 backchannel transport module.

Oct 29 13:02:55 mcb1 user.info kernel: [2.629271] PCI: CLS 0 bytes, default 64

Oct 29 13:02:55 mcb1 user.notice kernel: [2.659754] Initialise system trusted keyrings

Oct 29 13:02:55 mcb1 user.info kernel: [2.659873] workingset: timestamp_bits=46 max_order=19 bucket_order=0

Oct 29 13:02:55 mcb1 user.notice kernel: [2.665677] NFS: Registering the id_resolver key type

Oct 29 13:02:55 mcb1 user.notice kernel: [2.670076] Key type id_resolver registered

Oct 29 13:02:55 mcb1 user.notice kernel: [2.674136] Key type id_legacy registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.678120] nfs4filelayout_init: NFSv4 File Layout Driver Registering...

Oct 29 13:02:55 mcb1 user.info kernel: [2.684787] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.

Oct 29 13:02:55 mcb1 user.info kernel: [2.703582] NET: Registered protocol family 38

Oct 29 13:02:55 mcb1 user.notice kernel: [2.703622] Key type asymmetric registered

Oct 29 13:02:55 mcb1 user.notice kernel: [2.706455] Asymmetric key parser 'x509' registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.711314] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 246)

Oct 29 13:02:55 mcb1 user.info kernel: [2.718648] io scheduler mq-deadline registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.723144] io scheduler kyber registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.728652] ps_pcie_dma init()

Oct 29 13:02:55 mcb1 user.info kernel: [2.752368] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled

Oct 29 13:02:55 mcb1 user.info kernel: [2.754010] Serial: AMBA driver

Oct 29 13:02:55 mcb1 user.warn kernel: [2.758002] cacheinfo: Unable to detect cache hierarchy for CPU 0

Oct 29 13:02:55 mcb1 user.info kernel: [2.766130] brd: module loaded

Oct 29 13:02:55 mcb1 user.info kernel: [2.770208] loop: module loaded

Oct 29 13:02:55 mcb1 user.err kernel: [2.770942] mtdoops: mtd device (mtddev=name/number) must be supplied

Oct 29 13:02:55 mcb1 user.info kernel: [2.775927] libphy: Fixed MDIO Bus: probed

Oct 29 13:02:55 mcb1 user.info kernel: [2.779837] tun: Universal TUN/TAP device driver, 1.6

Oct 29 13:02:55 mcb1 user.info kernel: [2.783939] CAN device driver interface

Oct 29 13:02:55 mcb1 user.info kernel: [2.788570] usbcore: registered new interface driver asix

Oct 29 13:02:55 mcb1 user.info kernel: [2.793078] usbcore: registered new interface driver ax88179_178a

Oct 29 13:02:55 mcb1 user.info kernel: [2.799110] usbcore: registered new interface driver cdc_ether

Oct 29 13:02:55 mcb1 user.info kernel: [2.804903] usbcore: registered new interface driver net1080

Oct 29 13:02:55 mcb1 user.info kernel: [2.810526] usbcore: registered new interface driver cdc_subset

Oct 29 13:02:55 mcb1 user.info kernel: [2.816411] usbcore: registered new interface driver zaaurus

Oct 29 13:02:55 mcb1 user.info kernel: [2.821958] usbcore: registered new interface driver cdc_ncm

Oct 29 13:02:55 mcb1 user.info kernel: [2.828250] usbcore: registered new interface driver uas

Oct 29 13:02:55 mcb1 user.info kernel: [2.832855] usbcore: registered new interface driver usb-storage

Oct 29 13:02:55 mcb1 user.info kernel: [2.839168] rtc_zynqmp ffa60000.rtc: registered as rtc0

Oct 29 13:02:55 mcb1 user.info kernel: [2.844030] i2c /dev entries driver

Oct 29 13:02:55 mcb1 user.info kernel: [2.848809] usbcore: registered new interface driver uvcvideo

Oct 29 13:02:55 mcb1 user.info kernel: [2.853154] USB Video Class driver (1.1.1)

Oct 29 13:02:55 mcb1 user.info kernel: [2.857427] pps pps0: new PPS source ptp0

Oct 29 13:02:55 mcb1 user.info kernel: [2.861221] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33

Oct 29 13:02:55 mcb1 user.info kernel: [2.868709] Bluetooth: HCI UART driver ver 2.3

Oct 29 13:02:55 mcb1 user.info kernel: [2.872709] Bluetooth: HCI UART protocol H4 registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.877807] Bluetooth: HCI UART protocol BCSP registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.883100] Bluetooth: HCI UART protocol LL registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.888189] Bluetooth: HCI UART protocol ATH3K registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.893560] Bluetooth: HCI UART protocol Three-wire (H5) registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.899811] Bluetooth: HCI UART protocol Intel registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.905156] Bluetooth: HCI UART protocol QCA registered

Oct 29 13:02:55 mcb1 user.info kernel: [2.910352] usbcore: registered new interface driver bcm203x

Oct 29 13:02:55 mcb1 user.info kernel: [2.915974] usbcore: registered new interface driver bpa10x

Oct 29 13:02:55 mcb1 user.info kernel: [2.921512] usbcore: registered new interface driver bhub

Oct 29 13:02:55 mcb1 user.info kernel: [2.926960] usbcore: registered new interface driver btusb

Oct 29 13:02:55 mcb1 user.info kernel: [2.932420] usbcore: registered new interface driver ath3k

Oct 29 13:02:55 mcb1 user.warn kernel: [2.937983] EDAC MC0: 15 CE Bit Position: 50 Data: 0xfefefef

Oct 29 13:02:55 mcb1 user.warn kernel: [2.937983] on mc#0csrow#0channel#0 (csrow:0 channel:0 page:0x0 offset:0x0 grain:1 syndrome:0x0)

Oct 29 13:02:55 mcb1 user.info kernel: [2.938049] EDAC MC0: Giving out device to module 1 controller synps_ddr_controller: DEV synps_edac (INTERRUPT)

Oct 29 13:02:55 mcb1 user.warn kernel: [2.952372] EDAC MC0: 15 UE BankGroup Number 0 Block Number 0 on mc#0csrow#0channel#0 (csrow:0 channel:0 page:0x0 offset:0x0 grain:1)

Oct 29 13:02:55 mcb1 user.info kernel: [2.974483] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller zynqmp_ocm: DEV ff960000.memory-controller (INTERRUPT)

Oct 29 13:02:55 mcb1 user.info kernel: [2.986841] sdhci: Secure Digital Host Controller Interface driver

Oct 29 13:02:55 mcb1 user.info kernel: [2.992595] sdhci: Copyright(c) Pierre Ossman

Oct 29 13:02:55 mcb1 user.info kernel: [2.996917] sdhci-pltfm: SDHCI platform and OF driver helper

Oct 29 13:02:55 mcb1 user.info kernel: [3.002817] ledtrig-cpu: registered to indicate activity on CPUs

Oct 29 13:02:55 mcb1 user.info kernel: [3.008547] zynqmp_firmware_probe Platform Management API v1.1

Oct 29 13:02:55 mcb1 user.info kernel: [3.014306] zynqmp_firmware_probe Trustzone version v1.0

Oct 29 13:02:55 mcb1 user.info kernel: [3.042191] securefw securefw: securefw probed^M

Oct 29 13:02:55 mcb1 user.info kernel: [3.042392] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)

Oct 29 13:02:55 mcb1 user.info kernel: [3.046748] zynqmp_aes zynqmp_aes: AES Successfully Registered

Oct 29 13:02:55 mcb1 user.info kernel: [3.046748] ^M

Oct 29 13:02:55 mcb1 user.info kernel: [3.054119] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)

Oct 29 13:02:55 mcb1 user.info kernel: [3.060333] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)

Oct 29 13:02:55 mcb1 user.info kernel: [3.065871] usbcore: registered new interface driver usbbid

Oct 29 13:02:55 mcb1 user.info kernel: [3.071189] usbbid: USB HID core driver

Oct 29 13:02:55 mcb1 user.info kernel: [3.077102] ARM CCI_400_r1 PMU driver probed

Oct 29 13:02:55 mcb1 user.info kernel: [3.077536] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered

Oct 29 13:02:55 mcb1 user.info kernel: [3.085976] usbcore: registered new interface driver snd-usb-audio

Oct 29 13:02:55 mcb1 user.info kernel: [3.092473] pktgen: Packet Generator for packet performance testing. Version: 2.75

Oct 29 13:02:55 mcb1 user.info kernel: [3.099823] Initializing XFRM netlink socket

Oct 29 13:02:55 mcb1 user.info kernel: [3.103615] NET: Registered protocol family 10

Oct 29 13:02:55 mcb1 user.info kernel: [3.108315] Segment Routing with IPv6

Oct 29 13:02:55 mcb1 user.info kernel: [3.111685] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver

Oct 29 13:02:55 mcb1 user.info kernel: [3.117772] NET: Registered protocol family 17

Oct 29 13:02:55 mcb1 user.info kernel: [3.121885] NET: Registered protocol family 15

Oct 29 13:02:55 mcb1 user.info kernel: [3.126301] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to load br_netfilter if you need this.

```
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.139177] can: controller area network core (rev 20170425 abi 9)
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.145340] NET: Registered protocol family 29
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.149731] can: raw protocol (rev 20170425)
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.153967] can: broadcast manager protocol (rev 20170425 t)
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.159592] can: netlink gateway (rev 20190810) max_hops=1
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.165119] Bluetooth: RFCOMM TTY layer initialized
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.169889] Bluetooth: RFCOMM socket layer initialized
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.174995] Bluetooth: RFCOMM ver 1.11
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.178711] Bluetooth: BNEP (Ethernet Emulation) ver 1.3
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.183982] Bluetooth: BNEP filters: protocol multicast
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.189174] Bluetooth: BNEP socket layer initialized
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.194102] Bluetooth: HIDP (Human Interface Emulation) ver 1.2
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.199985] Bluetooth: HIDP socket layer initialized
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.204942] 8021q: 802.1Q VLAN Support v1.8
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.209154] 9pnet: Installing 9P2000 support
Oct 29 13:02:55 mcb1 user.notice kernel: [ 3.213326] Key type dns_resolver registered
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.217801] registered taskstats version 1
Oct 29 13:02:55 mcb1 user.notice kernel: [ 3.221613] Loading compiled-in X.509 certificates
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.227269] Btrfs loaded, crc32c=crc32c-generic
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.238608] ff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a xuartps
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.247622] printk: console [ttyPS0] enabled
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.251917] printk: bootconsole [cdns0] disabled
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.261195] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a xuartps
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.274636] of-fpga-region fpga-full: FPGA Region probed
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.280489] XGpio: gpio@b0040000: registered, base is 509
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.286181] XGpio: gpio@b0040000: dual channel registered, base is 497
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.293264] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.300354] xilinx-zynqmp-dma fd510000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.307442] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.314540] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.321625] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.328718] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.335812] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.342900] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.350055] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.357142] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.364231] xilinx-zynqmp-dma ffaa0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.371316] xilinx-zynqmp-dma ffab0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.378403] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.385491] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.392577] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.399665] xilinx-zynqmp-dma ffaf0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.407732] -----[ cut here ]-----
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.412345] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.419691] WARNING: CPU: 1 PID: 30 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.427674] Modules linked in:
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.430716] CPU: 1 PID: 30 Comm: kworker/1:1 Not tainted 5.4.0-xilinx-v2020.2 #1
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.438098] Hardware name: xlnx,zynqmp (DT)
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.442271] Workqueue: events deferred_probe_work_func
```

```

Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.447396] pstate: 60000005 (nZCv daif -PAN -UAO)
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.452171] pc : spidev_probe+0xf8/0x1c8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.456077] lr : spidev_probe+0xf8/0x1c8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.459981] sp : ffff80001131b7d0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.463279] x29: ffff80001131b7d0 x28: ffff00006faeacd8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.468574] x27: ffff00006d2f7410 x26: ffff00006bf3c400
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.473869] x25: 0000000000000000 x24: 0000000000000019
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.479163] x23: ffff80001112a140 x22: 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.484458] x21: ffff80001112a120 x20: ffff00006bf42800
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.489753] x19: 0000000000000000 x18: 0000000000000010
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.495048] x17: 0000000000000000 x16: 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.500343] x15: ffff00006d2c9568 x14: 6e6920796c746365
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.505637] x13: 7269642064657473 x12: 696c207665646970
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.510932] x11: 73203a5444207967 x10: 677562203a304076
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.516227] x9 : ffff800011193000 x8 : 0000000000000105
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.521522] x7 : 0000000000000006 x6 : ffff8000111930f2
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.526816] x5 : 0000000000000007 x4 : 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.532111] x3 : 0000000000000000 x2 : 00000000ffffff
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.537406] x1 : 06ea8a8198f5c800 x0 : 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.542701] Call trace:
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.545134] spidev_probe+0xf8/0x1c8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.548692] spi_drv_probe+0x7c/0xd8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.552251] really_probe+0xd8/0x2f8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.555810] driver_probe_device+0x54/0xe8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.559890] __device_attach_driver+0x80/0xb8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.564230] bus_for_each_drv+0x74/0xc0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.568049] __device_attach+0xdc/0x138
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.571868] device_initial_probe+0x10/0x18
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.576034] bus_probe_device+0x90/0x98
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.579853] device_add+0x334/0x600
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.583325] spi_add_device+0xac/0x170
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.587057] of_register_spi_device+0x204/0x388
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.591571] spi_register_controller+0x4b4/0x718
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.596172] cdns_spi_probe+0x28c/0x368
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.599991] platform_drv_probe+0x50/0xa0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.603984] really_probe+0xd8/0x2f8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.607543] driver_probe_device+0x54/0xe8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.611622] __device_attach_driver+0x80/0xb8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.615962] bus_for_each_drv+0x74/0xc0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.619781] __device_attach+0xdc/0x138
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.623601] device_initial_probe+0x10/0x18
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.627767] bus_probe_device+0x90/0x98
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.631586] deferred_probe_work_func+0x6c/0xa0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.636101] process_one_work+0x1c4/0x338
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.640092] worker_thread+0x260/0x488
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.643825] kthread+0x120/0x128
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.647038] ret_from_fork+0x10/0x18
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.650594] ---[ end trace 207267915b5960c4 ]---
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.655339] zynqmp_pll_disable() clock disable failed for dpll_int, ret = -13

```

```

Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.662671] -----[ cut here ]-----
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.667284] /amba/spi@ff050000/spidev@1: buggy DT: spidev listed directly in DT
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.674612] WARNING: CPU: 1 PID: 30 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.682596] Modules linked in:
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.685637] CPU: 1 PID: 30 Comm: kworker/1:1 Tainted: G      W      5.4.0-xilinx-v2020.2 #1
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.694401] Hardware name: xlnx,zynqmp (DT)
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.698571] Workqueue: events deferred_probe_work_func
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.703699] pstate: 60000005 (nZCv daif -PAN -UAO)
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.708474] pc : spidev_probe+0xf8/0x1c8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.712379] lr : spidev_probe+0xf8/0x1c8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.716284] sp : ffff80001131b7d0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.719582] x29: ffff80001131b7d0 x28: ffff00006faeacd8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.724877] x27: ffff00006d2f7410 x26: ffff00006bf3c400
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.730172] x25: 0000000000000000 x24: 000000000000001a
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.735466] x23: ffff80001112a140 x22: 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.740761] x21: ffff80001112a120 x20: ffff00006bf42000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.746056] x19: 0000000000000000 x18: 0000000000000010
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.751351] x17: 0000000000000000 x16: 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.756646] x15: ffff00006d2c9568 x14: ffffffff
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.761940] x13: ffff80009131b517 x12: ffff80001131b51f
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.767235] x11: ffff8000110f5000 x10: 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.772530] x9 : ffff800011193000 x8 : 000000000000013d
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.777825] x7 : 0000000000000006 x6 : ffff8000111930f2
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.783120] x5 : 0000000000000007 x4 : 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.788414] x3 : 0000000000000000 x2 : 00000000ffffff
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.793709] x1 : 06ea8a8198f5c800 x0 : 0000000000000000
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.799004] Call trace:
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.801437] spidev_probe+0xf8/0x1c8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.804995] spi_drv_probe+0x7c/0xd8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.808554] really_probe+0xd8/0x2f8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.812113] driver_probe_device+0x54/0xe8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.816193] __device_attach_driver+0x80/0xb8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.820532] bus_for_each_drv+0x74/0xc0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.824352] __device_attach+0xdc/0x138
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.828171] device_initial_probe+0x10/0x18
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.832337] bus_probe_device+0x90/0x98
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.836156] device_add+0x334/0x600
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.839628] spi_add_device+0xac/0x170
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.843360] of_register_spi_device+0x204/0x388
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.847874] spi_register_controller+0x4b4/0x718
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.852475] cdns_spi_probe+0x28c/0x368
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.856293] platform_drv_probe+0x50/0xa0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.860287] really_probe+0xd8/0x2f8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.863846] driver_probe_device+0x54/0xe8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.867925] __device_attach_driver+0x80/0xb8
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.872265] bus_for_each_drv+0x74/0xc0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.876085] __device_attach+0xdc/0x138
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.879904] device_initial_probe+0x10/0x18
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.884070] bus_probe_device+0x90/0x98

```

```

Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.887889] deferred_probe_work_func+0x6c/0xa0
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.892402] process_one_work+0x1c4/0x338
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.896395] worker_thread+0x260/0x488
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.900128] kthread+0x120/0x128
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.903339] ret_from_fork+0x10/0x18
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.906897] ---[ end trace 207267915b5960c5 ]---
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.911960] macb ff0d0000.ethernet: Not enabling partial store and forward
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.919311] libphy: MACB_mii_bus: probed
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.925888] Atheros 8031 ethernet ff0d0000.ethernet-ffffffffff:04: attached PHY driver [Atheros 8031
ethernet] (mii_bus:phy_addr=ff0d0000.ethernet-ffffffffff:04, irq=POLL)
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.940833] macb ff0d0000.ethernet eth0: Cadence GEM rev 0x50070106 at 0xff0d0000 irq 30
(98:ae:71:00:8a:c1)
Oct 29 13:02:55 mcb1 user.err kernel: [ 3.950946] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.957206] xilinx_axienet b0000000.ethernet: Ethernet core IRQ not defined
Oct 29 13:02:55 mcb1 user.warn kernel: [ 3.964161] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.970936] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.977429] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.983889] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.990352] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Oct 29 13:02:55 mcb1 user.info kernel: [ 3.997051] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.003352] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.009582] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.016994] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Oct 29 13:02:55 mcb1 user.warn kernel: [ 4.024545] cpufreq: cpufreq_online: CPU0: Running at unlisted freq: 1325000 KHz
Oct 29 13:02:55 mcb1 user.err kernel: [ 4.031940] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Oct 29 13:02:55 mcb1 user.warn kernel: [ 4.040674] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz
Oct 29 13:02:55 mcb1 user.err kernel: [ 4.049200] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.091196] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.101005] rtc_zynqmp ffa60000.rtc: setting system clock to 2103-10-29T13:02:38 UTC (4223106158)
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.109872] of_cfs_init
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.112320] of_cfs_init: OK
Oct 29 13:02:55 mcb1 user.notice kernel: [ 4.115230] cfg80211: Loading compiled-in X.509 certificates for regulatory database
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.190198] mmc0: new HS200 MMC card at address 0001
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.195529] mmcblk0: mmc0:0001 Q2J55L 7.09 GiB
Oct 29 13:02:55 mcb1 user.notice kernel: [ 4.198082] random: fast init done
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.200249] mmcblk0boot0: mmc0:0001 Q2J55L partition 1 16.0 MiB
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.209527] mmcblk0boot1: mmc0:0001 Q2J55L partition 2 16.0 MiB
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.215512] mmcblk0rmpb: mmc0:0001 Q2J55L partition 3 4.00 MiB, chardev (244:0)
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.223918] mmcblk0: p1 p2 p3 p4
Oct 29 13:02:55 mcb1 user.notice kernel: [ 4.239739] cfg80211: Loaded X.509 cert 'sforshee: 00b28ddf47aef9cea7'
Oct 29 13:02:55 mcb1 user.warn kernel: [ 4.246263] clk: Not disabling unused clocks
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.250739] ALSA device list:
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.253689] No soundcards found.
Oct 29 13:02:55 mcb1 user.warn kernel: [ 4.257375] platform regulatory.0: Direct firmware load for regulatory.db failed with error -2
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.265982] cfg80211: failed to load regulatory.db
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.302285] EXT4-fs (mmcblk0p2): recovery complete
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.307912] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.316026] VFS: Mounted root (ext4 filesystem) on device 179:2.
Oct 29 13:02:55 mcb1 user.info kernel: [ 4.322620] devtmpfs: mounted

```


Oct 29 13:02:55 mcb1 user.info kernel: [4.325769] Freeing unused kernel memory: 768K

Oct 29 13:02:55 mcb1 user.info kernel: [4.330244] Run /sbin/init as init process

Oct 29 13:02:55 mcb1 daemon.info kernel: [4.565497] udevd[357]: starting version 3.2.8

Oct 29 13:02:55 mcb1 user.notice kernel: [4.574344] random: udevd: uninitialized urandom read (16 bytes read)

Oct 29 13:02:55 mcb1 user.notice kernel: [4.581178] random: udevd: uninitialized urandom read (16 bytes read)

Oct 29 13:02:55 mcb1 user.notice kernel: [4.587638] random: udevd: uninitialized urandom read (16 bytes read)

Oct 29 13:02:55 mcb1 daemon.info kernel: [4.610217] udevd[358]: starting eudev-3.2.8

Oct 29 13:02:55 mcb1 user.info kernel: [5.025447] EXT4-fs (mmcblk0p3): recovery complete

Oct 29 13:02:55 mcb1 user.info kernel: [5.030261] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)

Oct 29 13:02:55 mcb1 user.warn kernel: [5.035453] vfat filesystem being mounted at /media/sd-mmcblk0p1 supports timestamps until 2107 (0x10391447e)

Oct 29 13:02:55 mcb1 user.info kernel: [5.150053] EXT4-fs (mmcblk0p4): recovery complete

Oct 29 13:02:55 mcb1 user.info kernel: [5.159248] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)

Oct 29 13:02:55 mcb1 user.info kernel: [5.213123] EXT4-fs (mmcblk0p2): re-mounted. Opts: (null)

Oct 29 13:02:57 mcb1 user.info kernel: [23.466171] pps pps1: new PPS source ptp1

Oct 29 13:02:57 mcb1 user.info kernel: [23.470210] macb ff0d0000.ethernet: gem-ptp-timer ptp clock registered.

Oct 29 13:02:58 mcb1 user.notice kernel: [23.987866] random: crng init done

Oct 29 13:02:58 mcb1 user.notice kernel: [23.991258] random: 7 urandom warning(s) missed due to ratelimiting

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/user_types/user_inet_types.so" successfully loaded.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/user_types/user_yang_types.so" successfully loaded.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-yang-metadata".

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Reading module "yang".

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "yang" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "yang" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "yang@2017-02-20" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-inet-types".

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "ietf-inet-types" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-yang-types".

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" already in context.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "sysrepo" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "sysrepo" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo@2021-01-18" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe27" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe44" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe16" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe22" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe47" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe37" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe19" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe15" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe4" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe56" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe30" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe42" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe3" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe39" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe32" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe34" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe59" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe31" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe45" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe38" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe23" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe35" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe26" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe13" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe51" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe58" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe55" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe53" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe29" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe54" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe50" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe18" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe17" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe57" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe21" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe40" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe8" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe12" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe5" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe48" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe28" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe2" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe46" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe33" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe24" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe62" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe11" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe43" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe41" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe1" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe49" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe7" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe6" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe60" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe36" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe25" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe10" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe61" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe20" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe14" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe52" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe9" after a crashed subscription.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 15 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 14 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 12 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 4 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 1 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 11 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 9 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 8 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 3 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 6 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 10 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 21 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 2 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 13 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 7 is dead.

Oct 29 13:03:02 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 5 is dead.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Applying scheduled changes.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" already in context.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "sysrepo-monitoring" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf@2013-09-29" successfully parsed as imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-notifications" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-origin" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "ietf-origin" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-origin@2018-02-14" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-acm@2018-02-14" now implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-nmda" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "nc-notifications" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "notifications@2008-07-14" successfully parsed as imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "notifications@2008-07-14" now implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "ietf-keystore" schema nodes and constraints resolved.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-keystore@2019-07-02" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-truststore@2019-07-02" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tcp-common@2019-07-02" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ssh-server" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-server@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ssh-common" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ssh-common@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-ssh-common@2019-07-02" successfully parsed as imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-crypt-hash" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-crypt-hash@2014-08-06.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "iana-crypt-hash@2014-08-06" successfully parsed as imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-ssh-server@2019-07-02" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tls-server" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tls-server@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tls-common" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tls-common@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tls-common@2019-07-02" successfully parsed as imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tls-server@2019-07-02" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-server" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/iana.

[illegible]

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tcp-server@2019-07-02" successfully parsed as imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-server" unresolved schema nodes and their constraints...
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-server" schema nodes and constraints resolved.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-server@2019-07-02" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "vvdn_mcel-wdm" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/vvdn_mcel-wdm@2022-05-03.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "vvdn_mcel-wdm@2022-05-03" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "vvdn_mcel-opm" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/vvdn_mcel-opm@2020-11-08.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "vvdn_mcel-opm@2020-11-08" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/notification_history.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "notification_history" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "ietf-hardware" schema nodes and constraints resolved.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.
Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-interfaces@2018-02-20" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "iana-if-type@2017-01-19" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-dhcpv6-types" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-dhcpv6-types@2018-01-30" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "ietf-ip@2018-02-22" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-dhcp" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-dhcp@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-interfaces" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-mplane-int" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-mplane-int@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-transceiver" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-processing-element" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-ald-port" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-ald-port" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-ald-port@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-hardware" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-fm" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-usermgmt" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-sync" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-sync" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in
/etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-module-cap" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-operations" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-operations" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-uplane-conf" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-file-management" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-software-management" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-performance-management@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-ald" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-ald" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-ald@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-trace" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-trace" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-trace" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang" file.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All "o-ran-troubleshooting" schema nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: No scheduled changes.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Datastore copied from <startup> to <running>.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Connection 1 created.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Session 1 (user "root", CID 1) created.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Listening on :::830 for SSH connections.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-server" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-keystore" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-truststore" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Oct 29 13:03:02 mcb1 daemon.info netopeer2-server[986]: Triggering "ietf-netconf-acm" "done" event on enabled data.

Oct 29 13:03:03 mcb1 user.err SYS_MONITOR[1000]: previous boot not done by BMC

Oct 29 13:03:03 mcb1 user.debug SYS_MONITOR[1000]: GPIO initialization successfull

Oct 29 13:03:03 mcb1 user.debug SYS_MONITOR[1000]: GPIO initialization successfull

Oct 29 13:03:03 mcb1 user.debug SYS_MONITOR[1000]: GPIO initialization successfull

Oct 29 13:03:03 mcb1 user.debug SYS_MONITOR[1000]: GPIO initialization successfull

Oct 29 13:03:03 mcb1 user.debug SYS_MONITOR[1000]: GPIO initialization successfull

Oct 29 13:03:03 mcb1 user.debug SYS_MONITOR[1000]: GPIO initialization successfull

Oct 29 13:03:03 mcb1 user.debug SYS_MONITOR[1000]: GPIO initialization successfull

Oct 29 13:03:03 mcb1 user.err SYSTEM MONITOR[1000]: PA Temp File operation failure

Oct 29 13:03:04 mcb1 user.notice nw_manager[1018]: Process started

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "done" event with ID 1 priority 0 (remaining 4 subscribers).

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-keystore" "done" event with ID 1 priority 0 (remaining 1 subscribers).

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 1 priority 0 (remaining 22 subscribers).

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 13:03:04 mcb1 user.notice nw_manager[1018]: Replaced the running datastore with basic user configuration

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Listening on :::830 for SSH connections.

Oct 29 13:03:04 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 13:03:04 mcb1 user.notice nw_manager[1018]: Read basic system interface details

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: Event change changes to: ietf-hardware

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component : ru-module for component ru-module

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component ru-module

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component oran name: ru-module for component ru-module

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component : ru-port0 for component ru-port0

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component class: iana-hardware:port for component ru-port0

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component parent: ru-module for component ru-port0

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component parent rel pos: 0 for component ru-port0

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component oran name: ru-port0 for component ru-port0

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component : ru-port1 for component ru-port1

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component class: iana-hardware:port for component ru-port1

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component parent: ru-module for component ru-port1

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component parent rel pos: 1 for component ru-port1

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: [config] component oran name: ru-port1 for component ru-port1

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: Event done changes to: ietf-hardware

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: Config has changed in :ietf-hardware

Oct 29 13:03:04 mcb1 user.notice nw_manager[1018]: Application subscribed for edit-config.get

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 29 13:03:04 mcb1 user.info nw_manager[1018]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 29 13:03:05 mcb1 user.info FAULT MANAGEMENT[1039]: ===== LISTENING FOR CHANGES =====

Oct 29 13:03:06 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4 subscribers).

Oct 29 13:03:06 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 13:03:06 mcb1 user.notice USERMGMT[1049]: Complete copying o-ran-usermgmt startup configurations

Oct 29 13:03:06 mcb1 user.notice USERMGMT[1049]: LISTENING FOR CHANGES

Oct 29 13:03:07 mcb1 user.notice fw_manager[1060]: Process started

Oct 29 13:03:07 mcb1 user.notice fw_manager[1060]: Listening for RPCs

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: LISTENING FOR CHANGES

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: EVENT change CHANGES

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 255

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 248

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 165

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 160

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 150

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 140

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 135

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 7

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Accepted-clock-classes : 6

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM PRC

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM EEC1

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM DNU

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM NONE

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM PRC

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM EEC1

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM DNU

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM NONE

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM PRC

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM EEC1

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM DNU

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Acceptance SSM NONE

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: ssm_timeout : 5

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Change in Configuration of S plane

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: END OF CHANGES

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: EVENT done CHANGES

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: Writing Configuration of S plane

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: END OF CHANGES

Oct 29 13:03:08 mcb1 user.notice SYNCMNGR[1306]: SYNC-LOCK-STATE CHANGE NOTIFICATION

Oct 29 13:03:09 mcb1 user.notice OPM[1318]: @function:main line:157 Operation manager init :subscribed for edit-config, get, rpc on o-ran-operations

Oct 29 13:03:09 mcb1 user.notice OPM[1318]: @function:main line:193 Operation manager init :subscribed for edit-config, get, rpc on o-ran-processing-element

Oct 29 13:03:09 mcb1 user.notice OPM[1318]: @function:main line:316 Operation manager init :subscribed for edit-config, get, rpc on o-ran-uplane-conf

Oct 29 13:03:09 mcb1 user.notice SR_OP[1318]: @function:op_module_change_cb line:137 Event change detected on o-ran-operations

Oct 29 13:03:09 mcb1 user.notice SR_OP[1318]: @function:op_module_change_cb line:150 [config]timezone name changed to GMT [event: change]

Oct 29 13:03:09 mcb1 user.notice SR_OP[1318]: @function:op_module_change_cb line:137 Event change detected on o-ran-operations

Oct 29 13:03:09 mcb1 user.notice SR_OP[1318]: @function:op_module_change_cb line:150 [config]timezone name changed to GMT [event: done]

Oct 29 13:03:10 mcb1 user.notice file_manager[1348]: Process started

Oct 29 13:03:10 mcb1 user.notice file_manager[1348]: Listening for RPCs

Oct 29 13:03:11 mcb1 user.notice supervision[1359]: Process started

Oct 29 13:03:11 mcb1 user.notice supervision[1359]: Listening for RPCs

Oct 29 13:03:12 mcb1 user.notice PM_MNGER[1370]: Waiting for performance manager results

Oct 29 13:03:14 mcb1 user.notice ald_controller[1394]: Process started

Oct 29 13:03:14 mcb1 user.notice ald_controller[1394]: Listening for RPCs

Oct 29 13:03:15 mcb1 user.notice log_manager[1405]: Process started

Oct 29 13:03:15 mcb1 user.notice log_manager[1405]: Listening for RPCs

Oct 29 13:03:18 mcb1 daemon.info dhclient: Internet Systems Consortium DHCP Client 4.4.2

Oct 29 13:03:18 mcb1 daemon.info dhclient: Copyright 2004-2020 Internet Systems Consortium.

Oct 29 13:03:18 mcb1 daemon.info dhclient: All rights reserved.

Oct 29 13:03:18 mcb1 daemon.info dhclient: For info, please visit <https://www.isc.org/software/dhcp/>

Oct 29 13:03:18 mcb1 daemon.info dhclient:

Oct 29 13:03:18 mcb1 daemon.info dhclient: Listening on LPF/eth1/98:ae:71:00:8a:c2

Oct 29 13:03:18 mcb1 daemon.info dhclient: Sending on LPF/eth1/98:ae:71:00:8a:c2

Oct 29 13:03:18 mcb1 daemon.info dhclient: Sending on Socket/fallback

Oct 29 13:03:18 mcb1 daemon.info dhclient: DHCPDISCOVER on eth1 to 255.255.255.255 port 67 interval 3

Oct 29 13:03:18 mcb1 user.notice wd_manager[1439]: Started monitoring

Oct 29 13:03:19 mcb1 daemon.info dhclient: DHCPOFFER of 192.168.4.39 from 192.168.4.15

Oct 29 13:03:19 mcb1 daemon.info dhclient: DHCPREQUEST for 192.168.4.39 on eth1 to 255.255.255.255 port 67

Oct 29 13:03:19 mcb1 daemon.info dhclient: DHCPACK of 192.168.4.39 from 192.168.4.15

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 3 priority 0 (remaining 22

subscribers).

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" connecting...

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Session 62 (user "root", CID 1) created.

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 13:03:19 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 13:03:20 mcb1 daemon.info netopeer2-server[986]: Failed user "observer" authentication attempt (#1).

Oct 29 13:03:20 mcb1 daemon.err netopeer2-server[986]: Communication SSH socket unexpectedly closed.

Oct 29 13:03:20 mcb1 user.info nw_manager[1018]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

Oct 29 13:03:20 mcb1 user.info nw_manager[1018]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Oct 29 13:03:20 mcb1 user.info nw_manager[1018]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

Oct 29 13:03:20 mcb1 user.info nw_manager[1018]: Interface : eth1 Netmask : 255.255.255.0

Oct 29 13:03:20 mcb1 user.info nw_manager[1018]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Oct 29 13:03:20 mcb1 daemon.info dhclient[1453]: eth1: : IP=192.168.4.39/255.255.255.0 router=192.168.4.15 domain="vvdntech.com" dns="192.168.4.15" lease=6257

Oct 29 13:03:20 mcb1 daemon.info dhclient: bound to 192.168.4.39 -- renewal in 2919 seconds.

Oct 29 13:03:21 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:21 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:22 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:22 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:23 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:23 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:24 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 1040ms.

Oct 29 13:03:24 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:24 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:25 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:25 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:25 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 960ms.

Oct 29 13:03:26 mcb1 daemon.info dhclient: Max retransmission duration exceeded.

Oct 29 13:03:26 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:26 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:27 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:27 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:27 mcb1 daemon.info init: Entering runlevel: 5

Oct 29 13:03:27 mcb1 user.warn kernel: [53.227788] vfat filesystem being mounted at /mnt/sdcard supports timestamps until 2107 (0x10391447e)

Oct 29 13:03:27 mcb1 user.err vlan_scan[1529]: if_name eth1

Oct 29 13:03:28 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:28 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:29 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:29 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:30 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:30 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.

Oct 29 13:03:30 mcb1 daemon.info netopeer2-server[986]: Session 70 (user "root", CID 1) created.

Oct 29 13:03:30 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 13:03:30 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 13:03:30 mcb1 daemon.info netopeer2-server[986]: Failed user "operator" authentication attempt (#1).

Oct 29 13:03:30 mcb1 daemon.err netopeer2-server[986]: Communication SSH socket unexpectedly closed.

Oct 29 13:03:31 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:31 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:32 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:32 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:33 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:33 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:34 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:34 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:35 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:35 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:35 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator

Oct 29 13:03:35 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe

Oct 29 13:03:35 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 1897/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 2103/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 2290/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 2459/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 2612/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 2751/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 2877/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 2991/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3031/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3067/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3099/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3128/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3155/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3179/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3201/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3221/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3239/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3255/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3270/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3283/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3295/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3306/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3316/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3325/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3333/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3341/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3347/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3354/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3359/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3364/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3369/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3373/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3376/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3380/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3383/4096 bits entropy

Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3450/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3510/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3565/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3615/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator
Oct 29 13:03:35 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Oct 29 13:03:35 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3660/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3700/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3737/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3771/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3801/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3829/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3854/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3876/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3897/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3915/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3932/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3948/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3961/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3974/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3985/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 3996/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 4005/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 4013/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 4021/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 4028/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Added 4034/4096 bits entropy
Oct 29 13:03:35 mcb1 daemon.debug rngd: Pool full at 4096, sleeping!
Oct 29 13:03:35 mcb1 daemon.notice haveged: haveged starting up
Oct 29 13:03:35 mcb1 auth.info sshd[1761]: Server listening on 0.0.0.0 port 22.
Oct 29 13:03:35 mcb1 auth.info sshd[1761]: Server listening on :: port 22.
Oct 29 13:03:35 mcb1 daemon.info bluetoothd[1767]: Bluetooth daemon 5.50
Oct 29 13:03:35 mcb1 daemon.info bluetoothd[1767]: Starting SDP server
Oct 29 13:03:35 mcb1 daemon.info bluetoothd[1767]: Bluetooth management interface 1.14 initialized
Oct 29 13:03:36 mcb1 daemon.info haveged: haveged: ver: 1.9.5; arch: generic; vend: ; build: (gcc 9.2.0 CTV); collect: 128K
Oct 29 13:03:36 mcb1 daemon.info haveged: haveged: cpu: (VC); data: 16K (D); inst: 16K (D); idx: 11/40; sz: 15456/64452
Oct 29 13:03:36 mcb1 daemon.info haveged: haveged: tot tests(BA8): A:1/1 B:1/1 continuous tests(B): last entropy estimate 8.00438
Oct 29 13:03:36 mcb1 daemon.info haveged: haveged: fills: 0, generated: 0
Oct 29 13:03:36 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:03:36 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:03:37 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:03:37 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:03:38 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:03:38 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:03:39 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:03:39 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:03:40 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:03:40 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.

Oct 29 13:03:40 mcb1 daemon.info netopeer2-server[986]: Session 71 (user "root", CID 1) created.

Oct 29 13:03:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 13:03:40 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 13:03:40 mcb1 daemon.info netopeer2-server[986]: User "installerr" not found locally.

Oct 29 13:03:40 mcb1 daemon.info netopeer2-server[986]: Failed user "installerr" authentication attempt (#1).

Oct 29 13:03:40 mcb1 daemon.err netopeer2-server[986]: Communication SSH socket unexpectedly closed.

Oct 29 13:03:41 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:41 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:42 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:42 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:43 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:43 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:44 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:44 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:45 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:45 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:45 mcb1 authpriv.info login[1918]: pam_unix(login:session): session opened for user root by LOGIN(uid=0)

Oct 29 13:03:45 mcb1 authpriv.notice login[1919]: ROOT LOGIN on '/dev/ttyPS0'

Oct 29 13:03:46 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:46 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:47 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:47 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:48 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:48 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:49 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:49 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:50 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:50 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.

Oct 29 13:03:50 mcb1 daemon.info netopeer2-server[986]: Session 72 (user "root", CID 1) created.

Oct 29 13:03:50 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Oct 29 13:03:50 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Oct 29 13:03:50 mcb1 daemon.info netopeer2-server[986]: Failed user "installer" authentication attempt (#1).

Oct 29 13:03:50 mcb1 daemon.err netopeer2-server[986]: Communication SSH socket unexpectedly closed.

Oct 29 13:03:51 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:51 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:52 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:52 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:53 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:53 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:54 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:54 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:55 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:55 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:56 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:56 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:57 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:57 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:58 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.

Oct 29 13:03:58 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).

Oct 29 13:03:59 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:03:59 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:00 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:00 mcb1 daemon.info netopeer2-server[986]: Successfully connected to 192.168.4.15:4334 over IPv4.
Oct 29 13:04:00 mcb1 daemon.info netopeer2-server[986]: Session 73 (user "root", CID 1) created.
Oct 29 13:04:00 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".
Oct 29 13:04:00 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".
Oct 29 13:04:00 mcb1 daemon.info netopeer2-server[986]: User "operator1" not found locally.
Oct 29 13:04:00 mcb1 daemon.info netopeer2-server[986]: Failed user "operator1" authentication attempt (#1).
Oct 29 13:04:00 mcb1 daemon.err netopeer2-server[986]: Communication SSH socket unexpectedly closed.
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager
Oct 29 13:04:01 mcb1 user.notice wd_manager[1439]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager
Oct 29 13:04:01 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:01 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:02 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:02 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:03 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:03 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:04 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:04 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:05 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:05 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:06 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:06 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:07 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:07 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:08 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:08 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:09 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:09 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:10 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4334.
Oct 29 13:04:10 mcb1 daemon.info netopeer2-server[986]: getsockopt() error (Connection refused).
Oct 29 13:04:10 mcb1 auth.info sshd[2197]: Accepted password for operator from 192.168.4.15 port 47590 ssh2
Oct 29 13:04:10 mcb1 authpriv.info sshd[2197]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The TER NETCONF Client and O-RU NETCONF Server exchange capabilities through NETCONF <hello> messages.

=====

***** Actual Result *****

=====

=====

Reject_SSH_Authentication_due_to_Incorrect_Credential	=	SUCCESS
--	----------	----------------

=====