



\_\_\_\_\_

## \*\*\*\*\*\* Connect to the NETCONF Server \*\*\*\*\*\*\*

\_\_\_\_\_\_

#### > listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.4.39' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 7

Host : 192.168.4.39

Port: 830 Transport: SSH Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0 urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0 urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0 urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0 urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05 urn:ietf:params:xml:ns:yang:ietf-yang-derevision=2017-02-20 urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15 urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63 urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10 urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14 urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid

ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06





urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification\_history?module=notification\_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

## > subscribe

\_\_\_\_\_\_

Ok





Initial Get Filter
getfilter-xpath /o-ran-software-management:software-inventory



\_\_\_\_\_\_

#### 

- Oct 28 10:04:32 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Oct 28 10:04:32 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
- Oct 28 10:04:33 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Oct 28 10:04:33 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Successfully connected to 192.168.4.15:4334 over IPv4.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Session 163 (user "root", CID 1) created.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-service" of subtype "ssh-userauth".
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-auth" of subtype "password".
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: User "operator" authenticated.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel-open" of subtype "session".
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel" of subtype "subsystem".
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session 7 established.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Session 164 (user "root", CID 1) created.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-start).
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 20 priority 0 for 1 subscribers.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 20 priority 0 (remaining 1 subscribers).
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 20 priority 0 (remaining 0 subscribers).
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 20 priority 0 succeeded.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Session 7: thread 0 event new RPC.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 21 priority 0 for 1 subscribers.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 21 priority 0 (remaining 1 subscribers).
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 16.
- Oct 28 10:04:34 mcb1 user.notice fw\_manager[1066]: RPC #16 recieved. xpath -> /o-ran-software-management:software-inventory
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 16 succeeded.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: There is no leafref
- "/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.
- Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: There is no leafref



"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 21 priority 0 (remaining 0 subscribers).

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 21 priority 0 succeeded.

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:34 mcb1 daemon.info netopeer2-server[985]: Session 7: thread 4 event new RPC.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get-config" with ID 7 priority 0 for 1 subscribers.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get-config" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 7 priority 0 succeeded.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Session 7: thread 1 event new RPC.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 7 priority 0 for 1 subscribers.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Processing "/notifications:create-subscription" "rpc" event with ID 7 priority 0 (remaining 1 subscribers).

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 7 priority 0 (remaining 0 subscribers).

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 7 priority 0 succeeded.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Session 7: thread 2 event new RPC.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 22 priority 0 for 1 subscribers.



Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 22 priority 0 (remaining 1 subscribers).

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 17

Oct 28 10:04:35 mcb1 user.notice fw\_manager[1066]: RPC #17 recieved. xpath -> /o-ran-software-management:software-inventory

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 17 succeeded.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 22 priority 0 (remaining 0 subscribers).

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 22 priority 0 succeeded.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Oct 28 10:04:35 mcb1 daemon.info netopeer2-server[985]: Session 7: thread 3 event new RPC.

Oct 28 10:04:35 mcb1 user.notice SYNCMNGR[1312]: Received message from S-Plane

Oct 28 10:04:40 mcb1 daemon.info netopeer2-server[985]: Session 7: thread 1 event new RPC.

 $Oct\ 28\ 10:04:40\ mcb1\ daemon. info\ net opeer 2-server [985]:\ Session\ 7:\ thread\ 1\ event\ session\ terminated.$ 

Oct 28 10:04:40 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Oct 28 10:04:40 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-end).

Oct 28 10:04:40 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session terminated.

Oct 28 10:04:40 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.4.15:4334.

 $Oct\ 28\ 10:04:40\ mcb1\ daemon.info\ netopeer2-server[985]:\ getsockopt()\ error\ (Connection\ refused).$ 

Oct 28 10:04:41 mcb1 auth.info sshd[10738]: Accepted password for operator from 192.168.4.15 port 38656 ssh2

Oct 28 10:04:41 mcb1 authpriv.info sshd[10738]: pam\_unix(sshd:session): session opened for user operator by (uid=0)



# **Expected Result:**

1. The O-RU NETCONF Server performs a software activation procedure. When the procedure is completed, the O-RU NETCONF Server sends

<notification><activation-event> with a status COMPLETED and the slot-name in the activation event corresponds to the slot-name used in the software-activate RPC to the TER NETCONF Client.

2. Status of the software slot containing the software still used by device remains VALID, the parameter "active" is set to False. The parameter "running" is True.

******** Actual Result **********	
	=======================================
**************************************	
Slots Active and Running Status are diffrent for swSlot1	
O-RU Software Activate without reset =	FAIL

\_\_\_\_\_\_