



@ FILE NAME: M_CTC_ID_019.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description : This scenario is MANDATORY for an O-RU supporting the Hybrid M-plane architecture model.

This test validates that the O-RU correctly implements NETCONF Access Control security aspects.

The scenario corresponds to the following chapters in [3]:

3.3 SSH Connection Establishment

3.4 NETCONF Access Control

=====

STEP 1. The TER NETCONF Client establishes a connection with the O-RU NETCONF Server.

=====

=====

******* Connect to the NETCONF Server *******

=====

> listen --ssh --login operator

Waiting 60s for an SSH Call Home connection on port 4334...

The authenticity of the host '::ffff:192.168.17.37' cannot be established.

ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83

Interactive SSH Authentication done.

> status

Current NETCONF session:

ID : 2

Host : 192.168.17.37

Port : 830

Transport : SSH

Capabilities:

urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0

urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0

urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0

urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit

urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0

urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05

urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20

urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15

urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15

urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63

urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10

urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14

urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,validate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01

urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06

urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04

urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14

urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14

urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10

urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history

urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19

=====

> subscribe

=====

Ok

=====

#####Step 2 and 3 O-RU NETCONF server replies by silently omitting data nodes#####

=====

=====

> get --filter-xpath /o-ran-usermgmt:users/user

=====

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
  <users xmlns="urn:o-ran:user-mgmt:1.0">
    <user>
      <name>oranuser</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>observer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>installer</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator94470462419347</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator1069</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
    <user>
      <name>operator299391533376092729390</name>
      <account-type>PASSWORD</account-type>
      <enabled>true</enabled>
    </user>
  </users>
</data>
```

=====

SYSTEM LOGS

=====

Nov 4 00:00:45 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.17.155:4334.

Nov 4 00:00:45 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:00:46 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.17.155:4334.

Nov 4 00:00:46 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.17.155:4334.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Successfully connected to 192.168.17.155:4334 over IPv4.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Session 118 (user "root", CID 1) created.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: User "operator" authenticated.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session 2 established.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Session 119 (user "root", CID 1) created.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-start).

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Session 2: thread 0 event new RPC.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get" with ID 5 priority 0 for 1 subscribers.

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Nov 4 00:00:47 mcb1 daemon.info netopeer2-server[985]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Nov 4 00:00:47 mcb1 user.notice fw_manager[1075]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Event "operational" with ID 2 succeeded.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Session 2: thread 1 event new RPC.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get-config" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: There is no leafref

"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Session 2: thread 0 event new RPC.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 1 for 1 subscribers.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Processing "ietf-netconf-monitoring" "operational" event with ID 2.

Nov 4 00:00:48 mcb1 daemon.info netopeer2-server[985]: Successful processing of "operational" event with ID 2.

Nov 4 00:00:48 mcb1 user.notice supervision[1375]: Checking to enable supervision default-timer

Nov 4 00:00:48 mcb1 user.notice supervision[1375]: Received supervision-notification #2 from "operator" user.path

->/notifications:create-subscription

Nov 4 00:00:48 mcb1 user.notice supervision[1375]: Received supervision-notification

Nov 4 00:00:48 mcb1 user.notice supervision[1375]: Default supervision timer value : 60 seconds. Default Guard timer value : 10 seconds

Nov 4 00:00:48 mcb1 user.notice supervision[1375]: Internal Supervision timer value : 60 seconds. Internal Guard timer value : 10 seconds

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 2 priority 1 succeeded.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/notifications:create-subscription" with ID 2 priority 0 for 1

subscribers.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Processing "/notifications:create-subscription" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Session 2: thread 1 event new RPC.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Published event "rpc" "/ietf-netconf:get-config" with ID 5 priority 0 for 1 subscribers.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Processing "/ietf-netconf:get-config" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:49 mcb1 daemon.info netopeer2-server[985]: Session 2: thread 4 event new RPC.

Nov 4 00:00:50 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:50 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:50 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:50 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:50 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:50 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:50 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:50 mcb1 user.warn pm_manager[1387]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:52 mcb1 user.notice SYNCMNGR[1321]: Received message from S-Plane

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/fw_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/nw_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/operations_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/pm_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/um_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/sys_monitor", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/fault_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 7.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/file_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 8.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/supervision", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 9.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/sync_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 10.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/ald_controller", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 11.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/log_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 12.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/radio_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 13.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There is no instance of "/vvdn_mcel-wdm:system-apps/cli_manager", but it is not required.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: All data nodes and constraints resolved.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Processing "notif" "ietf-netconf-notifications" event with ID 14.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).

Nov 4 00:00:54 mcb1 user.notice wd_manager[1457]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Session 2: thread 4 event new RPC.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Session 2: thread 4 event session terminated.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Generated new event (netconf-session-end).

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Call Home client "default-client" session terminated.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: Trying to connect via IPv4 to 192.168.17.155:4334.

Nov 4 00:00:54 mcb1 daemon.info netopeer2-server[985]: getsockopt() error (Connection refused).

Nov 4 00:00:54 mcb1 authpriv.debug sshd[2234]: pam_unix(sshd:account): account operator has password changed in future

Nov 4 00:00:54 mcb1 auth.info sshd[2234]: Accepted password for operator from 192.168.17.155 port 36138 ssh2

Nov 4 00:00:54 mcb1 authpriv.info sshd[2234]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Expected Result : The O-RU NETCONF server replies by silently omitting data nodes and their descendants to which the client does not have read access from the <rpc-reply> message

=====
***** **Actual Result** *****
=====

=====
Access Control Sudo (negative case) = SUCCESS
=====