



@ FILE NAME: M_CTC_ID_026.txt

@ TEST SCOPE: M PLANE O-RAN CONFORMANCE

@ Software Release for MCB1: v1.0.7

Test Description : This scenario is MANDATORY.

This test validates eAxC configuration and validation. The test scenario is intentionally limited in scope to be applicable to any O-RU hardware design.

This scenario corresponds to the following chapters in [3]:

Chapter 6 Configuration Management

Chapter 12.2 User plane message routing

=====

******* Connect to the NETCONF Server *******

=====

```
> connect --ssh --host 192.168.3.38 --port 830 --login operator
ssh-rsa key fingerprint is c0:7c:63:5d:4b:85:e7:27:e0:7e:f0:44:38:4e:ab:83
Interactive SSH Authentication done.

> status
Current NETCONF session:
ID      : 1
Host    : 192.168.3.38
Port    : 830
Transport : SSH
Capabilities:
urn:ietf:params:netconf:base:1.0 urn:ietf:params:netconf:base:1.1 urn:ietf:params:netconf:capability:writable-running:1.0
urn:ietf:params:netconf:capability:candidate:1.0 urn:ietf:params:netconf:capability:rollback-on-error:1.0
urn:ietf:params:netconf:capability:validate:1.1 urn:ietf:params:netconf:capability:startup:1.0 urn:ietf:params:netconf:capability:xpath:1.0
urn:ietf:params:netconf:capability:with-defaults:1.0?basic-mode=explicit&also-supported=report-all,report-all-tagged,trim,explicit
urn:ietf:params:netconf:capability:notification:1.0 urn:ietf:params:netconf:capability:interleave:1.0
urn:ietf:params:xml:ns:yang:ietf-yang-metadata?module=ietf-yang-metadata&revision=2016-08-05
urn:ietf:params:xml:ns:yang:1?module=yang&revision=2017-02-20
urn:ietf:params:xml:ns:yang:ietf-inet-types?module=ietf-inet-types&revision=2013-07-15
urn:ietf:params:xml:ns:yang:ietf-yang-types?module=ietf-yang-types&revision=2013-07-15
urn:ietf:params:netconf:capability:yang-library:1.1?revision=2019-01-04&content-id=63
urn:sysrepo:plugind?module=sysrepo-plugind&revision=2020-12-10
urn:ietf:params:xml:ns:yang:ietf-netconf-acm?module=ietf-netconf-acm&revision=2018-02-14
urn:ietf:params:xml:ns:netconf:base:1.0?module=ietf-netconf&revision=2013-09-29&features=writable-running,candidate,rollback-on-error,valid
ate,startup,url,xpath urn:ietf:params:xml:ns:yang:ietf-netconf-with-defaults?module=ietf-netconf-with-defaults&revision=2011-06-01
urn:ietf:params:xml:ns:yang:ietf-netconf-notifications?module=ietf-netconf-notifications&revision=2012-02-06
urn:ietf:params:xml:ns:yang:ietf-netconf-monitoring?module=ietf-netconf-monitoring&revision=2010-10-04
urn:ietf:params:xml:ns:netconf:notification:1.0?module=notifications&revision=2008-07-14
urn:ietf:params:xml:ns:netmod:notification?module=nc-notifications&revision=2008-07-14
urn:ietf:params:xml:ns:yang:ietf-x509-cert-to-name?module=ietf-x509-cert-to-name&revision=2014-12-10
urn:ietf:params:xml:ns:yang:iana-crypt-hash?module=iana-crypt-hash&revision=2014-08-06 urn:notification_history?module=notification_history
urn:ietf:params:xml:ns:yang:iana-if-type?module=iana-if-type&revision=2017-01-19
```

=====

```
> subscribe --filter-xpath /ietf-netconf-notifications:*
```

=====

Ok

```
=====
##### Pre get filter #####
=====
```

```
=====
> get --filter-xpath /o-ran-uplane-conf:user-plane-configuration
=====
```

```
<?xml version="1.0" ?>
<data xmlns="urn:ietf:params:xml:ns:netconf:base:1.0" xmlns:nc="urn:ietf:params:xml:ns:netconf:base:1.0">
<user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
<tx-arrays>
<name>slltx-endpoint0</name>
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
<azimuth-angle>1.0</azimuth-angle>
<zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
<x>1.0</x>
<y>1.0</y>
<z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>28</band-number>
<capabilities>
<max-supported-frequency-dl>803000000</max-supported-frequency-dl>
</capabilities>
<capabilities>
<min-supported-frequency-dl>758000000</min-supported-frequency-dl>
</capabilities>
<capabilities>
<max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
</capabilities>
<capabilities>
<max-num-carriers-dl>2</max-num-carriers-dl>
</capabilities>
<capabilities>
<max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
</capabilities>
<capabilities>
<min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
</capabilities>
</tx-arrays>
<tx-arrays>
<name>slltx-endpoint1</name>
```

```
<number-of-rows>1</number-of-rows>
<number-of-columns>1</number-of-columns>
<number-of-array-layers>1</number-of-array-layers>
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>28</band-number>
<capabilities>
  <max-supported-frequency-dl>803000000</max-supported-frequency-dl>
</capabilities>
<capabilities>
  <min-supported-frequency-dl>758000000</min-supported-frequency-dl>
</capabilities>
<capabilities>
  <max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
</capabilities>
<capabilities>
  <max-num-carriers-dl>2</max-num-carriers-dl>
</capabilities>
<capabilities>
  <max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
</capabilities>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
```

```
</leftmost-bottom-array-element-position>
<band-number>28</band-number>
<capabilities>
  <max-supported-frequency-dl>803000000</max-supported-frequency-dl>
</capabilities>
<capabilities>
  <min-supported-frequency-dl>758000000</min-supported-frequency-dl>
</capabilities>
<capabilities>
  <max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
</capabilities>
<capabilities>
  <max-num-carriers-dl>2</max-num-carriers-dl>
</capabilities>
<capabilities>
  <max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
</capabilities>
</tx-arrays>
<tx-arrays>
  <name>slltx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>28</band-number>
  <capabilities>
    <max-supported-frequency-dl>803000000</max-supported-frequency-dl>
  </capabilities>
  <capabilities>
    <min-supported-frequency-dl>758000000</min-supported-frequency-dl>
  </capabilities>
  <capabilities>
    <max-supported-bandwidth-dl>20000000</max-supported-bandwidth-dl>
  </capabilities>
  <capabilities>
    <max-num-carriers-dl>2</max-num-carriers-dl>
```

```
</capabilities>
<capabilities>
  <max-carrier-bandwidth-dl>20000000</max-carrier-bandwidth-dl>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-dl>1400000</min-carrier-bandwidth-dl>
</capabilities>
</tx-arrays>
<rx-arrays>
  <name>sllrx-endpoint0</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>28</band-number>
  <capabilities>
    <max-supported-frequency-ul>748000000</max-supported-frequency-ul>
  </capabilities>
  <capabilities>
    <min-supported-frequency-ul>703000000</min-supported-frequency-ul>
  </capabilities>
  <capabilities>
    <max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
  </capabilities>
  <capabilities>
    <max-num-carriers-ul>2</max-num-carriers-ul>
  </capabilities>
  <capabilities>
    <max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
  </capabilities>
  <capabilities>
    <min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
  </capabilities>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint1</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
```

```
<horizontal-spacing>1.0</horizontal-spacing>
<vertical-spacing>1.0</vertical-spacing>
<normal-vector-direction>
  <azimuth-angle>1.0</azimuth-angle>
  <zenith-angle>1.0</zenith-angle>
</normal-vector-direction>
<leftmost-bottom-array-element-position>
  <x>1.0</x>
  <y>1.0</y>
  <z>1.0</z>
</leftmost-bottom-array-element-position>
<band-number>28</band-number>
<capabilities>
  <max-supported-frequency-ul>748000000</max-supported-frequency-ul>
</capabilities>
<capabilities>
  <min-supported-frequency-ul>703000000</min-supported-frequency-ul>
</capabilities>
<capabilities>
  <max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
</capabilities>
<capabilities>
  <max-num-carriers-ul>2</max-num-carriers-ul>
</capabilities>
<capabilities>
  <max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
</capabilities>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint2</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>28</band-number>
  <capabilities>
```

```
<max-supported-frequency-ul>748000000</max-supported-frequency-ul>
</capabilities>
<capabilities>
  <min-supported-frequency-ul>703000000</min-supported-frequency-ul>
</capabilities>
<capabilities>
  <max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
</capabilities>
<capabilities>
  <max-num-carriers-ul>2</max-num-carriers-ul>
</capabilities>
<capabilities>
  <max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
</capabilities>
<capabilities>
  <min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
</capabilities>
</rx-arrays>
<rx-arrays>
  <name>sllrx-endpoint3</name>
  <number-of-rows>1</number-of-rows>
  <number-of-columns>1</number-of-columns>
  <number-of-array-layers>1</number-of-array-layers>
  <horizontal-spacing>1.0</horizontal-spacing>
  <vertical-spacing>1.0</vertical-spacing>
  <normal-vector-direction>
    <azimuth-angle>1.0</azimuth-angle>
    <zenith-angle>1.0</zenith-angle>
  </normal-vector-direction>
  <leftmost-bottom-array-element-position>
    <x>1.0</x>
    <y>1.0</y>
    <z>1.0</z>
  </leftmost-bottom-array-element-position>
  <band-number>28</band-number>
  <capabilities>
    <max-supported-frequency-ul>748000000</max-supported-frequency-ul>
  </capabilities>
  <capabilities>
    <min-supported-frequency-ul>703000000</min-supported-frequency-ul>
  </capabilities>
  <capabilities>
    <max-supported-bandwidth-ul>20000000</max-supported-bandwidth-ul>
  </capabilities>
  <capabilities>
    <max-num-carriers-ul>2</max-num-carriers-ul>
  </capabilities>
  <capabilities>
    <max-carrier-bandwidth-ul>20000000</max-carrier-bandwidth-ul>
```



```
</capabilities>
<capabilities>
  <min-carrier-bandwidth-ul>1400000</min-carrier-bandwidth-ul>
</capabilities>
</rx-arrays>
<relations>
  <entity>0</entity>
  <array1>
    <tx-array-name>slltx-endpoint0</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint0</rx-array-name>
  </array2>
  <types/>
  <types>
    <relation-type>COALLOCATED</relation-type>
    <pairs>
      <element-array1>1</element-array1>
      <element-array2>0</element-array2>
    </pairs>
  </types>
</relations>
<relations>
  <entity>1</entity>
  <array1>
    <tx-array-name>slltx-endpoint1</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint1</rx-array-name>
  </array2>
  <types/>
  <types>
    <relation-type>COALLOCATED</relation-type>
    <pairs>
      <element-array1>1</element-array1>
      <element-array2>1</element-array2>
    </pairs>
  </types>
</relations>
<relations>
  <entity>2</entity>
  <array1>
    <tx-array-name>slltx-endpoint2</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint2</rx-array-name>
  </array2>
  <types/>
  <types>
```

```
<relation-type>COALLOCATED</relation-type>
<pairs>
  <element-array1>1</element-array1>
  <element-array2>2</element-array2>
</pairs>
</types>
</relations>
<relations>
  <entity>3</entity>
  <array1>
    <tx-array-name>slltx-endpoint3</tx-array-name>
  </array1>
  <array2>
    <rx-array-name>sllrx-endpoint3</rx-array-name>
  </array2>
</types>
<types>
  <relation-type>COALLOCATED</relation-type>
  <pairs>
    <element-array1>1</element-array1>
    <element-array2>3</element-array2>
  </pairs>
</types>
</relations>
<endpoint-types>
  <id>1</id>
  <supported-section-types>
    <section-type>1</section-type>
  </supported-section-types>
  <supported-section-types>
    <section-type>3</section-type>
  </supported-section-types>
  <supported-frame-structures>193</supported-frame-structures>
  <managed-delay-support>MANAGED</managed-delay-support>
  <multiple-numerology-supported>false</multiple-numerology-supported>
  <max-sections-per-symbol>46</max-sections-per-symbol>
  <max-sections-per-slot>644</max-sections-per-slot>
  <max-prb-per-symbol>273</max-prb-per-symbol>
  <max-numerologies-per-symbol>1</max-numerologies-per-symbol>
</endpoint-types>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint0</name>
  <array>slltx-endpoint0</array>
  <endpoint-type>1</endpoint-type>
  <capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <array>slltx-endpoint1</array>
```

```
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
<name>slltx-endpoint2</name>
<array>slltx-endpoint2</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-tx-endpoints>
<name>slltx-endpoint3</name>
<array>slltx-endpoint3</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-tx-endpoints>
<static-low-level-rx-endpoints>
<name>sllrx-endpoint0</name>
<array>sllrx-endpoint0</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
<name>sllrx-endpoint1</name>
<array>sllrx-endpoint1</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
<name>sllrx-endpoint2</name>
<array>sllrx-endpoint2</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<static-low-level-rx-endpoints>
<name>sllrx-endpoint3</name>
<array>sllrx-endpoint3</array>
<endpoint-type>1</endpoint-type>
<capacity-sharing-groups>1</capacity-sharing-groups>
</static-low-level-rx-endpoints>
<endpoint-capacity-sharing-groups/>
<endpoint-capacity-sharing-groups>
<id>1</id>
<max-managed-delay-endpoints>4</max-managed-delay-endpoints>
<max-non-managed-delay-endpoints>0</max-non-managed-delay-endpoints>
<max-endpoints>4</max-endpoints>
<max-sections-per-symbol>46</max-sections-per-symbol>
<max-sections-per-slot>644</max-sections-per-slot>
<max-prb-per-symbol>273</max-prb-per-symbol>
<max-numerologies-per-symbol>1</max-numerologies-per-symbol>
```

```
</endpoint-capacity-sharing-groups>  
</user-plane-configuration>  
</data>
```

=====

STEP 1 The TER NETCONF Client assigns unique eAxC_IDs to low-level-rx-endpoints. The same set of eAxC_IDs is also assigned to low-level-tx-endpoints. The TER NETCONF Client uses <rpc><editconfig>.

=====

=====

```
> edit-config --target running --config --defop replace
```

=====

=====

******* Replace with below xml *******

=====

```
<config xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <user-plane-configuration xmlns="urn:o-ran:uplane-conf:1.0">
    <low-level-tx-links>
      <name>lltxlink0</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint0</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>
      <name>lltxlink1</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint1</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>
      <name>lltxlink2</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint2</low-level-tx-endpoint>
    </low-level-tx-links>
    <low-level-tx-links>
      <name>lltxlink3</name>
      <processing-element>element0</processing-element>
      <tx-array-carrier>txarraycarrier0</tx-array-carrier>
      <low-level-tx-endpoint>slltx-endpoint3</low-level-tx-endpoint>
    </low-level-tx-links>

    <low-level-rx-links>
      <name>llrxlink0</name>
      <processing-element>element0</processing-element>
      <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
      <low-level-rx-endpoint>sllrx-endpoint0</low-level-rx-endpoint>
    </low-level-rx-links>
  </low-level-rx-links>
</config>
```

```
<name>llrxlink1</name>
<processing-element>element0</processing-element>
<rx-array-carrier>rxarraycarrier0</rx-array-carrier>
<low-level-rx-endpoint>sllrx-endpoint1</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink2</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint2</low-level-rx-endpoint>
</low-level-rx-links>
<low-level-rx-links>
  <name>llrxlink3</name>
  <processing-element>element0</processing-element>
  <rx-array-carrier>rxarraycarrier0</rx-array-carrier>
  <low-level-rx-endpoint>sllrx-endpoint3</low-level-rx-endpoint>
</low-level-rx-links>

<low-level-tx-endpoints>
  <name>slltx-endpoint0</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_15</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>1</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
```

```
<scs>KHZ_15</scs>
<number-of-prb>273</number-of-prb>
</number-of-prb-per-scs>
<e-axcid>
  <o-du-port-bitmask>65024</o-du-port-bitmask>
  <band-sector-bitmask>448</band-sector-bitmask>
  <ccid-bitmask>56</ccid-bitmask>
  <ru-port-bitmask>7</ru-port-bitmask>
  <eaxc-id>2</eaxc-id>
</e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_15</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>3</eaxc-id>
  </e-axcid>
</low-level-tx-endpoints>
<low-level-tx-endpoints>
  <name>slltx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_15</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
```

```
<ru-port-bitmask>7</ru-port-bitmask>
<eexc-id>4</eexc-id>
</e-axcid>
</low-level-tx-endpoints>

<low-level-rx-endpoints>
  <name>sllrx-endpoint0</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_15</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_15</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eexc-id>1</eexc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint1</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_15</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_15</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
```



```
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>2</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint2</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_15</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_15</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
    <band-sector-bitmask>448</band-sector-bitmask>
    <ccid-bitmask>56</ccid-bitmask>
    <ru-port-bitmask>7</ru-port-bitmask>
    <eaxc-id>3</eaxc-id>
  </e-axcid>
  <non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<low-level-rx-endpoints>
  <name>sllrx-endpoint3</name>
  <compression>
    <compression-type>STATIC</compression-type>
    <iq-bitwidth>16</iq-bitwidth>
  </compression>
  <cp-length>352</cp-length>
  <cp-length-other>288</cp-length-other>
  <offset-to-absolute-frequency-center>0</offset-to-absolute-frequency-center>
  <number-of-prb-per-scs>
    <scs>KHZ_15</scs>
    <number-of-prb>273</number-of-prb>
  </number-of-prb-per-scs>
  <ul-fft-sampling-offsets>
    <scs>KHZ_15</scs>
  </ul-fft-sampling-offsets>
  <e-axcid>
    <o-du-port-bitmask>65024</o-du-port-bitmask>
```

```
<band-sector-bitmask>448</band-sector-bitmask>
<ccid-bitmask>56</ccid-bitmask>
<ru-port-bitmask>7</ru-port-bitmask>
<eaxc-id>4</eaxc-id>
</e-axcid>
<non-time-managed-delay-enabled>>false</non-time-managed-delay-enabled>
</low-level-rx-endpoints>
<tx-array-carriers>
  <name>txarraycarrier0</name>
  <absolute-frequency-center>438000</absolute-frequency-center>
  <center-of-channel-bandwidth>2190000000</center-of-channel-bandwidth>
  <channel-bandwidth>20000000</channel-bandwidth>
  <gain>0</gain>
  <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
  <downlink-sfn-offset>0</downlink-sfn-offset>
  <rw-duplex-scheme>TDD</rw-duplex-scheme>
  <rw-type>NR</rw-type>
</tx-array-carriers>
<rx-array-carriers>
  <name>rxarraycarrier0</name>
  <absolute-frequency-center>390000</absolute-frequency-center>
  <center-of-channel-bandwidth>1950000000</center-of-channel-bandwidth>
  <channel-bandwidth>20000000</channel-bandwidth>
  <downlink-radio-frame-offset>0</downlink-radio-frame-offset>
  <downlink-sfn-offset>0</downlink-sfn-offset>
  <gain-correction>0</gain-correction>
  <n-ta-offset>25600</n-ta-offset>
</rx-array-carriers>
</user-plane-configuration>

</config>Error occured in line number 193
```

=====

SYSTEM LOGS

=====

Nov 4 00:01:24 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:01:24 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:25 mcb1 user.warn log_manager[1410]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:25 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "o-ran-troubleshooting" event with ID 1.

Nov 4 00:01:25 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:25 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:27 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:28 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:30 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:31 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:32 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:33 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:34 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:01:34 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:36 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/fw_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/nw_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/operations_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/pm_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/um_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 5.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/sys_monitor", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 6.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/fault_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 7.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 7 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/file_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 8.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 8 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/supervision", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 9.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 9 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/sync_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 10.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 10 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/ald_controller", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 11.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 11 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/log_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 12.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 12 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/radio_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 13.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 13 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/cli_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 14.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 14 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/fw_manager", but it is not required.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 15.

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 15 priority 0 (remaining 0 subscribers).

Nov 4 00:01:37 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/sync_manager", but it is not required.

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 16.

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 16 priority 0 (remaining 0 subscribers).

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/file_manager", but it is not required.

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 17.

Nov 4 00:01:38 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 17 priority 0 (remaining 0 subscribers).

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/fault_manager", but it is not required.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 18.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 18 priority 0 (remaining 0 subscribers).

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/operations_manager", but it is not required.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 19.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 19 priority 0 (remaining 0 subscribers).

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/nw_manager", but it is not required.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 20.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 20 priority 0 (remaining 0 subscribers).

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/supervision", but it is not required.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 21.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 21 priority 0 (remaining 0 subscribers).

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/ald_controller", but it is not required.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 22.

Nov 4 00:01:39 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 22 priority 0 (remaining 0 subscribers).

Nov 4 00:01:40 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:40 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:40 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/log_manager", but it is not required.

Nov 4 00:01:40 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:40 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 23.

Nov 4 00:01:40 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 23 priority 0 (remaining 0 subscribers).

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/um_manager", but it is not required.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 24.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 24 priority 0 (remaining 0 subscribers).

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/sys_monitor", but it is not required.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 25.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 25 priority 0 (remaining 0 subscribers).

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/radio_manager", but it is not

required.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 26.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 26 priority 0 (remaining 0 subscribers).

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/cli_manager", but it is not required.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 27.

Nov 4 00:01:41 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 27 priority 0 (remaining 0 subscribers).

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:42 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:01:42 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/pm_manager", but it is not required.

Nov 4 00:01:42 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:01:42 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 28.

Nov 4 00:01:42 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 28 priority 0 (remaining 0 subscribers).

Nov 4 00:01:43 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:44 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:44 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:01:46 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:47 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:49 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:50 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:01:52 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:53 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:54 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:01:55 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:56 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:01:58 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:01:59 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:02:01 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:02:02 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:02 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:02 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:02 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:02 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:02 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:02 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:02 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:02 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:02:04 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:02:04 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:02:05 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:02:07 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:02:08 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:02:10 mcb1 user.notice supervision[1363]: Interval timer exceeded. Waiting on guard timer...

Nov 4 00:02:10 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "o-ran-supervision" event with ID 1.

Nov 4 00:02:10 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:02:10 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:02:11 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Accepted a connection on :::830.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Session 154 (user "root", CID 1) created.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-auth" of subtype "password".

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 user.warn pm_manager[1375]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: User "operator" authenticated.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-channel-open" of subtype "session".

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Session 155 (user "root", CID 1) created.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Published event "notif" "ietf-netconf-notifications" with ID 29 priority 0 for 1 subscribers.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Generated new event (netconf-session-start).

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 29.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 29 priority 0 (remaining 0 subscribers).

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 2 event new RPC.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get" with ID 5 priority 0 for 1 subscribers.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 2.

Nov 4 00:02:12 mcb1 user.notice fw_manager[1062]: RPC #2 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Event "operational" with ID 2 succeeded.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 1 event new RPC.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get-config" with ID 5 priority 0 for 1 subscribers.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get-config" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:12 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 2 event new RPC.

Nov 4 00:02:13 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:02:14 mcb1 user.notice SYNCMNGR[1309]: Received message from S-Plane

Nov 4 00:02:14 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:02:16 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:02:17 mcb1 daemon.info netopeer2-server[987]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:02:18 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:18 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:18 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:18 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:18 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/notifications:create-subscription" with ID 4 priority 1 for 1 subscribers.

Nov 4 00:02:18 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-netconf-monitoring" "operational" event with ID 4.

Nov 4 00:02:18 mcb1 daemon.info netopeer2-server[987]: Successful processing of "operational" event with ID 4.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 4 priority 1 succeeded.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/notifications:create-subscription" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "/notifications:create-subscription" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 4 event new RPC.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:edit-config" with ID 4 priority 0 for 1 subscribers.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 4 priority 0 (remaining 1 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "change" "o-ran-usermgmt" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:02:19 mcb1 user.notice USERMGMT[1051]: operator0217 added successfully !!

Nov 4 00:02:19 mcb1 user.notice USERMGMT[1051]: operator0217 enabled !!

Nov 4 00:02:19 mcb1 user.notice USERMGMT[1051]: END OF CHANGES

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Event "change" with ID 2 priority 0 succeeded.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "done" "o-ran-usermgmt" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:02:19 mcb1 user.notice USERMGMT[1051]: END OF CHANGES

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator0217']", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator0217']/name", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of

"/o-ran-usermgmt:users/user[name='operator0217']/account-type", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator0217']/password", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator0217']/enabled", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 30.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 30 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "notif" "ietf-netconf-notifications" with ID 31 priority 0 for 2 subscribers.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator0217']", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator0217']/name", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of
"/o-ran-usermgmt:users/user[name='operator0217']/account-type", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator0217']/password", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/o-ran-usermgmt:users/user[name='operator0217']/enabled", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 31.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 31 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 4 priority 0 succeeded.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 0 event new RPC.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:get-config" with ID 6 priority 0 for 1 subscribers.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:get-config" "rpc" event with ID 6 priority 0 (remaining 1 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 6 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 6 priority 0 succeeded.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 2 event new RPC.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "rpc" "/ietf-netconf:edit-config" with ID 5 priority 0 for 1 subscribers.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 5 priority 0 (remaining 1 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "done" "ietf-netconf-acm" with ID 4 priority 0 for 4 subscribers.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "ietf-netconf-acm" "done" event with ID 4 priority 0 (remaining 4 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "done" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "notif" "ietf-netconf-notifications" with ID 32 priority 0 for 2 subscribers.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/ietf-netconf-acm:nacm/groups/group[name='sudo']/user-name[.='operator0217']", but it is not required.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 32.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 32 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "rpc" event with ID 5 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Event "rpc" with ID 5 priority 0 succeeded.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 4 event new RPC.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 0 event new RPC.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Session 4: thread 0 event session terminated.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Published event "notif" "ietf-netconf-notifications" with ID 33 priority 0 for 1 subscribers.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Generated new event (netconf-session-end).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 33.

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 33 priority 0 (remaining 0 subscribers).

Nov 4 00:02:19 mcb1 daemon.info netopeer2-server[987]: getsockopt() error (No route to host).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fw_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/fw_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 34.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 34 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/nw_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/nw_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 35.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 35 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/operations_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/operations_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 36.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 36 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/pm_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/pm_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 37.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 37 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/um_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/um_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 38.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 38 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/sys_monitor", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 39.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 39 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sys_monitor

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/fault_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/fault_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 40.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 40 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/file_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/file_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 41.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 41 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/supervision

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/supervision", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 42.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 42 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/sync_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/sync_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 43.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 43 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/ald_controller

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/ald_controller", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 44.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 44 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/log_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/log_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 45.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 45 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/radio_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 46.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 46 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/radio_manager

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/cli_manager", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 47.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 47 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.notice wd_manager[1444]: Value is 1 for Xpath /vvdn_mcel-wdm:system-apps/cli_manager

Nov 4 00:02:20 mcb1 user.notice supervision[1363]: O-RU has entered "supervision-failure" state Resetting...

Nov 4 00:02:20 mcb1 user.notice supervision[1363]: Exiting

Nov 4 00:02:20 mcb1 user.notice supervision[1363]: Waiting for pending jobs

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Resolving unresolved data nodes and their constraints...

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: There is no instance of "/vvdn_mcel-wdm:system-apps/supervision", but it is not required.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: All data nodes and constraints resolved.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Processing "notif" "ietf-netconf-notifications" event with ID 48.

Nov 4 00:02:20 mcb1 daemon.info netopeer2-server[987]: Successful processing of "notif" event with ID 48 priority 0 (remaining 0 subscribers).

Nov 4 00:02:20 mcb1 user.info supervision[1363]: O-RU going for reboot

Oct 29 13:17:51 mcb1 syslog.info syslogd started: BusyBox v1.31.0

Oct 29 13:17:51 mcb1 user.notice kernel: klogd started: BusyBox v1.31.0 (2021-03-30 19:10:48 UTC)

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] Booting Linux on physical CPU 0x0000000000 [0x410fd034]

Oct 29 13:17:51 mcb1 user.notice kernel: [0.000000] Linux version 5.4.0-xilinx-v2020.2 (oe-user@oe-host) (gcc version 9.2.0 (GCC)) #1 SMP Thu Dec 29 10:48:51 UTC 2022

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] Machine model: xlnx,zynqmp

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] earlycon: cdns0 at MMIO 0x00000000ff000000 (options '115200n8')

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] printk: bootconsole [cdns0] enabled

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] efi: Getting EFI parameters from FDT:

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] efi: UEFI not found.

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] cma: Reserved 256 MiB at 0x000000006fc00000

Oct 29 13:17:51 mcb1 user.debug kernel: [0.000000] On node 0 totalpages: 524032

Oct 29 13:17:51 mcb1 user.debug kernel: [0.000000] DMA32 zone: 8188 pages used for memmap

Oct 29 13:17:51 mcb1 user.debug kernel: [0.000000] DMA32 zone: 0 pages reserved

Oct 29 13:17:51 mcb1 user.debug kernel: [0.000000] DMA32 zone: 524032 pages, LIFO batch:63

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] psci: probing for conduit method from DT.

Oct 29 13:17:51 mcb1 user.info kernel: [0.000000] psci: PSCIv1.1 detected in firmware.

```

Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] psci: Using standard PSCI v0.2 function IDs
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] psci: MIGRATE_INFO_TYPE not supported.
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] psci: SMC Calling Convention v1.1
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] percpu: Embedded 22 pages/cpu s49880 r8192 d32040 u90112
Oct 29 13:17:51 mcb1 user.debug kernel: [ 0.000000] pcpu-alloc: s49880 r8192 d32040 u90112 alloc=22*4096
Oct 29 13:17:51 mcb1 user.debug kernel: [ 0.000000] pcpu-alloc: [0] 0 [0] 1 [0] 2 [0] 3
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] Detected VIPT I-cache on CPU0
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] CPU features: detected: ARM erratum 845719
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] Speculative Store Bypass Disable mitigation not required
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] Built 1 zonelists, mobility grouping on. Total pages: 515844
Oct 29 13:17:51 mcb1 user.notice kernel: [ 0.000000] Kernel command line: earlycon console=ttyPS0,115200 clk_ignore_unused cpuidle.off=1
root=/dev/mmcb1k0p3 rw rootwait
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] Dentry cache hash table entries: 262144 (order: 9, 2097152 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] Inode-cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] mem auto-init: stack:off, heap alloc:off, heap free:off
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] Memory: 1775432K/2096128K available (12092K kernel code, 742K rwddata, 3772K rodata,
768K init, 560K bss, 58552K reserved, 262144K cma-reserved)
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] rcu: Hierarchical RCU implementation.
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] rcu: RCU event tracing is enabled.
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] rcu: RCU calculated value of scheduler-enlistment delay is 25 jiffies.
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] NR_IRQS: 64, nr_irqs: 64, preallocated irq: 0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 0.000000] GIC: Adjusting CPU interface base to 0x00000000f902f000
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] GIC: Using split EOI/Deactivate mode
Oct 29 13:17:51 mcb1 user.notice kernel: [ 0.000000] random: get_random_bytes called from start_kernel+0x2a8/0x42c with crng_init=0
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] arch_timer: cp15 timer(s) running at 50.00MHz (phys).
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000000] clocksource: arch_sys_counter: mask: 0xffffffffffffff max_cycles: 0xb8812736b,
max_idle_ns: 440795202655 ns
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.000003] sched_clock: 56 bits at 50MHz, resolution 20ns, wraps every 4398046511100ns
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.008248] Console: colour dummy device 80x25
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.012388] Calibrating delay loop (skipped), value calculated using timer frequency.. 100.00 BogoMIPS
(lpj=200000)
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.022753] pid_max: default: 32768 minimum: 301
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.027465] Mount-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.034697] Mountpoint-cache hash table entries: 4096 (order: 3, 32768 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.043367] ASID allocator initialised with 32768 entries
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.047892] rcu: Hierarchical SRCU implementation.
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.052813] EFI services will not be available.
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.057221] smp: Bringing up secondary CPUs ...
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.061904] Detected VIPT I-cache on CPU1
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.061934] CPU1: Booted secondary processor 0x0000000001 [0x410fd034]
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.062259] Detected VIPT I-cache on CPU2
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.062277] CPU2: Booted secondary processor 0x0000000002 [0x410fd034]
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.062578] Detected VIPT I-cache on CPU3
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.062595] CPU3: Booted secondary processor 0x0000000003 [0x410fd034]
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.062637] smp: Brought up 1 node, 4 CPUs
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.097055] SMP: Total of 4 processors activated.
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.101727] CPU features: detected: 32-bit EL0 Support
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.106831] CPU features: detected: CRC32 instructions
Oct 29 13:17:51 mcb1 user.info kernel: [ 0.111962] CPU: All CPU(s) started at EL2

```

Oct 29 13:17:51 mcb1 user.info kernel: [0.116010] alternatives: patching kernel code
Oct 29 13:17:51 mcb1 user.info kernel: [0.121352] devtmpfs: initialized
Oct 29 13:17:51 mcb1 user.info kernel: [0.127843] clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 7645041785100000 ns
Oct 29 13:17:51 mcb1 user.info kernel: [0.133399] futex hash table entries: 1024 (order: 4, 65536 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [0.145319] xor: measuring software checksum speed
Oct 29 13:17:51 mcb1 user.info kernel: [0.184290] 8regs : 2622.000 MB/sec
Oct 29 13:17:51 mcb1 user.info kernel: [0.224314] 32regs : 3008.000 MB/sec
Oct 29 13:17:51 mcb1 user.info kernel: [0.264344] arm64_neon: 2612.000 MB/sec
Oct 29 13:17:51 mcb1 user.info kernel: [0.264379] xor: using function: 32regs (3008.000 MB/sec)
Oct 29 13:17:51 mcb1 user.info kernel: [0.268280] pinctrl core: initialized pinctrl subsystem
Oct 29 13:17:51 mcb1 user.info kernel: [0.273783] DMI not present or invalid.
Oct 29 13:17:51 mcb1 user.info kernel: [0.277457] NET: Registered protocol family 16
Oct 29 13:17:51 mcb1 user.info kernel: [0.282793] DMA: preallocated 256 KiB pool for atomic allocations
Oct 29 13:17:51 mcb1 user.info kernel: [0.287731] audit: initializing netlink subsys (disabled)
Oct 29 13:17:51 mcb1 user.notice kernel: [0.293140] audit: type=2000 audit(0.232:1): state=initialized audit_enabled=0 res=1
Oct 29 13:17:51 mcb1 user.info kernel: [0.293531] hw-breakpoint: found 6 breakpoint and 4 watchpoint registers.
Oct 29 13:17:51 mcb1 user.info kernel: [0.307645] Serial: AMBA PL011 UART driver
Oct 29 13:17:51 mcb1 user.info kernel: [0.323007] HugeTLB registered 1.00 GiB page size, pre-allocated 0 pages
Oct 29 13:17:51 mcb1 user.info kernel: [0.324062] HugeTLB registered 32.0 MiB page size, pre-allocated 0 pages
Oct 29 13:17:51 mcb1 user.info kernel: [0.330719] HugeTLB registered 2.00 MiB page size, pre-allocated 0 pages
Oct 29 13:17:51 mcb1 user.info kernel: [0.337379] HugeTLB registered 64.0 KiB page size, pre-allocated 0 pages
Oct 29 13:17:51 mcb1 user.info kernel: [1.306534] cryptd: max_cpu_qlen set to 1000
Oct 29 13:17:51 mcb1 user.info kernel: [1.327553] DRBG: Continuing without Jitter RNG
Oct 29 13:17:51 mcb1 user.info kernel: [1.402162] raid6: neonx8 gen() 1727 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [1.470194] raid6: neonx8 xor() 1601 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [1.538252] raid6: neonx4 gen() 1644 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [1.606266] raid6: neonx4 xor() 1553 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [1.674348] raid6: neonx2 gen() 1233 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [1.742371] raid6: neonx2 xor() 1236 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [1.810427] raid6: neonx1 gen() 809 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [1.878438] raid6: neonx1 xor() 821 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [1.946517] raid6: int64x8 gen() 1287 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.014549] raid6: int64x8 xor() 837 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.082617] raid6: int64x4 gen() 1068 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.150632] raid6: int64x4 xor() 784 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.218678] raid6: int64x2 gen() 735 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.286689] raid6: int64x2 xor() 586 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.354846] raid6: int64x1 gen() 485 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.422812] raid6: int64x1 xor() 400 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.422848] raid6: using algorithm neonx8 gen() 1727 MB/s
Oct 29 13:17:51 mcb1 user.info kernel: [2.426803] raid6: xor() 1601 MB/s, rmw enabled
Oct 29 13:17:51 mcb1 user.info kernel: [2.431733] raid6: using neon recovery algorithm
Oct 29 13:17:51 mcb1 user.info kernel: [2.436629] iommu: Default domain type: Translated
Oct 29 13:17:51 mcb1 user.notice kernel: [2.441355] SCSI subsystem initialized
Oct 29 13:17:51 mcb1 user.debug kernel: [2.444899] libata version 3.00 loaded.
Oct 29 13:17:51 mcb1 user.info kernel: [2.445005] usbcore: registered new interface driver usbfs
Oct 29 13:17:51 mcb1 user.info kernel: [2.450354] usbcore: registered new interface driver hub
Oct 29 13:17:51 mcb1 user.info kernel: [2.455633] usbcore: registered new device driver usb

Oct 29 13:17:51 mcb1 user.info kernel: [2.460650] mc: Linux media interface: v0.10
Oct 29 13:17:51 mcb1 user.info kernel: [2.464877] videodev: Linux video capture interface: v2.00
Oct 29 13:17:51 mcb1 user.info kernel: [2.470327] pps_core: LinuxPPS API ver. 1 registered
Oct 29 13:17:51 mcb1 user.info kernel: [2.475243] pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Oct 29 13:17:51 mcb1 user.info kernel: [2.484336] PTP clock support registered
Oct 29 13:17:51 mcb1 user.info kernel: [2.488228] EDAC MC: Ver: 3.0.0
Oct 29 13:17:51 mcb1 user.info kernel: [2.491676] zynqmp-ipi-mbox mailbox@ff990400: Registered ZynqMP IPI mbox with TX/RX channels.
Oct 29 13:17:51 mcb1 user.info kernel: [2.499968] FPGA manager framework
Oct 29 13:17:51 mcb1 user.info kernel: [2.503290] Advanced Linux Sound Architecture Driver Initialized.
Oct 29 13:17:51 mcb1 user.info kernel: [2.509478] Bluetooth: Core ver 2.22
Oct 29 13:17:51 mcb1 user.info kernel: [2.512798] NET: Registered protocol family 31
Oct 29 13:17:51 mcb1 user.info kernel: [2.517197] Bluetooth: HCI device and connection manager initialized
Oct 29 13:17:51 mcb1 user.info kernel: [2.523513] Bluetooth: HCI socket layer initialized
Oct 29 13:17:51 mcb1 user.info kernel: [2.528356] Bluetooth: L2CAP socket layer initialized
Oct 29 13:17:51 mcb1 user.info kernel: [2.533377] Bluetooth: SCO socket layer initialized
Oct 29 13:17:51 mcb1 user.info kernel: [2.538521] clocksource: Switched to clocksource arch_sys_counter
Oct 29 13:17:51 mcb1 user.notice kernel: [2.544360] VFS: Disk quotas dquot_6.6.0
Oct 29 13:17:51 mcb1 user.info kernel: [2.548199] VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Oct 29 13:17:51 mcb1 user.info kernel: [2.558651] NET: Registered protocol family 2
Oct 29 13:17:51 mcb1 user.info kernel: [2.559626] tcp_listen_portaddr_hash hash table entries: 1024 (order: 2, 16384 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [2.567836] TCP established hash table entries: 16384 (order: 5, 131072 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [2.575764] TCP bind hash table entries: 16384 (order: 6, 262144 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [2.583112] TCP: Hash tables configured (established 16384 bind 16384)
Oct 29 13:17:51 mcb1 user.info kernel: [2.589486] UDP hash table entries: 1024 (order: 3, 32768 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [2.596119] UDP-Lite hash table entries: 1024 (order: 3, 32768 bytes, linear)
Oct 29 13:17:51 mcb1 user.info kernel: [2.603288] NET: Registered protocol family 1
Oct 29 13:17:51 mcb1 user.info kernel: [2.607722] RPC: Registered named UNIX socket transport module.
Oct 29 13:17:51 mcb1 user.info kernel: [2.613390] RPC: Registered udp transport module.
Oct 29 13:17:51 mcb1 user.info kernel: [2.618058] RPC: Registered tcp transport module.
Oct 29 13:17:51 mcb1 user.info kernel: [2.622728] RPC: Registered nfs4.1 backchannel transport module.
Oct 29 13:17:51 mcb1 user.info kernel: [2.629343] PCI: CLS 0 bytes, default 64
Oct 29 13:17:51 mcb1 user.notice kernel: [2.659643] Initialise system trusted keyrings
Oct 29 13:17:51 mcb1 user.info kernel: [2.659763] workingset: timestamp_bits=46 max_order=19 bucket_order=0
Oct 29 13:17:51 mcb1 user.notice kernel: [2.665693] NFS: Registering the id_resolver key type
Oct 29 13:17:51 mcb1 user.notice kernel: [2.669958] Key type id_resolver registered
Oct 29 13:17:51 mcb1 user.notice kernel: [2.674023] Key type id_legacy registered
Oct 29 13:17:51 mcb1 user.info kernel: [2.678006] nfs4filelayout_init: NFSv4 File Layout Driver Registering...
Oct 29 13:17:51 mcb1 user.info kernel: [2.684673] jffs2: version 2.2. (NAND) (SUMMARY) © 2001-2006 Red Hat, Inc.
Oct 29 13:17:51 mcb1 user.info kernel: [2.703562] NET: Registered protocol family 38
Oct 29 13:17:51 mcb1 user.notice kernel: [2.703602] Key type asymmetric registered
Oct 29 13:17:51 mcb1 user.notice kernel: [2.706428] Asymmetric key parser 'x509' registered
Oct 29 13:17:51 mcb1 user.info kernel: [2.711298] Block layer SCSI generic (bsg) driver version 0.4 loaded (major 246)
Oct 29 13:17:51 mcb1 user.info kernel: [2.718631] io scheduler mq-deadline registered
Oct 29 13:17:51 mcb1 user.info kernel: [2.723127] io scheduler kyber registered
Oct 29 13:17:51 mcb1 user.info kernel: [2.728629] ps_pcie_dma init()
Oct 29 13:17:51 mcb1 user.info kernel: [2.752244] Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Oct 29 13:17:51 mcb1 user.info kernel: [2.753893] Serial: AMBA driver
Oct 29 13:17:51 mcb1 user.warn kernel: [2.757887] cacheinfo: Unable to detect cache hierarchy for CPU 0
Oct 29 13:17:51 mcb1 user.info kernel: [2.766000] brd: module loaded

```
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.770057] loop: module loaded
Oct 29 13:17:51 mcb1 user.err kernel: [ 2.770792] mtdoops: mtd device (mtddev=name/number) must be supplied
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.775818] libphy: Fixed MDIO Bus: probed
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.779721] tun: Universal TUN/TAP device driver, 1.6
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.783816] CAN device driver interface
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.788440] usbcore: registered new interface driver asix
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.792950] usbcore: registered new interface driver ax88179_178a
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.798989] usbcore: registered new interface driver cdc_ether
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.804782] usbcore: registered new interface driver net1080
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.810406] usbcore: registered new interface driver cdc_subset
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.816290] usbcore: registered new interface driver zaurus
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.821836] usbcore: registered new interface driver cdc_ncm
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.828128] usbcore: registered new interface driver uas
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.832733] usbcore: registered new interface driver usb-storage
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.839046] rtc_zynqmp ffa60000.rtc: registered as rtc0
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.843908] i2c /dev entries driver
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.848693] usbcore: registered new interface driver uvcvideo
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.853033] USB Video Class driver (1.1.1)
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.857309] pps pps0: new PPS source ptp0
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.861099] xlnx_ptp_timer b0050000.timer_1588_v2_0_1: Acquired ptp_irq: 0x33
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.868582] Bluetooth: HCI UART driver ver 2.3
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.872588] Bluetooth: HCI UART protocol H4 registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.877686] Bluetooth: HCI UART protocol BCSP registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.882976] Bluetooth: HCI UART protocol LL registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.888066] Bluetooth: HCI UART protocol ATH3K registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.893438] Bluetooth: HCI UART protocol Three-wire (H5) registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.899689] Bluetooth: HCI UART protocol Intel registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.905032] Bluetooth: HCI UART protocol QCA registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.910230] usbcore: registered new interface driver bcm203x
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.915852] usbcore: registered new interface driver bpa10x
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.921390] usbcore: registered new interface driver bfusb
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.926838] usbcore: registered new interface driver btusb
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.932297] usbcore: registered new interface driver ath3k
Oct 29 13:17:51 mcb1 user.warn kernel: [ 2.937871] EDAC MC0: 15 CE Bit Position: 50 Data: 0xefefefef
Oct 29 13:17:51 mcb1 user.warn kernel: [ 2.937871] on mc#0csrow#0channel#0 (csrow:0 channel:0 page:0x0 offset:0x0 grain:1 syndrome:0x0)
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.937937] EDAC MC0: Giving out device to module 1 controller synps_dds_controller: DEV
synps_edac (INTERRUPT)
Oct 29 13:17:51 mcb1 user.warn kernel: [ 2.952250] EDAC MC0: 15 UE BankGroup Number 0 Block Number 0 on mc#0csrow#0channel#0
(csrow:0 channel:0 page:0x0 offset:0x0 grain:1)
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.974353] EDAC DEVICE0: Giving out device to module zynqmp-ocm-edac controller zynqmp_ocm:
DEV ff960000.memory-controller (INTERRUPT)
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.986729] sdhci: Secure Digital Host Controller Interface driver
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.992472] sdhci: Copyright(c) Pierre Ossman
Oct 29 13:17:51 mcb1 user.info kernel: [ 2.996796] sdhci-pltfm: SDHCI platform and OF driver helper
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.002694] ledtrig-cpu: registered to indicate activity on CPUs
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.008426] zynqmp_firmware_probe Platform Management API v1.1
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.014185] zynqmp_firmware_probe Trustzone version v1.0
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.042158] securefw securefw: securefw probed^M
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.042358] alg: No test for xilinx-zynqmp-aes (zynqmp-aes)
```

```
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.046716] zynqmp_aes zynqmp_aes: AES Successfully Registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.046716] ^M
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.054098] alg: No test for xilinx-keccak-384 (zynqmp-keccak-384)
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.060294] alg: No test for xilinx-zynqmp-rsa (zynqmp-rsa)
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.065838] usbcore: registered new interface driver usbhid
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.071154] usbhid: USB HID core driver
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.077052] ARM CCI_400_r1 PMU driver probed
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.077488] fpga_manager fpga0: Xilinx ZynqMP FPGA Manager registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.085950] usbcore: registered new interface driver snd-usb-audio
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.092440] pktgen: Packet Generator for packet performance testing. Version: 2.75
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.099799] Initializing XFRM netlink socket
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.103577] NET: Registered protocol family 10
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.108277] Segment Routing with IPv6
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.111647] sit: IPv6, IPv4 and MPLS over IPv4 tunneling driver
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.117727] NET: Registered protocol family 17
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.121851] NET: Registered protocol family 15
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.126266] bridge: filtering via arp/ip/ip6tables is no longer available by default. Update your scripts to
load br_netfilter if you need this.
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.139143] can: controller area network core (rev 20170425 abi 9)
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.145306] NET: Registered protocol family 29
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.149696] can: raw protocol (rev 20170425)
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.153932] can: broadcast manager protocol (rev 20170425 t)
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.159557] can: netlink gateway (rev 20190810) max_hops=1
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.165078] Bluetooth: RFCOMM TTY layer initialized
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.169854] Bluetooth: RFCOMM socket layer initialized
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.174960] Bluetooth: RFCOMM ver 1.11
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.178676] Bluetooth: BNEP (Ethernet Emulation) ver 1.3
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.183946] Bluetooth: BNEP filters: protocol multicast
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.189138] Bluetooth: BNEP socket layer initialized
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.194067] Bluetooth: HIDP (Human Interface Emulation) ver 1.2
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.199951] Bluetooth: HIDP socket layer initialized
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.204906] 8021q: 802.1Q VLAN Support v1.8
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.209130] 9pnet: Installing 9P2000 support
Oct 29 13:17:51 mcb1 user.notice kernel: [ 3.213286] Key type dns_resolver registered
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.217765] registered taskstats version 1
Oct 29 13:17:51 mcb1 user.notice kernel: [ 3.221578] Loading compiled-in X.509 certificates
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.227234] Btrfs loaded, crc32c=crc32c-generic
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.238569] ff000000.serial: ttyPS0 at MMIO 0xff000000 (irq = 41, base_baud = 6250000) is a xuartps
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.247587] printk: console [ttyPS0] enabled
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.251881] printk: bootconsole [cdns0] disabled
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.261163] ff010000.serial: ttyPS1 at MMIO 0xff010000 (irq = 42, base_baud = 6250000) is a xuartps
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.274603] of-fpga-region fpga-full: FPGA Region probed
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.280453] XGpio: gpio@b0040000: registered, base is 509
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.286142] XGpio: gpio@b0040000: dual channel registered, base is 497
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.293231] xilinx-zynqmp-dma fd500000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.300318] xilinx-zynqmp-dma fd510000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.307411] xilinx-zynqmp-dma fd520000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.314495] xilinx-zynqmp-dma fd530000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.321583] xilinx-zynqmp-dma fd540000.dma: ZynqMP DMA driver Probe success
```

```

Oct 29 13:17:51 mcb1 user.info kernel: [ 3.328675] xilinx-zynqmp-dma fd550000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.335769] xilinx-zynqmp-dma fd560000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.342856] xilinx-zynqmp-dma fd570000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.350005] xilinx-zynqmp-dma ffa80000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.357100] xilinx-zynqmp-dma ffa90000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.364194] xilinx-zynqmp-dma ffaa0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.371282] xilinx-zynqmp-dma ffab0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.378364] xilinx-zynqmp-dma ffac0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.385449] xilinx-zynqmp-dma ffad0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.392530] xilinx-zynqmp-dma ffae0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.399614] xilinx-zynqmp-dma ffaf0000.dma: ZynqMP DMA driver Probe success
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.407669] -----[ cut here ]-----
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.412285] /amba/spi@ff050000/spidev@0: buggy DT: spidev listed directly in DT
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.419631] WARNING: CPU: 2 PID: 32 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.427622] Modules linked in:
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.430664] CPU: 2 PID: 32 Comm: kworker/2:1 Not tainted 5.4.0-xilinx-v2020.2 #1
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.438047] Hardware name: xlnx,zynqmp (DT)
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.442219] Workqueue: events deferred_probe_work_func
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.447345] pstate: 60000005 (nZCv daif -PAN -UAO)
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.452119] pc : spidev_probe+0xf8/0x1c8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.456025] lr : spidev_probe+0xf8/0x1c8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.459929] sp : ffff80001132b7d0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.463227] x29: ffff80001132b7d0 x28: ffff00006faeacd8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.468522] x27: ffff00006d26a410 x26: ffff00006be7e400
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.473817] x25: 0000000000000000 x24: 0000000000000019
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.479112] x23: ffff80001112a140 x22: 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.484406] x21: ffff80001112a120 x20: ffff00006bf03800
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.489701] x19: 0000000000000000 x18: 0000000000000010
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.494996] x17: 0000000000000000 x16: 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.500291] x15: ffff00006d14f5a8 x14: 6e6920796c746365
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.505586] x13: 7269642064657473 x12: 696c207665646970
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.510880] x11: 73203a5444207967 x10: 677562203a304076
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.516175] x9 : ffff800011193000 x8 : 0000000000000105
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.521470] x7 : 0000000000000006 x6 : ffff8000111930f2
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.526765] x5 : 0000000000000003 x4 : 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.532059] x3 : 0000000000000000 x2 : 00000000ffffff
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.537354] x1 : 556ff3288ea1af00 x0 : 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.542649] Call trace:
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.545082] spidev_probe+0xf8/0x1c8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.548640] spi_drv_probe+0x7c/0xd8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.552200] really_probe+0xd8/0x2f8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.555758] driver_probe_device+0x54/0xe8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.559838] __device_attach_driver+0x80/0xb8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.564178] bus_for_each_drv+0x74/0xc0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.567997] __device_attach+0xdc/0x138
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.571816] device_initial_probe+0x10/0x18
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.575982] bus_probe_device+0x90/0x98
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.579801] device_add+0x334/0x600
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.583273] spi_add_device+0xac/0x170

```

```

Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.587005] of_register_spi_device+0x204/0x388
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.591520] spi_register_controller+0x4b4/0x718
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.596120] cdns_spi_probe+0x28c/0x368
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.599939] platform_drv_probe+0x50/0xa0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.603932] really_probe+0xd8/0x2f8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.607491] driver_probe_device+0x54/0xe8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.611570] __device_attach_driver+0x80/0xb8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.615910] bus_for_each_drv+0x74/0xc0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.619729] __device_attach+0xdc/0x138
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.623549] device_initial_probe+0x10/0x18
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.627715] bus_probe_device+0x90/0x98
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.631534] deferred_probe_work_func+0x6c/0xa0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.636049] process_one_work+0x1c4/0x338
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.640040] worker_thread+0x260/0x488
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.643774] kthread+0x120/0x128
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.646985] ret_from_fork+0x10/0x18
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.650542] ---[ end trace 43b0aa34e63e83aa ]---
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.655287] zynqmp_pll_disable() clock disable failed for dpll_int, ret = -13
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.662621] -----[ cut here ]-----
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.667233] /amba/spi@ff050000/spidev@1: buggy DT: spidev listed directly in DT
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.674561] WARNING: CPU: 2 PID: 32 at drivers/spi/spidev.c:727 spidev_probe+0xf8/0x1c8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.682544] Modules linked in:
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.685585] CPU: 2 PID: 32 Comm: kworker/2:1 Tainted: G      W      5.4.0-xilinx-v2020.2 #1
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.694350] Hardware name: xlnx,zynqmp (DT)
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.698519] Workqueue: events deferred_probe_work_func
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.703647] pstate: 60000005 (nZCv daif -PAN -UAO)
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.708422] pc : spidev_probe+0xf8/0x1c8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.712328] lr : spidev_probe+0xf8/0x1c8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.716232] sp : ffff80001132b7d0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.719530] x29: ffff80001132b7d0 x28: ffff00006faeacd8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.724825] x27: ffff00006d26a410 x26: ffff00006be7e400
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.730120] x25: 0000000000000000 x24: 000000000000001a
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.735415] x23: ffff80001112a140 x22: 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.740709] x21: ffff80001112a120 x20: ffff00006bf03000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.746004] x19: 0000000000000000 x18: 0000000000000010
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.751299] x17: 0000000000000000 x16: 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.756594] x15: ffff00006d14f5a8 x14: ffffffff
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.761889] x13: ffff80009132b517 x12: ffff80001132b51f
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.767183] x11: ffff8000110f5000 x10: 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.772478] x9 : ffff800011193000 x8 : 000000000000013d
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.777773] x7 : 0000000000000006 x6 : ffff8000111930f2
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.783068] x5 : 0000000000000003 x4 : 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.788363] x3 : 0000000000000000 x2 : 00000000ffffff
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.793657] x1 : 556ff3288ea1af00 x0 : 0000000000000000
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.798952] Call trace:
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.801385] spidev_probe+0xf8/0x1c8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.804943] spi_drv_probe+0x7c/0xd8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.808502] really_probe+0xd8/0x2f8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.812061] driver_probe_device+0x54/0xe8

```



```

Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.816141] __device_attach_driver+0x80/0xb8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.820480] bus_for_each_drv+0x74/0xc0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.824300] __device_attach+0xdc/0x138
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.828119] device_initial_probe+0x10/0x18
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.832285] bus_probe_device+0x90/0x98
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.836104] device_add+0x334/0x600
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.839576] spi_add_device+0xac/0x170
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.843308] of_register_spi_device+0x204/0x388
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.847822] spi_register_controller+0x4b4/0x718
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.852423] cdns_spi_probe+0x28c/0x368
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.856241] platform_drv_probe+0x50/0xa0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.860235] really_probe+0xd8/0x2f8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.863794] driver_probe_device+0x54/0xe8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.867874] __device_attach_driver+0x80/0xb8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.872213] bus_for_each_drv+0x74/0xc0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.876033] __device_attach+0xdc/0x138
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.879852] device_initial_probe+0x10/0x18
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.884018] bus_probe_device+0x90/0x98
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.887837] deferred_probe_work_func+0x6c/0xa0
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.892350] process_one_work+0x1c4/0x338
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.896343] worker_thread+0x260/0x488
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.900076] kthread+0x120/0x128
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.903288] ret_from_fork+0x10/0x18
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.906845] ---[ end trace 43b0aa34e63e83ab ]---
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.911896] macb ff0d0000.ethernet: Not enabling partial store and forward
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.919237] libphy: MACB_mii_bus: probed
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.925825] Atheros 8031 ethernet ff0d0000.ethernet-ffffffff:04: attached PHY driver [Atheros 8031
ethernet] (mii_bus:phy_addr=ff0d0000.ethernet-ffffffff:04, irq=POLL)
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.940773] macb ff0d0000.ethernet eth0: Cadence GEM rev 0x50070106 at 0xff0d0000 irq 30
(98:ae:71:00:8a:c1)
Oct 29 13:17:51 mcb1 user.err kernel: [ 3.950888] xilinx_axienet b0000000.ethernet: IRQ index 0 not found
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.957145] xilinx_axienet b0000000.ethernet: Ethernet core IRQ not defined
Oct 29 13:17:51 mcb1 user.warn kernel: [ 3.964101] xilinx_axienet b0000000.ethernet: couldn't find phy i/f
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.970893] xilinx-axipmon ffa00000.perf-monitor: Probed Xilinx APM
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.977388] xilinx-axipmon fd0b0000.perf-monitor: Probed Xilinx APM
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.983850] xilinx-axipmon fd490000.perf-monitor: Probed Xilinx APM
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.990310] xilinx-axipmon ffa10000.perf-monitor: Probed Xilinx APM
Oct 29 13:17:51 mcb1 user.info kernel: [ 3.997008] cdns-i2c ff020000.i2c: 400 kHz mmio ff020000 irq 32
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.003304] cdns-i2c ff030000.i2c: 400 kHz mmio ff030000 irq 33
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.009532] cdns-wdt fd4d0000.watchdog: Xilinx Watchdog Timer with timeout 60s
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.016943] cdns-wdt ff150000.watchdog: Xilinx Watchdog Timer with timeout 10s
Oct 29 13:17:51 mcb1 user.warn kernel: [ 4.024494] cpufreq: cpufreq_online: CPU0: Running at unlisted freq: 1325000 KHz
Oct 29 13:17:51 mcb1 user.err kernel: [ 4.031889] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Oct 29 13:17:51 mcb1 user.warn kernel: [ 4.040620] cpufreq: cpufreq_online: CPU0: Unlisted initial frequency changed to: 1199999 KHz
Oct 29 13:17:51 mcb1 user.err kernel: [ 4.049148] cpu cpu0: dev_pm_opp_set_rate: failed to find current OPP for freq 1325000000 (-34)
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.091159] mmc0: SDHCI controller on ff160000.mmc [ff160000.mmc] using ADMA 64-bit
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.100956] rtc_zynqmp ffa60000.rtc: setting system clock to 2103-10-29T13:17:34 UTC (4223107054)
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.109821] of_cfs_init
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.112269] of_cfs_init: OK

```

```
Oct 29 13:17:51 mcb1 user.notice kernel: [ 4.115183] cfg80211: Loading compiled-in X.509 certificates for regulatory database
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.190136] mmc0: new HS200 MMC card at address 0001
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.195456] mmcblk0: mmc0:0001 Q2J55L 7.09 GiB
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.200166] mmcblk0boot0: mmc0:0001 Q2J55L partition 1 16.0 MiB
Oct 29 13:17:51 mcb1 user.notice kernel: [ 4.204424] random: fast init done
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.206270] mmcblk0boot1: mmc0:0001 Q2J55L partition 2 16.0 MiB
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.215454] mmcblk0rpmb: mmc0:0001 Q2J55L partition 3 4.00 MiB, chardev (244:0)
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.223854] mmcblk0: p1 p2 p3 p4
Oct 29 13:17:51 mcb1 user.notice kernel: [ 4.239655] cfg80211: Loaded X.509 cert 'sforshee: 00b28ddf47aef9cea7'
Oct 29 13:17:51 mcb1 user.warn kernel: [ 4.246176] clk: Not disabling unused clocks
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.250656] ALSA device list:
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.253611] No soundcards found.
Oct 29 13:17:51 mcb1 user.warn kernel: [ 4.257286] platform regulatory.0: Direct firmware load for regulatory.db failed with error -2
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.265896] cfg80211: failed to load regulatory.db
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.339164] EXT4-fs (mmcblk0p3): recovery complete
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.344793] EXT4-fs (mmcblk0p3): mounted filesystem with ordered data mode. Opts: (null)
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.352913] VFS: Mounted root (ext4 filesystem) on device 179:3.
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.359503] devtmpfs: mounted
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.362669] Freeing unused kernel memory: 768K
Oct 29 13:17:51 mcb1 user.info kernel: [ 4.367139] Run /sbin/init as init process
Oct 29 13:17:51 mcb1 daemon.info kernel: [ 4.591236] udevd[357]: starting version 3.2.8
Oct 29 13:17:51 mcb1 user.notice kernel: [ 4.600326] random: udevd: uninitialized urandom read (16 bytes read)
Oct 29 13:17:51 mcb1 user.notice kernel: [ 4.607138] random: udevd: uninitialized urandom read (16 bytes read)
Oct 29 13:17:51 mcb1 user.notice kernel: [ 4.613597] random: udevd: uninitialized urandom read (16 bytes read)
Oct 29 13:17:51 mcb1 daemon.info kernel: [ 4.636011] udevd[359]: starting eudev-3.2.8
Oct 29 13:17:51 mcb1 user.warn kernel: [ 5.122203] vfat filesystem being mounted at /media/sd-mmcblk0p1 supports timestamps until 2107
(0x10391447e)
Oct 29 13:17:51 mcb1 user.info kernel: [ 5.152663] EXT4-fs (mmcblk0p4): recovery complete
Oct 29 13:17:51 mcb1 user.info kernel: [ 5.159471] EXT4-fs (mmcblk0p4): mounted filesystem with ordered data mode. Opts: (null)
Oct 29 13:17:51 mcb1 user.info kernel: [ 5.165391] EXT4-fs (mmcblk0p2): recovery complete
Oct 29 13:17:51 mcb1 user.info kernel: [ 5.172376] EXT4-fs (mmcblk0p2): mounted filesystem with ordered data mode. Opts: (null)
Oct 29 13:17:51 mcb1 user.info kernel: [ 5.277936] EXT4-fs (mmcblk0p3): re-mounted. Opts: (null)
Oct 29 13:17:53 mcb1 user.info kernel: [ 23.533052] pps pps1: new PPS source ptp1
Oct 29 13:17:53 mcb1 user.info kernel: [ 23.537082] macb ff0d0000.ethernet: gem-ptp-timer ptp clock registered.
Oct 29 13:17:54 mcb1 user.notice kernel: [ 24.051198] random: crng init done
Oct 29 13:17:54 mcb1 user.notice kernel: [ 24.054592] random: 7 urandom warning(s) missed due to ratelimiting
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/yangdata.so" successfully loaded.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/nacm.so" successfully loaded.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/extensions/metadata.so" successfully loaded.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/user_types/user_inet_types.so" successfully loaded.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Plugin "/usr/lib/libyang1/user_types/user_yang_types.so" successfully loaded.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-yang-metadata".
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-metadata@2016-08-05" successfully parsed as implemented.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Reading module "yang".
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "yang" unresolved schema nodes and their constraints...
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "yang" schema nodes and constraints resolved.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "yang@2017-02-20" successfully parsed as implemented.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-inet-types".
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.
```

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving derived type "union" failed, it will be attempted later.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-inet-types" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "ietf-inet-types" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Reading module "ietf-yang-types".

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-yang-types.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" already in context.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-types@2013-07-15" successfully parsed as imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "sysrepo" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "sysrepo" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo@2021-01-18" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe38" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe34" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe17" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe43" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe42" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe32" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe3" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe9" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe39" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe56" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe10" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe33" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe13" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe18" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe1" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe15" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe21" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe54" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe30" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe4" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe2" after a crashed subscription.

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Removing event pipe "sr_evpipe28" after a crashed subscription.

Page 41

Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 3 is dead.
Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 13 is dead.
Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 5 is dead.
Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 17 is dead.
Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 9 is dead.
Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 4 is dead.
Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 12 is dead.
Oct 29 13:17:58 mcb1 daemon.warn netopeer2-server[986]: Connection with CID 15 is dead.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Applying scheduled changes.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-datastores@2018-02-14" successfully parsed as implemented.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-library" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-yang-library@2019-01-04.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-inet-types" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/yang_models/imported/ietf/ietf-inet-types.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" already in context.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-inet-types@2013-07-15" successfully parsed as imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-datastores" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-datastores@2018-02-14.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-yang-library@2019-01-04" successfully parsed as implemented.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "sysrepo-monitoring" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/sysrepo-monitoring@2021-01-15.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "sysrepo-monitoring" unresolved schema nodes and their constraints...
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "sysrepo-monitoring" schema nodes and constraints resolved.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo-monitoring@2021-01-15" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "sysrepo-plugind" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/sysrepo-plugind@2020-12-10.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "sysrepo-plugind@2020-12-10" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf@2013-09-29.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-acm" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-acm@2018-02-14.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-acm@2018-02-14" successfully parsed as imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf@2013-09-29" successfully parsed as imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-with-defaults" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-with-defaults" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-with-defaults@2011-06-01" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-notifications" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-notifications@2012-02-06.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-notifications" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-notifications" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-notifications@2012-02-06" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-yang-metadata" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-origin" unresolved schema nodes and their constraints...
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "ietf-origin" schema nodes and constraints resolved.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-origin@2018-02-14" successfully parsed as implemented.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-acm@2018-02-14" now implemented.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-monitoring" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-monitoring@2010-10-04.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-monitoring@2010-10-04" successfully parsed as implemented.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-nmda" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-nmda@2019-01-07.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-origin" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-origin@2018-02-14.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-with-defaults" in

/etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-with-defaults@2011-06-01.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-nmda" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-nmda" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-nmda@2019-01-07" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "nc-notifications" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/nc-notifications@2008-07-14.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notifications" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/notifications@2008-07-14.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "notifications@2008-07-14" successfully parsed as imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "nc-notifications@2008-07-14" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "notifications@2008-07-14" now implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-x509-cert-to-name@2014-12-10" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-crypto-types@2019-07-02" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-keystore" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-keystore@2019-07-02.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-crypto-types" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-crypto-types@2019-07-02.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-keystore" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "ietf-keystore" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-keystore@2019-07-02" successfully parsed as implemented.

Page 46

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-truststore" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-truststore@2019-07-02.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tls-server@2019-07-02" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-netconf-server" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-netconf-server@2019-07-02.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-x509-cert-to-name" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-x509-cert-to-name@2014-12-10.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-client" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-client@2019-07-02.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-common" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-common@2019-07-02.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tcp-client@2019-07-02" successfully parsed as imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-tcp-server" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-tcp-server@2019-07-02.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-tcp-server@2019-07-02" successfully parsed as imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-netconf-server" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "ietf-netconf-server" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-netconf-server@2019-07-02" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "vvdn_mcel-wdm" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/vvdn_mcel-wdm@2022-05-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "vvdn_mcel-wdm@2022-05-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "vvdn_mcel-opm" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/vvdn_mcel-opm@2020-11-08.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "vvdn_mcel-opm@2020-11-08" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "notification_history" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/notification_history.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "notification_history" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "iana-hardware@2018-03-13" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-hardware@2018-03-13.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "ietf-hardware" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "ietf-hardware" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-hardware@2018-03-13" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-interfaces@2018-02-20" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-interfaces@2018-02-20.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "iana-if-type@2017-01-19" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-dhcpv6-types" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-dhcpv6-types@2018-01-30.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-dhcpv6-types@2018-01-30" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "ietf-ip@2018-02-22" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-dhcp" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-dhcp@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-dhcp@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "iana-if-type" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/iana-if-type@2017-01-19.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-ip" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-ip@2018-02-22.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "ietf-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/ietf-hardware@2018-03-13.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-interfaces" unresolved schema nodes and their constraints...
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-interfaces" schema nodes and constraints resolved.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-interfaces@2019-07-03" successfully parsed as implemented.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-mplane-int" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-mplane-int@2019-07-03.yang" file.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/custom.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/operations.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/sync.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/radio.
Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-interfaces" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-interfaces@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-mplane-int@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-transceiver" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-transceiver@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-transceiver" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-transceiver" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-transceiver@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-processing-element" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-processing-element" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-processing-element@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-ald-port" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-ald-port" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-ald-port@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-supervision" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-supervision@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-supervision@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-hardware" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-hardware" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-hardware@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-fm" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-fm@2019-02-04.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-fm@2019-02-04" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-usermgmt" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-usermgmt@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-usermgmt" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-usermgmt" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-usermgmt@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-sync" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-sync@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-sync" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-sync" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-sync@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-compression-factors@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-module-cap" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-module-cap@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-compression-factors" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-compression-factors@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-module-cap" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-module-cap" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-module-cap@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-delay-management" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-delay-management@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-delay-management@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-operations" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-operations@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-operations" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-operations" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-operations@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-uplane-conf" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-uplane-conf@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-processing-element" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-processing-element@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-uplane-conf" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-uplane-conf" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-uplane-conf@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-file-management" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-file-management" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-file-management@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-software-management" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-software-management@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-hardware" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-hardware@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-file-management" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-file-management@2019-07-03.yang"

file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-software-management" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-software-management" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-software-management@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-performance-management" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from
"/etc/sysrepo/yang/o-ran-performance-management@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-performance-management@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/custom.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/operations.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/sync.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/radio.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/interfaces.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/o-ran/system.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported/iana.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-ald-port" in /etc/sysrepo/yang/yang_models/imported/ietf.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-ald-port@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-ald" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-ald" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-ald@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-trace" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-trace@2019-07-03.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-trace" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-trace" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-trace@2019-07-03" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Searching for "o-ran-troubleshooting" in /etc/sysrepo/yang.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Loading schema from "/etc/sysrepo/yang/o-ran-troubleshooting@2019-02-04.yang" file.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving "o-ran-troubleshooting" unresolved schema nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All "o-ran-troubleshooting" schema nodes and constraints resolved.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Module "o-ran-troubleshooting@2019-02-04" successfully parsed as implemented.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: No scheduled changes.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Datastore copied from <startup> to <running>.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Connection 1 created.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Session 1 (user "root", CID 1) created.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 29 13:17:58 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Copyright (c) 2016 - 2022 VVDN Technologies Pvt Ltd

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 1 priority 0 (remaining 22 subscribers).

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 1 priority 0 (remaining 0 subscribers).

Oct 29 13:18:00 mcb1 user.notice nw_manager[1019]: Replaced the running datastore with basic user configuration

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-keystore" "done" event with ID 2 priority 0 (remaining 1 subscribers).

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 2 priority 0 (remaining 22 subscribers).

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: Listening on :::830 for SSH connections.

Oct 29 13:18:00 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 13:18:00 mcb1 user.notice nw_manager[1019]: Read basic system interface details

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: Event change changes to: ietf-hardware

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component : ru-module for component ru-module

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component class: o-ran-hardware:O-RAN-RADIO for component ru-module

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component oran name: ru-module for component ru-module

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component : ru-port0 for component ru-port0

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component class: iana-hardware:port for component ru-port0

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component parent: ru-module for component ru-port0

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component parent rel pos: 0 for component ru-port0

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component oran name: ru-port0 for component ru-port0

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component : ru-port1 for component ru-port1

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component class: iana-hardware:port for component ru-port1

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component parent: ru-module for component ru-port1

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component parent rel pos: 1 for component ru-port1

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: [config] component oran name: ru-port1 for component ru-port1

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: Event done changes to: ietf-hardware

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: Config has changed in :ietf-hardware

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: Mplane: EVENT change CHANGES o-ran-mplane-int module name

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: Mplane: EVENT done CHANGES o-ran-mplane-int module name

Oct 29 13:18:00 mcb1 user.notice nw_manager[1019]: Application subscribed for edit-config,get

Oct 29 13:18:00 mcb1 user.warn nw_manager[1019]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 29 13:18:00 mcb1 user.warn nw_manager[1019]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Oct 29 13:18:00 mcb1 user.info nw_manager[1019]: SR_HW: Data for "ietf-hardware" "/ietf-hardware:hardware" requested

Oct 29 13:18:00 mcb1 user.warn nw_manager[1019]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...

Oct 29 13:18:00 mcb1 user.err nw_manager[1019]: SR_HW: HW status notification sending failed RU

Oct 29 13:18:00 mcb1 user.err nw_manager[1019]: SR_HW: HW change monitoring thread failed

Oct 29 13:18:01 mcb1 user.info FAULT MANAGEMENT[1040]: ===== LISTENING FOR CHANGES =====

Oct 29 13:18:02 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-acm" "done" event with ID 2 priority 0 (remaining 4 subscribers).

Oct 29 13:18:02 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 2 priority 0 (remaining 0 subscribers).

Oct 29 13:18:02 mcb1 user.notice USERMGMT[1050]: Complete copying o-ran-usermgmt startup configurations

Oct 29 13:18:02 mcb1 user.notice USERMGMT[1050]: LISTENING FOR CHANGES
Oct 29 13:18:03 mcb1 user.notice fw_manager[1061]: Process started
Oct 29 13:18:03 mcb1 user.notice fw_manager[1061]: Listening for RPCs
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: LISTENING FOR CHANGES
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: EVENT change CHANGES
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 255
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 248
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 165
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 160
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 150
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 140
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 135
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 7
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Accepted-clock-classes : 6
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM PRC
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM EEC1
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM DNU
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM NONE
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM PRC
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM EEC1
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM DNU
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM NONE
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM PRC
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM EEC1
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM DNU
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Acceptance SSM NONE
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: ssm_timeout : 5
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Change in Configuration of S plane
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: END OF CHANGES
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: EVENT done CHANGES
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: Writing Configuration of S plane
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: END OF CHANGES
Oct 29 13:18:04 mcb1 user.notice SYNCMNGR[1307]: SYNC-LOCK-STATE CHANGE NOTIFICATION
Oct 29 13:18:05 mcb1 user.notice OPM[1319]: @function:main line:153 Operation manager init :subscribed for edit-config, get, rpc on o-ran-operations
Oct 29 13:18:05 mcb1 user.notice OPM[1319]: @function:main line:189 Operation manager init :subscribed for edit-config, get, rpc on o-ran-processing-element
Oct 29 13:18:05 mcb1 user.notice OPM[1319]: @function:main line:312 Operation manager init :subscribed for edit-config, get, rpc on o-ran-uplane-conf
Oct 29 13:18:05 mcb1 user.notice SR_OP[1319]: @function:op_module_change_cb line:137 Event change detected on o-ran-operations
Oct 29 13:18:05 mcb1 user.notice SR_OP[1319]: @function:op_module_change_cb line:150 [config]timezone name changed to GMT [event: change]
Oct 29 13:18:05 mcb1 user.notice SR_OP[1319]: @function:op_module_change_cb line:137 Event change detected on o-ran-operations
Oct 29 13:18:05 mcb1 user.notice SR_OP[1319]: @function:op_module_change_cb line:150 [config]timezone name changed to GMT [event: done]
Oct 29 13:18:06 mcb1 user.notice file_manager[1350]: Process started
Oct 29 13:18:06 mcb1 user.notice file_manager[1350]: Listening for RPCs
Oct 29 13:18:07 mcb1 user.notice supervision[1361]: Process started
Oct 29 13:18:07 mcb1 user.notice supervision[1361]: Listening for RPCs

Page 58

Page 59

Page 60

Page 61

Page 62

Page 63

Page 64

Page 65

Page 66

Page 67

Page 68

Page 69

Page 70

Page 71

Page 72

Page 73

Page 74

Page 75

Page 76

Page 77

Page 78

Page 79

Page 80

Page 81

Page 82

Page 83

Page 84

Page 85

Page 86

Page 87

Page 88

Page 89

Page 90

Page 91

Page 92

Page 93

Page 94

Page 95

Page 96

Page 97

Page 98

Page 99

Page 100

Page 101

Page 102

Page 103

Page 104

Page 105

Page 106

Page 107

Page 108

Page 109

Page 110

Page 111

Page 112

Page 113

Page 114

Page 115

Page 116

Page 117

Page 118

Page 119

Page 120

Page 121

Page 122

Page 123

Page 124

Page 125

Page 126

Page 127

Page 128

Page 129

Page 130

Page 131

Page 132

Page 133

Page 134

Page 135

Page 136

Page 137

Page 138

Page 139

Page 140

Page 141

Page 142

Page 143

Page 144

Page 145

Page 146

Page 147

Page 148

Page 149

Page 150

Page 151

Page 152

Page 153

Page 154

Page 155

Page 156

Page 157

Page 158

Page 159

Page 160

Page 161

Page 162

Page 163

Page 164

Page 165

Page 166

Page 167

Page 168

Page 169

Page 170

Page 171

Page 172

Page 173

Page 174

Page 175

Page 176

Page 177

Page 178

Page 179

Page 180

Page 181

Page 182

Page 183

Page 184

Page 185

Page 186

Page 187

Page 188

Page 189

Page 190

Page 191

Page 192

Page 193

Page 194

Page 195

Page 196

Page 197

Page 198

Page 199

Page 200

Page 201

Page 202

Page 203

Page 204

Page 205

Page 206

Page 207

Page 208

Page 209

Page 210

Page 211

Page 212

Page 213

Page 214

Page 215

Page 216

Page 217

Page 218

Page 219

Page 220

Page 221

Page 222

Page 223

Page 224

Page 225

Page 226

Page 227

Page 228

Page 229

Page 230

Page 231

Page 232

Page 233

Page 234

Page 235

Page 236

Page 237

Page 238

Page 239

Page 240

Page 241

Page 242

Page 243

Page 244

Page 245

Page 246

Page 247

Page 248

Page 249

Page 250

Page 251

Page 252

Page 253

Page 254

Page 255

Page 256

Page 257

Page 258

Page 259

Page 260

Page 261

Page 262

Page 263

Page 264

Page 265

Page 266

Page 267

Page 268

Page 269

Page 270

Page 271

Page 272

Page 273

Page 274

Page 275

Page 276

Page 277

Page 278

Page 279

Page 280

Page 281

Page 282

Page 283

Page 284

Page 285

Page 286

Page 287

Page 288

Page 289

Page 290

Page 291

Page 292

Page 293

Page 294

Page 295

Page 296

Page 297

Page 298

Page 299

Page 300

Page 301

Nov 4 00:00:00 mcb1 daemon.info dhclient: Sending on LPF/eth1/98:ae:71:00:8a:c2

Nov 4 00:00:00 mcb1 daemon.info dhclient: Sending on Socket/fallback

Nov 4 00:00:00 mcb1 daemon.info dhclient: DHCPREQUEST for 192.168.4.43 on eth1 to 255.255.255.255 port 67

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:04 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:07 mcb1 daemon.info dhclient: DHCPREQUEST for 192.168.4.43 on eth1 to 255.255.255.255 port 67

Nov 4 00:00:14 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:14 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to do Ext LOL calibration

Nov 4 00:00:18 mcb1 user.alert ADRV[1389]: Power amplifier faulty in channel 1

Nov 4 00:00:18 mcb1 user.info FAULT_MANAGER[1000]: sendData : Source ID: 38

Nov 4 00:00:18 mcb1 user.info FAULT_MANAGER[1000]: sendData : Fault ID: 27

Nov 4 00:00:18 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_IS_CLEARED: False

Nov 4 00:00:18 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_SEVERITY: 2

Nov 4 00:00:18 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_TIME: 2000-11-04T00:00:18Z

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to run External LOL calibration for channel 1

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Error number 2307, Recovery action -3. In file ./vvdn_adi_iface/src/adrv_init.c, in function dfeCalibrations, in line 628, variable name ((void *)0). Error message PathDelay:Measured correlated power too low.

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to do Ext LOL calibration

Nov 4 00:00:18 mcb1 user.alert ADRV[1389]: Power amplifier faulty in channel 2

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to run External LOL calibration for channel 2

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Error number 3, Recovery action -3. In file ./vvdn_adi_iface/src/adrv_init.c, in function dfeCalibrations, in line 628, variable name ((void *)0). Error message Failed to write CPU memory.

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to do Ext LOL calibration

Nov 4 00:00:18 mcb1 user.alert ADRV[1389]: Power amplifier faulty in channel 3

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to run External LOL calibration for channel 3

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Error number 3, Recovery action -3. In file ./vvdn_adi_iface/src/adrv_init.c, in function dfeCalibrations, in line 628, variable name ((void *)0). Error message Failed to write CPU memory.

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to do Ext LOL calibration

Nov 4 00:00:18 mcb1 user.alert ADRV[1389]: Power amplifier faulty in channel 4

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to run External LOL calibration for channel 4

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Error number 3, Recovery action -3. In file ./vvdn_adi_iface/src/adrv_init.c, in function dfeCalibrations, in line 628, variable name ((void *)0). Error message Failed to write CPU memory.

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Failed to run the external calibration

Nov 4 00:00:18 mcb1 user.err ADRV[1389]: Error number 3, Recovery action -3. In file ./vvdn_adi_iface/src/adrv_init.c, in function txRxEnable,

in line 480, variable name ((void *)0). Error message Failed to write CPU memory.

```
Nov 4 00:00:19 mcb1 user.info FAULT_MANAGER[1000]: sendData : Source ID: 38
Nov 4 00:00:19 mcb1 user.info FAULT_MANAGER[1000]: sendData : Fault ID: 27
Nov 4 00:00:19 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_IS_CLEARED: False
Nov 4 00:00:19 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_SEVERITY: 2
Nov 4 00:00:19 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_TIME: 2000-11-04T00:00:19Z
Nov 4 00:00:20 mcb1 user.info FAULT_MANAGER[1000]: sendData : Source ID: 38
Nov 4 00:00:20 mcb1 user.info FAULT_MANAGER[1000]: sendData : Fault ID: 27
Nov 4 00:00:20 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_IS_CLEARED: False
Nov 4 00:00:20 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_SEVERITY: 2
Nov 4 00:00:20 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_TIME: 2000-11-04T00:00:20Z
Nov 4 00:00:20 mcb1 user.alert ADRV[1389]: Unit out of order in channel 15
Nov 4 00:00:21 mcb1 user.info FAULT_MANAGER[1000]: sendData : Source ID: 38
Nov 4 00:00:21 mcb1 user.info FAULT_MANAGER[1000]: sendData : Fault ID: 27
Nov 4 00:00:21 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_IS_CLEARED: False
Nov 4 00:00:21 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_SEVERITY: 2
Nov 4 00:00:21 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_TIME: 2000-11-04T00:00:21Z
Nov 4 00:00:21 mcb1 daemon.info dhclient: DHCPDISCOVER on eth1 to 255.255.255.255 port 67 interval 3
Nov 4 00:00:23 mcb1 user.err SYS_MONITOR[1000]: ipcThread : Channel Number 15
Nov 4 00:00:23 mcb1 user.info FAULT_MANAGER[1000]: sendData : Source ID: 31
Nov 4 00:00:23 mcb1 user.info FAULT_MANAGER[1000]: sendData : Fault ID: 15
Nov 4 00:00:23 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_IS_CLEARED: False
Nov 4 00:00:23 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_SEVERITY: 3
Nov 4 00:00:23 mcb1 user.info FAULT_MANAGER[1000]: sendData : FAULT_TIME: 2000-11-04T00:00:23Z
Nov 4 00:00:24 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:24 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:24 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:24 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:24 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:24 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:24 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:24 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcbk0p4/O-RAN/log/timezone. Using default value...
Nov 4 00:00:24 mcb1 daemon.info dhclient: No DHCPOFFERS received.
Nov 4 00:00:24 mcb1 daemon.info dhclient: Trying recorded lease 192.168.4.43
Nov 4 00:00:24 mcb1 daemon.info dhclient: bound: renewal in 2706 seconds.
Nov 3 23:59:52 mcb1 user.info kernel: [ 68.454738] device eth1 entered promiscuous mode
Nov 3 23:59:56 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 1030ms.
Nov 3 23:59:57 mcb1 daemon.info dhclient: XMT: Solicit on eth1, interval 970ms.
Nov 3 23:59:58 mcb1 daemon.info dhclient: Max retransmission duration exceeded.
Nov 3 23:59:58 mcb1 daemon.info init: Entering runlevel: 5
Nov 3 23:59:58 mcb1 user.notice vlan_scan[1581]: Lowest VLAN id : 1Highest VLAN id : 4096
Nov 3 23:59:58 mcb1 user.err vlan_scan[1581]: Unable to get range from sysrepo
Nov 3 23:59:58 mcb1 user.info vlan_scan[1581]: ICMPv6 Thread runnig started, func: icmpv6_flag_thread, LINE: 157
Nov 3 23:59:58 mcb1 user.info nw_manager[1581]: VLAN: Added VLAN with VID == 36 to IF -:eth1:- devname eth1.36
Nov 3 23:59:58 mcb1 user.info vlan_scan[1581]: DHCP6 thread running started, func: run_dhcp6, LINE: 170
Nov 3 23:59:58 mcb1 daemon.info dhclient: DHCPREQUEST for 192.168.3.38 on eth1.36 to 255.255.255.255 port 67
Nov 3 23:59:58 mcb1 daemon.info dhclient: DHCPACK of 192.168.3.38 from 192.168.3.15
Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Accepted a connection on :::830.
```

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Session 66 (user "root", CID 1) created.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-service" of subtype "ssh-userauth".

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-auth" of subtype "password".

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: User "operator" authenticated.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel-open" of subtype "session".

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Received an SSH message "request-channel" of subtype "subsystem".

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Session 67 (user "root", CID 1) created.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-start).

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 1 priority 0 for 1 subscribers.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 3 event new RPC.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 2 priority 0 for 1 subscribers.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 3 23:59:59 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-software-management:software-inventory" with ID 1.

Nov 3 23:59:59 mcb1 user.notice fw_manager[1061]: RPC #1 recieved. xpath -> /o-ran-software-management:software-inventory

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN=O-RU", but it is not required.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "VVDN O-RU", but it is not required.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/o-ran-hardware:product-code" with the value "STL=O-RU", but it is not required.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 0 event new RPC.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 0 event new RPC.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-keystore:keystore/ietf-keystore:asymmetric-keys/ietf-keystore:asymmetric-key/ietf-keystore:name" with the value "genkey", but it is not required.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-server" "done" event with ID 3 priority 0 (remaining 22 subscribers).

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Successful processing of "done" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Call Home client "default-client" connecting...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Trying to connect via IPv4 to 192.168.4.15:4336.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get-config" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:01 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 0 event new RPC.

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.warn pm_manager[1373]: Failed to open /media/sd-mmcb1k0p4/O-RAN/log/timezone. Using default value...

Nov 4 00:00:02 mcb1 user.info nw_manager[1019]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces

Nov 4 00:00:02 mcb1 user.info nw_manager[1019]: Interface : eth1.36 Netmask : 255.255.255.0

Nov 4 00:00:02 mcb1 user.info nw_manager[1019]: Interface : eth1.36 O-RU port name ru-port1

Nov 4 00:00:02 mcb1 user.info nw_manager[1019]: Base interface : eth1.36 standard port : eth1 O-RU port-number : 1

Nov 4 00:00:02 mcb1 user.info nw_manager[1019]: Mplane: EVENT change CHANGES o-ran-mplane-int module name

Nov 4 00:00:02 mcb1 user.info nw_manager[1019]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Nov 4 00:00:02 mcb1 user.info nw_manager[1019]: VLAN: Added VLAN with VID == 36 to IF -:eth1:- devname eth1.36

Nov 4 00:00:02 mcb1 user.info nw_manager[1019]: Mplane: EVENT done CHANGES o-ran-mplane-int module name

Nov 4 00:00:02 mcb1 daemon.info dhclient[1635]: eth1.36: : IP=192.168.3.38/255.255.255.0 router=192.168.3.15 domain="vvdntech.com" dns="192.168.4.15" lease=7200

Nov 4 00:00:02 mcb1 daemon.info dhclient: bound to 192.168.3.38 -- renewal in 3073 seconds.

Nov 4 00:00:02 mcb1 user.notice vlan_scan[1581]: connection successful at sub-interface: 36

Nov 4 00:00:02 mcb1 user.err vlan_scan[1581]: Not obtained main, trying next condition

Nov 4 00:00:02 mcb1 user.err vlan_scan[1581]: if_name eth1.36

Nov 4 00:00:04 mcb1 user.notice SYNCMNGR[1307]: Received message from S-Plane

Nov 4 00:00:04 mcb1 user.notice SYNCMNGR[1307]: SYNCE Lock state : UNLOCKED

Nov 4 00:00:04 mcb1 user.notice SYNCMNGR[1307]: DATA FOR "o-ran-sync" "/o-ran-sync:sync" REQUESTED

Nov 4 00:00:04 mcb1 user.notice SYNCMNGR[1307]: PTP Lock state : UNLOCKED

Nov 4 00:00:04 mcb1 user.notice SYNCMNGR[1307]: DATA FOR "o-ran-sync" "/o-ran-sync:sync" REQUESTED

Nov 4 00:00:04 mcb1 user.notice SYNCMNGR[1307]: SYNC Lock state : FREE RUN

Nov 4 00:00:04 mcb1 user.info FAULT MANAGER[1000]: sendData : Source ID: 19

Nov 4 00:00:04 mcb1 user.info FAULT MANAGER[1000]: sendData : Fault ID: 18

Nov 4 00:00:04 mcb1 user.info FAULT MANAGER[1000]: sendData : FAULT_IS_CLEARED: False

Nov 4 00:00:04 mcb1 user.info FAULT MANAGER[1000]: sendData : FAULT_SEVERITY: 3

Nov 4 00:00:04 mcb1 user.info FAULT MANAGER[1000]: sendData : FAULT_TIME: 2000-11-04T00:00:04Z

Nov 4 00:00:04 mcb1 user.notice SYNCMNGR[1307]: DATA FOR "o-ran-sync" "/o-ran-sync:sync" REQUESTED

Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: Timed out after 5s (Operation now in progress).

Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 1 for 1 subscribers.

Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: Processing "ietf-netconf-monitoring" "operational" event with ID 1.

Nov 4 00:00:06 mcb1 daemon.info netopeer2-server[986]: Successful processing of "operational" event with ID 1.

Nov 4 00:00:07 mcb1 daemon.info netopeer2-server[986]: Trying to connect the pending socket 36.

Nov 4 00:00:07 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 1 priority 1 succeeded.

Nov 4 00:00:07 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/notifications:create-subscription" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:07 mcb1 daemon.info netopeer2-server[986]: Processing "/notifications:create-subscription" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).

Nov 4 00:00:08 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator

Nov 4 00:00:08 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe

Nov 4 00:00:08 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes

Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 2085/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 2274/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 2445/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 2599/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 2740/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 2867/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 2982/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3022/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3059/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3092/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3122/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3149/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3174/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3196/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3216/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3235/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3251/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3267/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3280/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3293/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3304/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3314/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3323/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3332/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3339/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3346/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3352/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3358/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3363/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3368/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3372/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3376/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3379/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3382/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3449/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3510/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3564/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3614/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3659/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Reading entropy from JITTER Entropy generator
Nov 4 00:00:08 mcb1 daemon.debug rngd: xread_jitter requests 2500 bytes from pipe
Nov 4 00:00:08 mcb1 daemon.debug rngd: xread_jitter gets 2500 bytes
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3700/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3737/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3771/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3801/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3829/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3854/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3876/4096 bits entropy

Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3897/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3915/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3932/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3947/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3961/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3974/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3985/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 3995/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 4005/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 4013/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 4021/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 4028/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Added 4034/4096 bits entropy
Nov 4 00:00:08 mcb1 daemon.debug rngd: Pool full at 4096, sleeping!
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 1 priority 0 succeeded.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 0 event new RPC.
Nov 4 00:00:08 mcb1 daemon.notice haveged: haveged starting up
Nov 4 00:00:08 mcb1 auth.info sshd[1954]: Server listening on 0.0.0.0 port 22.
Nov 4 00:00:08 mcb1 auth.info sshd[1954]: Server listening on :: port 22.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:edit-config" with ID 1 priority 0 for 1 subscribers.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 1 priority 0 (remaining 1 subscribers).
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-hardware:hardware/ietf-hardware:component/ietf-hardware:name" with the value "ru-port1", but it is not required.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface/ietf-interfaces:name" with the value "eth1.36", but it is not required.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/ietf-interfaces:interfaces/ietf-interfaces:interface[ietf-interfaces:name = current()/../interface-name]/o-ran-interfaces:vlan-id" with the value "36", but it is not required.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.
Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "change" "ietf-interfaces" with ID 2 priority 0 for 1 subscribers.
Nov 4 00:00:08 mcb1 user.info nw_manager[1019]: IFMNGR: EVENT change CHANGES: for module name: ietf-interfaces
Nov 4 00:00:08 mcb1 user.info nw_manager[1019]: Interface : eth1 O-RU port name ru-port1
Nov 4 00:00:08 mcb1 daemon.info bluetoothd[1960]: Bluetooth daemon 5.50
Nov 4 00:00:08 mcb1 daemon.info bluetoothd[1960]: Starting SDP server
Nov 4 00:00:08 mcb1 daemon.info bluetoothd[1960]: Bluetooth management interface 1.14 initialized
Nov 4 00:00:08 mcb1 user.info nw_manager[1019]: Interface : eth1.100 O-RU port name ru-port1

Nov 4 00:00:08 mcb1 user.info nw_manager[1019]: Base interface : eth1.100 standard port : eth1 O-RU port-number : 1

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "change" with ID 2 priority 0 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "done" "ietf-interfaces" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:00:08 mcb1 user.info nw_manager[1019]: IFMNGR: EVENT done CHANGES: for module name: ietf-interfaces

Nov 4 00:00:08 mcb1 user.info nw_manager[1019]: VLAN: Added VLAN with VID == 100 to IF -:eth1:- devname eth1.100

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "notif" "ietf-netconf-notifications" with ID 1 priority 0 for 1 subscribers.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1']/o-ran-interfaces:port-reference/port-name", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1']/o-ran-interfaces:port-reference/port-number", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/name", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/type", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/enabled", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 1 priority 0 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/o-ran-interfaces:base-interface", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/o-ran-interfaces:vlan-id", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/o-ran-interfaces:mac-address", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/o-ran-interfaces:port-reference", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/o-ran-interfaces:port-reference/port-name", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/ietf-interfaces:interfaces/interface[name='eth1.100']/o-ran-interfaces:port-reference/port-number", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 1.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 4 event new RPC.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "ietf-netconf:edit-config" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 2 priority 0 (remaining 1 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "change" "o-ran-processing-element" with ID 1 priority 0 for 3 subscribers.

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:132 EVENT change CHANGES

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:159 FPGA interface element0: interface name : eth1.100

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:168 FPGA interface element0: ru-mac : 98:ae:71:00:8a:c2

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:197 FPGA interface element0: VLAN-ID : 100

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:234 FPGA interface element0: du-mac : 64:9d:99:ff:f5:13

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "change" with ID 1 priority 0 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "done" "o-ran-processing-element" with ID 1 priority 0 for 3 subscribers.

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:132 EVENT done CHANGES

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:159 FPGA interface element0: interface name : eth1.100

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:168 FPGA interface element0: ru-mac : 98:ae:71:00:8a:c2

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:197 FPGA interface element0: VLAN-ID : 100

Nov 4 00:00:08 mcb1 user.notice PROCESSING-ELEMENTS[1319]: @function:pe_module_change_cb line:234 FPGA interface element0: du-mac : 64:9d:99:ff:f5:13

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "notif" "ietf-netconf-notifications" with ID 2 priority 0 for 1 subscribers.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']/name", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/interface-name", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/eth-flow", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/eth-flow/ru-mac-address", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/eth-flow/vlan-id", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 2 priority 0 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/o-ran-processing-element:processing-elements/ru-elements[name='element0']/transport-flow/eth-flow/o-du-mac-address", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 2.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 2 priority 0 (remaining 0 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 4 event new RPC.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:get" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:get" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/tx-arrays" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_arrays_get_items_cb line:373 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/tx-arrays" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/rx-arrays" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_arrays_get_items_cb line:373 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/rx-arrays" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational" "/o-ran-uplane-conf:user-plane-configuration/relations" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:relation_get_items_cb line:814 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/relations" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint0", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:tx-arrays/o-ran-uplane-conf:name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref
"/o-ran-uplane-conf:user-plane-configuration/o-ran-uplane-conf:rx-arrays/o-ran-uplane-conf:name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational"
"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_endpoint_get_items_cb line:197 DATA FOR "o-ran-uplane-conf"
"/o-ran-uplane-conf:user-plane-configuration/endpoint-types" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational"
"/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_array_carriers_get_items_cb line:940 DATA FOR
"o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/tx-array-carriers" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational"
"/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_array_carriers_get_items_cb line:940 DATA FOR
"o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/rx-array-carriers" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational"
"/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_static_endpoint_get_items_cb line:706 DATA FOR
"o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/static-low-level-tx-endpoints" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value
"slltx-endpoint0", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint2", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/tx-arrays/name" with the value "slltx-endpoint3", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_static_endpoint_get_items_cb line:706 DATA FOR "o-ran-uplane-conf" "/o-ran-uplane-conf:user-plane-configuration/static-low-level-rx-endpoints" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint0", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint2", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "/user-plane-configuration/rx-arrays/name" with the value "sllrx-endpoint3", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-types/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref "../endpoint-capacity-sharing-groups/id" with the value "1", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "operational"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" with ID 1.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_endpoint_get_items_cb line:197 DATA FOR "o-ran-uplane-conf"

"/o-ran-uplane-conf:user-plane-configuration/endpoint-capacity-sharing-groups" REQUESTED

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "operational" with ID 1 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "rpc" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Event "rpc" with ID 3 priority 0 succeeded.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no leafref

"/o-ran-module-cap:module-capability/o-ran-module-cap:band-capabilities/o-ran-module-cap:band-number" with the value "28", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 1 event new RPC.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "rpc" "/ietf-netconf:edit-config" with ID 3 priority 0 for 1 subscribers.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "/ietf-netconf:edit-config" "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: edit-config error-option "stop-on-error" not supported, rollback-on-error will be performed.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Published event "change" "o-ran-uplane-conf" with ID 1 priority 0 for 6 subscribers.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1115 EVENT change CHANGES:

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element : element0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier : txarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink1

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element : element0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier : txarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint1

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink2

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element : element0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier : txarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint2

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1138 FPGA | lltx-link name : lltxlink3

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1146 FPGA | lltx-processing element : element0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1155 FPGA | lltx-array-carrier : txarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1163 FPGA | lltx-endpoint : slltx-endpoint3

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1185 EVENT change CHANGES

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:2960 EVENT change CHANGES:

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:2986 FPGA | tx-array-carriers-name : txarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1255 EVENT change CHANGES: /o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2063 EVENT change CHANGES: /o-ran-uplane-conf:user-plane-configuration/low-level-rx-endpoints

Nov 4 00:00:08 mcb1 user.err UPLANECONF[1319]: @function:array_carrier_module_change_cb line:3011 FPGA | tx-array-carriers-absolute-frequency-center : Unsupported value !!

Nov 4 00:00:08 mcb1 user.info operations-manager[1319]: commBwSystemMonitor : CMD SENT TO SYS_MON SUCCESSFULLY

Nov 4 00:00:08 mcb1 user.info FAULT MANAGER[1000]: sendData : Source ID: 30

Nov 4 00:00:08 mcb1 user.info FAULT MANAGER[1000]: sendData : Fault ID: 11

Nov 4 00:00:08 mcb1 user.info FAULT MANAGER[1000]: sendData : FAULT_IS_CLEARED: False

Nov 4 00:00:08 mcb1 user.info FAULT MANAGER[1000]: sendData : FAULT_SEVERITY: 3

Nov 4 00:00:08 mcb1 user.info FAULT MANAGER[1000]: sendData : FAULT_TIME: 2000-11-04T00:00:08Z

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of "/notification_history:history/module-notification[module-name='Module']/notif-error", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 3.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 3 priority 0 (remaining 0 subscribers).

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:3660 EVENT change CHANGES:

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "o-ran-fm" event with ID 1.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 1 priority 0 (remaining 0 subscribers).

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Resolving unresolved data nodes and their constraints...

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: There is no instance of

"/notification_history:history/module-notification[module-name='Module']/epochtime", but it is not required.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: All data nodes and constraints resolved.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Processing "notif" "ietf-netconf-notifications" event with ID 4.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Successful processing of "notif" event with ID 4 priority 0 (remaining 0 subscribers).

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:3685 FPGA | rx-array-carriers-name : rxarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:3737 FPGA | rx-array-carriers-absolute-frequency-center : 390000

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:3823 FPGA | rx-array-carriers-frequency-reference-center: 0.000000

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:4012 FPGA | rx-array-carriers-channel-bandwidth : 20000000

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:4063 FPGA | rx-array-carriers-downlink-radio-frame-offset : 0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:4084 FPGA | rx-array-carriers-downlink-sfn-offset : 0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:4105 FPGA | rx-array-carriers-gain-correction : 0.000000

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:4126 FPGA | rx-array-carriers-n-ta-offset : 25600

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:4032 FPGA | rx-array-carriers-active : INACTIVE

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:4137 END OF CHANGES

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element : element0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier : rxarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink1

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element : element0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier : rxarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint1

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink2

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element : element0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier : rxarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint2

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1210 FPGA | llrx-link name : llrxlink3

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1218 FPGA | llrx-processing element : element0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1225 FPGA | llrx-array-carrier : rxarraycarrier0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1233 FPGA | llrx-endpoint : sllrx-endpoint3

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1185 EVENT abort CHANGES

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1115 EVENT abort CHANGES:

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Nov 4 00:00:08 mcb1 user.notice operations_manager[1319]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name : slltx-endpoint0

Nov 4 00:00:08 mcb1 daemon.err netopeer2-server[986]: [bad-attribute] tx-array-carriers-absolute-frequency-center value should be between '151600' to '160600'

Nov 4 00:00:08 mcb1 daemon.warn netopeer2-server[986]: Event "change" with ID 1 priority 0 failed (Operation not supported).

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type : STATIC

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Failed processing of "rpc" event with ID 3 priority 0 (remaining 1 subscribers).

Nov 4 00:00:08 mcb1 daemon.err netopeer2-server[986]: [bad-attribute] tx-array-carriers-absolute-frequency-center value should be between '151600' to '160600'

Nov 4 00:00:08 mcb1 daemon.warn netopeer2-server[986]: Event "rpc" with ID 3 priority 0 failed (User callback failed).

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name : sllrx-endpoint0

Nov 4 00:00:08 mcb1 daemon.err netopeer2-server[986]: Failed to send an RPC (User callback failed).

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:3660 EVENT abort CHANGES:

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:array_carrier_module_change_cb line:4137 END OF CHANGES

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 0 event new RPC.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 0 event reply error.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1650 FPGA | lltx-ep-offset-to-absolute-frequency-center : 0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type : STATIC

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask : 65024

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask : 448

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2463 FPGA | llrx-ep-offset-to-absolute-frequency-center : 0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Nov 4 00:00:08 mcb1 daemon.info haveged: haveged: ver: 1.9.5; arch: generic; vend: ; build: (gcc 9.2.0 CTV); collect: 128K

Nov 4 00:00:08 mcb1 daemon.info haveged: haveged: cpu: (VC); data: 16K (D); inst: 16K (D); idx: 11/40; sz: 15456/64452

Nov 4 00:00:08 mcb1 daemon.info haveged: haveged: tot tests(BA8): A:1/1 B:1/1 continuous tests(B): last entropy estimate 8.00255

Nov 4 00:00:08 mcb1 daemon.info haveged: haveged: fills: 0, generated: 0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 1

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name : slltx-endpoint1

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2835 FPGA | llrx-ep-scs : KHZ_15

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center : 0

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2496 FPGA | llrx-ep-o-du-port-bitmask :
65024

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 4 event new RPC.

Nov 4 00:00:08 mcb1 daemon.info netopeer2-server[986]: Session 1: thread 4 event session terminated.

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024

Nov 4 00:00:08 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 2

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2527 FPGA | llrx-ep-band-sector-bitmask :
448

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint2

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :
STATIC

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2558 FPGA | llrx-ep-ccid-bitmask : 56

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center : 0

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2588 FPGA | llrx-ep-ru-port-bitmask : 7

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2619 FPGA | llrx-ep-eaxc-id : 1

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 3

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1307 FPGA | lltx-endpoint name :
slltx-endpoint3

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2889 FPGA |
llrx-ep-non-time-managed-delay-enabled: 0

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1325 FPGA | lltx-ep-compression-type :

STATIC

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1357 FPGA | lltx-ep-iq-bitwidth : 16

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2117 FPGA | llrx-endpoint name :
sllrx-endpoint1

Nov 4 00:00:09 mcb1 daemon.info netopeer2-server[986]: There are no subscribers for "ietf-netconf-notifications" notifications.

Nov 4 00:00:09 mcb1 daemon.info netopeer2-server[986]: Generated new event (netconf-session-end).

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1606 FPGA | lltx-ep-cp-length : 352

Nov 4 00:00:09 mcb1 authpriv.debug sshd[1970]: pam_unix(sshd:account): account operator has password changed in future

Nov 4 00:00:09 mcb1 auth.info sshd[1970]: Accepted password for operator from 192.168.3.15 port 50380 ssh2

Nov 4 00:00:09 mcb1 authpriv.info sshd[1970]: pam_unix(sshd:session): session opened for user operator by (uid=0)

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1628 FPGA | lltx-ep-cp-length-other : 288

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1650 FPGA |
lltx-ep-offset-to-absolute-frequency-center : 0

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2135 FPGA | llrx-ep-compression-type :
STATIC

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2154 FPGA | llrx-ep-iq-bitwidth : 16

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2013 FPGA | lltx-ep-scs : KHZ_15

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2035 FPGA | lltx-ep-number-of-prb : 273

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2419 FPGA | llrx-ep-cp-length : 352

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1682 FPGA | lltx-ep-o-du-port-bitmask :
65024

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2441 FPGA | llrx-ep-cp-length-other : 288

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1731 FPGA | lltx-ep-band-sector-bitmask :
448

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1779 FPGA | lltx-ep-ccid-bitmask : 56

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1827 FPGA | lltx-ep-ru-port-bitmask : 7

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2463 FPGA |
llrx-ep-offset-to-absolute-frequency-center : 0

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1875 FPGA | lltx-ep-eaxc-id : 4

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:1255 EVENT abort CHANGES:
/o-ran-uplane-conf:user-plane-configuration/low-level-tx-endpoints

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2901 END OF CHANGES

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2737 FPGA | llrx-ep-scs : KHZ_15

Nov 4 00:00:09 mcb1 user.notice UPLANECONF[1319]: @function:uplane_module_change_cb line:2765 FPGA | llrx-ep-number-of-prb : 273

Expected Result : The O-RU NETCONF Sever responds with a <rpc-reply> message indicating successful completion of requested procedure.

```
=====
***** Actual Result *****
=====
```

```
=====
***** FAIL_REASON *****
=====
```

ERROR

error-type : application

error-tag : operation-failed

error-severity : error

path : /o-ran-uplane-conf:user-plane-configuration/tx-array-carriers[name='txarraycarrier0']/absolute-frequency-center

Description' : [bad-attribute] tx-array-carriers-absolute-frequency-center value should be between ,'151600' to '160600'

```
=====
O-RU configurability test (positive case) = FAIL
=====
```