# Valuation of Options - part 2

Quantitative Finance

Tilburg University

Ramon van den Akker

# Assumptions Black-Scholes market (recap)

In class we will almost exclusively work with the 'Black-Scholes market'.

### Assumptions on price processes:

Asset price:

$$dS_t = \mu S_t dt + \sigma S_t dW_t$$
,  $S_0 = s_0$ ,  $var(W_1) = 1$ 

Money Market Account:

$$dB_t = rB_t dt$$
,  $B_0 = 1$ 

### **Assumptions on market:**

- frictionless trading
  - no transaction costs
  - trading in continuous-time possible
  - no restrictions on short sales and fractional positions
- borrowing rate = lending rate

## Agenda

- we are interested in price  $C_t$  of (European) option with payoff  $C_T = h(S_T)$
- we will discuss three methods to determine fair price (using continuous-time model for financial market):
  - Black-Scholes Partial Differential Equation
  - risk-neutral pricing
  - pricing kernel

These slides discuss the Black-Scholes Partial Differential Equation approach.

### Section 1

The Black-Scholes Partial Differential Equation

## The problem

### Setup:

- Black-Scholes market (1 risky asset)
- we restrict to Markovian trading strategies:

$$\phi_t = \tilde{\phi}(B_t, S_t) = \phi(t, S_t)$$
 and  $\psi_t = \tilde{\psi}(B_t, S_t) = \psi(t, S_t)$ 

So we can write, for some function F,

$$V_t = \phi(t, S_t)S_t + \psi_t(t, S_t)B_t = F(t, S_t)$$

#### Question:

Which F's correspond to **self-financing** trading strategies?

### Why interesting?

- consider option with payoff  $h(S_T)$  at maturity
- if we can find self-financing portfolio with  $F(T, S_T) = h(S_T)$ then no-arbitrage price of option at time  $0 \le t < T$  is given by

$$C_t = F(t, S_t)$$

## Black-Scholes Partial Differential Equation

### **Black-Scholes Partial Differential Equation:**

 ${\it F}$  corresponds to a self-financing trading strategy if and only if  ${\it F}$  is a solution to the PDE

$$\frac{\delta G}{\delta t}(t,s) + rs\frac{\partial G}{\partial s}(t,s) + \frac{1}{2}\sigma^2 s^2 \frac{\partial^2 G}{\partial s^2}(t,s) - rG(t,s) = 0 \ \forall s > 0, t \in [0,T),$$

and in that case the positions in the self-financing trading strategy are given by:

$$\phi(t,s) = \frac{\partial G}{\partial s}(t,s),$$

and

$$\psi(t,s) = \frac{G(t,s) - \phi(t,s)s}{B_t}.$$

#### Remarks:

- $\bullet$   $\mu$  does not play a role!
- using different models (i.e. SDEs) for B and S leads, in general, to different PDE!

## Derivation of the PDE

Which F are possible (when using self-financing strategies  $(\phi(t, S_t), \psi(t, S_t))$ )? We have

- (1)  $V_t = F(t, S_t)$
- (2)  $dV_t = \phi(t, S_t) dS_t + \psi(t, S_t) dB_t$ 
  - ullet apply Itô to (1) and insert  $\mathrm{d}S_t \implies \mathrm{d}V_t = m{a}_t\,\mathrm{d}t + m{b}_t\,\mathrm{d}W_t$
  - insert  $\mathrm{d} S_t$  and  $\mathrm{d} B_t$  in RHS of (2)  $\implies \mathrm{d} V_t = c_t \, \mathrm{d} t + \frac{d_t}{d_t} \, \mathrm{d} W_t$
  - obtain system of equations

$$\begin{cases}
a_t = c_t \\
b_t = d_t
\end{cases}$$

• solving  $\implies$  conditions on F (PDE)

### Derivation

We have

(1) 
$$V_t = F(t, S_t)$$

(2) 
$$dV_t = \phi(t, S_t) dS_t + \psi(t, S_t) dB_t$$

ullet apply Itô to (1) and insert  $\mathrm{d} S_t = \mu S_t \, \mathrm{d} t + \sigma S_t \, \mathrm{d} W_t \implies$ 

$$dV_t = F_S dS_t + F_t dt + \frac{1}{2} F_{SS} d[S, S]_t$$
$$= \left(F_S \mu S_t + F_t + \frac{1}{2} F_{SS} \sigma^2 S_t^2\right) dt + F_S \sigma S_t dW_t$$

• insert  $dS_t$  and  $dB_t = rB_t dt$  in RHS of (2)  $\Longrightarrow$ 

$$dV_t = (\phi_t \mu S_t + r \psi_t B_t) dt + \phi_t \sigma S_t dW_t$$

- hence  $\phi_t = \phi(t, S_t) = F_S(t, S_t) = F_S$
- and

$$F_S \mu S_t + F_t + \frac{1}{2} \sigma^2 F_{SS} S_t^2 = \phi_t \mu S_t + r \psi_t B_t$$

## Derivation

We need to prove

$$\frac{\delta F}{\delta t}(t,s) + rs\frac{\partial F}{\partial s}(t,s) + \frac{1}{2}\sigma^2 s^2 \frac{\partial^2 F}{\partial s^2}(t,s) - rF(t,s) = 0 \quad \forall s > 0, \ t \in [0,T)$$

On the previous slide we obtained

$$F_t + \frac{1}{2}\sigma^2 F_{SS} S_t^2 = r\psi_t B_t.$$

Realizing that  $\psi_t B_t = F - \phi_t S_t = F - F_S S_t$  we obtain the result.

## Alternative Derivation

- sell (write) and hold 1 option with price process  $C_t = F(t, S_t)$  (assumption!)
- let  $\phi_t$  be number of stocks at time t and  $\psi_t$  the position in the MMA
- yields portfolio value  $V_t = -C_t + \phi_t S_t + \psi_t B_t$
- this portfolio is self-financing if

$$dV_t = -dC_t + \phi_t dS_t + \psi_t dB_t$$

using Itô:

$$dV_t = -F_S dS_t - F_t dt - \frac{1}{2}F_{SS} d[S, S]_t + \phi_t dS_t + \psi_t rB_t dt$$

- can only eliminate local risk  $(d W_t)$  for  $\phi_t = F_S(t, S_t)!$
- yields  $dV_t = \cdots dt$  which has (locally) no risk, so rate of return is same as on  $B \implies dV_t = rV_t dt$
- hence

$$-F_t - \frac{1}{2}F_{SS}\sigma^2S_t^2 + r\psi_tB_t = r(-F + F_SS_t + \psi_tB_t)$$

which yields Black-Scholes PDE

## **Application**

Given is a European option with payoff  $h(S_T)$  at expiration date/maturity T. How can we use the PDE to obtain the price of this option?

Solve the PDE.

$$\frac{\delta G}{\delta t}(t,s) + rs\frac{\partial G}{\partial s}(t,s) + \frac{1}{2}\sigma^2 s^2 \frac{\partial^2 G}{\partial s^2}(t,s) - rG(t,s) = 0,$$

for all s > 0,  $t \in [0, T)$ , under the boundary condition

$$G(T,s) = h(s)$$
 for all  $s > 0$ .

- If F is solution to PDE satisfying the boundary condition, then no-arbitrage implies that the price of the option at time  $t \in [0, T)$  is given by  $F(t, S_t)$ .
- If you are lucky: 'closed-form' solution can be found
  - there is relation to well studied heat equation
- unlucky: use numerical techniques; see notebook

# Examples: closed-form solutions

$$h(S_T) = S_T$$

$$F(t,s) = s$$

• European call option:  $h(S_T) = \max\{S_T - K, 0\}$ 

$$F(t,s)=s\Phi(d_1)-\exp(-r(T-t))K\Phi(d_2),$$
 with  $d_1=d_2+\sigma\sqrt{T-t}$  and 
$$d_2=rac{\log(s/K)+(r-0.5\sigma^2)(T-t)}{\sigma\sqrt{T-t}}$$

# Examples: European digital call option

- payoff:  $h(S_T) = 1\{S_T \ge K\}$
- the B-S PDE can be solved explictly:

$$F(t,s) = \exp(-r(T-t))\Phi(d_2),$$

with

$$d = \frac{\log(s/K) + (r - 0.5\sigma^2)(T - t)}{\sigma\sqrt{T - t}}$$


Probability that option ends in-the-money:

$$\mathbb{P}\{S_T \geq K\} = \Phi\left(\frac{\log(s/K) + (\mu - 0.5\sigma^2)(T - t)}{\sigma\sqrt{T - t}}\right)$$

In the exercise set you will be asked to verify that F is a solution to the B-S PDE.

## Examples: European digital put option

Price of the option (at t = 0) F(s, 0) - numerical solution compared to exact solution:



The Group Assignment might contain an exercise on solving the PDE numerically.

# Examples: European digital put option

## Value function F(t, s):

Price of option as function of time and stock price European digital option, K=20, T=1, r=0.05, G=0.20 (exact solut

