Answers

1. Sets

Practice set 1.1

- (1) (i) $\{2, 4, 6, 8, ...\}$ (ii) $\{2\}$ (iii) $\{-1, -2, -3, ...\}$ (iv) $\{sa, re, ga, ma, pa, dha, ni\}$
- (2) (i) $\frac{4}{3}$ is an element of set Q.

- (ii) −2 is not an element of set N
- (iii) Set P is a set of all p's such that p is an odd number.
- (4) (i) A = {Chaitra, Vaishakh, Jyeshth, Ashadh, Shravan, Bhadra, Ashwin, Kartik, Agrahayan, Paush, Magh, Phalgun
 - (iii) Y = {Nose, Ears, Eyes, Tounge, Skin} (ii) $X = \{C, O, M, P, L, E, N, T\}$
 - (iv) $Z = \{2, 3, 5, 7, 11, 13, 17, 19\}$
 - (v) $E = \{Asia, Africa, Europe, Australia, Antarctica, South America, North America\}$
- (5) (i) $A = \{x \mid x = n^2, n \in \mathbb{N}, n \le 10\}$
 - (ii) $B = \{x \mid x = 6 \, n, \, n \in \mathbb{N}, \, n < 9 \, \}$
 - (iii) $C = \{y \mid y \text{ is a letter in the word 'SMILE'}\}$
 - (iv) $D = \{z \mid z \text{ is a day of a week}\}$
- (v) $X = \{y \mid y \text{ is a letter in the word 'eat'} \}$

Practice set 1.2

- (2) A = B (3) A and C are empty sets. (1) A = B = C
- (4) (i), (iii), (iv), (v) are finite sets (ii), (vi), (vii) are infinte sets

Practice set 1.3

- (1) (i), (ii), (iii), (v) are false and (iv), (vi) are true statements.
- $(4) \{1\}, \{3\}, \{2\}, \{7\}, \{1, 3\}, \{1, 2\}, \{1, 7\}, \{3, 2\}, \{3, 7\}, \{2, 7\}, \{1, 3, 2\},$ {1, 2, 7}, {3, 2, 7}, {1, 3, 2, 7} any three like these sets...
- (5) (i) $P \subseteq H$, $P \subseteq B$, $I \subseteq M$, $I \subseteq B$, $H \subseteq B$, $M \subseteq B$ (ii) set B
- (6) (i) N, W, I any of these sets. (ii) N, W, I any of these sets.
- (7) Set of students getting marks less than 50% in Maths.


Practice set 1.4

- (1) n(B) = 21(2) Number of students who do not take any of the drinks = 5
- (3) Total number of students = 70
- The number of students who do not like rock climbing and sky-watching = 20The students who like only rock climbing = 20, The students who like only sky watching = 70
- (5) (i) $A = \{x, y, z, m, n\}$


- (ii) $B = \{p, q, r, m, n\}$
- (iii) $A \cup B = \{x, y, z, m, n, p, q, r\}$ (iv) $U = \{x, y, z, m, n, p, q, r, s, t\}$
- (v) $A' = \{p, q, r, s, t\}$ (vi) $B' = \{x, y, z, s, t\}$ (vii) $(A \cup B)' = \{s, t\}$

Problem set 1


- (1) (i) (C) (ii) (D) (iii) (C) (iv) (B) (v) (A) (vi) (A)
- (2) (i) (A) (ii) (A) (iii) (B) (iv) (C)
- (3) People speaking only English 57, People speaking only french 28, People speaking both languages 15
- (4) 135 (5) 12 (6) 4



(ii)



(iii)



- $(8) \quad S\subseteq X,\ V\subseteq X,\ S\subseteq X,\ T\subseteq X,\ S\subseteq Y,\ S\subseteq V,\ S\subseteq T,\ V\subseteq T,\ Y\subseteq T,$
- (9) $M \cup \phi = M$, $M \cap \phi = \phi$
- (10) $U = \{1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 13\}, A = \{1, 2, 3, 5, 7\} B = \{1, 5, 8, 9, 10\}$ $M \cup B = \{1, 2, 3, 5, 7, 8, 9, 10\}, A \cap B = \{1, 5\}$
- (11) $n(A \cup B) = 16$

2. Real Numbers

Practice set 2.1

- (1) Terminating (i), (iii), (iv) Non recurring non terminating (ii), (v)
- (2) (i) 0.635 (ii) $0.\overline{25}$ (iii) $3.\overline{285714}$ (iv) 0.8 (v) 2.125
- (3) (i) $\frac{2}{3}$ (ii) $\frac{37}{99}$ (iii) $\frac{314}{99}$ (iv) $\frac{1574}{99}$ (v) $\frac{2512}{999}$

Practice set 2.2

- (4) (i) Infinitely many numbers like -0.4, -0.3, 0.2
 - (ii) Infinitely many numbers like -2.310, -2.320, -2.325
 - (iii) Infinitely many numbers like 5.21, 5.22, 5.23
 - (iv) Infinitely many numbers like -4.51, -4.55, -4.58

Practice set 2.3

- (1) (i) 3 (ii) 2 (iii) 4 (iv) 2 (v) 3
- (2) (i), (iii), (vi) are surds and (ii), (iv), (v) are not surds.
- (3) Like surds: (i), (iii), (iv) and unlike surds: (ii), (v), (vi)
- (4) (i) $3\sqrt{3}$ (ii) $5\sqrt{2}$ (iii) $5\sqrt{10}$ (iv) $4\sqrt{7}$ (v) $2\sqrt{42}$
- (5) (i) $7\sqrt{2} > 5\sqrt{3}$ (ii) $\sqrt{247} < \sqrt{274}$ (iii) $2\sqrt{7} = \sqrt{28}$ (iv) $5\sqrt{5} < 7\sqrt{5}$ (v) $4\sqrt{42} > 9\sqrt{2}$ (vi) $5\sqrt{3} < 9$ (vii) $7 > 2\sqrt{5}$
- (6) (i) $13\sqrt{5}$ (ii) $10\sqrt{5}$ (iii) $24\sqrt{3}$ (iv) $\frac{12}{5}\sqrt{7}$

- (7) (i) $18\sqrt{6}$ (ii) $126\sqrt{5}$ (iii) $6\sqrt{10}$ (iv) 80
- (8) (i) 7 (ii) $\sqrt{\frac{5}{2}}$ (iii) $\sqrt{2}$ (iv) $\sqrt{62}$. (9) (i) $\frac{3}{5}$ $\sqrt{5}$ (ii) $\frac{\sqrt{14}}{14}$ (iii) $\frac{5\sqrt{7}}{7}$ (iv) $\frac{2}{9}$ $\sqrt{3}$ (v) $\frac{11}{3}$ $\sqrt{3}$

Practice set 2.4

- (1) (i) $-3 + \sqrt{21}$ (ii) $\sqrt{10} \sqrt{14}$ (iii) $-18 + 13\sqrt{6}$
- (2) (i) $\frac{\sqrt{7} \sqrt{2}}{5}$ (ii) $\frac{3(2\sqrt{5} + 3\sqrt{2})}{2}$ (iii) $28 - 16\sqrt{3}$ (iv) $4 - \sqrt{15}$ Practice set 2.5
- (1) (i) 13 (ii) 5 (iii) 28 (2) 2 or $\frac{4}{3}$ (ii) 1 or 6 (iii) -2 or 18 (iv) 0 or -40

Problem set 2

- (1) (i) B (ii) D (iii) C (iv) D (v) A
 - (vi) C (vii) C (viii) C (ix) A (x) B
- (2) (i) $\frac{555}{1000}$ (ii) $\frac{29539}{999}$ (iii) $\frac{9306}{999}$ (iv) $\frac{357060}{999}$ (v) $\frac{30189}{999}$
- (3) (i) $-0.\overline{714285}$ (ii) $0.\overline{81}$ (iii) 2.2360679... (iv) $9.\overline{307692}$ (v) 3.625
- (5) (i) $\frac{3}{2}\sqrt{2}$ (ii) $-\frac{5}{3}\sqrt{5}$
- (6) (i) $\sqrt{2}$ (ii) $\sqrt{2}$ (iii) $\sqrt{3}$ (iv) $\sqrt{10}$ (v) $\sqrt{2}$ (vi) $\sqrt{11}$
- (7) (i) $6\sqrt{3}$ (ii) $\frac{34}{3}\sqrt{3}$ (iii) $\frac{15}{2}\sqrt{6}$ (iv) $-25\sqrt{3}$ (v) $\frac{8}{3}\sqrt{3}$ (8) (i) $\frac{\sqrt{5}}{5}$ (ii) $\frac{2\sqrt{7}}{21}$ (iii) $\sqrt{3}+\sqrt{2}$ (iv) $\frac{3\sqrt{5}-2\sqrt{2}}{37}$ (v) $\frac{6\left(4\sqrt{3}+\sqrt{2}\right)}{22}$

3. Polynomials

Practice set 3.1

- (1) (i) No, because index of y in $\frac{1}{y}$ is (-1).
 - (ii) No, because index of x in the term $5\sqrt{x}$ is $(\frac{1}{2})$.
 - (iii) Yes. (iv) No, because index of m in the term $2m^{-2}$ is (-2). (v) Yes.
- (2) (i) 1 (ii) $-\sqrt{3}$, (iii) $-\frac{2}{3}$
- (3) (i) x^7 (ii) $2x^{35} 7$ (iii) $x^8 2x^5 + 3$ other polynomials like these.
- (4) (i) 0 (ii) 0 (iii) 2 (iv) 10 (v) 1 (vi) 5 (vii) 3 (viii) 10
- (5) (i) Quadratic (ii) Linear (iii) Linear (iv) Cubic (v) Quadratic (vi) Cubic

- (6) (i) $m^3 + 5m + 3$ (ii) $y^5 + 2y^4 + 3y^3 y^2 7y \frac{1}{2}$
- (7) (i) (1, 0, 0, -2) (ii) (5, 0) (iii) (2, 0, -3, 0, 7) (iv) $\left(\frac{-2}{3}\right)$
- (8) (i) $x^2 + 2x + 3$ (ii) $5x^4 1$ (iii) $-2x^3 + 2x^2 2x + 2$
- (9) Quadratic polynomial : x^2 ; $2x^2 + 5x + 10$; $3x^2 + 5x$;

Cubic polynomial : $x^3 + x^2 + x + 5$; $x^3 + 9$ Linear polynomial : x + 7;

Binomial : x + 7, $x^3 + 9$; Trinomial : $2x^2 + 5x + 10$; Monomial : x^2

Practice set 3.2

- (1) (i) a + bx (ii) xy (iii) 10n + m
- (2) (i) $6x^3 2x^2 + 2x$ (ii) $-2m^4 + 2m^3 + 2m^2 + 3m 6 + \sqrt{2}$ (iii) $5y^2 + 6y + 11$
- (3) (i) $-6x^2 + 10x$ (ii) $10ab^2 + a^2b 7ab$
- (4) (i) $2x^3 4x^2 2x$ (ii) $x^8 + 2x^7 + 2x^5 x^3 2x^2 2$ (iii) $-4y^4 + 7y^2 + 3y$
- (5) (i) $x^3 64 = (x 4)(x^2 + 4x + 16) + 0$
 - (ii) $5x^5 + 4x^4 3x^3 + 2x^2 + 2 = (x^2 x)(5x^3 + 9x^2 + 6x + 8) + (8x + 2)$
- (6) $a^4 + 7a^2b^2 + 2b^4$

Practice set 3.3

- (1) (i) Quotient = 2m + 7, Remainder = 45
 - (ii) Quotient = $x^3 + 3x 2$, Remainder = 9
 - (iii) Quotient = $y^2 + 6y + 36$, Remainder = 0
 - (iv) Quotient = $2x^3 3x^2 + 7x 17$, Remainder = 51
 - (v) Quotient = $x^3 4x^2 + 13x 52$, Remainder = 200
 - (vi) Quotient = $y^2 2y + 3$, Remainder = 2

Practice set 3.4

(1) 5 (2) 1 (3) $4a^2 + 20$ (4) -11

Practice set 3.5

- (1) (i) -41 (ii) 7 (iii) 7 (2) (i) 1, 0, -8 (ii) 4, 5, 13 (iii) -2, 0, 10
- (3) 0 (4) 2 (5) (i) 17 (ii) $2a^3 a^2 a$ (iii) 1544 (6) 92 (7) Yes
- (8) 2 (9) (i) No (ii) Yes (10) 30 (11) Yes
- (13) (i) -3 (ii) 80

Practice set 3.6

- (1) (i) (x+1) (2x-1) (ii) (m+3) (2m-1) (iii) (3x+7) (4x+11) (iv) (y-1) (3y+1) (v) $(x+\sqrt{3})$ $(\sqrt{3}x+1)$ (vi) (x-4) $(\frac{1}{2}x-1)$
- (2) (i) (x-3)(x+2)(x-2)(x+1) (ii) (x-13)(x-2)

- (iii) (x-8)(x+2)(x-4)(x-2) (iv) $(x^2-2x+10)(x^2-2x-2)$
- (v) $(y^2 + 5y 22)(y + 4)(y + 1)$ (vi) (y + 6)(y 1)(y + 4)(y + 1)
- (vii) $(x^2 8x + 18)(x^2 8x + 13)$

Problem set 3

- (1) (i) D (ii) D (iii) C (iv) A (v) C (vi) A (vii) D (viii) C (ix) A (x) A
- (2) (i) 4 (ii) 0 (iii) 9
- (3) (i) $7x^4 x^3 + 4x^2 x + 9$ (ii) $5p^4 + 2p^3 + 10p^2 + p 8$
- (4) (i) (1, 0, 0, 0, 16) (ii) (1, 0, 0, 2, 3, 15)
- (5) (i) $3x^4 2x^3 + 0x^2 + 7x + 18$ (ii) $6x^3 + x^2 + 0x + 7$ (iii) $4x^3 + 5x^2 3x + 0$
- (6) (i) $10x^4 + 13x^3 + 9x^2 7x + 12$ (ii) $p^3q + 4p^2q + 4pq + 7$
- (7) (i) $2x^2 7y + 16$ (ii) $x^2 + 5x + 2$
- (8) (i) $m^7 4m^5 + 6m^4 + 6m^3 12m^2 + 5m + 6$
 - (ii) $5m^5 5m^4 + 15m^3 2m^2 + 2m 6$
- (9) Remainder = 19 (10) m = 1 (11) Total population = $10x^2 + 5y^2 xy$
- (12) $b = \frac{1}{2}$ (13) $11m^2 8m + 5$ (14) $-2x^2 + 8x + 11$ (15) 2m + n + 7

4. Ratio and Proportion

Practice set 4.1

- (1) (i) 6:5 (ii) 2:3 (iii) 2:3
- (2) (i) 25:11 (ii) 35:31 (iii) 2:1 (iv) 10:17 (v) 2:1 (vi) 220:153
- (3) (i) 3:4 (ii) 11:25 (iii) 1:16 (iv) 13:25 (v) 4:625
- (4) 4 people (5) (i) 60% (ii) 94% (iii) 70% (iv) 91% (v) 43.75%
- (6) Abha's age 18 years, Mother's age 45 years (7) After 6 years
- (8) Present age of Rehana is 8 years.

Practice set 4.2

- (1) (i) 20, 49, 2.5 respectively (ii) 7, 27, 2.25 respectively
- (2) (i) $1:2\pi$ (ii) 2:r (iii) $\sqrt{2}:1$ (iv) 34:35
- (3) (i) $\frac{\sqrt{5}}{3} < \frac{3}{\sqrt{7}}$ (ii) $\frac{3\sqrt{5}}{5\sqrt{7}} = \frac{\sqrt{63}}{\sqrt{125}}$ (iii) $\frac{5}{18} > \frac{17}{121}$ (iv) $\frac{\sqrt{80}}{\sqrt{48}} = \frac{\sqrt{45}}{\sqrt{27}}$ (v) $\frac{9.2}{5.1} > \frac{3.4}{7.1}$

- (4) (i) 80° (ii) Present age of Albert is 25 years, Present age of Salim is 45 years
 - (iii) Length 13.5 cm, Breadth 4.5 cm (iv) 124, 92 (v) 20, 18
- (5) (i) 729 (ii) 45:7 (6) 2:125 (7) x=5

Practice set 4.3

- (1) (i) 22:13 (ii) 125:71 (iii) 316:27 (iv) 38:11
- (2) (i) 3:5 (ii) 1:6 (iii) 7:43 (iv) 71:179 (3) 170:173
- (4) (i) x = 8 (ii) x = 9 (iii) x = 2 (iv) x = 6 (v) $x = \frac{9}{14}$ (vi) x = 3

Practice set 4.4

- (1) (i) 36, 22 (ii) 16, 2a 2b + 2c
- (2) (i) 29:21 (ii) 23:7 (4) (i) x=2 (ii) y=1

Practice set 4.5

(1) x = 4 (2) $x = \frac{347}{14}$ (3) 18, 12, 8 or 8, 12, 18 (6) $\frac{x+y}{xy}$

Problem set 4

- (1) (i) B (ii) C (iii) B (iv) D (v) C
- (2) (i) 7:16 (ii) 2:5 (iii) 5:9 (iv) 6:7 (v) 6:7
- (3) (i) 1 : 2 (ii) 5 : 4 (iii) 1 : 1
- (4) (i) and (iii) are in continued proportion. (ii) and (iv) are not in continued proportion.
- (5) b = 9
- (6) (i) 7.4% (ii) 62.5% (iii) 73.33% (iv) 31.25% (v) 12%
- (7) (i) 5:6 (ii) 85:128 (iii) 1:2 (iv) 50:1 (v) 3:5
- (8) (i) $\frac{17}{9}$ (ii) 19 (iii) $\frac{35}{27}$ (iv) $\frac{13}{29}$
- (11) x = 9

5. Linear Equations in Two Variables

Practice set 5.1

- (3) (i) x = 3; y = 1 (ii) x = 2; y = 1 (iii) x = 2; y = -2
 - (iv) x = 6; y = 3 (v) x = 1; y = -2 (vi) x = 7; y = 1

Practice set 5.2

- (1) 30 notes of $\mathbf{\xi}$ 5 and 20 notes of $\mathbf{\xi}$ 10.
- (2) $\frac{5}{9}$ (3) Priyanka's age is 20 years, Deepika's age is 14 years
- (4) 20 lions, 30 peacocks
- (5) Initial salary ₹ 3900, Yearly increment ₹ 150
- (6) $\not\equiv 4000$ (7) 36 (8) $\angle A = 90^{\circ}$, $\angle B = 40^{\circ}$, $\angle C = 50^{\circ}$
- (9) 420 cm (10) 10

Problem set 5

- (1) (i) A (ii) C (iii) C
- (2) (i) x = 2; y = 1 (ii) x = 5; y = 3 (iii) x = 8; y = 3 (iv) x = 1; y = -4 (v) x = 3; y = 1 (vi) x = 4; y = 3
- (3) (i) x = 1; y = -1 (ii) x = 2; y = 1 (iii) x = 26; y = 18 (iv) x = 8; y = 2
- (4) (i) x = 6; y = 8 (ii) x = 9; y = 2 (iii) $x = \frac{1}{2}$; $y = \frac{1}{3}$
- (5) 35
- (6) ₹ 69 (7) ₹ 1800 and ₹ 1400 is the monthly income of each person respectively.
- (8) length 347 units, breadth 207 units
- (9) 40 km/hr, 30 km/hr
- (10) (i) 54, 45 (ii) 36, 63 etc.

6. Financial Planning

Practice set 6.1

- (1) ₹ 1200 (2) Capital after second years ₹ 42,000, 16% loss on initial capital.
- (3) Monthly income ₹ 50,000
- (4) Shri. Fernandes
- (5) ₹ 25,000

Practice set 6.2

- (1) (i) Need not pay income tax (ii) Needs to pay (iii) Needs to pay (iv) Needs to pay (v) Need not pay income tax
- (2) ₹ 9836.50

Problem set 6

- (1) (i) A (ii) B (2) Income ₹ 8750
- (3) 36.73% profit of Hiralal, 16.64% profit of Ramniklal. Hiralal's profit is more.
- (4) ₹ 99383.75
- (5) ₹ 4,00,000
- (6) 12.5%

- (7) Savings of Ramesh is ₹ 48000; Savings of Suresh is ₹ 51000; Savings of Priti is ₹ 36000
- (8) (i) ₹ 213000 (ii) ₹ 7500 (iii) No tax.

7. Statistics

Practice set 7.2

(1) Primary data: (i), (iii), (v) Secondary data: (ii), (iv)

Practice set 7.3

(1) Lower limit of class = 20, Upper limit of class = 25 (2) 37.5 (3) 7-13

Practice set 7.4

(3) (i) 38 (ii) 3 (iii) 19 (iv) 62 (4) (i) 24 (ii) 3 (iii) 43 (iv) 43

Practice set 7.5

- (1) 7 quintal (2) 74 (3) 100 (4) $\stackrel{?}{=}$ 4900 (5) 75 gram
- (6) Mean = 3, Median = 3, Mode = 4 (7) 78.56 (8) x = 9 (9) 20 (10) 70
- (11) 34.25 (12) 37 kg (13) 2 (14) 35 and 37

Problem set 7

- (1) (i) C (ii) B (iii) D (iv) B (v) A (vi) D
 - (vii) B (viii) A (ix) C (x) C
- (2) ₹ 26000 (3) ₹ 127
- (4) (i) 24 (ii) 06
- (5) p = 20
- (6) (i) 66 (ii) 14 (iii) 45
- (7) (i) 11 (ii) 68
- (8) x = 52, Mean = 55.9, Mode = 52

