## Proof of HJM No-arbitrage Condition for Generalized Extended CIR Model

## Ran Zhao

## Proof 1

The generalized extended CIR model we proposed is

$$dR(t) = (a(t) - b(t)R(t))dt + \sigma(t)R(t)^{\beta(t)}d\tilde{W}(t).$$

where all the model parameters are time-dependent, and W(t) is a Brownian modtion under a risk-neutral probability measure  $\tilde{\mathbb{P}}$ .

Let bond price B(t,T) = f(t,R(t)). The discounted bond price should be martingale under risk neutral measure, therefore

$$f_t(t,r) + (a(t) - b(t)r)f_r(t,r) + \frac{1}{2}\sigma(t)^2 R(t)^{\beta(t)} f_{rr}(t,r) = rf(t,r).$$
 (1.1)

This is equation (6.5.4) from Shreve's book.

The zero-coupon bond price under affine model is

$$B(t,T) = e^{-R(t)C(t,T) - A(t,T)}. (1.2)$$

Substitute equation (1.2) into equation (1.1), we have

$$[(-C'(t,T)+b(t)C(t,T)+\frac{1}{2}\sigma(t)^2r^{2\beta-1}C(t,T)^2-1)r-A'(t,T)-aC(t,T)]=0.$$

where  $C'(t,T) = \frac{\partial}{\partial t}C(t,T)$  and  $A'(t,T) = \frac{\partial}{\partial t}A(t,T)$ . The above equation should hold for every r, and we obtain the SDEs

$$\begin{cases}
C'(t,T) = b(t)C(t,T) + \frac{1}{2}\sigma(t)^2 R(t)^{2\beta(t)-1}C(t,T)^2 - 1, \\
A'(t,T) = -aC(t,T).
\end{cases} (1.3)$$

Differentiate both sides by T, and we yield

$$\begin{cases}
\frac{\partial}{\partial T}C'(t,T) = b(t)\frac{\partial}{\partial t}C(t,T) + \sigma(t)^{2}R(t)^{2\beta(t)-1}C(t,T)\frac{\partial}{\partial T}C(t,T), \\
\frac{\partial}{\partial T}A'(t,T) = -a\frac{\partial}{\partial T}C(t,T).
\end{cases} (1.4)$$

A general affine interest rate model is

$$dR(t) = \beta t, R(t)dt + \gamma r, R(t)d\tilde{W}(t)$$

Following section 10.3.5 of Shreve's book, the HJM no-arbitrage condition (Shreve's Theorem 10.3.1) for affine model is equivalent to the validation of

$$\frac{\partial}{\partial T}C(t,T)\beta(t,R(t)) + R(t)\frac{\partial}{\partial T}C'(t,T) + \frac{\partial}{\partial T}A'(t,T) = \left(\frac{\partial}{\partial T}C(t,T)\right)C(t,T)\gamma(t,R(t))^{2}.$$
(1.5)

Substitute equation () and equation () into the left-hand side of equation (). We have

$$\begin{split} \frac{\partial}{\partial T}C(t,T)\beta(t,R(t)) &+ R(t)\frac{\partial}{\partial T}C'(t,T) + \frac{\partial}{\partial T}A'(t,T) \\ &= \frac{\partial}{\partial T}C(t,T)(a(t)-b(t)R(t)) \\ &+ R(t)[b(t)\frac{\partial}{\partial t}C(t,T) + \sigma(t)^2R(t)^{2\beta-1}C(t,T)\frac{\partial}{\partial T}C(t,T)] - a\frac{\partial}{\partial T}C(t,T) \\ &= R(t)\sigma(t)^2R(t)^{2\beta(t)-1}C(t,T)\frac{\partial}{\partial T}C(t,T) \\ &= \left(\frac{\partial}{\partial T}C(t,T)\right)C(t,T)\gamma(t,R(t))^2. \end{split}$$

Hence we completed the proof of HJM no-arbitrage condition for generalized extended CIR model.