Jutge.org

The Virtual Learning Environment for Computer Programming

Game of life (1)

P26100_en

The English mathematician John Conway invented in 1970 the following game: Imagine a matrix with n rows and m columns. We consider neighbor positions to a given position the (at most, eight) adjacent positions, either horizontally, vertically or diagonally. Every moment, each position is either empty or it contains a bacterium. The rules are:

- An empty position at time t will contain a bacterium at time t+1 if and only if at time t it had exactly three neighbor bacteria.
- An occupied position at time t will contain a bacterium at time t + 1 if and only if at time t it had two or three neighbor bacteria.

Write a program that, for every given matrix, prints it at the next moment of time.

Input

Input consists of several cases. Every case begins with n and m (both strictly positive), followed by n lines, each one with m characters: 'B' if the position has a bacterium, and '.' if the position is empty. A special case with n=m=0 marks the end of the input.

Output

For each case, print the matrix corresponding to the next moment of time using the same format of the input (do not print n and m). Separate matrices with an empty line.

Sample input	Sample output
2 3	.B.
B.B	.B.
.B.	
	BB
2 2	BB
BB	
BB	
0 0	

Problem information

Author : Salvador Roura Translator : Carlos Molina Generation : 2016-09-06 16:56:49

© *Jutge.org*, 2006–2016. http://www.jutge.org