

Indian Institute of Technology Kharagpur
Department of Mathematics
MA41007 - Functional Analysis
Test - 2, AUTUMN 2021

NAME:

ROLL NO:

Instructions: Answers all the questions. No queries will be entertained during examination.

1. Let $X = C_{00}$ with norm $\|\cdot\|_p$, $1 \leq p \leq \infty$ and let $f : X \rightarrow K$ be defined by $f(x) = \sum_{j=1}^{\infty} x(j)$, $x = (x(1), x(2), \dots) \in X$. Then f is continuous for $p = \text{--- -- -- -- --}$.
2. Let $X = C^1[a, b]$ and $Y = C[a, b]$ both with norm $\|\cdot\|_{\infty}$ and $A : X \rightarrow Y$ be defined by $Ax = x'$, $x \in X$. Then the null space $N(A) = \text{--- -- -- -- --}$ and $\dim N(A) = \text{--- -- -- -- --}$, and A is --- -- -- -- -- operator.
3. Let X a normed linear space and $f : X \rightarrow K$ be a linear functional. "Then the null space $N(f)$ is a closed subspace of X if and only if f is a continuous". Is this (true/false)=
 --- -- -- -- --
4. Let X be a finite dimensional normed linear space and $\{A_n\}$ be a sequence of linear operators on X . If $\{A_n x\}$ converges for every $x \in X$, let $Ax = \lim_{n \rightarrow \infty} A_n x$, $x \in X$. Then $\|A_n - A\| \rightarrow 0$ as $n \rightarrow \infty$ (True/False): --- -- -- -- --
5. Let X and Y be Banach spaces and X_0 be a subspace of X and $A : X_0 \subset X \rightarrow Y$ be a injective closed operator. If $A^{-1} : R(A) \rightarrow X$ is continuous, then $R(A)$ is --- -- -- -- --
 --- -- -- -- --
