

## 2 Quantum Mechanics

### 2.1 Photon Polarization

#### 2.1.1 Linear Polarization

**Problem 2.** Consider the matrix  $R = \begin{pmatrix} \cos \phi & -\sin \phi \\ \sin \phi & \cos \phi \end{pmatrix}$ .

(a) Show that  $R$  is an orthogonal matrix.

(b) Apply  $R$  to the linear polarization state  $|s\rangle = \begin{pmatrix} \cos \theta \\ \sin \theta \end{pmatrix}$ . Describe in everyday language the effect of this transformation on a state of linear polarization.

Answer here...

**Problem 4.** Let  $R = \begin{pmatrix} \cos(\pi/(2n)) & -\sin(\pi/(2n)) \\ \sin(\pi/(2n)) & \cos(\pi/(2n)) \end{pmatrix}$ .

(a) Compute  $R^n$ . That is, compute the product of  $n$  factors of  $R$ , where the multiplication is matrix multiplication. You may find the following trigonometric identities helpful:  $\cos \alpha \cos \beta - \sin \alpha \sin \beta = \cos(\alpha + \beta)$ ;  $\cos \alpha \sin \beta + \sin \alpha \cos \beta = \sin(\alpha + \beta)$ .

(b) A horizontally polarized photon passes successively through  $n$  small containers of sugar water, each of which effects the transformation  $R$ . The photon then encounters a polarizing filter whose preferred axis is horizontal. What is the probability of the photon passing the filter?

(c) Another horizontally polarized photon passes through the same  $n$  containers of sugar water. But now, just after each container there is a polarizing filter whose preferred axis is horizontal. What is the probability that the photon will pass through all  $n$  filters?

(d) Find the limit of your answer to part (c) as  $n$  approaches infinity.

Answer here...

#### 2.1.3 Circular and Elliptical Polarization

**Problem 1.** For each of the following state vectors, find a normalized vector that is orthogonal to the given vector.

$$\begin{pmatrix} \sqrt{3}/2 \\ 1/2 \end{pmatrix} \quad \begin{pmatrix} 1/\sqrt{2} \\ i/\sqrt{2} \end{pmatrix} \quad \begin{pmatrix} 1-i/2 \\ 1+i/2 \end{pmatrix}$$

Answer here...

**Problem 3.** The rotation operation  $R_\phi$ , defined by

$$R_\phi = \begin{pmatrix} \cos \phi & -\sin \phi \\ \sin \phi & \cos \phi \end{pmatrix}$$

rotates any linear polarization state by an angle  $\phi$ . What does this transformation do to the right-hand circular polarization state? Is the resulting state a state of linear polarization, circular polarization, or elliptical polarization? Does the answer to this question depend on the value of  $\phi$ ?

Answer here...

**Problem 4.** Consider the elliptical polarization represented by  $|s\rangle = \begin{pmatrix} 1/\sqrt{2} \\ 1+i/2 \end{pmatrix}$ . Suppose the measurement  $M_\theta$  of Example 2.1.6 is applied to a photon in the state  $|s\rangle$ .

- (a) Find the probabilities of the two outcomes as functions of  $\theta$ .
- (b) For what value of  $\theta$  do the two probabilities differ the most from each other? The basis defined by  $M_\theta$  for this value of  $\theta$  can be thought of as giving the "principal axes" of the elliptical polarization.

Answer here...