


## $with\_elements(pass()) \Leftrightarrow pass()$




## $\operatorname{with\_column}(k, \operatorname{pass}()) \Leftrightarrow \operatorname{pass}()$




 $\texttt{chain\_of}(\texttt{with\_elements}(p), \texttt{with\_elements}(q)) \Leftrightarrow \texttt{with\_elements}(\texttt{chain\_of}(p,q))$ 




 $\texttt{chain\_of}(\texttt{with\_column}(k,p), \texttt{with\_column}(k,q)) \Leftrightarrow \texttt{with\_column}(k,\texttt{chain\_of}(p,q))$ 




 $\texttt{chain\_of}(\texttt{with\_column}(i,p), \texttt{with\_column}(j,q)) \Leftrightarrow \texttt{chain\_of}(\texttt{with\_column}(j,q), \texttt{with\_column}(i,p)) \qquad i \neq j$ 










 $\operatorname{chain\_of}(\operatorname{wrap}(),\operatorname{lift}(f)) \Leftrightarrow \operatorname{lift}(f)$ 



## $\texttt{chain\_of}(\texttt{with\_column}(k, \texttt{wrap}()), \texttt{distribute}(k)) \Leftrightarrow \texttt{wrap}()$



## $chain\_of(wrap(),flatten()) \Leftrightarrow pass()$

