PrettyPrinting Optimal layout for code and data

https://github.com/MechanicalRabbit/PrettyPrinting.jl

Kyrylo Simonov



```
julia> print(["Hello", "World"])
["Hello", "World"]
```

```
julia> show(["Hello", "World"])
["Hello", "World"]
```

```
julia> print(["Hello", "World"])
["Hello", "World"]
```

```
julia> show(["Hello", "World"])
["Hello", "World"]
```

```
julia> display(["Hello", "World"])
2-element Vector{String}:
    "Hello"
    "World"
```

```
julia> print(["Hello", "World"])
["Hello", "World"]
```

```
julia> show(["Hello", "World"])
["Hello", "World"]
```

```
julia> display(["Hello", "World"])
2-element Vector{String}:
    "Hello"
    "World"
```

```
julia> dump(["Hello", "World"])
Array{String}((2,))
1: String "Hello"
2: String "World"
```

```
julia> show(["Hello", "World"])
julia> print(["Hello", "World"])
["Hello", "World"
                   julia> using PrettyPrinting
                   julia> pprint(["Hello", "World"])
                   ["Hello", "World"]
julia> display(["Hello", "World"])
                                                  julia> dump(["H|llo", "World"])
2-element Vector
 "Hello"
                                                    1: String "Hello"
 "World"
                                                    2: String "World"
```