

Automation test result

01-Sept-2025, 8:20:09 pm

Start : Sept 01, 8:20:02.764 pm

End : Sept 01, 8:20:09.284 pm

Duration : 6.520 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Page Validation</u>	6.520 s	1	0	1	0	6	2	1	3

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Excel	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Page Validation	1	0	1	0	6.520 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page Validation	Customer Account Login	6	2	1	3	6.520 s

Login Page Validation

FAILED	DURATION - 6.520 s	Total - 1		Total - 6	
/ 8:20:02.764 pm // 8:20:09.284 pm /		Pass - 0	1	Pass - 2	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

Customer Account Login

<div>FAILED</div> <div>DURATION - 6.520 s</div>		<div></div>	<div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 8:20:02.764 pm // 8:20:09.284 pm /</div>				
<div>@Excel</div>				

#	Step / Hook Details	Status	Duration
1	When I login with the website with excel data	PASSED	0.909 s
2	Then I should see dashboard	PASSED	2.979 s
3	When read from excel <pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFCell.getStringCellValue()" because the return value of "org.apache.poi.xssf.usermodel.XSSFRow.getCell(int)" is null at com.cucumber.LoginStepDef.readFromExcel(LoginStepDef.java:87) at ?.read from excel(classpath:Features/Excel.feature:7) * Not displayable characters are replaced by '?'. </pre>	FAILED	0.649 s
4	Then data should display from excel	SKIPPED	0.000 s
5	When write to excel	SKIPPED	0.000 s
6	Then data should display	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.292 s
	Test failed: Customer Account Login		