

# Automation test result

01-Sept-2025, 8:21:47 pm

**Start : Sept 01, 8:21:40.883 pm**

**End : Sept 01, 8:21:46.734 pm**

**Duration : 5.851 s**

*Features*

*Scenarios*

*Steps*

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 2

FAILED - 1

SKIPPED - 3




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Page Validation</u>	5.851 s	1	0	1	0	6	2	1	3

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Excel	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login Page Validation	1	0	1	0	5.851 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Page Validation	Customer Account Login	6	2	1	3	5.849 s

## Login Page Validation

<b>FAILED</b>	DURATION - 5.851 s	Total - 1		Total - 6	
/ 8:21:40.883 pm // 8:21:46.734 pm /		Pass - 0	1	Pass - 2	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

## Customer Account Login

FAILED		DURATION - 5.849 s			<div>Total - 6</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 8:21:40.885 pm // 8:21:46.734 pm /						
@Excel						

#	Step / Hook Details	Status	Duration
1	When I login with the website with excel data	PASSED	3.234 s
2	Then I should see dashboard	PASSED	0.012 s
3	When read from excel <pre>java.lang.NullPointerException: Cannot invoke "org.apache.poi.xssf.usermodel.XSSFCell.getStringCellValue()" because the return value of "org.apache.poi.xssf.usermodel.XSSFRow.getCell(int)" is null     at com.cucumber.LoginStepDef.readFromExcel(LoginStepDef.java:87)     at ?.read from excel(classpath:Features/Excel.feature:7)     * Not displayable characters are replaced by '?'. </pre>	FAILED	0.713 s
4	Then data should display from excel	SKIPPED	0.000 s
5	When write to excel	SKIPPED	0.000 s
6	Then data should display	SKIPPED	0.000 s
	AFTER - com.cucumber.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.329 s
	Test failed: Customer Account Login		